DAILY RAINFALL

1911 — 1920

WILTSHIRE

ALDBOURNE UPPER HOUSE	1912 — 1920
ALDBOURNE THE WARREN.	1911 — 1919
BISHOPS CANNINGS	1911 — 1920
BISHOPSTROW	1912, 1915-1919
BRADFORD WINSLEY MANOR	1911 — 1920
BRADFORD-ON-AVON BEARFIELD MANOR	1915 — 1918
BRADFORD - ON - AVON MACEVEN HOUSE	1916 —
BRADFORD - ON - AVON. MANVERS HOUSE	1913-15, 1917-1920
BRADFORD - ON - AVON. WOODLEIGH	1917 — 1920
BRADFORD-ON-AVON. WOODLEY GRANGE	1911-1913, 1916-1917
BURBAGE SCHOOL	1918 —
CALNE CASTLEWAY	1911 — 1920
CALNE - COMPTON BASSETT GDNS.	1914 — 17
CHESEL RECTORY	1912 —
CHIPPENHAM KINGTON LANGLEY	1913, 1918, 1920
CHIRTON OLD MANOR FARM	1911 — 1920
CHOLDERTON RECTORY	1911 — 1917
CODFORD ST MARY	1911 — 1920
COLLINGBOURNE KINGSTON	1911 — 1916
CORSHAM CROSSWAYS COTTAGE	1914 — 1919
DEVIZES HIGHCLERE	1917 — 1920
DEVIZES WILTS. COUNTY ASYLUM	1911 — 1919
DEVIZES SOUTHBROOM HOUSE	1912-1913, 1920
DEVIZES W.W.	1911 — 1914
DOWNTON	1911 — 1912
EAST KNOYLE SLADES	1911 — 1919
ERLESTOKE VICARAGE	1913 - 1918, 1920
FONTHILL HOUSE GDNS.	1913 - 1916, 1919-1920
GRAFTON WEXCOMBE	1911 — 1918
HANNINGTON HALL	1911 — 1920

HEYTESBURY		— 1920
HOLT	THE RETREAT	1911 — 1920
KILMINGTON	RECTORY	1911 — 1920
KINGTON	LANGLEY	1914 — 1915
LARKHILL		— 1920
LITTLE BERWYN	VICARAGE	1914 —
LITTLETON PANELL		1911 — 1914
LONGLAND	CASTLE GDNS.	1911 — 1920
LUDGERSHALL	CONHOLT P.K.	1911 — 1920
LUDWELL	CHARLTON HOUSE	1911 — 1918
LYNEHAM		1914 — 1915
MAIDEN BRADLEY		1911 — 1920
MALMESBURY	CHARLTON COTTAGE	1911 — 1920
MALMESBURY	COWBRIDGE HOUSE	1911, 1920,
MALMESBURY	(M.O.)	— 1919
MARLBOROUGH		— 1920
MARLBOROUGH	MILDENHALL	1911 — 1920
MARBBOROUGH.	COLLEGE	1911 — 1920
MERE	CHARNAGE	1911 — 1920
MERE		1911 — 1913
NEW SWINDON.		1911 — 1920
PEWSEY	WILCOT	1911 — 1916
PEWSEY	STOWELL PARK	1911 — 1913
PORTON		1919 — 1920
RAMSBURY	EASTRIDGE	1912 — 1914
SALISBURY	CHITTENE HOUSE	1911—1913, 1916-1920
SALISBURY	WILTON HOUSE GDNS	1916 — 1920
SALISBURY	91 BROWN STREET	1911 — 1920
SALISBURY	ARDATH	1911 — 1920
SALISBURY	S.W.	1911 — 1920
SALISBURY	PLAIN. SHREWTON.	1911 — 1920
SALISBURY	113 CASTLE ST.	1911 — 1915
SALISBURY	ATHERTON HOUSE	1911 — 1920
SALISBURY	LEE HURST	1912 —
SEEND	FERRUM TOWERS	1916 — 1920

SEEND	CLEEVE HOUSE	1911 – 1914, 1916 — 1920
SEEND	MANOR COTTAGE	1916 — 1920
SHALBOURNE	THE MANOR	1911 — 1914
SOUTH MARSTON	VICARAGE	1912 — 1914
STOURHEAD		1911 – 1917, 1919 – 1920
STRATFORD SUB CASTLE		1911 — 1920
SUTTON VENY	GREENHILL	1913, 1916,
TISBURY	PYTHOUSE	—— 1918
TISBURY	THE ACADEMY	1911 — 1920
TISBURY	FONTHILL HOUSE	—— 1918
TROWBRIDGE	W.W. BISS BOTTOM	1911 — 1920
TROWBRIDGE	WINGFIELD	1911 — 1915
TROWBRIDGE	ROOD ASHTON	1911 — 1920
WANBOROUGH		—— 1919
WARMINSTER	RYE HILL	1911 — 1920
WARMINSTER	"STURFORD MEAD."	1913 ——
WESTBURY	VIC.	1912 — 1920
WEST. LAVINGTON	DAUNTSEY AGR. SCH.	1915 — 1918
WINTERSLOW	ROCHE COURT	1915 – 1916, 1918
WOLFHALL MANOR		1917 — 1920
WOODBOROUGH		1911 — 1912
WOOTON BASSETT		1911 — 1914
WROUGHTON	BURDEROP PK.	1911, – 1920
WROUGHTON	SWINDON W/W	1911 — 1913
WROUGHTON	BASSETT. DOWN	1911 — 1920
WYLE RECTORY		1916, 1919, – 1920

DL

297

I 12

FORM A2.
BRITISH RAINFALL.

ALDBOURNE
UPPER HOUSE
WILTSHIRE

1912 —— 1920

Kept at Upham

in the County of Wilt

by

in.

e Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTI the result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this nt of rain, the selection and placing British Rainfall Organization are given in " Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·17	1
2													2
3											·02	·05	3
4										·15	·19		4
5										·22	·005	·08	5
6										·06		·10	6
7										·65		·03	7
8												·01	8
9												·22	9
10											·16	·19	10
11											·04	·21	11
12											·02	·005	12
13												·02	13
14												·05	14
15												·27	15
16											·03	·01	16
17										·15	·01	·07	17
18											·005	·13	18
19										·06		·03	19
20										·05	·02		20
21										·30			21
22										·20	·005	·09	22
23										·05	·20	·42	23
24										·05		·20	24
25											·38	·18	25
26										·05	·57	·50	26
27										·42		·30	27
28										·34	·36	·78	28
29										·35		·07	29
30										·29			30
31										·02		·08	31
Total										3·41	2·02 ~~2·205~~	4·265	TOTAL for year
No. of Rain Days.										17	14 ~~15~~	25 26	

W. 8,000, X. '11.

DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Upham House

in the County of Wiltshire

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·17	1
2													2
3											·02	·05	3
4										·15	·19		4
5										·22	·005	·08	5
6										·06		·10	6
7										·65		·03	7
8												·01	8
9												·22	9
10											·16	·19	10
11											·04	·21	11
12											·02	·005	12
13												·02	13
14												·05	14
15												·27	15
16											·03	·01	16
17										·15	·01	·07	17
18											·005	·13	18
19										·06		·03	19
20										·05	·02		20
21										·30			21
22										·20	·005	·09	22
23										·05	·20	·42	23
24										·05		·20	24
25											·38	·18	25
26										·05	·57	·50	26
27										·42		·30	27
28										·34	·36	·78	28
29										·35		·07	29
30										·29			30
31										·02		·08	31
Total										3·41	2·02 ~~2·205~~	4·265	TOTAL for year
No. of Rain Days.										17	14 ~~15~~	25 26	

W. 8,000, X. '11.

S. made ✓

end for auth 16.III.14

306

FORM A.
BRITISH RAINFALL.

1 NOV 1913

REGISTER OF RAINFALL IN 1913

~~H~~ DSS

Kept at Upham House
in the County of Wilts 5
by Mrs H. B. Hanbury
CR Wilts

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Chiseldon
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. six in.
" " " " Sea Level 875 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·07	·13	·05	·15	·02	nil	nil	·63	·02	·20	·16	1
2	·055 ~~·0055~~	·23	·02	·02	·005		·04		·03	·05	·14	–	2
3	·01		·10	·09	·80		nil		Nil	·02		·25	3
4	·45	·005	·02	nil	·24	·06	·01		·38	·25	·06	·08	4
5	·05	·03				·04	·08		·06		·03	·06	5
6	·005	·03	·02		·25	·08	·91		nil	·38		·49	6
7		·22			·19	·08	·13		–	·35	·10	–	7
8	·005	·05			·88	·04	nil			·34		·02	8
9		·20				nil	·15	·22	·17		·02	·08	9
10	·10		·03	·17	·10		·02	·06	nil		·60	–	10
11	·84		~~·01~~	·35	·21		nil			·12	·48	·01	11
12	~~·06~~				·29		″			·01	·17	–	12
13	·06	·005	·01		·01	″			·23		·18	–	13
14	·11		·17	·11	·08		·52	·09	·04	·10	·04	–	14
15	·17	·10	·30	·73			·36		·17		·07	·01	15
16	·20		·55	·1·6			nil		·04	·01		–	16
17	~~·04~~		·07	·06		·20 ·020	·03		·02			·01	17
18	·02		·15	·20		nil	·03		nil		·02	–	18
19	·80		·02			·04	·13		·29			·03	19
20	·06		·15	·05		nil	nil		nil	·21	·05	–	20
21			·27	·1·0	·13	–	″		nil	·02	·47	–	21
22	·37		·02	·05			″	·06	·30			–	22
23	·02		·02			·12	″	·04	nil	·005	·03	·18	23
24				·18		nil		·04	″	·005		–	24
25		·10		·08		″		~~·10~~	″	·02		·03	25
26		·04		·36		″		·10	″	·22		·08	26
27		~~·04~~ ·01	·13	·14		″			–	·05		–	27
28	·26		·31	·1·7		″			″	·48		–	28
29	·03		·47	·86		″		·03	″	·20	·02	·05	29
30	·41					″			″	·38	·05	–	30
31			·07		·09			·20				–	31
Total	4·095 ~~4·095~~	1·090	3·03	3·93	2·72·5	·68	2·40	·84	2·36	3·24	2·73	1·54	YEAR'S TOTAL 28·66
Rain Days.	~~22~~ 21	~~13~~ 12	21	19	14	9	12	9	12	20 ~~21~~	18	15	182

W. 7,500, XI. 12

DL

cmd from auth 8.III.15

293

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Upham House
in the County of Wiltshire 5
by E. A. Patch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·08	·48			·17	·03	1
2				·02	·02		·35	·03			2·08	·25	2
3			·14	·20	·24		·10	·10			·02	·09	3
4	·21		·02	·24	·07		·05	·90			·38	·46	4
5	·04		·07	·28	·12	·05	·15	·20			·42	·04	5
6		·10	·08	·05	·05	·03	·07	·03			·08	·24	6
7		·34	·16	·17	·74	·03	·13	·06				·38	7
8	·04	·03	·76	·08	·03	·39	07	·09			·01	·04	8
9	·10		·39	·17	04	·70		·08	·07			·07	9
10	·04		·02	·02	·12			·02	·22			·01	10
11		·12	·30	·02	·05		·30		·01		·13	·44	11
12		·05	·12			·25	·12		·30	·07	·03	·42	12
13		·35	·28			02			·18	·15	·05	·43	13
14		·15	·28				·22			·91	·22	·05	14
15	·05	·04	·13				·03	·38		·03	·09	·01	15
16							·03		·18				16
17		·34	·14						·03			·53	17
18			·03			·30	·19					·63	18
19		·08	·15				·95				·13	·16	19
20		·34	·32			·07						·17	20
21		·78	·05							·22	·03	·05	21
22		·01		·01	·26	·06	·02	·03		·70			22
23		·05	·17		·13					·18			23
24			·03		·10					·19	·08		24
25	·03		·18					·24		·31	·02	·27	25
26			·04				·04	·34		·05	·22	·71	26
27	·05										·12	·20	27
28		·05	·05		·10						·35	·60	28
29	·15		·09		·13					·35	·20		29
30			·08							·15	·45	·70	30
31							·17			·23			31
Total	·71	2·83	4·08	1·26	2·20	1·90	3·07	2·98	·99	3·54 3·~~4~~4	5·28	6·98	YEAR'S TOTAL 35·82
Rain Days.	9	15	25	11	15	10	1~~7~~8	14	7	13	21	25	183

W.7,000, XI. 13

81

1682
~~287~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Upham House

in the County of Wiltshire 4 W. 81

by J. McTaggart

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.11							22	.20	.14	.15	1
2	.33	.29	.21					1.11	.08	.35			2
3	.89	.02	.06				06	.008					3
4	.23							17				.89	4
5	.06	.49						.02				.32	5
6	.30	.12					.43	.009				.14	6
7	.18	.38	.02				.44	.009				.27	7
8	.17	.18					.007	.09					8
9	.09	.05						.006			29	.82	9
10	.15	.02	.04									.06	10
11			.08					.005			.82		11
12	.05	.09						.40			.41		12
13	.03	70							009		.10		13
14	.04	.05					20	29	.08			.91	14
15	.20						.007	.31				.15	15
16		.71					.82	.009		.009		.09	16
17		.40	.05										17
18		.22	.08								.08		18
19		.04					21						19
20	.19											.17	20
21	.15	.11					.008			19		.08	21
22	.06	1.01	.56				.48					.27	22
23		.07	.26				19			.40			23
24							.17		69	.72		.82	24
25			.01									.01	25
26		.05					.10					.51	26
27		.04								.35			27
28		.03					.007		.95	.01			28
29								.10					29
30	.06	×								.17	.61	.20	30
31	.07	×		×		×		.02	×	1.16	×	.29	31
Total	3.63	5.18	1.37				3.129	2.566	2.029	3.559	2.45	6.15	YEAR'S TOTAL
Rain Days.	19	22	10				14	14	6	10	7	20	

W. 8,000. X. 14.

8h

~~W~~ 8h and months

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Upham House

in the County of Wiltshire

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			—					~~1·34~~		·01		1
2	·64	·11	·20						·09	·16	·12		2
3		·65							·20	·64	—		3
4	·21	·12							·10	·27	·32		4
5		·01							·19	·05	·33		5
6	·08	·11									·75	·08	6
7		·01	·30								·10	·20	7
8	·16										·22	·09	8
9			·10							·12	·95		9
10		·05		—							·20	—	10
11	·11	·04	·01								·45		11
12		·51											12
13		·30	·12										13
14		·39	·22							·08			14
15		·35	·29										15
16		·01	·16										16
17	·22	·25							·27	·33			17
18													18
19	·20		·01						·10		·15		19
20			·39								·15		20
21	·14		·63										21
22													22
23										·33			23
24										·31	·08		24
25			·10										25
26										·32			26
27		·38?							·08	·49			27
28		·10	1·05							·45	·15	·29	28
29		·40	·10								·11	·75	29
30		X							·10	·20	·08		30
31		X		X		X			X	·13	X		31
Total	1·77	3·79?	3·68						1·13 ~~2·47~~	3·88	4·17? ~~6·77~~	·41?	YEAR'S TOTAL
Rain Days.	9	21?	14						9	14	16	...	

W. 8,000. X. 15.

81

241

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Upham

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3	·11												3
4													4
5	·30												5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	·41?												YEAR'S TOTAL
Rain Days.	2												

W. 8,000, VIII. 16

Jan 12 part est'd

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 8.1.19

Kept at Upham House

in the County of Wiltshire

by R. Everett. (Gardener)

Lat. Long.

Time of Observation 9. A. M.

Nearest Railway Station Chiseldon

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-4	-	26	-	-	-	7	-	~~60~~	60	6	1
2	-	-5	-	23	-	-	-	47	-	~~12~~	13	12	2
3	-1	-4	-5	34	-4	-	-	14	6	-	6	-	3
4	-	-6	-4	-	30	-	-	10	6	~~5~~	89	5	4
5	-	-	-	-	-	-	-	14	31	~~4~~	-	4	5
6	·10-6	·10-7	-	29	·3	-	-	-	22	x	-	-	6
7	-	10-6	-	14	72	-	-	2	6	x	-	9	7
8	-	-2	-	-	-	-	-	-	25		19	20	8
9	-1	10-7	-	14	-	11	68	-	35		-	32	9
10	-	- -	-	12	-	3	56	-	24		[illegible]	19	10
11	-7	-3	-	2	-	-	56	-	33		6	14	11
12	-	·10-5	-	-	30	-	6	-	5		-	2	12
13	-	-	-	-	-9	-	15	-	31		-	16	13
14	·20·2	-5	-	2	-	-	40	-	51		-	24	14
15	·50-5	-	-2	17	-	-	53	-	-		-	20	15
16	·60-5	-	-	120	-	-	-	-	16		-	6	16
17	·40-6	-	-3	27	-	-	46	2	-		-	~~15~~	17
18	·80-7	-	-	-	-	60	·21 ~~20~~	5	26		-	3	18
19	-	-	-9	31	-	2	26	-	6		-	6	19
20	10	·10-3	-	40	-	3	77	-	37		-	9	20
21	-8	-3	-	9	-	-	2	-	114		-	7	21
22	10	-	-	-	20	-	26	-	14		-	23	22
23	-9	·20-3	-	-	24	-	46	-	-		13	-	23
24	-1	-	-	-	-	-	-	-	6		12	-	24
25	-	-	-	7	-	-	12	56	-		-	-	25
26	-	-	-	-	-	-	55	-	7		14	26	26
27	-	·2	-4	-	-	-	3	23	-		3	3	27
28	-	-	30	-	-	3	-	-	-		30	5	28
29	-	-	-2	-	-	-	-	-	(1·20)		-	4	29
30	-	X	28	-	-	-	-	-	1		9	8	30
31	-	X	-	X	-	X	-	-	X		X	-	31
Total	3·38	1·35	·87	4·07	1·92	·82	6·08	1·80	(6·22)	(1·80)	2·74	2·98	YEAR'S TOTAL (34·03)
Rain Days.	11 ✓	15 ✓	9 ✓	16 ✓	8 ✓	6 ✓	17 ✓	10 ✓	21 ✓	(20)	12	25 ✓	(170)

I am Sorry. Lost This

W. 8,000, IX. 17.

1484

Ex Mc

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

19 JAN 20

Kept at Upham House.

in the County of Wiltshire

by R. Everett. (Gardener.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	32	2	5	-	19	-	21	-	-	9	-	122	1
2	13	-	-	-	-	-	9	-	30	-	21	12	2
3	88	-	22	-	-	5	5	-	53	-	2	59	3
4	14	-	72	-	-	24	-	-	44	-	4	18	4
5	1	25	60	-	-	-	-	-	7	-	5	17	5
6	20	-	6	-	131	-	-	-	-	-	-	9	6
7	12	-	52	1	-	-	-	-	-	-	6	-	7
8	14	-	8	4	-	-	-	-	-	-	-	-	8
9	2	-	4	15	-	-	-	-	-	-	19	-	9
10	1	-	38	7	-	-	-	-	-	-	-	12	10
11	-	-	11	10	8	-	55	-	-	-	-	·7	11
12	-	-	31	-	-	64	-	-	-	-	-	3	12
13	5	-	-	39	-	-	-	-	-	12	-	4	13
14	60	-	-	43	-	-	-	-	4	-	-	6	14
15	14	17	-	-	-	-	.	-	-	6	-	62	15
16	6	90	-	-	-	-	-	-	-	-	14	3	16
17	-	24	-	-	-	-	-	-	-	-	35	-	17
18	-	21	38	-	-	-	-	16	-	-	7	-	18
19	24	30	71	-	-	11	-	32	8	-	25	1	19
20	42	7	67	-	-	32	37	42	6	-	-	5	20
21	-	42	3	-	-	-	-	-	-	-	-	20	21
22	-	9	-	-	-	-	55	-	10	-	-	21	22
23	-	-	-	-	-	-	-	-	8	17	11	3	23
24	-	-	-	-	-	5	-	10	2	72	15	42	24
25	-	-	-	-	-	-	-	52	-	-	-	-	25
26	3	-	24	8	-	-	57	13	15	-	-	-	26
27	20	-	-	83	-	-	-	44	-	-	-	-	27
28	-	-	23	-	-	-	-	91	-	-	16	32	28
29	-	-	-	-	-	-	-	16	-	8	-	5.	29
30	-	X	-	27	-	24	-	97	-		53	-	30
31	-	X	-	X		X	-		X		X	7	31
Total	3·71	2·67	535	2·37	1·58	1·65	2·39	4·13	187	1·24	2·32	464	YEAR'S TOTAL 33·92
Rain Days.	18	10	17	10	3	7	7	10	11	6	14	22	~~135~~

W. 8,000, IX. 17.

Section **A** for the entry of daily observations

Station No. 1533

METEOROLOGICAL OFFICE

Metform 1090
(Rev. Feb, 1965)

REGISTER OF RAINFALL IN 1920

Kept at Upper Upham

in the County of Wilts

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Damp part estimated

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·37	·35	–	·41	–	–	·36	–	·48		1
2	·05	–	·03	·17	–	–	·05	·30	–	·55	–	·12		2
3	–	·06	–	·21	–	–	1·70	–	–	·45	–	·06		3
4	–	–	·05	·10	–	–	·24	·55	–	·21	–	–		4
5	–	–	–	·10	–	–	·78	–	–	·55	–	–		5
6	–	–	·30	–	·19	–	·53	–	–	·13	–	–		6
7	·08	–	·07	·08	·23	–	·21	–	–	–	–	–		7
8	–	·06	–	·35	·02	–	·42	–	–	–	–	–		8
9	–	·02	–	·35	–	–	–	–	–	–	–	–		9
10	·67	·09	·11	·05	–	·15	–	–	–	–	–	–		10
11	·40	·03	·10	·30	·30	·05	·23	–	–	–	–	–		11
12	·08	·05	–	·25	·03	·33	·13	–	–	–	·06	–		12
13	–	·04	·26	·08	–	–	·08	–	–	–	–	–		13
14	·02	–	·22	·33	–	·25	–	–	·04	·10	·39	–		14
15	·01	·15	·13	34	–	·17	·04	–	·22	·38	·11	–		15
16	–	–	–	·08	·10	·25	–	–	·21	·03	·07	–		16
17	·01	–	–	·22	·27	–	–	–	·28	–	–	–		17
18	·13	–	–	·03	·14	–	–	·30	03	–	–	·07		18
19	·05	·06	–	·30	·04	–	–	·01	–	–	–	–		19
20	·04	·27	–	·22	–	·54	–	·01	–	–	–	·31		20
21	–	–	–	·05	–	–	·15	–	–	–	–	·02		21
22	–	–	–	·19	–	–	·07	–	–	–	–	·28		22
23	–	–	–	–	–	–	1·22	·06	–	–	–	·35		23
24	·05	·03	·19	–	–	–	–	–	–	–	–	·18		24
25	·02	·03	·11	–	–	–	·44	·05	–	–	–	–		25
26	·18	–	·15	–	·30	–	·10	–	–	–	–	·13		26
27	·36	·06	–	·17	–	·41	–	–	–	·02	·15	·22		27
28	·59	–	·04	·03	·21	–	·09	–	–	–	·02	·01		28
29	·13	–	·05	·04	·09	·02	–	–	–	–	·22	·32		29
30	·06	X	–	–	–	·15	·36	–	·22	–	·39	·35		30
31	·04	X	·19	X	–	X	·02	–	X	·63	X	·25		31
TOTAL	2·97	·95	2·00	4·41	2·27	2·32	7·27	1·28	1·00	3·41	1·41	3·15	Year's Total 32·44	
*Days with ·01 in. or more	✓			✓	✓									
Days with ·04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) .... (P.T.O.)

1349

FORM A.
BRITISH RAINFALL.

6 JAN 19

REGISTER OF RAINFALL IN 1920

Kept at Upper Upham

in the County of Wiltshire

by R. Everett. Gardener.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	26	-	41	-	-	36	-	48	1
2	-	-	3	-	-	-	5	30	-	55	-	12	2
3	-	6	~~3~~ -	-	-	-	170	-	-	45	-	6	3
4	-	-	5	-	-	-	24	55	-	21	-	-	4
5	-	-	-	-	-	-	78	-	-	55	-	-	5
6	-	-	30	-	9	-	53	-	-	13	-	-	6
7	8	-	7	8	23	-	21	-	-	-	-	-	7
8	-	6	-	35	2	-	42	-	-	-	-	-	8
9	-	2	-	35	-	-	-	-	-	-	-	-	9
10	67	9	11	5	-	15	-	-	-	-	-	-	10
11	4	3	10	30	30	5	23	-	-	-	-	-	11
12	8	5	-	25	3	33	13	-	-	-	6	-	12
13	-	4	26	8	-	25	8	-	-	-	-	-	13
14	2	-	22	33	-	-	~~2~~	-	4	10	39	-	14
15	1	15	13	34	-	17	4	-	22	38	11	-	15
16	-	-	-	8	10	25	-	-	21	3	7	-	16
17	1	-	-	22	27	-	-	-	28	-	-	-	17
18	13	-	-	3	14	-	-	30	3	-	-	7	18
19	5	6	-	30	4	-	-	1	-	-	-	-	19
20	4	27	-	22	-	54	-	1	-	-	-	31	20
21	-	-	-	5	-	-	15	-	-	-	-	2	21
22	-	-	-	19	-	-	7	-	-	-	-	28	22
23	-	-	-	-	-	-	122	6	-	-	-	35	23
24	5	3	19	-	-	-	-	-	-	-	-	18	24
25	2	3	11	-	-	-	44	5	-	-	-	-	25
26	18	-	15	-	3	-	10	-	-	-	-	13	26
27	36	6	-	17	-	41	-	-	-	2	15	22	27
28	59	-	4	3	21	-	9	-	-	-	2	1	28
29	13	-	5	4	9	2	-	-	-	-	22	32	29
30	6	✕	-	-	-	15	36	-	22	-	39	35	30
31	4	✕	19	✕	-	✕	2	-	✕	63	✕	25	31
Total	~~2.56~~	0.95	2.00	3.46	1.81	2.32	7.27	1.28	1.00	3.41	1.41	3.15	YEAR'S TOTAL 30.62
Rain Days.	18	13	15	19	13	10	20	7	6	11	8	15	155
	14	9	14	17	10	9	19	5	5	9	7	13	131

W, 6,500. VII. 18. w w c

ALDBOURNE

THE WARREN

WILTS

1911—1919

REGIS

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at The Warren A

in the County of Wilts

by Henry Brown

1 ft.

l 550 ft. 1532

Bglun

4 Direction S. W.

IMPORTANT NOTE.—Ra ult entered to the previous day. If an Observer le, he is earnestly requested to add the reading at he space provided for it at the end of this parag rain, the selection and placing of r ainfall Organization are given in "*Rules* on to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	·01	·40	—	—	—	—	—	—	—	·01	1
2	·04	—	—	·04	·22	—	—	·02	—	·09	·23	·22	2
3	·03	—	—	·01	·26	—	—	·04	—	·01	·13	·07	3
4	·02	·03	·14	·02	—	—	—	—	—	·41	·12	·30	4
5	·04	·01	—	—	—	—	—	·40	—	·08	·27	—	5
6	·62	—	·09	—	—	—	—	·01	—	—	·04	·47	6
7	·02	—	—	—	—	—	—	—	—	·14	·40	·07	7
8	·09	—	·16	—	—	—	—	—	—	·02	·05	·39	8
9	·09	—	—	·04	—	—	—	—	—	—	—	·33	9
10	·05	·19	18	—	—	—	—	—	—	—	—	·36	10
11	·33	—	·02	—	·56	—	—	—	—	—	·64	·09	11
12	—	—	·53	—	·27	—	—	—	·05	·01	·45	·11	12
13	—	—	·05	—	—	—	—	—	·28	—	—	·54	13
14	—	·02	—	—	—	—	—	—	—	—	—	·59	14
15	—	·03	·02	—	—	·02	—	—	—	·01	·21	·02	15
16	—	·01	·02	—	—	·10	—	—	—	—	·43	·19	16
17	—	·01	—	—	—	·14	—	—	—	—	·07	·41	17
18	—	·30	·05	·05	·05	28	—	—	—	·02	—	·43	18
19	—	—	—	·01	—	·35	—	—	·12	·13	·02	·10	19
20	·01	·05	·06	·04	—	·01	—	—	·24	·04	—	·54	20
21	·01	16	·01	·02	—	·03	—	1·14	—	·53	—	·19	21
22	—	~~·03~~	89	·01	—	·06	—	·01	—	·09	—	·73	22
23	—	·20	·02	—	—	·02	—	—	·04	·01	—	·24	23
24	·01	·09	—	—	—	·29	·02	·12	—	·29	—	·09	24
25	·01	·10	·01	·09	·09	·06	—	—	·03	·01	—	—	25
26	—	·08	—	·16	·04	·03	—	·03	—	·10	·02	·25	26
27	—	3·1	·30	·06	—	—	—	·04	·14	—	·03	·14	27
28	—	·40	—	·27	—	—	—	·13	—	—	·09	—	28
29	—	✕	—	·10	—	·21	—	—	·16	·25	—	—	29
30	—	✕	—	·12	·41	—	—	·04	·02	·17	—	—	30
31	—	✕	—	✕	—	✕		—	✕	·04	✕	—	31
Total	1·42	1·99	2·56	1·44	1·90	1·60	·02	1·48	1·08	2·45	3·20	6·88	TOTAL for year 28·52
No. of Rain Days.	15	16	17	16	8	13	1	11	9	20	16	25	167

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Warren Aldbourne

in the County of Wilts 5

by Henry Brown

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 550 ft. 1532

Time of Observation 9 a m

Nearest Railway Station
Name Ogbourne
Distance 4 m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·01	·40	—	—	—	—	—	—	—	·01	1
2	·04	—	—	·04	·22	—	—	·02	—	·09	·23	·22	2
3	·03	—	—	·01	·26	—	—	·04	—	·01	·13	·07	3
4	·02	·03	·14	·02	—	—	—	—	—	·41	·12	·30	4
5	·04	·01	—	—	—	—	—	·40	—	·08	·27	—	5
6	·62	—	·09	—	—	—	—	·01	—	—	·04	·47	6
7	·02	—	—	—	—	—	—	—	—	·14	·40	·07	7
8	·09	—	·16	—	—	—	—	—	—	·02	·05	·39	8
9	·09	—	—	·04	—	—	—	—	—	—	—	·33	9
10	·05	·19	·18	—	—	—	—	—	—	—	—	·36	10
11	·33	—	·02	—	·56	—	—	—	—	—	·64	·09	11
12	—	—	·53	—	·27	—	—	—	·05	·01	·45	·11	12
13	—	—	·05	—	—	—	—	—	·28	—	—	·54	13
14	—	·02	—	—	—	—	—	—	—	—	—	·59	14
15	—	·03	·02	—	—	·02	—	—	—	·01	·21	·02	15
16	—	·01	·02	—	—	·10	—	—	—	—	·43	·19	16
17	—	·01	—	—	—	·14	—	—	—	—	·07	·41	17
18	—	·30	·05	·05	·05	·28	—	—	—	·02	—	·43	18
19	—	—	—	·01	—	·35	—	—	·12	·13	·02	·10	19
20	·01	·05	·06	·04	—	·01	—	—	·24	·04	—	·54	20
21	·01	·16	·01	·02	—	·03	—	1·14	—	·53	—	·19	21
22	—	~~·06~~	·89	·01	—	·06	—	·01	—	·09	—	·73	22
23	—	·20	·02	—	—	·02	—	—	·04	·01	—	·24	23
24	·01	·09	—	—	—	·29	·02	·12	—	·29	—	·09	24
25	·01	·10	·01	·09	·09	·06	—	—	·03	·01	—	—	25
26	—	·08	—	·16	·04	·03	—	·03	—	·10	·02	·25	26
27	—	·31	·30	·06	—	—	—	·04	·14	—	·03	·14	27
28	—	·40	—	·27	—	—	—	·13	—	—	·09	—	28
29	—		—	·10	—	·21	—	—	·16	·25	—	—	29
30	—		—	·12	·41	—	—	·04	·02	·17	—	—	30
31	—		—		—			—		·04		—	31
Total	1·42	1·99	2·56	1·44	1·90	1·60	·02	1·98	1·08	2·45	3·20	6·88	TOTAL for year 28·52
No. of Rain Days.	15	16	17	16	8	13	1	11	9	20	16	25	167

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

1532

REGISTER OF RAINFALL IN 1912

Kept at The Warren Aldbourne
in the County of Wilts 5
by Henry Brown

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Ogbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·07	—	—	·43	·32	—	·05	·56	—	·19	1
2	—	—	·27	·01	—	·12	·54	—	—	·03	—	—	2
3	—	—	·65	—	—	·19	·03	·32	·04	—	·03	·05	3
4	·14	—	·86	—	·12	·33	—	·12	—	—	·21	—	4
5	·23	·05	·25	—	—	·19	—	·63	·01	—	·01	·12	5
6	·54	·14	·02	—	·02	·03	·09	·24	·01	—	—	·12	6
7	·03	·22	·01	—	·13	·63	—	·02	—	—	—	·03	7
8	·44	·17	·40	—	—	·06	—	·18	·02	—	—	·02	8
9	·04	·13	·41	·03	—	·39	·01	·02	—	—	—	·26	9
10	—	·09	04	—	—	·07	—	·15	·02	—	—	·18	10
11	·04	·06		—	—	·02	—	—	—	—	·13	·25	11
12	·05	·41	15	—	—	—	·04	—	—	·02	·05	·01	12
13	—	·11	01	—	—	—	·07	·10	—	—	·03	·01	13
14	·08	—	20	—	·35	—	—	·05	—	—	—	·04	14
15	·04	·10	04	—	·14	·35	—	05	—	—	·02	·28	15
16	·31	·01	17	—	·08	·02	—	04	—	·14	—	·02	16
17	·76	—	60	—	—	·07	—	64	—	—	·03	·03	17
18	·36	—		—	—	—	—	07	—	·06	·01	·18	18
19	·06	·12	20	—	—	—	·14	63	—	·01	·01	·04	19
20	·03	—	31	—	—	—	·38	27	—	·33	—	—	20
21	·02	·08	36	—	·61	—	—	27	—	·24	·03	—	21
22	·27	·25		—	~~·24~~ 21	—	·08	18	—	·06	—	·09	22
23	·39	·37	46	—	~~·24~~	—	·10	30	—	·03	·20	·43	23
24	·06	·03	03	—	—	·02	—	10	—	—	·01	·16	24
25	—	—		—	—	·15	—	52	—	·03	·38	·66	25
26	—	·04	[illegible]	—	—	—	·11	32	—	·47	·68	·16	26
27	—	—	01	—	—	·11	·16	42	—	·79	— ~~·60~~	·33	27
28	—	·07	—	—	—	·01	·02	04	·17	·37	43	·76	28
29	—	·09	—	—	—	·87	·26	01	·68	·40	— ~~·42~~	·07	29
30	—		·01	—	—	·06	·06		·31	·37	—	—	30
31	—		·10		·43		·33	06		·03		·09	31
Total	3·89	2·54	5·03	·04	2·09	4·12	2·74	5·75	1·31	3·94	2·26	4·58	YEAR'S TOTAL [illegible]
Rain Days.	19	19	25	2	9	20	17	26	9	17	15	26	204

38·29

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914
1532

Kept at The Warren Aldbourne
in the County of Wilts
by Henry Brown

5

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Ogbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·22	·18	·06	·13	—	—	—	·62	·02	·27	·14	1
2	·01	·13	—	·03	—	—	·03	—	·03	·05	·13	—	2
3	·01	—	·12	·09	·68	—	—	—	—	·02	—	·32	3
4	·50	—	·03	—	·33	·10	·01	—	·07	·25	·06	·12	4
5	·02	·03	—	—	—	·03	·08	—	·05	—	·05	·05	5
6	—	·04	·11	—	·24	·08	·94	—	·01	·39	—	·44	6
7	·01	·32	—	—	·17	—	·13	—	—	·34	·09	—	7
8	—	·08	—	—	·18	·10	—	—	—	·24	—	·02	8
9	—	·19	·01	—	—	—	·14	·22	·15	·01	·02	·07	9
10	·10	—	·03	·16	·14	—	·03	·05	—	—	·61	—	10
11	·84	—	—	·37	·22	—	—	—	—	·11	·54	·02	11
12	—	·02	—	—	·27	—	—	—	—	·01	·18	—	12
13	—	—	·02	—	·02	—	—	—	·25	—	·16	—	13
14	05	·01	·20	·11	·06	—	·53	·09	·07	·10	·03	—	14
15	12	·08	·33	·81	—	—	·23	—	·14	—	·09	·01	15
16	22	—	·67	·15	—	—	—	—	·04	·01	·02	—	16
17	22	·03	·13	·07	—	·10	·02	—	·01	—		·03	17
18	05	—	·19	·21	—	—	·04	—	—	—	·02	—	18
19	96	—	·03	—	—	·04	·11	—	·30	—	—	·03	19
20	08	—	·16	·04	—	—	—	—	—	·26	·06	—	20
21	·02	—	·12	·10	·12	—	—	—	—	·02	·47	—	21
22	·37	—	·25	·09	—	—	—	·05	·28	—	—	—	22
23	—	—	·01	—	—	·09	—	·03	—	—	·03	·17	23
24	·02	—	—	·17	—	—	—	·02	—	—	—	—	24
25	—	·08	—	·13	—	—	—	—	—	·02	—	·03	25
26	—	·03	—	·46	—	—	—	·10	—	·23	—	·20	26
27	—	·02	·22	·14	—	—	—	—	—	·04	—	—	27
28	·27	—	·26	·14	—	—	—	—	—	·32	·01	—	28
29	·03		·54	·86	—	—	—	·03	—	·22	—	·07	29
30	·51		—	—	—	—	—	—	—	·44	·04	—	30
31	·01		·06		·04		—	·17		—		—	31
Total	4·47	1·28	3·67	4·19	2·60	·54	2·29	·76	2·02	3·10	2·88	1·72	YEAR'S TOTAL 29·52
Rain Days.	22	14	21	19	13	7	12	9	13	20	19	15	184

✓

W.7,000, XI. 13

1532

FORM A.
BRITISH RAINFALL
5 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Warren Aldbourne

in the County of Wilts 5

by Henry Brown

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ogbourne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	—	—	·06	·48	—	—	·18	·03	1
2	—	—	—	·03	·02	—	·34	·03	—	—	2·34	·26	2
3	—	—	·14	·19	·25	—	·05	·10	—	—	·02	·10	3
4	·21	—	·02	·26	·07	—	·16	·93	—	—	·36	·51	4
5	·04	—	·08	·27	·16	·03	·25	·17	—	—	·16	·04	5
6	—	·14	·07	·05	·05	·02	·07	·02	—	—	·25	·27	6
7	—	·48	·20	·19	·74	·02	·13	·06	—	—	—	·37	7
8	·05	·06	·74	·10	·04	·41	·07	·10	—	—	—	·04	8
9	·11	—	·42	·18	·05	·70	—	·07	·10	—	—	·07	9
10	·02	·16	·02	·02	·11	—	—	·02	·33	—	—	—	10
11	—	·21	·34	·02	·05	·26	·32	—	·02	—	·13	·43	11
12	—	·10	·12	—	—	·01	·02	—	·35	·05	·03	·43	12
13	—	·48	·26	—	—	—	—	—	·19	·13	·05	·42	13
14	—	·24	·38	—	—	—	·30	·01	—	·82	·24	·04	14
15	·07	·01	·14	—	—	—	·04	·33	—	·03	·07	—	15
16	—	—	·01	—	—	—	·03	—	·18	—	—	—	16
17	—	·40	·15	—	—	—	—	—	·03	—	—	·60	17
18	—	·01	·05	—	—	·25	·15	—	—	—	—	·73	18
19	—	·08	·11	—	—	—	·73	—	—	—	·14	·14	19
20	—	·38	·71	—	—	·07	—	—	—	—	—	·18	20
21	—	·79	·06	—	—	—	·03	—	—	·20	·04	·09	21
22	—	·01	—	·01	·33	·06	·01	·03	—	·74	—	—	22
23	—	·05	·18	—	·11	—	·05	—	—	·20	—	·02	23
24	—	·01	·03	—	·09	—	—	—	—	·17	·08	—	24
25	·04	—	·16	—	—	—	—	·26	—	·34	·02	24	25
26	—	—	·03	—	—	—	·05	·26	—	·05	·24	51	26
27	·05	—	—	—	—	—	—	—	—	—	·12	22	27
28	—	·07	·03	—	·15	—	—	—	—	—	·37	1·26	28
29	·18	✕	·11	—	·12	—	—	—	—	·34	·28	—	29
30	—	✕	·09	—	—	—	—	—	—	·13	·52	81	30
31	·02	✕	—	✕	—	✕	·16	—	✕	·23	✕	03	31
Total	·79	3·68	4·67	1·32	2·34	1·83	3·02	2·87	1·20	3·43	5·64	7·84	YEAR'S TOTAL [illegible]
Rain Days.	10	18	27	11	15	10	20	15	7	13	20	25	191

38·63

W. 8,000. X. 14.

coolly B. 3.V.16 ~~IW~~ [illegible]

1681
1532

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at The Warren Aldbourne
in the County of Wilts 4
by Henry Brown

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Ogbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·72	·12	—	—	·05	—	—	—	·22	·19	·14	·16	1
2	·38	·34	·23	·08	—	—	—	1·08	·05	·39	—	·24	2
3	1·50	·03	·05	·10	·06	—	·08	·03	—	—	—	·20	3
4	—	—	—	—	·01	—	—	·10	—	—	—	·47	4
5	·05	·57	~~·57~~	·01	—	—	—	·06	—	—	—	·32	5
6	·29	·11	~~·11~~	·26	—	—	·47	·02	—	—	—	·13	6
7	·21	·55	·02	·02	—	—	·34	·03	—	—	—	·31	7
8	·23	·28	—	—	—	—	·03	·08	—	—	—	—	8
9	·13	·05	—	·22	—	—	—	·02	—	—	·31	·82	9
10	·16	·03	·04	·01	—	—	—	—	—	—	—	·09	10
11	—	—	·06	·10	—	—	—	·08	—	—	·82	·05	11
12	·05	·11	—	·28	·45	—	—	·44	—	·03	·55	·04	12
13	·03	·87	—	—	1·16	—	—	—	·04	—	·03	—	13
14	·06	·03	—	—	—	—	·22	·39	·06	·02	—	·83	14
15	·22	—	—	·02	·06	—	·02	·16	·01	·03	·08	·16	15
16	·01	·82	—	·03	·25	—	·78	·07	—	—	—	·10	16
17	—	·48	·03	—	1·65	—	—	·02	—	—	—	·01	17
18	—	·29	·07	—	·03	—	—	—	—	—	·04	—	18
19	—	·04	—	—	·04	—	·22	—	—	—	—	—	19
20	·20	—	—	·14	·01	—	—	—	—	—	—	·15	20
21	·13	·12	—	—	·02	—	·04	—	—	·17	—	·09	21
22	·09	1·05	·57	·03	—	—	·46	—	—	—	—	·29	22
23	—	·06	·15	—	—	·15	·22	—	·11	·57	—	·39	23
24	—	—	·03	·08	—	·04	·19	—	·56	·50	—	·31	24
25	—	—	—	·03	—	·42	—	—	—	—	—	·14	25
26	—	·08	—	—	—	·07	·10	—	~~·01~~	—	—	·57	26
27	—	·04	—	—	—	·03	·16	—	·01	·37	—	·02	27
28	—	·03	—	—	—	—	·02	—	·94	·06	—	—	28
29	—	×	—	—	—	—	—	·10	·01	—	·14	·03	29
30	·09	×	—	—	—	—	—	—	—	·19	·47	·18	30
31	·08	×	—	×	—	×	—	·05	×	1·22	×	·36	31
Total	4·63	6·10	1·25	1·41	3·79	·71	3·35	2·73	2·01	3·74	2·58	6·46	YEAR'S TOTAL 38·76
Rain Days.	19	22	10	15	12	5	15	16	10	12	9	26	171

W. 8,000. X. 15.

W 8L and for month

1652
1532

BRITISH RAINFALL. FORM A.

REGISTER OF RAINFALL IN 1916

Kept at The Warren Aldbourne
in the County of Wilts
by Henry Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ogbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	—	—	—	·16	·06	·04	—	·08	·14	·90	—	1
2	·65	·07	·09	—	·50	—	—	—	·02	·56	·08	—	2
3	·04	·79	·05	—	·01	—	·01	—	·10	·45	·22	—	3
4	·22	·14	—	—	·05	·32	—	—	·18	·28	·69	—	4
5	·03	·05	·01	—	·32	·10	—	—	—	·04	·32	—	5
6	·05	·13	·07	—	·05	·07	·58	—	—	·03	·83	—	6
7	·11	·06	·32	—	·04	—	·01	—	—	·13	·25	·15	7
8	·01	·03	·08	—	·17	—	—	—	—	—	—	·19	8
9	·02	—	—	—	·21	·26	·02	—	—	·15	—	·04	9
10	—	·45	·04	·05	·02	·41	·01	—	—	—	—	—	10
11	·09	—	·06	·09	·02	·27	—	—	·03	—	—	·41	11
12	·01	·03	·01	·03	·20	·02	·14	·02	—	·01	—	·18	12
13	—	·40	·05	·27	—	—	—	·47	·08	—	—	—	13
14	—	·42	·03	·02	·06	—	—	·09	—	·09	—	—	14
15	—	·33	·30	·02	—	—	—	·18	—	·03	—	—	15
16	·03	·10	·16	·12	·03	—	·18	·42	—	·01	—	—	16
17	·15	·25	—	·05	—	—	·02	·40	·38	·45	—	—	17
18	—	·04	·03	·08	—	—	—	·27	·14	·04	·15	·20	18
19	·10	—	·05	·89	—	—	—	—	·08	—	·60	·02	19
20	·18	—	·44	·02	—	—	—	—	—	—	·04	·76	20
21	·07	—	·90	—	·05	—	—	—	—	·14	·03	·53	21
22	—	·02	·01	—	·05	·01	—	—	—	—	—	·50	22
23	·02	·20	—	—	—	·02	—	·12	—	—	·15	·13	23
24	—	·33	—	·03	·18	·03	—	·03	—	·20	·27	·22	24
25	—	·80	·11	—	—	—	—	·31	—	·02	—	·10	25
26	—	·08	·08	—	—	·14	—	·36	·09	·25	—	—	26
27	·07	·05	1·00	—	·09	·07	—	·13	·05	·44	—	—	27
28	—	·60	·29	—	—	·18	—	—	·20	·35	·03	·20	28
29	—	·25	—	—	—	·37	—	1·89	·04	·47	—	·36	29
30	—		—	—	—	—	—	—	—	·39	—	—	30
31	—		—		—		—	·03		·06		·03	31
Total	1·91	5·62	4·18	1·67	2·21	2·33	1·01	4·72	1·47	4·73	4·56	4·02 4·02	YEAR'S TOTAL 38·43 38·43
Rain Days.	~~18~~	~~23~~	~~22~~	~~12~~	~~18~~	~~15~~	~~9~~	4·72 ~~14~~	~~13~~	~~23~~	~~14~~	~~16~~	~~198~~

W. 8,000, VIII. 16

1576

FORM 1.5 5 32
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19

Kept at The Warren Aldbourne
in the County of Wilts
by Henry Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ogbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·15	·07	—	·03	—	1·26	·09	—	·03	—	1
2	—	—	—	·29	—	·07	—	·04	—	—	·02	—	2
3	·08	—	·06	·04	—	—	·77	·29	—	·45	—	—	3
4	—	·15	·14	—	—	—	·20	·13	—	·32	—	·02	4
5	·32		·09	·19	—	·05	—	·06	·08	·54	·10	~~·22~~	5
6	·20		·18	—	—	·23	—	—	—	·11	·11	·05	6
7	~~·50~~		—	—	—	—	·13	·01	—	·19	·01	·26	7
8	·50		·05	·12	—	—	·87	·20	·03	·29	·06	—	8
9	·19		·08	·04	·05	—	·12	·10	·09	—	·08	·02	9
10	·06		·26	·21	·14	—	—	·20	—	·14	~~·11~~	—	10
11	·08	·02	1·26	·61	—	—	—	·04	—	·21	·02	—	11
12	—		·03	·03	—	—	—	·05	—	·45	·02	—	12
13	—		·12	—	—	·01	—	·18	·09	·04	·01	—	13
14	—		·03	·11	—	—	—	·06	—	·02	—	—	14
15	·04		—	—	—	—	·25	·03	—	·12	—	·81	15
16	·01	·07	—	·09	·05	—	·09	—	—	·91	—	—	16
17	·04	·03	—	·12	·45	—	·40	·15	·50	·17	—	—	17
18	·03	·04	—	·01	·01	·01	·39	·01	·42	·01	—	—	18
19	—	·36	·20	—	—	—	—	—	·13	—	—	—	19
20	·07	·07	·33	—	·52	·19	—	—	·01	—	·07	—	20
21	—	·01	·12	—	—	·03	—	·16	—	·07	·08	—	21
22	—	—	·15	—	—	·07	—	·32	—	·07	—	·04	22
23	—	·17	—	—	·04	·01	—	·33	—	·03	—	—	23
24	—	·14	·02	—	—	·15	·04	—	—	·35	—	—	24
25	—	·10	·09	—	—	—	—	·48	·03	·09	·01	—	25
26	—	—	·01	—	·05	—	—	1·06	·18	·07	·11	·01	26
27	—	—	—	—	·94	·04	—	·84	—	·02	—	·04	27
28	—	—	·08	—	—	1·80	—	·05	—	—	·01	·18	28
29	—	✕	·07	—	·09	·40	·07	·19	—	·41	—	—	29
30	·03	✕	·07	—	—	—	1·19	—	—	·08	—	·08	30
31	—	✕	·09	✕	—	✕	·05	·01	✕	·02	✕	—	31
Total	1·65	1·16	3·68	1·93	2·34	3·09	4·57	6·25	1·65	5·18	·74	1·51	YEAR'S TOTAL 33·75
Rain Days.	~~13~~ 12	11	23	13	10	14	13	24	11	25	15	10	182

W. 8,000, IX. 17.

2.90

XI 11193 cordly men obs

58

15.32

FORM A.
BRITISH RAINFALL

9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at The Warren Aldbourne

in the County of Wilts

by Henry Brown

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Ogbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	—		—										
1	—	—	—	·15	·04	—	—	·05	—	·03	·53	·03	1
2	—	·07	·04	·30	—	—	—	·42	—	·01	·14	·20	2
3	—	·06	·03	·29	·27	—	—	·17	·08	·04	·05	·01	3
4	—	·05	—	·01	—	—	—	·02	·05	—	1·28	·05	4
5	—	·09	—	—	·28	—	—	·21	·26	·21	·03	·03	5
6	·14	·06	—	·37	—	—	—	—	·26	·03	—	·10	6
7	·01	·13	—	·12	·65	—	—	·01	·09	·19	·22	·07	7
8	—	·02	—	—	—	—	—	—	·34	·11	—	·14	8
9	—	·15	—	·13	—	·16	·57	—	·41	·28	—	·20	9
10	·01	—	—	·09	—	·06	·45	—	·23	·28	—	·35	10
11	·08	—	—	·01	—	—	·60	—	·76	·10	·08	·10	11
12	—	·23	—	—	·30	—	·06	—	·05	—	—	·03	12
13	·04	—	·04	·02	·09	—	·40	—	·32	·02	—	·14	13
14	·22	—	—	—	—	·06	·45	—	·55	·11	—	·19	14
15	1·14	—	·03	·72	—	·04	·11	—	—	—	—	·07	15
16	·25	—	—	·78	—	—	—	—	·17	—	—	·10	16
17	·22	—	—	·19	·02	—	·45	·03	·01	—	—	·18	17
18	·85	—	·09	·01	—	·49	·14	—	·27	·01	—	·05	18
19	·05	—	—	·13	—	·03	·29	—	·07	·09	—	·11	19
20	·02	·12	—	{·43}	—	·03	·71	—	·36	·15	—	·06	20
21	·09	·03	—	·02	—	·02	·03	—	1·13	·04	—	·05	21
22	·07	—	—	—	·16	—	·39	—	·14	·03	—	·21	22
23	·10	—	—	—	·21	—	·33	·05	·01	—	·04	·03	23
24	—	·20	—	—	—	—	·03	—	~~[illegible]~~	—	·21	—	24
25	—	—	—	·13	—	—	·12	·65	·02	·08	—	—	25
26	—	—	—	·05	—	—	·47	—	·08	·04	·12	·27	26
27	—	·03	·03	—	—	·02	·03	·24	~~[illegible]~~	—	·11	·03	27
28	—	·04	·27	·02	—	—	—	—	·06	—	·17	·06	28
29	—		·03	—	—	—	—	—	1·61	—	—	·04	29
30	—		·28	—	—	—	—	—	·02	·03	·09	·08	30
31	·01		·13		—		—	—		·03		—	31
Total	3·30	1·28	·97	3·97	2·02	·91	5·63	1·85	7·35	1·86	3·07	2·98	YEAR'S TOTAL 35·19
Rain Days.	16	14	10	20	9	9	18	10	25	21	13	20	194

5·63 2·98

W. 6,500, VII. 18. W W C

[illegible]

1483

1532

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 JAN 20

Kept at The Warren, Aldbourne

in the County of Wilts

by Henry Brown

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Ogbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43	·01	·03	·02	·13	—	·15	—	—				1
2	·14	—	—	—	·01	—	·08	—	·19				2
3	·94	·02	·18	—	·02	·04	·15	—	·56				3
4	·20	—	·50	—	·01	·24	—	·02	·31				4
5	—	·35	·60	—	—	—	—	—	·10				5
6	·21	·01	·06	—	·77	—	—	—	—				6
7	·12	—	·46	·03	—	—	—	—	—				7
8	·17	—	·06	·06	—	—	—	—	—				8
9	·04	—	·84	·12	—	—	—	—	—				9
10	·02	—	·36	·08	—	—	—	—	—				10
11	·04	—	·12	·10	·09	—	·43	—	—				11
12	—	—	·26	·02	—	·55	·07	—	—				12
13	·02	—	—	·42	—	—	—	—	·02				13
14	·68	·02	—	·46	—	—	—	—	·02				14
15	·17	·08	·01	·02	—	—	—	—	—				15
16	·09	·79	—	—	—	—	—	—	—				16
17	·011	·43	—	·02	—	—	—	—	—				17
18	—	·01	·33	—	—	—	—	·14	·04				18
19	·20	·19	·05	—	—	·12	·01	·31	·05				19
20	·43	·06	·70	—	—	·27	·76	·44	·02				20
21	·03	·43	·83	—	—	·12	—	—	—				21
22	—	·08	—	—	—	—	·08	·01	·10				22
23	—	—	—	—	—	·04	·31	·03	·07				23
24	—	—	—	·04	—	·03	—	·05	·03				24
25	·07	—	—	—	—	·05	—	·44	·01				25
26	·11	·01	·16	·12	—	—	—	·13	·15				26
27	·19	—	—	·78	—	—	·60	·39	—				27
28	—	—	·23	—	—	—	—	·87	—				28
29	·02	X	—	—	—	—	—	·14	—				29
30	—	X	—	·25	—	·22	—	·04	—				30
31	·01	X	—	X	—	X	·03	—	X		X		31
TOTAL	4·34	2.49	4·48	2·54	1·03	1.60	2·67 ~~2·61~~	3·81	1.67	for 9 months			YEAR'S TOTAL ~~25·15~~
Days with ·01 in. or more	23	14	10	15	6	10	11	13	14				~~124~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Df

BISHOPS CANNINGS

WILTS

1911 - 1920

REC

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

2/17

Kept at Bishops
in the County of Wi
by Mrs H. H.

in.
round ft. in.
a Level ft.

me
istance Direction

IMPORTANT NOTE the result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.17							.01	.01	1
2	.04				.21			.10		.04	.28	.15	2
3	.05				.18			.05			.06	.07	3
4	.01		.13	.01						.15	.11	.43	4
5	.02		.01					.78		.10	.15		5
6	.30		.13	.01							.09	.42	6
7	.19										.36		7
8	.02		.17								.11	{.40}	8
9	.11		.03									.20	9
10	.14	.17	.17								.08	.38	10
11	.02	.01	.03		.20						.60	.12	11
12	.38		.76		.12				.02		.47	.17	12
13									.22			.44	13
14		.01										.50	14
15			.01			.01				.01	.27	.04	15
16		.01	.01			.19						.17	16
17		.03				.06					.08	.28	17
18		.24	.08	.03	.03	.43						.35	18
19	.02			.02		.40			.15	.16	.03	.13	19
20	.01	.01	.07						.17	.06		.15	20
21		.19	.05	.01		.01		.82	.11	.25		.21	21
22		.01	.24	.01		.01				.09		.65	22
23		.26	.11			.03			.13		.02	.10	23
24		.08				.25	.03	.10		.40		.16	24
25	.05	.05	.01	.17	.02	.12		.01				.06	25
26		.12		.17	.03	.05				.09	.02	.31	26
27		.25	.36	.06				.05	.12		.06	.17	27
28		.53		.30				.14				.01	28
29				.21		.25	.01		.10	.27	.10		29
30				.01	.06	.03			.01	.12			30
31										.25			31
Total	1.36	1.97	2.40	1.18	.85	1.84	.04	2.05	1.03	1.99	2.90	6.08	TOTAL for year [illegible]
No. of Rain Days	13	15	18	~~12~~ 13	8	13	2	8	9	13	18	26	156

9,000, IX. '10.

23.64

Df

REC RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 20 JAN 1912

2/17

Kept at Bishops Cannings

in the County of Wiltshire 3

by Mrs H. H. Mogg

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·17							·01	·01	1
2	·04				·21			·10		·04	·28	·15	2
3	·05				·18			·05			·06	·07	3
4	·01		·13	·01						·15	·11	·43	4
5	·02		·01					·78		·10	·15		5
6	·30		·13	·01							·09	·42	6
7	·19										·36		7
8	·02		·17								·11	{·40}	8
9	·11		·03									·20	9
10	·14	17	·17								·08	·38	10
11	·02	·01	·03		·20						·60	·12	11
12	·38		·76		·12				·02		·47	·17	12
13									·22			·44	13
14		·01										·50	14
15			·01			·01				·01	·27	·04	15
16		·01	·01			·19						·17	16
17		·03				·06					·08	·28	17
18		·24	·08	·03	·03	·43						·35	18
19	·02			·02		·40			·15	·16	·03	·13	19
20	·01	·01	·07						·17	·06		·15	20
21		·19	·05	·01		·01		·82	·11	·25		·21	21
22		·01	·24	·01		·01				·09		·65	22
23		·26	·11			·03			·13		·02	·10	23
24		·08				·25	·03	·10		·40		·16	24
25	·05	·05	·01	·17	·02	·12		·01				·06	25
26		·12		·17	·03	·05				·09	·02	·31	26
27		·25	·36	·06				·05	·12		·06	·17	27
28		·53		·30				·14				·01	28
29				·21		·25	·01		·10	·27	·10		29
30				·01	·06	·03			·01	·12			30
31										·25			31
Total	1·36	1·97	2·40	1·18	·85	1·84	·04	2·05	1·03	1·99	2·90	6·08	TOTAL for year [illegible]
No. of Rain Days	13	15	18	13 ~~12~~	8	13	2	8	9	13	15	~~26~~	156

9,000, IX. '10.

23·64

DL ✓

Jan 17 · ·50 in added for 8. [illegible]

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7/17

Kept at Bishops Cannings

in the County of Wiltshire

by E. L. Mogg

3

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06		·01	·45	·20		·06	·75		·15	1
2			·25			·24	·39			·07			2
3			·02			·02	·01	·35	·06		·02	·12	3
4	·21		·61		·22	·22		·03			·26		4
5	·26		·24		·04	·35		·84			·01	·05	5
6	·48	·14	·01		·12	·01		·40				·10	6
7		·11			·06	·39		·10				·03	7
8	·36	·17	·39			·05	·01	·01	·14			·05	8
9	·02	·01	·34	·03		·12		·01				·30	9
10		·09				·04		·26			·12	·20	10
11	·08	·02		·01		·05					·01	·28	11
12	·13	·50	·10	·02			·03				·03	·05	12
13	·01	·07					·01	·05			·01	·07	13
14	·23		·28		·32	·02		·12		·05		·05	14
15	·04	·20	·02		·19	·40		·01				·50	15
16	·31		·10					·09		·07	·02	·02	16
17	1·10		·05			·11		·58				·10	17
18	·25		·56		·01	·05		·06		·06		·18	18
19	·03	·15	·22				·29	·19		·07	·01	·05	19
20	·01		·27		·53		·08	·50		·35	·02		20
21	·01	·08	·38		·01			·09		·19			21
22	·45	·24	·02		·03	·10	·05	·16		·08	·02	·06	22
23	·25	·32	·48					·53		·05	·30	·48	23
24	·05	·02	·04			·14		·11				·16	24
25			·01			·16		·41		·06		·57	25
26		·25	·01			·01	·29	·25		·40	·53	·15	26
27		·01				·24	·07			·73	·01	·37	27
28		·06			·01	·02	·01	·25	·07	·45	·48	·77	28
29		·04	·01			·14	·19	·01	·77	·26		·03	29
30						·09	·19		·27	·28			30
31			·21		·05		·31	·04		·02		·06	31
Total	4·28	2·48	4·68	·06	1·60	3·42	2·13	5·45	1·37	3·94	1·85	4·95	TOTAL for year 36·21
No. of Rain Days	19	18	~~7~~ 24	3	13	23	15	25	~~24~~ 6	17	15	26	~~205~~ 204

9,000, IX. '10.

82 ✓

2/17

FORM A.
BRITISH RAINFALL.
28 JAN 1914

REGISTER OF RAINFALL IN 1913

Sect SS

Kept at *Bishops Cannings*

in the County of *Wiltshire* 3

by *E. L. Mogg*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 446 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·24	·08	·08	·02				48 ~~·48~~		·17	·25	1
2	·01	·08		·06					·01	·06	·10	·01	2
3	·04		·08		·64					·03	·01	·26	3
4	·66		·06		·52				·92	·40	·04	·15	4
5	·01					·25	·07		·25		·02	·08	5
6		·01	·07		·27	·05	·50			·24	·08	·54	6
7		·20	·01		·24	·02	·67			·25	·11	·01	7
8		·04			·25	·03				·12	·01	·02	8
9		·24	·04		·10	·01	·02	·02	·22		·02	·09	9
10	·06		·10	·05	·03			·02			·48		10
11	·70		·02	·27	·09					·21		·01	11
12		·02			·23				·01		·27	·01	12
13	·02		·02		·01			·06	·12		·10		13
14	·05		·15	·07	·03		·03	·01	·05	·08	·06	·01	14
15	·11	·15	·38	·49			·33	·06	·11		·14	·03	15
16	·33			·12		·20	·03	1·77	·03		·01		16
17	·05		·68				·12		·01		·03		17
18	·03		·15	·19		·03	·02				·06		18
19	·70		·01	·01	·03	·02	·27		·60				19
20	·04		·11	·04	·01					·19	·05		20
21	·01		·04	·05	·13		·01				·45		21
22	·47		·21	·06			·03	·02	·30	·01			22
23	·01					·11		·03			·03	·27	23
24	·03	·01		·20									24
25		·15		·15								·03	25
26		·05		·42				·35		·11			26
27			·07	·15				·01		·10		·19	27
28	·25			·20						·22			28
29	·03	✕	·41	·52	·04					·13	·01	·05	29
30	·42	✕	·01					·03		·27	·04		30
31	·08	✕	·06	✕	·01	✕		·22	✕	·03	✕		31
Total	4·15	1·19	2·76	3·13	2·65	·72	2·10	2·60	3·11	2·45	2·29	2·01	YEAR'S TOTAL 29·16
Rain Days.	23	11	21	18	17	9	12	12	13	16	22	17	191

W. 7,500, XI. 12

8L

[illegible]

2/17

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bishops Cannings

in the County of Wiltshire 3

by E. L. Mogg

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 446 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·05	·50			·22	·03	1
2				·06			·77	·04			1·10		2
3			·10	·32	·19		·24	·25			·02	·27	3
4	·13		·08	·26	·07		·03	1·01			·36	·36	4
5			·15	·34	·04		·26	·09			·43	·07	5
6	·06	·09	·07	·19	·07		·25	·10			·12	·23	6
7		·29	·17	·12	·78	·02	·21	·04				·25	7
8	·04	·06	·77		·05	·36	·16	·07	·08			·01	8
9	·11		·66	·24	·06	·65		·06	·18				9
10		·13		·02	·12				·16		·01		10
11		·11	·30	·01	·09	·30	·22		·01		·06	·42	11
12		·10	·19				·13		·38		·02	·24	12
13		·16	·21						·15	·20	·10	·26	13
14		·29	·23				·23	·04	·17	·55	·19	·01	14
15	·03	·02	·20				·01	·26	·02	·02	·05		15
16									·24				16
17		·42	·12				·01					·31	17
18			·06				·18					·52	18
19		·15	·17				·88		·02		·15	·24	19
20		·22	·29			·12	·01					·26	20
21		·62	·04			·05				·17			21
22		·02	·06		·10	·21	·09			·54			22
23		·19	·12		·12	·02	·03			·19		·12	23
24			·07				·07			·22	·09		24
25	·02		·15		·02		·01	·35		·32	·02	·28	25
26			·04				·02	·13		·10	·24	·49	26
27	·05						·01			·01	·05	·11	27
28		·06	·08		·02					·30	·28	·69	28
29	·15		·16		·02					·01	·26	·01	29
30			·02		·01	·09				·11	·42	·21	30
31					·01		·07			·32		·03	31
Total	·59	2·93	4·51	1·56	1·77	1·82	3·94	2·94 ~~[illegible]~~	1·41	3·06	4·19	5·42	YEAR'S TOTAL 34·14
Rain Days.	~~8~~	~~16~~	~~25~~	~~9~~	~~16~~	~~9~~	~~23~~	~~13~~	[illegible]	~~14~~	~~20~~	~~23~~	~~186~~

W.7,000, XI. 13

82

1671

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Bishops Cannings

in the County of Wiltshire 3

by E. L. Mogg

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·22	·10		·03			·12	·25	·36	·02	·12	1
2	·45	·24	·29	·13		·02		·70	·02	·16		·20	2
3	1·27	·02	·11	·08	·01		·06	·13		·02		·49	3
4	·02	·01	·01									·06	4
5	·03	·68		·07				·14				·19	5
6	·20	·08		·35			·46	·10				·09	6
7	·43	·45		·02	·08	·02	·18	·04				·35	7
8	·33	·30		·04			·13	·10				·01	8
9	·04	·12		·12				·02			·09	·87	9
10	·10		·04	·02				·02			·29	·15	10
11	·18	·01	·12	·09	·01		·02	·07			·79	·03	11
12	·05	·30		·19	·50			·26		·06	·40		12
13	·12	·55			·81			·02	·12			·01	13
14	·06						·29	·35	·05	·01		·53	14
15	·30			·02	·09		·11	·02	·02	·09	·14	·25	15
16	·02	·55			·34		1·06	·02					16
17		·35			1·24			·26				·07	17
18		·20	·03		·08								18
19					·05		·27						19
20	·21			·11	·05					·05		·09	20
21		·16					·05			·11		·28	21
22	·16	·61	·53				·40		·01			·15	22
23		·03	·33	·01			·33		·09	1·15		·31	23
24			·03	·12			·53		·48	·56		·57	24
25				·01		·05	·07					·05	25
26		·04				·10	·08		·01			·46	26
27		·05				·54	·34			·28			27
28		·09				·10		·01	·72	·07			28
29		✕				·14		·09	·01		·08	·05	29
30	·12	✕		·03		·85				·22	·22	·23	30
31	·02	✕		✕		✕	·01	·04	✕	1·05	✕	·15	31
Total	4·68	5·06	1·59	1·41	3·29	1·82	4·39	2·51	1·78	4·19	2·03	5·76	YEAR'S TOTAL 38·51
Rain Days.	20	21	10	16	12	8	17	19	11	14	8	25	181

W. 8,000. X. 14.

1665
3/17

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bishops Cannings
in the County of Wiltshire
by E. L. Mogg.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02				.01	.10	.02		.08	.19	.70		1
2	.36	.04	.04		.16		.01			1.00	.09		2
3		.77			.05		.04		.09	.47	.23		3
4	.12	.24			.03	.50			.24	.26	.77		4
5	.03	.01	.04		.07	.22				.05	.22		5
6	.06	.13	.06		.02	.05	.65			.04	.58		6
7	.04	.05	.26		.05	.01	.03			.09	.20	.25	7
8		.01	.02		.14	.01					.02	.11	8
9					.20		.02			.09	.01	.09	9
10		.51	.02	.09	.02	.25	.02				.01		10
11	.07	.02	.02	.07	.02	.44			.02				11
12	.04	.06	.02	.05	.32	.01	.15	.93		.05	.01		12
13		.33	.12	.01	.01			.63					13
14		.42			.14			.36		.06			14
15	.02	.24	.06	.02	.02			.12		.04			15
16	.03	.05		.18			.14	.04		.01			16
17	.11	.20	.06	.02					.39	.50			17
18		.02		.10					.02		.29		18
19	.25		.33	.08					.10		.13		19
20			.45								.08	1.25	20
21	.03		.66		.10						.02	.45	21
22	.01			.01	.02	.04				.24	.01	.34	22
23	.02	.17	.01	.18		.02		.12		.12	.11	.10	23
24		.08		.01	.16	.08		.05		.32	.04	.32	24
25		.32	.10		.01			.35	.01	.03	.15	.02	25
26	.03	.04	.18			.20		1.50	.02	.30			26
27	.08	.04	1.08			.03		.23	.18	.44			27
28	.01	.24	.06			.10		.05	.14	.28		.27	28
29		.38	.01			.42		1.08	.04	.65	.01	.42	29
30		X						.04	.08	.42		.01	30
31		X		X	.01	X		.03	X	.09	X	.08	31
Total	1.33	4.37	(3.60)	.82	1.56	2.48	1.08	5.53	1.41	5.74 ~~[illegible]~~	3.68	3.71	YEAR'S TOTAL 35.31
Rain Days.	18	(23) ~~17~~	(26)	12	20	16	9	14	13	23	19	13	(200) ~~205~~

35.31

W. 8,000. X. 15.

1569

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bishops Cannings
in the County of Wiltshire
by E. L. Mogg.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18	·11		·04		1·02	·15		·06		1
2						·13					·08		2
3				·50			1·04	·23		·59	·13		3
4	·04		·05				·04	·05		·35			4
5	·41			·26		·11			·06	·37	·16		5
6	·01		·52					·03		·10	·14		6
7							·03	·09		·34	·02		7
8	·32			·07			·63	·27	·10	·30	·11	·23	8
9			·21		·04		·03	·15	·13	·03	·05		9
10	·18		·23		·11			·14		·05		·01	10
11			·65					·11		·13	·04		11
12	·15		·11	·35	·03			·09		·72	·01	·01	12
13	·12					·02		·19	·13	·12			13
14				·13					·03	·03			14
15							·62	·29		·05		·25	15
16		·19		·19	·05		·06			·72		·34	16
17				·13	·24		·51	·09	·41	·24			17
18		·20		·01		·04	·22	·02	·50	·02			18
19		·50	·27			·05			·07		·01		19
20	·03	·10			·36	·03		·03					20
21		·15	·15		·01	·01				·05	·03		21
22			·05			·24				·11			22
23								·45			·01	·08	23
24		·12	·02		·05	·17		·09		·26	·02		24
25			·09					·05	·25	·37			25
26		·04	·02		·11		·08	·75	·05	·16	·11		26
27					·88	·05		1·12		·02	·01	·02	27
28						1·92		·45			·02	·04	28
29		X	·12		·08	·18	·05	·04		·36		·20	29
30		X	·10				·55	·19		·10			30
31		X	·13	X	·04	X	·03	·01	X	·01	X		31
Total	1·26	1·30	2·90	1·75	2·00?	2·99	3·89? 3·89	5·95	1·88	5·60	1·01	1·18	YEAR'S TOTAL 31·71 31·7?
Rain Days.	8	7	16	9	12	13	13	24	11	25	17	9	164

1.88

W. 8,000, VIII. 16

D2

~~[illegible]~~

52

2/17

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
23 · 1 · 19

Kept at Bishops Cannings

in the County of Wiltshire

by E. L. Mogg

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·02	·06			·18			·49	·03	1
2		·03		·30				·38	·01	·07	·09	·27	2
3		·02	·02	·24	·31			·17	·06	·03	·07	·01	3
4	·01	·03		·04				·11	·08		·85	·08	4
5		·01		·03	·23			·29	·24	·16	·05		5
6		·15	·01	·39					·02	·06		·02	6
7		·17		·16	·64	·01		·02	·12	·31	·23	·19	7
8				·02					·65	·20		·03	8
9		·23		·31		·25	·62		·44	·17		·36	9
10				·08		·01	·50			·20		·24	10
11	·15	·16					·52		·47	·06	·07	·20	11
12		·21			·42		·03		·03	·01		·06	12
13	·14				·01	·09	·30		·43	·05		·23	13
14	·14			·23		·12	·39		·26	·23		·13	14
15	1·04			·99		·09	·26		·02			·21	15
16	·40			·43		·30	·01	·03	·12	·03		·12	16
17	·23		·07	·10			·42	·07		·02		·19	17
18	·72					·42	·10		·26			·10	18
19	·04	·02	·13			·01	·26	·01	·16	·04		·09	19
20	·02	·13		·34		·03	1·17		·12	·06		·01	20
21	·07	·02		·02		·05	·03		·77	·05		·08	21
22	·06				·10		·50		·18	·13		·29	22
23	·12				·25	·09	·51				·06	·07	23
24							·11		·14		·18		24
25				·03			·10	·73		·02	·01		25
26							·43		·05	·03	·16	·14	26
27		·04	·05				·01	·21	·14		·19	·07	27
28		·05	·26	·03							·27	·12	28
29			·06						1·23		·02		29
30			·34					·07		·03	·07	·03	30
31			·14					·01				·15	31
Total	3·14	1·29	1·08	3·76	2·02	1·47	6·27	2·28	6·00	1·96	2·81	3·52	YEAR'S TOTAL 35·60
Rain Days.	14	15	9	18	8	12	19	13	23	21	15	27	191

W. 8,000, VIII. 16

DL

Cnd. [illegible]

1476

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at *Bishops Cannings*

in the County of *Wiltshire*

by *E. L. Mogg*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26			·02	·25		·32			·09		·96	1
2	·11		·07				·06		·30	·05	·08	·23	2
3	·85		·17		·05						·02	·33	3
4	·23		·90			·09	·08	·06	·43		·02	·10	4
5	·02	·10	·40		·13		·04		·35		·08	·17	5
6	·24	·36	·07		·23						·04	·05	6
7	·33		·30	·10							·03		7
8	29		·32	·01								·01	8
9	·04		·06	·22	·03	·02					·08		9
10	·10		·21	·02							·01	·12	10
11	·03		·17	·20	·11		·22					·12	11
12	·07		·10	·05		·30	·21			·22		·07	12
13	·01			·46						·01		·02	13
14	·38	·07		·51			·02		·06			·07	14
15	·13			·05	·02							·50	15
16	·06	·72		·01							·18		16
17		·22				·03		·01			·29	·05	17
18			·44				·11	·16	·05		·11	·02	18
19	·28	·18	·93			·14	·83	·31	·13	·01	·26	·05	19
20	·32	·10	·26			·30		·21	·02			·06	20
21	·01	·38	·02			·07	·11	·04	·03		·03	·11	21
22		·15				·01	·20		·23		·01		22
23								·02	·05	·16	·08	·19	23
24				·01		·10	·10			·75	·26	·51	24
25	·16			·01		·05		·55	·18		·05	·04	25
26	·16	·01	·19	·10				·13				·29	26
27	·10			·35				·53				·12	27
28			·24					·46			·43	·53	28
29		X		·08				·07		·13		·03	29
30		X		·25		·23		·47		·03	·33	·35	30
31		X		X		X	·02		X		X	·15	31
T	4.18	2.29	4.85	2.45	·82	1.34	~~1.32~~ 2.32	3.02	1.83	1.45	2.39	5.25	YEAR'S TOTAL ~~31.19~~ 32.19
	22	10	17	17	7	11	13	13	11	9	19	27	176

3,000, IX. 17.

~~1393~~

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

No 1524

1 MAR. 1921

Kept at Bishops Cannings

in the County of Wilts

by ~~Rev~~ E L Mogg

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·43	·40	·	·25	·	·	·45	·	·37	1
2	·05	·	06. ·06	·17	·	·	·15	·04	·12	&.	·09	·05	2
3	·04	·	·	·40	·	·	·35	·45	·02	·	·	·07	3
4	·	·	·09	·05	·	·	·41	·	·	·69	·	·	4
5	·	·	·05	·03	·08	·	·45	·36	·	·19	·	·	5
6	·	·	·23	·	·31	·	·46	·05	·	·36	·	·03	6
7	·05	·	·06	·24	·11	·	·16	·		·02	·	·	7
8	·	·08	·	·66	·07	·	·56	·	·	·	·	·	8
9	·50	·11	·	·78	·	·	·	·	·03	·	·	·	9
10	69. ·69	·22	·	·10	·	·	·24	·	·	·	·02	·	10
11	·42	·02	·14	·28	·34	·05	·17	·	·	·	·	·	11
12	·14	·02	·09	·27	·05	1·02	·06	·	·	·	·07	·	12
13	·06	·11	·25	·08	·	·	·	·	·	·	·	·	13
14	·06	·02	·31	·36	·	·25	·02	·	·05	·19	·28	·	14
15	·01	·15	·07	·32	·	·	·	·01	·08	·15	·07	·	15
16	·	·01	·01	·10	·06	·	·08	·01	·45	·05	·30	·	16
17	·02	·	·04	·40	·21	·11	·	·	·35	·	·	·05	17
18	·08	·	·	·08	·20	·05	·	·38	·42	·	·	·	18
19	·08	·12	·	·15	·08	·16	·	·01	·	·	·03	·	19
20	·07	·09	·	·32	·	57 ·07	01. ·01	·	·05	·	·	·21	20
21	·	·	·	·05	·	·01	·18	·	·04	·	·	·07	21
22	·01	·	·	·18	·	·	·10	·08	·	·	·	·34	22
23	·01	·	·	·	·	·	·73	·	·	·	·	·40	23
24	·	·02	·12	·	·	·	·	·	·	·	·20	·12	24
25	·05	·25	·10	·15	·	·	·41	·03	·	·	·	·15	25
26	·	01·01	·13	·	·22	·	·06	·	·	·	·05	·17	26
27	35 ·35	·04	·	·	·	·42	01. ·01	·	·	·	·	·	27
28	·66	·01	·05	·20	·46	01. ·01	·	·	·	·	·02	·01	28
29	·15	–	·07	·	·03	·03	·	·	·	·	·20	·25	29
30	·08	✕	·08	·	·	·20	·31	·	·26	·	·22	·17	30
31	·08	✕	·35	✕	·02	✕	·15	·	✕	·30	✕	·18	31
TOTAL	3·66	1·28	2·30	5·80	2·64	2·88	5·32	1·42	1·87	2·40	1·55	2·64	YEAR'S TOTAL 33·76
Days with ·01 in. or more	22	16	19	23	15	12	22	10	11	9	12	16	187
Days with ·04 in. or more	18	10	18	22	13	9	19	6	9	8	9	14	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BISHOPSTROW

WILTSHIRE

1912, 1915 — 1919

FORM A. BRITISH RAINFALL.

2- JAN 1913

912

Kept at Bis
Long.

in the County of
n 9 am
tation Warminster

by P. Ben
Gauge 5 in.
uge above Ground – ft. 10 in.
" Sea Level 380 ft.

IMPORTANT … n. and the result entered to the previous day. If … st universal rule, he is earnestly requested to add t… ng year in the space provided for it at the end … easurement of rain, the selection and … he British Rainfall Organization are g… ee on application to Dr. H. R. Mill, …

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	·05	–	–	·29	·08	–	·04	·61	–	·45	1
2	–	–	·45	·01	–	·11	·37	·01	–	–	–	–	2
3	·01	–	·08	–	–	·36	·11	·52	·03	–	·04	·03	3
4	·15	–	·87	–	–	·44	–	–	–	–	·18	–	4
5	·46	–	·15	–	·06	·01	–	·58	·01	–	·03	·19	5
6	·50	·05	·02	–	·08	–	·24	·64	–	–	–	·10	6
7	·03	·48	·15	·01	–	·44	–	·01	–	–	–	·10	7
8	·48	·15	·55	·02	·13	·08	·04	·04	–	–	–	+	8
9	–	·04	·24	·09	–	·35	–	·07	–	–	–	·16	9
10	·03	·08	–	–	–	–	·03	·46	–	–	·11	·18	10
11	·07	·12	·03	–	–	·03	–	–	–	–	·03	·55	11
12	·03	·60	·10	·02	–	–	·05	–	–	–	–	–	12
13	·02	·13	·01	–	–	–	–	·07	–	–	·03	·11	13
14	·15	–	·31	–	·18	–	–	·19	–	·02	–	·04	14
15	·07	·06	–	–	·12	·56	–	·05	–	–	·04	·64	15
16	·73	·01	·30	–	·04	–	–	·08	–	·09	·06	·05	16
17	·50	–	·24	–	–	·03	–	·64	–	–	–	·08	17
18	–	–	·29	–	–	–	–	·11	–	·05	·05	·05	18
19	·30	·09	·14	–	–	·06	·15	·12	–	·06	·06	·02	19
20	–	·03	·34	–	·02	·02	·05	·37	–	·41	·01	–	20
21	–	·29	·32	–	·40	–	–	·03	–	·42	–	–	21
22	·05	·08	·08	–	·12	·26	–	·28	–	·10	·01	·10	22
23	·43	·49	·28	–	–	·01	·02	·50	–	·13	·19	·28	23
24	·09	·02	·01	–	–	·40	–	·10	–	·12	–	·57	24
25	–	–	–	–	–	·15	–	·34	–	·15	·27	·45	25
26	–	·01	–	–	–	–	·19	·26	–	·57	·55	·12	26
27	–	–	–	–	–	·10	·38	–	–	·95	–	·40	27
28	–	·13	–	–	–	·08	·04	·32	·23	·45	·49	·68	28
29	–	·15	–	–	–	·32	·13	·03	1.02	·36	–	·02	29
30	–	+	–	–	·01	·39	·24	–	·30	·55	–	–	30
31	–	+	·29	×	+	+	·38	·03	×	·12	+	·15	31
Total	4·10	3·01	5·30	·15	1·16	4·49	2·50	5·85	1·63	5·16	2·15	5·52	YEAR'S TOTAL 41·02
Rain Days.	18	19	23	5	10	21	16	25	6	17	16	24	200

W. 7,500, XI. ·12

912

FORM A.
BRITISH RAINFALL.

2- JAN 1913

Kept at Bishopstrow. Warminster
in the County of Wiltshire 3
by P. Benton

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Warminster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·05	—	—	·29	·08	—	·04	·61	—	·45	1
2	—	—	·45	·01	—	·11	·37	·01	—	—	—	—	2
3	·01	—	·08	—	—	·36	·11	·52	·03	—	·04	·03	3
4	·15	—	·87	—	—	·44	—	—	—	—	·18	—	4
5	·46	—	·15	—	·06	·01	—	·58	·01	—	·03	·19	5
6	·50	·05	·02	—	·08	—	·24	·64	—	—	—	·10	6
7	·03	·48	·15	·01	—	·44	—	·01	—	—	—	·10	7
8	·48	·15	·55	·02	·13	·08	·04	·04	—	—	—	*	8
9	—	·06	·24	·09	—	·35	—	·07	—	—	—	·16	9
10	·03	·08	—	—	—	—	·03	·46	—	—	·11	·18	10
11	·07	·12	·03	—	—	·03	—	—	—	—	·03	·55	11
12	·03	·60	·10	·02	—	—	·05	—	—	—	—	—	12
13	·02	·13	·01	—	—	—	—	·07	—	—	·03	·11	13
14	·15	—	·31	—	·18	—	—	·19	—	·02	—	·04	14
15	·07	·06	—	—	·12	·56	—	·05	—	—	·04	·64	15
16	·73	·01	·30	—	·04	—	—	·08	—	·09	·06	·05	16
17	·50	—	·24	—	—	·03	—	·64	—	—	—	·08	17
18	—	—	·29	—	—	—	—	·11	—	·05	·05	·05	18
19	·30	·09	·14	—	—	·06	·15	·12	—	·06	·06	·02	19
20	—	·03	·34	—	·02	·02	·05	·37	—	·41	·01	—	20
21	—	·29	·32	—	·40	—	—	·03	—	·42	—	—	21
22	·05	·08	·08	—	·12	·26	—	·28	—	·10	·01	·10	22
23	·43	·49	·28	—	—	·01	·02	·50	—	·13	·19	·28	23
24	·09	·02	·01	—	—	·40	—	·10	—	·12	—	·57	24
25	—	—	—	—	—	·15	—	·34	—	·15	·27	·45	25
26	—	·01	—	—	—	—	·19	·26	—	·57	·55	·12	26
27	—	—	—	—	—	·10	·38	—	—	·95	—	·40	27
28	—	·13	—	—	—	·08	·04	·32	·23	·45	·49	·68	28
29	—	·15	—	—	—	·32	·13	·03	1.02	·36	—	·02	29
30	—	×	—	—	·01	·39	·24	—	·30	·55	—	—	30
31	—	+	·29	×	+	+	·38	·03	×	·12	+	·15	31
Total	4·10	3·01	5·30	·15	1·16	4·69	2·50	5·85	1·63	5·16	2·15	5·52	YEAR'S TOTAL 41·02
Rain Days.	18	19	23	5	10	21	16	25	6	17	16	24	200

1663

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bishopstrow

in the County of Wiltshire 3

by P. Benton

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·27

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·83	·20	—	—	·05	—	—	·15	—	·30	—	·35	1
2	·68	·33	·10	·10	—	—	—	·87	·03	·21	—	·52	2
3	·92	·06	·08	·02	·06	·01	·07	—	—	·09	—	·36	3
4	—	—	·01	—	—	—	—	·01	—	—	—	·38	4
5	·06	1·06	—	·15	—	—	—	·04	—	—	—	·30	5
6	·50	·06	—	·28	—	—	·56	·06	—	—	—	·09	6
7	·29	·43	—	·01	—	·01	·11	·02	—	—	—	·40	7
8	·17	·62	—	·02	—	—	·03	·08	—	—	·09	—	8
9	—	·05	—	·17	—	—	—	—	—	—	·42	·76	9
10	·20	·01	·08	·03	—	—	—	·03	—	·03	—	·06	10
11	·03	—	·06	·08	—	—	·03	·19	—	—	·87	·07	11
12	·15	·30	—	·28	·55	—	—	·59	—	·02	·05	—	12
13	·01	1·04	—	—	·89	—	—	·02	·10	—	·10	—	13
14	·03	—	—	—	—	—	·13	·41	—	—	—	1·21	14
15	·25	—	—	·01	·16	—	·04	·33	·02	—	—	·11	15
16	—	1·14	—	—	·45	—	·80	·03	—	—	·21	—	16
17	—	·38	—	—	·65	—	—	—	—	—	—	—	17
18	—	—	—	—	·15	—	—	—	—	—	—	—	18
19	—	—	—	—	·10	—	·23	—	—	—	—	—	19
20	·20	—	—	·06	·12	—	—	—	—	—	—	—	20
21	·06	—	—	—	—	—	·23	—	—	·30	—	—	21
22	·08	·38	·47	·06	—	—	·50	—	—	—	—	·78	22
23	—	·07	·16	—	—	—	·43	—	—	2·04	—	·29	23
24	—	—	—	·11	—	—	·53	—	·98	1·78	—	·57	24
25	—	—	—	·01	—	·01	·40	—	—	—	—	·09	25
26	—	·15	—	—	—	·04	·08	—	—	—	—	·87	26
27	—	·06	—	—	—	·33	·23	—	—	·32	—	·01	27
28	—	·12	—	—	—	·03	—	—	·72	—	—	—	28
29	—		—	—	—	·04	—	·03	—	—	·18	·03	29
30	·21		—	—	—	·33	—	—	—	·71	·28	·32	30
31	—		—		—		·01	—		·91		·30	31
													YEAR'S TOTAL
Total	4·67	6·46	·96	1·39	3·18	·80	4·41	2·86	1·85	6·71	2·20	7·90	43·39
Rain Days.	17	18	7	15	10	8	17	15	5	11	8	21	152

W. 8,000. X. 15.

Esse D L

1637

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

6 JAN 1917

Kept at Bishopstrow

in the County of Wiltshire

by P. Benton

Lat. 51·12 N. Long. 2·09 W.

Time of Observation 9 am.

Nearest Railway Station Warminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1916

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·01	·01	—	·27	·03	—		·15	60	52		1
2	·16	·08	·04	—	·07	—	—		·02	64	02		2
3	·02	1·06	·01	—	·07	—	—		·05	33	23		3
4	·15	·21	—	—	·11	·48	·14		·49	30	84		4
5	·01	·01	·06	—	·43	·27	—			04	52		5
6	·10	·16	—	—	·03	·03	·61			05	89		6
7	·03	·05	·27	—	·03	·02	·06			08	50	11	7
8	·01	·09	·02	—	·11	·02	—			—	05	15	8
9	—	—	—	—	·02	·48	·03			18	02	08	9
10	·01	·47	·02	·06	·03	—	—			03	01	12	10
11	·03	·01	·03	·03	·02	·30	—			—	—		11
12	·09	·05	·02	·03	·08	—	·17			03	01		12
13	—	·26	·09	—	—	—		·53		—			13
14	—	·43	·01	·09	·08	—		·12		11			14
15	—	·33	·05	·03	—	—		·13		—			15
16	·02	·15	—	·20	·01	—		·31		—		01	16
17	·15	·20	—	·03	—	—		·49	·44	32	03	—	17
18	—	·06	·09	—	—	—			·05	06	43	—	18
19	·21	—	·42	—	—	—			—	—	23	33	19
20	·18	·03	·55	—	—	—			·03	—	05	1·74	20
21	·01	·02	·37	—	·09	—				—	—	32	21
22	·01	—	·01	—	—	·03				61	03	56	22
23	·02	·01	·01	·03	—	·04		·13	—	13	28	11	23
24	—	·24	—	—	·61	·28		·03		49	06	27	24
25	—	·48	·11	—	—	—		·39		10	09	—	25
26	·01	·60	·14	—	—	·18		·14	19	64		—	26
27	·01	·08	1·02	—	—	·01	·01	·36	·40	41		04	27
28	—	·34	·19	—	—	·03		·17	·18	23	—	46	28
29	—	·42	·03	—	—	·28		1·93	·08	57		27	29
30	—	X	·02	—	—	—		—	—	46	01	02	30
31	—	X	—	X	—	X		·10	X	14	X	04	31
Total	1·50 ~~[illegible]~~	5·35	3·59	·50	2·06	2·48	1·02	4·83	2·08	6·55	4·82	4·63	YEAR'S TOTAL 39·41
Rain Days.	20	26	24	8	16	15	6	13	11	23	20	16	198

W. 8,000, VIII. 16

1562

— 2. J

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Bishopstrow
in the County of Wilts
by P. Renton

Lat. 51·12 Long. 2·9
Time of Observation 9 am.
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01		·14	·12		·09	—	·79	·11	·01	·06		1
2	—		—	·47		·06	—	·16	·01	—	·01		2
3	·02		—	·05		—	·86	·08	—	·54	—		3
4	—	·24	·09	—		—	·10	·02	—	·28	—		4
5	—		·02	—		·18	—	·01	·27	·37	·09		5
6	—		·45	·22		·01	—	—	—	·15	·10	·01	6
7	·36		—	—			·26	·12	—	·07	—	—	7
8	·59		·09	·07			·41	·60	—	·32	—	·16	8
9	—		·07	·02	·02		·01	·66	·12	—	·35		9
10	·08		·33	·27	—			·11	—	·38	—		10
11	·03		·51	·27	—			·02	—	·39	·03		11
12	·01		—	—	·31			—	—	·46	·01		12
13	—		·08	—				·13	·06	·06	·01		13
14	—		·23	·25				·07	—	·02			14
15	—			—			·12	·07	—	·25		·25	15
16	·02	·12		·20	·02		·02	—	—	·42		·30	16
17	—			·13	·13		·21	·08	·40	·12			17
18	—		·16		·02	·07	·33	—	·59	—			18
19	—	·32	—		·23	—		—	·16	—	·02		19
20	—	·12	·05			·04		·02	·01	—	·01		20
21	·02	—	·22			·19		·01		·08	—		21
22	·01	·15	·07			·05		·12		·06	·01		22
23		—	—		·11	—		·29		—	—	·05	23
24		·06	·01		—	·07	·74	·14		·21	·02		24
25		·03	·05		—	—		·04		·22	—		25
26			—		·28	—		·81	·20	·14	·08		26
27			·01		·87	·05		1·20		·08		·02	27
28			·14		·03	4·42		·32		—		—	28
29			·08		·08	·20	·04	·11		·53		·13	29
30		X	·18		—	—	·72	·15	·01	·11		—	30
31		X	·09	X	—	X	·02	·02	X	·04	X	·04	31
Total	1·15	1·04	3·07	2·07	2·10	5·43	3·84	6·15	1·94	5·31	·80	·96	YEAR'S TOTAL 33·86
Rain Days.	10	7	21	11	11	12	13	26	11	24	13	8	167

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
7.1.19

Kept at Bishopstrow
in the County of Wilts
by P. Benton

Lat. 51·12 Long. 2·9
Time of Observation 9 am.
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1:

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	—	—	·11			·30	—	·03	·65	·04	1
2		·03	—	·20	—			·49	—	·01	—	·21	2
3		·07	·02	·08	·20			·12	·03	·04	·01	—	3
4		·05	·01	—	—			—	·07	·01	·80	·10	4
5		—		·03	·11			·19	·82	·34	—	·03	5
6	·14	·49		·38	—				·01	·24	—	·03	6
7		·16		·07	·69				·15	·17	·29	·02	7
8		·02		—	—				·36	·10	—	·13	8
9		·15		·29	—	·27	·64		·52	·14	·01	·18	9
10		—		·07	—		·34		·12	·31	—	·43	10
11		·03		—	—		1·06		·19	·03	—	·12	11
12	·01	·09		—	·28		·10		·06	—	—	·01	12
13	~~·22~~ ·23	·02		—	·06		·46	·06		·03	·03	·10	13
14	·13			—	·01		·10	—	·75	·08		·15	14
15	1·15			·53		·15	·28	—	·01	—		·22	15
16	·49		·05	·46		·01	·02	—	·16	—		·02	16
17	·32		—	·43		—	·24	·04	·05	—		·28	17
18	1·02		—	·03		·58	·29		·15	—		·27	18
19	·13	·01	·08	—		·01	·09		·11	·04		·14	19
20	·03	·13		·13		—	·35		·17	·06		—	20
21	·14	·07		·01		·02	·12		·59	·06		·08	21
22	·03	·01		—		—	·52		·24	—		·21	22
23	·20	·02		—	·02	·01	·45	·02	—	·01	·12	·03	23
24		·24		—	·26	·03	·08	—	·09	—	·03	—	24
25		—		·11			·36	·41	·03	·02	—	—	25
26		—					·39	—	—	·02	·12	·02	26
27		·08						·10	·28	·01	·14	·16	27
28		·05	·36					—	·10	—	·34	·03	28
29		✕	·02					—	1·38	—	—	·09	29
30		✕	·29					·17	—	·02	·05	·06	30
31		✕	·16	✕		✕		—	✕	·02	✕	—	31
Total	4·02	1·74	0·99	2·82	1·74	1·08	5·89	1·90	6·44	1·80	2·59	3·16	YEAR'S TOTAL 34·17
Rain Days	13	19	8	14	9	8	18	10	~~26~~	22	12	26	184

W, 6,500, VII 15. W W C

Brade 1471

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Bishopstrow (near Warminster)
in the County of Wilts
by P. Renton

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Warminster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	·03	—	·06									1
2	·19	—	—	—									2
3	1·20	—	·25	—									3
4	·19	·02	·67	—									4
5	·02	·42	·82	—									5
6	·52	·03	·17	—									6
7	·44		·48	·03									7
8	·33		·20	—									8
9	·03		·03	·10									9
10	·18		·32	·06									10
11	·07		·13	·22									11
12	—		·17	·06									12
13	·04		·04	·57									13
14	·61	·06	—	·62									14
15	·25	—	—	·12									15
16	·04	·71	—	—									16
17	—	·36	—	—									17
18	—	·02	·65	—									18
19	·38	·26	1·08	—									19
20	·25	·07	·22	—									20
21	—	·54	·01	—									21
22	—	·03	—	—									22
23	—	—	—	—									23
24	—	—	—	·02						—			24
25	·14	·05	—	·04									25
26	—	—	·15	·22									26
27	·11	—	·02	·42									27
28	·03	—	·43	—									28
29	—	X	—	·05	—								29
30	—	X	—	·26									30
31	—	X	—	X									31
Total	5·46	2·60	5·64	2·79									YEAR'S TOTAL
Rain Days.	20	13	18	15 ✓									

W.7,000, XI. 13

BRADFORD
WINSLEY MANOR
WILTS
1911 - 1920

RE 1

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

ons

Kept at Winsley 5 in.

e Ground ft. 6 in.

in the County of — Sea Level 400 ft. about

3·0

by E W Thwait Name Limpley Stoke

Distance 1½ M Direction SW

IMPORTANT NOT d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of th ment of rain, the selection and plac British Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09		0·04	0·16				0·01				0·01	1
2	0·02		~~0·04~~	0·09	0·22			0·16		0·08	0·27	0·26	2
3					0·24			0·03			0·06	0·03	3
4			0·18							0·02	0·21	0·42	4
5	0·06		0·05					0·58		0·04	0·53		5
6	0·35		0·09					0·05			0·18	0·42	6
7	0·02										0·38		7
8	0·09		0·17								0·02	0·32	8
9	0·08	~~0·09~~	0·05								0·09	0·45	9
10	0·03	0·09	0·35		0·12						0·01	0·22	10
11	0·23	0·01			0·12						0·71	0·17	11
12			0·64		~~0·03~~						0·38	0·05	12
13			0·02		0·03				0·25			0·42	13
14		0·04										0·61	14
15	0·01	0·01	0·03			0·02					0·39	0·07	15
16		0·02				0·21					0·46	0·38	16
17		0·05			0·07	0·03					0·02	0·34	17
18	0·01	0·36	0·08	0·11	0·03	0·47				0·01	0·01	0·36	18
19		0·04		0·06		0·10			0·37	0·33	0·14	0·38	19
20	0·02	0·03	0·15	0·03		0·03			0·17	0·05		0·40	20
21		0·21	0·07					0·17		0·36		0·15	21
22	0·01	0·01	0·29	0·02		0·04				0·17		0·61	22
23		0·23	0·16			0·09			0·04	0·07	0·03	0·20	23
24	0·01	0·12				0·38		0·05		0·60		0·16	24
25	0·11	0·06		0·10		0·05				0·05		0·17	25
26		0·07		0·26	0·16	0·08				0·10	0·01	0·31	26
27		0·24	0·17	0·02				0·07	0·11		0·04	0·23	27
28		0·47		0·32				0·07			0·04		28
29				0·14		0·31			0·13	0·21			29
30								0·01		0·23	0·02	0·02	30
31										0·29			31
Total	1·04	2·06	2·54 2·54	1·31	0·99	1·81	·00	1·20	1·07	2·61	4·00	7·16	TOTAL for year 25·79
		3·10	5·34	6·65	7·64	9·45	9·45	10·65	11·72	14·33	18·33	25·79	
No. of Rain Days	15	17	16	11	8	12	—	10	6	15	21	26	157

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Winsley Manor

in the County of Wilts

by E W Knatchbull

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 400 ft. above

Time of Observation 9·30

Nearest Railway Station
Name Limpley Stoke
Distance 1½ m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09		0·04	0·16				0·01				0·01	1
2	0·02		~~0·04~~	0·09	0·22			0·16		0·08	0·27	0·26	2
3					0·24			0·03			0·06	0·03	3
4			0·18							0·02	0·21	0·42	4
5	0·06		0·05					0·58		0·04	0·53		5
6	0·35		0·09					0·05			0·18	0·42	6
7	0·02										0·38		7
8	0·09		0·17								0·02	0·32	8
9	0·08	~~0·09~~	0·05								0·09	0·45	9
10	0·03	0·09	0·35		0·12						0·01	0·22	10
11	0·23	0·01			0·12						0·71	0·17	11
12			0·64		~~0·03~~						0 38	0·05	12
13			0·02		0·03				0·25			0·42	13
14		0·04										0·61	14
15	0·01	0·01	0·03			0·02					0·39	0·07	15
16		0·02				0·21					0·46	0·38	16
17		0·05			0·07	0·03					0·02	0·34	17
18	0·01	0·36	0·08	0·11	0·03	0·47				0·01	0·01	0·36	18
19		0·04		0·06		0·10			0·37	0·33	0·14	0·38	19
20	0·02	0·03	0·15	0·03		0·03			0·17	0·05		0·40	20
21		0·21	0·07					0·17		0·36		0·15	21
22	0·01	0·01	0·29	0·02		0·04				0·17		0·61	22
23		0·23	0·16			0·09			0·04	0·07	0·03	0·20	23
24	0·01	0·12				0·38		0·05		0·60		0·16	24
25	0·11	0·06		0·10		0·05				0·05		0·17	25
26		0·07		0·26	0·16	0·08				0·10	0·01	0·31	26
27		0·24	0·17	0·02				0·07	0·11		0·04	0·23	27
28		0·47		0·32				0·07			0·04		28
29				0·14		0·31			0·13	0·21			29
30								0·01		0·23	0·02	0·02	30
31										0·29			31
Total	1·04	2·06	2·54 2·54	1·31	0·99	1·81	·00	1·20	1·07	2·61	4·00	7·16	TOTAL for year 25·79
		3·10	5·34	6·65	7·64	9·45	9·45	10·65	11·72	14·33	18·33	25·79	
No. of Rain Days	15	17	16	11	8	12	—	10	6	15	21	26	157

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Winsley Manor

in the County of Wilts

by E W Knatchbull

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 400 ft.

Time of Observation 9·30

Nearest Railway Station
Name Limpley Stoke
Distance 1½ M Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·13			0·15	0·10		0·02	0·61		0·23	1
2			0·23	0·01		0·09	0·34						2
3	0·03		0·08			0·22	0·05	0·32	0·05		0·03	0·03	3
4	0·32		0·95		0·06	0·43		0·03			0·21		4
5	0·44	0·07	0·22		0·08	0·06		0·62				0·23	5
6	0·41	0·13	0·03		0·13			1·38			0·01		6
7		0·25	0·09		0·03	0·49		0·12				0·10	7
8	0·29	0·14	0·46			0·05	0·03	0·10				0·04	8
9	0·03	0·02	0·15	0·15		0·19						0·18	9
10	0·05	0·05				0·15		0·02			0·11	0·16	10
11	0·10	0·05										0·39	11
12	0·02	0·41	0·04	0·02							0·05	0·15	12
13		0·04	0·01					0·02			0·01	0·10	13
14	0·16		0·38		0·35			0·07				0·03	14
15	0·03	0·08			0·19	0·48		0·01				0·59	15
16	0·91	0·01	0·12		0·01	0·01		0·07		0·07	0·03	0·07	16
17	0·27		0·07			0·05		0·51			0·01	0·14	17
18			0·71					0·05		0·09	0·01	0·07	18
19	0·36	0·08	0·13			0·05	0·14	0·08		0·11		0·01	19
20	0·03	0·01	0·38		0·01		0·02	0·21		0·48			20
21	0·01	0·06	0·35		0·63			0·04		0·29			21
22	0·37	0·27	0·16		0·10	0·01	0·21	0·19		0·04	0·04	0·07	22
23	0·24	0·34	0·36			0·03	0·05	0·59		0·13	0·16	0·43	23
24	0·06	0·01	0·06			0·26	0·01	0·07		0·02		0·23	24
25						0·21		0·55		0·07	0·41	0·50	25
26		0·03					0·25	0·14		0·40	0·80	0·20	26
27		0·01				0·15	0·97			1·01	0·03	0·51	27
28		0·08				0·03	0·01	0·43	0·15	0·60	0·53	0·70	28
29		0·06				0·05	0·15	0·01	0·55	0·29		0·03	29
30						0·09	0·15		0·21	0·27			30
31			0·18		0·02		0·23	0·03		0·07		0·12	31
Total	4·13	2·20	5·29	0·18	1·61	3·25	2·71	5·66	0·98	4·49	2·44	5·31	TOTAL for year 38·25
		6·33	11·62	11·80	13·41	16·66	19·37	25·03	26·01	30·50	32·94	38·	25
No. of Rain Days.	19	21	22	3	11	21	15	24	5	16	15	25	✓

W. 8,000, X. '11.

Wet days 197

FORM A2.
BRITISH RAINFALL.
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Winsley Manor
in the County of Wilts
by E W Knatchbull

Rain Gauge
Pattern Symons
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 400 ft.
Time of Observation 9·30
Nearest Railway Station
Name Limpley Stoke
Distance 1½ M Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·25	0·21		0·12				0·46		0·16	0·22	1
2	0·04	0·13		0·24			0·01			0·07	0·14		2
3	0·07		0·10		0·65					0·30	0·01	0·33	3
4	0·78		0·08		0·44				1·96	0·32	0·02	0·08	4
5		0·03			0·16	0·19	0·12		0·30		0·01	0·13	5
6	0·01	0·02	0·16		0·14	0·09	0·13			0·45	0·15	0·65	6
7		0·40	0·03		0·27	0·07	0·08			0·32	0·14	0·01	7
8		0·04			0·11	0·03				0·28	0·01	0·01	8
9		0·15	0·04		0·08	0·04		0·56	0·15		0·06	0·05	9
10	0·20	0·01	0·04	0·03				0·02		0·13	0·21		10
11	0·47	—	0·02	0·21	0·20			0·02		0·08	0·27	0·01	11
12	0·05				0·12						0·09	0·01	12
13	0·02	0·02	0·02				0·01	0·04	0·07		0·18		13
14	0·08		0·15	0·06	0·07			0·03	0·01	0·11	0·08		14
15	0·15	0·05	0·48	0·45				0·07	0·02		0·17	0·02	15
16	0·22		0·73	0·06					0·03		0·01		16
17	0·07		0·02	0·01			0·05		0·02		0·03	0·01	17
18	0·04		0·26	0·11		0·01					0·08		18
19	0·57		0·01		0·02		0·04		0·42				19
20	0·10		0·23	0·04						0·12	0·08		20
21			0·10	0·21	0·12		0·08				0·48		21
22	0·61		0·53	0·12	0·01			0·01	0·22	0·04	0·01		22
23			0·01			0·05		0·08	0·01		0·04	0·28	23
24	0·03			0·01				0·07					24
25		0·12		0·09							0·01	0·07	25
26		0·02		0·28				0·20		0·02		0·19	26
27	0·01		0·13	0·13						0·04		0·01	27
28	0·25		0·06	0·28				0·07		0·12			28
29	0·02		0·38	0·56						0·14	0·04	0·04	29
30	0·56			0·02						0·33	0·07		30
31	0·09		0·07					0·30		0·01			31
Total	4·45	1·24	3·86	2·91	2·51	0·48	0·52	1·47	3·67	2·88	2·55	2·12	TOTAL for year 28·66
		5·69	9·55	12·46	14·97	15·45	15·97	17·44	21·11	23·99	26·54	28·66	
No. of Rain Days.	23	12	23	18	14	7	8	12	12	17	25	17	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 JAN 1915

Kept at Winsley Manor
in the County of Wilts
by E W Knatchbull

Lat. Long.
Time of Observation 9.30
Nearest Railway Station Limpley Stoke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.02		0.01	0.02	0.30			0.10	0.03	1
2				0.08			0.72	0.05			0.60	0.55	2
3			0.05	0.31	0.22		0.01	0.23			0.27	0.10	3
4	0.13		0.10	0.24	0.09		0.19	0.35			0.49	0.57	4
5	0.07		0.18	0.41	0.01		0.30	0.01			0.17	0.15	5
6		0.09	0.05	0.29	0.02	0.02	0.10	0.06			0.01	0.26	6
7	0.03	0.45	0.14	0.23	0.52	0.09	0.21	0.03				0.12	7
8	0.03	0.02	0.79	0.06	0.07	0.43	0.03	0.02	0.09				8
9	0.13		0.45	0.21	0.02	0.72		0.08	0.08				9
10		0.18	0.02	0.06					0.29		0.02		10
11		0.07	0.31		0.09	0.14	0.09				0.08	0.43	11
12		0.08	0.10						0.26		0.09	0.15	12
13		0.28	0.41						0.21	0.12	0.08	0.67	13
14		0.31	0.35					0.18	0.03	0.48	0.20		14
15			0.22					0.51		0.03	0.17		15
16							0.08		0.24				16
17		0.40	0.21						0.03			1.00	17
18			0.01				0.20					0.41	18
19		0.09	0.13				0.50				0.07	0.13	19
20		0.32	0.53									0.31	20
21		0.41	0.01							0.12	0.01		21
22					0.06	0.23		0.01		0.15			22
23		0.13	0.20		0.18	0.02				0.21			23
24		0.06	0.03				0.04	0.29		0.25	0.10	0.01	24
25	0.02		0.10							0.33	0.01	0.30	25
26							0.05	0.06		0.06	0.35	0.45	26
27	0.07									0.03	0.09	0.09	27
28		0.04	0.17		0.01					0.05	0.36	1.21	28
29	0.16		0.05		0.07					0.17	0.30	0.01	29
30			0.01			0.05				0.22	0.47	0.68	30
31					0.02		0.11			0.46		0.08	31
Total	0.64	2.92	4.62	1.91	1.38	1.71	2.65	2.18	1.23	2.68	4.04	7.71	YEAR'S TOTAL
Rain Days.	8	3.56 15	8.18 ·24	10.09 10	11.47 13	13.78 9	15.83 15	18.01 14	19.24 8	21.92 14	25.96 21	33.67 22	33.67

W.7,000, XI. 13

173

1628

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wisley Manor
in the County of Wilts
by E W Knatchbull

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Limpley Stoke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·54	0·09			0·05			0·22	0·19	0·28		0·07	1
2	0·40	0·25	0·19	0·12				0·48	0·02	0·24		0·29	2
3	0·95	0·04	0·03	0·06	0·10		0·02	0·01		0·03		0·25	3
4	0·02	[illegible]										0·38	4
5	0·09	0·54	0·01	0·05				0·15				0·28	5
6	0·36	0·03		0·31			0·49	0·07				0·19	6
7	0·34	0·41		0·06	0·65		0·21	0·01				0·23	7
8	0·29	0·31		0·04			0·03	0·10			0·08	0·04	8
9	0·03	0·03		0·09							0·29	0·86	9
10	0·08		0·11	0·04				0·09		0·02		0·04	10
11	0·04		0·9	0·03	0·01			0·03			0·92	0·02	11
12	0·20	0·28		0·17	0·56			0·24		0·02	0·43		12
13	0·03	0·61			0·90			0·02	0·14		0·01		13
14	0·07	[illegible]					0·07	0·59	0·05	0·10		0·55	14
15	0·49			0·01	0·12		0·12	0·09	0·03	0·05	0·11	0·12	15
16		0·91			0·52		0·85	0·03				0·15	16
17		0·30 50			0·77			0·01				0·01	17
18		0·36									0·02		18
19	0·02	0·03			0·09		0·28						19
20	0·22			0·03	0·04					0·03		0·15	20
21	0·07	0·21			0·14					0·08		0·14	21
22	0·07	0·64	0·46				0·38		0·01			0·21	22
23		0·02	0·15				0·20		0·15	1·20		0·39	23
24				0·05			0·68		0·53	0·98		0·23	24
25				0·01		0·10	0·02					0·06	25
26	0·01	0·11				0·03	0·08		0·01			0·53	26
27		0·04				0·14	0·03			0·31			27
28		0·03							0·72	0·03			28
29						0·15		0·03			0·08	0·07	29
30	0·20	✕				0·26				0·26	0·36	0·25	30
31	0·01	✕		✕		✕	0·01	0·20	✕	0·73	✕	0·30	36 31
Total	4·53	5·44	1·04	1·07	3·95	0·68	3·47	2·37	1·85	4·36	2·30	5·81	YEAR'S TOTAL 35·87
		9·97	11·01	12·08	16·03	16·71	20·18	22·55	24·40	28·76	31·06		
Rain Days.	22	20	7	14	12	5	15	17	10	15	9	25	171

W. 8,000. X. 14.

1602

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Winsley Manor
in the County of Wilts
by E W Matchball

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Limpley Stoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·18	0·01			0·17	0·05	0·18		0·05	0·45	0·26		1
2	0·42	0·07	0·03		0·04		0·01			0·74	0·03		2
3		0·83			0·09				0·10	0·37	0·14		3
4	0·14	0·12		0·01	0·09	0·45			0·24	0·22	0·47		4
5	0·02		%0·03		0·33	0·09				0·02	0·11		5
6	0·11	0·12			0·18	0·12	0·42			0·06	0·70		6
7		0·07	%0·15		0·04					0·11	0·35	0·19	7
8	0·01	0·05	%0·03		0·23	0·47					0·01	0·13	8
9					0·11	0·09	0·03			0·05	0·01	0·04	9
10		0·43	%0·01	0·09	0·08	0·03	0·01			0·04	0·01	0·09	10
11	0·03		0·06	0·07		0·04							11
12	0·06	0·07	0·04	0·01	0·12		0·10	0·01		0·05			12
13		0·38	0·10					0·36					13
14		0·34	0·02	0·04	0·12			0·17		0·11			14
15	0·01	0·23	0·04	0·05	0·02			0·18					15
16	0·02	0·02		0·26	0·02		0·06	0·41		0·05			16
17	0·08	0·14		0·03				0·15	0·35	0·47	%·38 }		17
18	0·02	0·02	0·06	0·10					0·02	0·08		%0·14	18
~~19~~	0·21		0·33	0·20					0·01		0·09	::0·60 20th	19
20	0·08	0·04	0·48								0·10	%0·39 21st	20
21	0·08	0·01	0·50		0·08						0·01	::0·58 22nd	21
22				0·02	0·03	0·04				0·22		%0·07 23rd	22
23	0·02	×		0·09		0·04		0·18		0·13	0·17	::0·32 24th	23
24				0·03	0·37	0·09		0·05		0·44	0·02	~~0·09~~ 25th	24
25		×	0·10		0·02			0·33	0·01		0·12	0·09	25
26	0·01	×·33	0·12			0·29		0·84	0·20	0·39			26
27	0·08	0·07	%0·84				0·19	0·15	0·35	0·24			27
28		·0·37	%0·12	0·06		0·14		0·04	0·02	0·53	0·01	0·35	28
29		0·39	0·07			0·24		1·52	0·05	0·64		0·48	29
30		×								0·40		0·01	30
31		×		×		×		0·02	×	0·13	×	0·02	31
Total	1·58	4·11	3·13	1·06	2·09	2·18	1·00	4·41	1·40	5·94	2·99	3·50	YEAR'S TOTAL 33·39
		5·69	8·82	9·88	11·97	14·15	15·15	19·56	20·96	26·90	29·89	33·39	33·39
Rain Days.	18	23	19	14	18	14	8	14	11	23	19	~~16~~ 15	196

× snow 2 days

W. 8,000. 1. 15.

× snow on 3 days only measured on 26th ; % snow ; :: snow & rain x 2 1526

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

9 JAN 1918

Kept at Waisley Manor
in the County of Wilts
by E W Knatchbull

Lat. Long.
Time of Observation
Nearest Railway Station Semley Stn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		+0·02	0·20	+0·12		0·08		0·72	0·23		0·03		1
2	0·01			x0·33		0·16		0·07			0·07		2
3	0·05	x0·01		+0·01			0·48	0·05		0·59	0·01		3
4		+0·22	x0·07				0·12	0·06		0·23			4
5	0·24		0·14	0·13		0·11			0·24	0·37	0·15		5
6			0·35			0·01				0·14	0·14		6
7	0·15						0·20	0·09		0·21		0·02	7
8	0·42		x0·12	0·12			0·35	0·66		0·37	0·09	0·09	8
9			0·11		0·08			0·26	0·18	0·07	0·22		9
10	0·12		0·32	0·17	0·02			0·17	0·01	0·01			10
11	0·03		0·43	0·25				0·27		0·10	0·02		11
12	0·10			0·01	0·55			0·24		0·59	0·01		12
13			0·18					0·32	0·07	0·04			13
14			0·28	0·14		0·02	0·02	0·18	0·06				14
15				0·01			0·85	0·07		0·05		0·29	15
16		0·06		0·17	0·04		0·31	~~0·06~~		0·44			16
17				0·25	0·18		0·50	0·09		0·06	0·02		17
18	0·01				0·01	0·01	0·26	0·01	0·39				18
19		0·38	0·06			0·03		~~0·05~~	0·48		0·01		19
20		0·02	x0·05		0·25	0·19		0·05	0·05				20
21			x0·02			0·05		~~0·04~~		0·03			21
22			x0·03			0·58		0·04 0·28		0·07			22
23		0·09	x0·01		0·15			0·41				0·04	23
24		0·06	~~0·01~~			0·23	0·06	0·24		0·15	0·03		24
25		0·09	0·04					0·52	0·02	0·52			25
26			~~0·04~~		0·27			0·59	0·18	0·25	0·04		26
27					0·72	0·04		0·24					27
28			0·14		0·01	3·30		0·49			0·01	0·02	28
29		—	0·07		0·15	0·28	0·09	0·06		0·37		0·09	29
30		╳	+0·13				0·16	0·12		0·32	0·01		30
31		╳	+0·15	╳		╳	0·01	0·02	╳	0·03	╳		31
Total	1·13	0·95	3·02	1·71	2·43	5·09	3·41	6·28	1·91	5·01	0·86	0·55	YEAR'S TOTAL 32·35
		2·08	5·10	6·81	9·24	14·33	17·74	24·02	25·93	30·94	31·80	32·36	
Rain Days.	9	9	20	12	12	14	13	25	11	22	15	6	169

W. 8,000. VIII. 16

x Snow + Snow & rain

1.10

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
2. 1. 1

Kept at Winsley Manor
in the County of Wilts
by E W Knatchbull

Lat. — Long. —
Time of Observation 9·30
Nearest Railway Station Limpley Stoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·05	0·03			0·30		0·03	0·45		1
2		0·04		0·21				0·37 6		0·01	0·02	0·27	2
3		0·04		0·25	0·16			0·13	0·07	0·06	0·04		3
4				0·02				0·03			0·87	0·06	4
5				0·08	0·21			0·22	0·03	0·17	0·04		5
6	0·10	0·23		0·24						0·10		0·08	6
7		0·21		0·09	0·66				0·22	0·25	0·26		7
8		0·03							0·65	0·21		0·02	8
9		0·26		0·44		0·36	0·48		0·48	0·08	0·01	0·16	9
10				0·20			0·37		0·24	0·17		0·20	10
11	0·03	0·04					0·08		0·31		0·02	0·15	11
12		0·09			0·33		0·27		0·01			0·11	12
13	0·11+				0·06	0·02	0·26		0·42	0·08		0·20	13
14	0·18		0·02		~~0·06~~	0·03	0·41		0·22	0·12		0·19	14
15	1·26÷			0·62÷	0·03	0·06	0·29			0·02		0·23	15
16	0·33+		0·05	0·47	~~0·03~~	0·02	0·02		0·16			0·09	16
17	0·20			0·05	0·01		0·35	0·11	0·04	0·02		0·29	17
18	0·55					0·38	0·15		0·21	0·01		0·16	18
19	0·08	0·01	0·12	0·06+			0·12	0·03	0·36	0·03		0·08	19
20	0·01	0·07		0·21			0·26		0·11	0·03			20
21	0·04	0·03					0·05		0·94	0·08		0·09	21
22	0·01						0·42		0·20	0·01	0·02	0·30	22
23					0·20	0·10	0·69	0·05			0·03		23
24		0·13				0·02	0·03		0·11		0·05		24
25							0·15	0·66			0·02		25
26							0·56		0·03	0·03	0·14	0·15	26
27			0·02					0·18	0·18		0·09	0·04	27
28		0·11+	0·19						0·03		0·15	0·18	28
29			0·06						1·00			0·01	29
30		X	0·20					0·03	0·01	0·02	0·07	0·13	30
31		X	0·10	X		X		0·02	X	0·09	X		31
Total	2·90	1·29 4·19	0·76 4·95	2·99 7·94	1·69 9·63	·99 10·62	4·96 15·58	2·13 17·71	6·03 23·74	1·62 25·36	2·28 27·64	3·19 30·83	YEAR'S TOTAL 30·83
Rain Days.	12	13	8	14	9	8	18	12	23	21	16	22	176

W. 8,000; IX. 17.

+ Snow
÷ Snow & rain

1433

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Winsley Manor

in the County of Wilts

by E W Knatchbull

Lat. ______ Long. ______

Time of Observation 9·30

Nearest Railway Station Limpley Stoke

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~5~~ ft. 6 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							0·10		0·02	0·06	0·02		
1	0·32		0·03		0·29		0·01		0·45	0·03	0·08	0·99	1
2	0·12		0·01	0·04	0·02				0·16		0·01	0·24	2
3	1·15÷		0·24		0·02	0·01	0·18		0·27		0·01	0·33	3
4	0·25	0·05	0·43			0·03	0·01	0·02	0·29		0·04	0·07	4
5		0·48÷	0·36		0·03						0·04	0·22	5
6	0·26	0·05	0·10		0·03							0·19	6
7	0·28		0·31	0·12								0·02	7
8	0·11		0·16	0·01							0·10		8
9	0·03		0·03	0·20									9
10	0·06		0·12	0·01						0·02		0·19	10
11	0·05		0·18	0·14	0·18		0·30			0·04		0·02	11
12	0·05		0·11	0·05		0·18	0·02			0·05	0·05×	0·12	12
13	0·04		0·02	0·47						0·01		0·03	13
14	0·47	0·05		0·40			0·08		0·03	0·02		0·04	14
15	0·15	0·02		0·03	0·02					0·02		0·23	15
16	0·17	0·80									0·15		16
17		0·16÷				0·01					0·22	0·01	17
18	0·05		0·60				0·15	0·17	0·02		0·14		18
19	0·37	0·25	0·80÷			0·12	0·84	0·47	0·10		0·20		19
20	0·19	0·07	0·26			0·27		0·21			0·01	0·22	20
21		0·50					0·14		0·02		0·01	0·02	21
22		0·19				0·02	0·07		0·12			0·16	22
23										0·43	0·06	0·04	23
24						0·07			0·02	1·18	0·25	0·63	24
25	0·16							0·50	0·01		0·05	0·09	25
26	0·07		0·14	0·06				0·15	0·11			0·42	26
27	0·09×	0·01		0·40÷				0·72				0·03	27
28			0·18×					0·43			0·34	0·40	28
29						0·01		0·03		0·05		0·14	29
30		×		0·20		0·20		0·26		0·02	0·30	0·44	30
31		×		×		×			×		×	0·19	31
Total	4·44	2·63	4·08	2·13	0·59	0·92	1·90	2·96	1·62	1·93	2·08	5·48	YEAR'S TOTAL 30·76
Rain Days.	21	7·07 12	11·15 18	13·28 13	13·87 7	14·79 10	16·69 11	19·65 18	21·27 13	23·20 12	25·28 19	30·76 26	172

W. 8,000, IX. 17.

÷ Snow & Rain
× Snow

W Ans 1354

8 JAN

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Winsley Manor
in the County of Wilts
by E W Knatchbull

Lat. Long.
Time of Observation 4:30
Nearest Railway Station Limpley Stoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

+ Snow ÷ Snow & Rain

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·30	0·44		0·29	0·02	0·03	0·18	0·18	0·29	1
2	0·04		0·03	0·07			0·15	0·26	0·05	0·10		0·07	2
3		0·01		0·12			0·42			0·42			3
4			0·02	0·05			0·02	0·37		0·10			4
5			0·06	0·04	0·16		0·65			0·30		0·01	5
6			0·29	0·01	0·18		0·10			0·02			6
7	0·02		+0·02	0·11			0·25						7
8		0·03		0·22	0·03		0·27					0·01	8
9	0·57	0·15	0·05	0·28		0·10	0·03	0·02					9
10	1·00	0·17	0·07	0·03		0·26	0·52						10
11	0·74	0·01	0·12	0·46	0·31	0·01	0·09						11
12	0·20	0·02	0·03	0·18		0·76	0·05			0·01	0·10		12
13	0·06	0·05	÷0·32	0·08								0·03	13
14	0·02	0·02	÷0·37	0·40		0·02	0·01	~~0·06~~	0·06	0·30	0·31	0·01	14
15		0·17	÷0·04	0·26	0·01	0·05	0·04	~~0·20~~	0·20	0·35	0·06	~~0·01~~	15
16				0·09	0·05	0·07	0·12	~~0·16~~	0·06	0·13	0·29	~~0·01~~	16
17	0·03		0·02	0·14	0·19	0·74		~~0·22~~	0·22			0·01	17
18	0·10			0·12	0·02	0·02		0·32	0·16			0·04	18
19	0·02	0·16		0·17	0·02	0·12						~~0·03~~	19
20		0·03		0·19		0·36	0·01					0·21	20
21							0·16	~~0·01~~	0·01	0·03		0·03	21
22	0·02			0·07			0·04	0·05	0·01			0·31	22
23							0·87					0·34	23
24	0·02	0·01	0·18	0·03			0·03	0·01			0·12	0·09	24
25		0·10	0·06	0·02			0·30					~~0·21~~	25
26	0·23	0·01	0·16				0·04				0·03	0·05	26
27	0·31	0·03	0·05	0·19		0·45	0·03					0·21	27
28	0·97	0·01	0·06	0·08	0·33		0·02					0·02	28
29	0·18		0·21	0·03	0·03	0·04					0·10	0·24	29
30	0·05	✕	0·01	0·06	0·01	0·18	0·30	☆	0·40	0·03	0·20	0·22	30
31	0·18	✕	1·22	✕		✕	0·03		✕	0·35	✕	0·13	31
TOTAL	4·10	0·99 5·09	2·39 7·48	3·85 11·33	1·78 13·11	3·18 16·29	4·84 21·13	1·05 22·18	1·20 23·38	2·32 25·70	1·39 27·09	2·35 29·44	YEAR'S TOTAL 29·44
Days with ·01 in. or more	29	16	21	27	13	14	26	7	10	13	9	19	194
	13	6	13	22	7	11	18	4	7	9	8	11	131

(44,283). Wt.21,958—218 7500. 10/19. Gp.132. A.&E.W.

~~corrected~~ WD. 15.V.16 — to ~~W.D.~~ ✓

1629

FORM A.
BRITISH RAINFALL.

3 JAN 1916

RE

Kept at Bearfield ... A.M. ... Bradford on Avon

in the County of Wilt...

Gauge 5 in.

by G. A. R. ...

... Ground 1 ft. 10 in.

... Sea Level 290 ft.

BRADFORD-ON-AVON
BEARFIELD HOUSE
WILTSHIRE
1915 — 1918

IMPORTANT NO... the result entered to the previous day. If an O... ...rsal rule, he is earnestly requested to add the rea... in the space provided for it at the end of th... ...ent of rain, the selection and placin... ...ish Rainfall Organization are given i... ...pplication to Dr. H. R. MILL, 62, Can... ...quare, London, N.W.

Jan. 1, following. .33

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.4	–	.4		.1		.28	.2	.3		1.07	.35	1
2	.57	.10	–		.4			.18	.23	.24		.9	2
3	.43	.23	.19	.13	–			.45	.3	.27		.35	3
4	1.06	.5	.4	.6	.9		.4	.2		.1		.29	4
5	.3	–		–	–							.44	5
6	.7	.55		.3	.1			.16				.25	6
7	.35	.4		.35	–		.46	.4				.19	7
8	.31	.47		.6	.53		.20	.5				.22	8
9	.26	.32		.3			.5	.6			.2		9
10	–	.3		.8				.4			.35	1.00	10
11	.10	–	.6	.3				.12		.6		.9	11
12	.8	–	.8	.4	.2			.6		.4	.76		12
13	.17	.26		.13	.45			.25			.43		13
14	.3	.54			.78			.1	.13				14
15	.8	–			–		.14	.77	.5	.6		.62	15
16	.41	–		.1	.11		.9	.10	.3	.4	.16	.9	16
17	–	.82			.58		.92					.6	17
18	–	.49			.71			.11				.4	18
19	–	.34			.4								19
20	–	.1			.8		.32						20
21	.24	–		.3	.3					.2	.13	.13	21
22	.04 .3	.19		–	.2					.8	.17	.17	22
23	.11	.55	.46	.1			.39				.21	.21	23
24		–	.13	–			.21		.19	1.76	.41	.41	24
25		–		.6			.67		.49	.93	.23	.23	25
26		–				.9					.15	.15	26
27		.12				.2	.8				.11	.11	27
28		.13				.20	.7			.30			28
29									.65	.5			29
30						.24		.5			.9	.5	30
31	.23									.21		.16	31
	–	.04	–	.01	–	.28	.02	.03	–	1.07	.35	.33	YEAR'S TOTAL
Total	~~4.61~~	~~5.24~~	~~1.00~~	~~1.05~~	~~3.50~~	~~.55~~	~~3.92~~	~~2.49~~	~~1.83~~	~~4.07~~	~~2.88~~	~~5.70~~	~~36.84~~
	4.57	5.28	.96	1.06	3.49	.83	3.66	2.50	1.80	5.14	2.16	5.68	37.13 ✓
Rain Days.	~~19~~ 18	~~18~~ 19	~~7~~ 6	~~14~~ 15	~~15~~ 14	~~4~~ 5	~~14~~ 14	~~17~~ 17	~~9~~ 8	~~14~~ 15	~~7~~ 7	~~23~~ 23	~~161~~ 161 ✓

W. 8,000. X. 15.

.1 of snow on Jan. 22

corrected WD. 15.V.16

1629

FORM A. BRITISH RAINFALL 3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bearfield House, Bradford on Avon

in the County of Wilts

by G. A. R. FitzGerald Esqre K.C.

Lat. Long.

Time of Observation 9.0 A.M.

Nearest Railway Station Bradford on Avon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·33

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·4	–	·4		·1		·28	·2	·3		1·07	·35	1
2	·57	·10	–		·4			·18	·23	·24		·9	2
3	·43	·23	·19	·13	–			·45	·3	·27		·35	3
4	1·06	·5	·4	·6	·9		·4	·2		·1		·29	4
5	·3	–		–	–							·44	5
6	·7	·55		·3	·1			·16				·25	6
7	·35	·4		·35	–		·46	·4				·19	7
8	·31	·47		·6	·53		·20	·5				·22	8
9	·26	·32		·3			·5	·6			·2		9
10	—	·3		·8				·4			·35	1·00	10
11	·10	–	·6	·3				·12		·6		·9	11
12	·8	–	·8	·4	·2			·6		·4	·76		12
13	·17	·26		·13	·45			·25			·43		13
14	·3	·54			·78			·1	·13				14
15	·8	–			–		·14	·77	·5	·6		·62	15
16	·41	–		·1	·11		·9	·10	·3	·4	·16	·9	16
17	–	·82			·58		·92					·6	17
18	–	·49			·71			·11				·4	18
19	–	·34			·4								19
20	–	·1			·8		·32						20
21	·24	–		·3	·3					·2	·13	·13	21
22	(·04) ·3	·19		–	·2					·8	·17	·17	22
23	·11	·55	·46	·1			·39				·21	·21	23
24		–	·13	–			·24		·19	1·76	·41	·41	24
25		–		·6			·67		·49	·93	·23	·23	25
26		–				·9					·65	·15	26
27		·12				·2	·8				·11	·11	27
28		·13				·20	·7			·30			28
29									·65	·5			29
30		X				·24		·5			·9	·5	30
31	·23	X		X		X			X	·21	X	·16	31
	–	·04	–	·01	–	·28	·02	·03	–	1·07	·35	·33	YEAR'S TOTAL
Total	~~4·61~~	~~5·24~~	~~1·00~~	~~1·05~~	~~3·50~~	~~·55~~	~~3·92~~	~~2·49~~	~~1·83~~	~~4·07~~	~~2·88~~	~~5·70~~	~~36·84~~
	4·57	5·28	·96	1·06	3·49	·83	3·66	2·50	1·80	5·14	2·16	5·68	37·13
Rain Days.	~~19~~ 18	~~18~~ 19	~~7~~ 6	~~14~~ 15	~~15~~ 14	~~4~~ 5	~~14~~ 14	~~17~~ 17	~~9~~ 8	~~14~~ 15	~~7~~ 7	~~23~~ 23	~~161~~ 161

W. 8,000. X. 15.

·1 of snow on Jan. 22

1603

FORM A.
BRITISH RAINFALL.

3 JAN 1917

cnd for WD

REGISTER OF RAINFALL IN 1916

Kept at Bearfield House, Bradford on Avon

in the County of Wilts

by G. A. R. FitzGerald Esqre K.C.

Lat. Long.

Time of Observation 9.0 A.M.

Nearest Railway Station Bradford on Avon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·5

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33		·36						·4		·9	~~·4~~ ·2	1
2	·11		[illegible]		·14	·5	·14		·6	·30	·35		2
3	·43	·7	·4		·7		·2			·99	·4		3
4		·83			·6				·10	·40	·24		4
5	·15	·14			·10	·49			·15	·31	·56		5
6			·3 snow		·29	·6				·5	·15		6
7	·12	·11			·17	·14	·46			·6	·76		7
8	·5	·8	·24 snow		·4					·8	·36	·18	8
9		·4	·3 "		·22	·58					·1	·14	9
10					·12	·14	·6			·4	·3	·4	10
11		·46	·4 snow	·11	·5	·9				·2	·2	·11	11
12	·6		·10	·6		·5							12
13	·6	·8	·2	·5	·14		·11			·4			13
14		·33	·16					·38					14
15		·42	·3	·3	·10			·18		·11			15
16		·21	·4	·6				·18					16
17	·3	·3		·29	·3		·6	·28		·4			17
18	·9	·20		·6				·11	·30	·59			18
19		·3	·6	·11					·5	·8		·16 snow	19
20	·16		·34	·25					·3		·9		20
21	·23		·47								·8	·77	21
22	·5	·4	·57		·8						·20	·42 snow	22
23				·1	·3					·28	·1	·51	23
24	·2	·19		·8		·5				·8	·22	·11 snow	24
25	·2	·11		·5	·45	·10		·16		·48	·5	·29 snow	25
26		·38 Snow	·10					·9			·14	·8	26
27		·4	·15			·32		·37	·21	·34			27
28	·10	·5	1·34 Snow			·3	1·04	·82	·31	·35			28
29		·50	·14	·16		·10		·12		·52		·41	29
30		X	·6			·27		·2	·5	·74		·50	30
31		X		X		X		1·10	X	·43	X	·3	31
		·36						·64		·89	·02	·05	YEAR'S TOTAL
Total	2·01	4·34	4·32	1·32	2·09	2·47	1·89	3·84	1·30	6·33	3·40	3·77	37·05
	1·68	4·70	3·96					3·85	1·26	6·42	3·33	3·80	36·77
Rain Days.	~~16~~ 15	~~21~~ 22	~~20~~ 19	13	16	14	7	~~12~~ 13	~~10~~ 9	~~22~~ 23	18	~~15~~	184

W. 8,000, VIII. 16

1527

FORM A.
BRITISH RAINFALL.

184 JAN 19

REGISTER OF RAINFALL IN 1918

Kept at Deanfield Home, Bradford on Avon

in the County of Wilts

by G. A. R. FitzGerald Capt R.C.

Lat. Long.

Time of Observation 9.0 AM

Nearest Railway Station Bradford on Avon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·3	·4 (snow)	·18	·17 (snow)		·10		·49	·24		·3		1
2	·2			·29 (snow)		·13		·5			·6		2
3	·6			·1 (snow)			·57	·3		·65	·1		3
4		·20 (snow)	·8				·6	·3	·1	·24			4
5	·30		·15	·15		·10		·2	·14	·42	·15		5
6			·44							·18	·14		6
7	·15						·16	·3		·16	·1		7
8	·53		·14 (snow)				·29	·98	·3	·40	·10	·12	8
9			·13	·1 (snow)	·6			·29	·6	·5	·28		9
10	·13		·34	·18				·18		·3	·1		10
11	·4		·44	·24 (snow)				·34		·11	·3		11
12					·45			·21		·59	·2		12
13	·14		·17			·1		·27	·8	·5			13
14			·15	·14			·1	·19	·2	·2			14
15				·7			·92	·19	·1	·5		·29	15
16		·7		·17	·2		·24			·39		·7	16
17		·2		·21	·24		·55	·11	·33	·5			17
18		·1				·1	·26		·38				18
19		·39	·8			·2			·8		·2		19
20		·7	·8		·33	·23		·5			·1		20
21			·24 (snow)			·31				·5			21
22			·9 (snow)					·4		·8			22
23		·10			·12			·40		·2			23
24		·7				·23	·8	·13		·15			24
25		·6	·4					·2	·3	·51			25
26					·19			·63	·20	·27	·12		26
27					·94	·2		1·10					27
28			·14		·4	2·21		·56			·1	·14	28
29			·8		·9	·23	·4	·5		·36		·10	29
30			·12 (snow)				·8	·12		·37			30
31			·16					·2		·4		·2	31
Total	1·40	1·03	3·25	1·64	2·48	3·60	3·20	6·53	1·61	5·24	1·00	·64	YEAR'S TOTAL 31·62
Rain Days.	9	10	19	11	10	12	12	26	13	24	15	6	167

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL 7 . I . 19

REGISTER OF RAINFALL IN 1918

Kept at Berefield Home, Bradford on Avon

in the County of Wilts

by G. A. R. FitzGerald K.C.

Lat. .... Long. ....

Time of Observation 9.0 AM

Nearest Railway Station Bradford on Avon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·2			·4			·22		·4	·42	·1	1
2		·4		·25				·50		·3	·2	·25	2
3		·34		·32	·15			·11	·6	·7		·2	3
4		·3		·4				·2			·89	·6	4
5		·2		·34	·20			·20	·3	·15	·4	·1	5
6	·10	·43		·5					·18	·8		·8	6
7		·20			·60	·1			·75	·29	·27		7
8		·3		·42			·61		·55	·19		~~·8~~	8
9		·28		·18		·20	·57		·21	·12	·1	·16	9
10	·3			·2			·12		·31	·16		·26	10
11		·18			·36		·19		·1	·3	·2	·19	11
12		·15					·33		·46			·7	12
13	·15 (snow)				·7		·48		·32	·9		·20	13
14	·22		·2	·47		·8	·28	·11		·13		·15	14
15	·79 ·37 (snow)				·3	·8	·2	—		·1		·22	15
16	·37 (snow)		·5	·42		·10	·40		·17			·9	16
17	·27			·4			·17		·1	·3		·26	17
18	·62					·40	·28	·2	·16	·1		·17	18
19	·6	·1	·11	·7 (snow)			·29		·33	·5		·7	19
20	·3	·7		·28			·2		·11	·5			20
21		·4					·51		·91	·7		·9	21
22	·3				·17		·79		·22	·6		·31	22
23	·14					·5	·1	·4			·4	·3	23
24		·15				·9	·11		·14		·5		24
25							·56	·75		·1	·1		25
26									·4	·4	·15	·13	26
27		·3	·2					·20	·14	·1	·12	·5	27
28		·10 (snow)	·25								·20	·19	28
29			·5						·97			·1	29
30			·23					·4		·2	·9	·14	30
31			·15					·1		·2			31
Total	3·18	2·12	·88	2·90	1·62	·98	5·65	2·22	6·08	1·76	2·33	3·22	YEAR'S TOTAL 32·94
Rain Days.	12	17	8	13	8	8	18	12	21	24	14	24	180

W. 6,500, VII. 18. W W ç

FORM A.
BRITISH RAINFALL.

BRADFORD-ON-AVON
MACEVEN HOUSE
WILTSHIRE

1916

REC

Kept at Macevenhouse ... aun.

in the County of Wilts ... Bradfordonavon.

by C.E.S. Humm...

...in Gauge 5 in.

...bove Ground ft. 9 in.

Sea Level 120 (about) ft.

IMPORTANT NO... ...d the result entered to the previous day. If an ... ...iversal rule, he is earnestly requested to add the re... ...ear in the space provided for it at the end of th... ...ement of rain, the selection and placi... British Rainfall Organization are given ... ...a application to Dr. H. R. Mill, 62, Ca...

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·01	·04		·15	·03	·13		·06	·17	·36		1
2	·45	·06			·08		·01			1·09	·02		2
3		·81			·06				·11	·35	·19		3
4	·13	·15	* ·03		·14	·43			·19	·17	·53		4
5	·01	·01	* ·02		·34	·06				·02	·16		5
6	·06	·10	* ·25		·14	·12	·44			·04	·66		6
7	·05	·07	* ·02		·04					·10	·34	·18	7
8		·04			·23	·55						} ·16	8
9			* ·03		·12	·17	·03			·06	·01		9
10		·48	·04	·10	·04	·10	·03			·03		·12	10
11	·05	·01	·06	·07		·07							11
12	·05	·07	·15	·02	·10	·01	·09	·04		·03			12
13		·33	·03					·27					13
14		·45	·02		·09			·11		·08			14
15	·02	·21						·24					15
16	·01	·03		·32	·03		·07	·30		·02			16
17	·08	·21	·04	·03				·17	·31	·50			17
18		·01		·13					·03	·08	* ·35		18
19	·16.		·35	·21							·17	* ·60	19
20	·19	·03	} 1·14	·01							·04	* ·36	20
21	·06	·03			·08						·02	* ·65	21
22	·02		·01	·02		·03				·27	·01	* ·53	22
23	·01	} * ·83		·07		·06		·17		·09	·22	·11	23
24				·03	·50	·07		·05		·44	·02	* ·33	24
25			·11		·01			·34			·13		25
26			·15			·31		1·04	·27	·32	·01		26
27	·08		1·44			·03	·98	·19	·31	·33			27
28		} *1·07	·29	·10		·12				·45		·42	28
29			·06			·26		1·73	·05	·76		·54	29
30		X								·44			30
31		X		X		X		·02	X	·07	X	·01	31
Total	1·58 ✓	4·81	4·28 4·28	1·11 ✓	2·15 ✓	2·42 ✓	1·78 ✓	4·67 ✓	1·33 ✓	5·91 ✓	3·24 ✓	4·01	YEAR'S TOTAL 37·29 37·29
Rain Days.	17 ✓	24 ✓	21 ✓	12 ✓	16 ✓	16 ✓	8 ✓	13	8 ✓	23 ✓	17 ✓	13 ✓	186 ✓

W. 8,000, VIII. 16 * Snow.

From 4 to 17 March. rainfall has been entered a day ~~which~~ before it fell.
~~[illegible] instead of previous day~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at [illegible] Bradford on Avon

in the County of Wilts

by C. E. S. Flemming

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Bradford on Avon.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 120 (about) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·01	·04		·15	·03	·13		·06	·17	·36		1
2	·45	·06			·08		·01			1·09	·02		2
3		·81			·06				·11	·35	·19		3
4	·13	·15	* ·03		·14	·43			·19	·17	·53		4
5	·01	·01	* ·02		·34	·06				·02	·16		5
6	·06	·10	* ·25		·14	·12	·44			·04	·66		6
7	·05	·07	* ·02		·04					·10	·34	·18	7
8		·04			·23	·55						·16	8
9			* ·03		·12	·17	·03			·06	·01		9
10		·48	·04	·10	·04	·10	·03			·03		·12	10
11	·05	·01	·06	·07		·07							11
12	·05	·07	·15	·02	·10	·01	·09	·04		·03			12
13		·33	·03					·27					13
14		·45	·02		·09			·11		·08			14
15	·02	·21						·24					15
16	·01	·03		·32	·03		·07	·30		·02			16
17	·08	·21	·04	·03				·17	·31	·50			17
18		·01		·13					·03	·08	* ·35		18
19	·16.		·35	·21							·17	* ·60	19
20	·19	·03	1·14	·01							·04	* ·36	20
21	·06	·03			·08						·02	* ·65	21
22	·02		·01	·02		·03				·27	·01	* ·53	22
23	·01	* ·83		·07		·06		·17		·09	·22	·11	23
24				·03	·50	·07		·05		·44	·02	* ·33	24
25			·11		·01			·34			·13		25
26			·15			·31		1·04	·27	·32	·01		26
27	·08	*1·07	1·44			·03	·98	·19	·31	·33			27
28			·29	·10		·12				·45		·42	28
29			·06			·26		1·73	·05	·76		·54	29
30										·44			30
31								·02		·07		·01	31
Total	1·58	4·81	4·28 4·28	1·11	2·15	2·42	1·78	4·67	1·33	5·91	3·24	4·01	YEAR'S TOTAL 37·29 37·29
Rain Days.	17	24	21	12	16	16	8	13	8	23	17	13	188

W. 8,000, VIII. 16 * Snow.

From 4 to 17 March. rainfall has been entered on day ~~at which~~ before it fell.
~~instead of previous day~~

made

FORM A.
BRITISH RAINFALL.

25 MAR 1914

RE

1483

BRADFORD — ON — AVON

MANVERS HOUSE

WILTSHIRE

1913, —1915, 1917—1920.

Kept at Bradfor a.m

in the County of Bradford on avon

5 in.

by C. E. S. Plum ove Ground ft. 9 in.

Sea Level 130 ft.

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the r ear in the space provided for it at the end of ement of rain, the selection and plac British Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·29	·20	·02	·21				·53		·19	·22	1
2	·04	·14	·01	·25			·05		·03	·60	·13		2
3	·05	·01	·08	·02	·57					·73		·26	3
4	·75		·11		·53				1·15	·36	·04	·09	4
5		·04			·03	·21	·14		·49		·01	·14	5
6		·02	·17		·27	·10	·21			·34	·18	·77	6
7		·39	·02		·17	·03	·09			·40	·12	·02	7
8		·05			·30	·10	·01			·34		·01	8
9		·18	·03		·07	·04		·60	·11		·05	·06	9
10	·09		·05	·04	·07	·01		·03		·10	·24		10
11	·40		·02	·23	·21			·06		·13	·30	·01	11
12	·06		·01		·11						·12	·01	12
13					·01			·03	·06		·18		13
14	·08		·14	·07	·05		·01	·03		·11	·10		14
15	·19	·09	·46	·43				·03	·06		·12	·01	15
16	·25		·69	·18					·11				16
17		·02	·03	·02		·01	·04		·06		·03		17
18	·09	·12	·26	·12		·01	·03				·09		18
19	·41	·06	·04		·03		·11		·47				19
20	·13	·01	·25	·07						·13	·06		20
21			·06	·22	·27		·04				·48		21
22	·59		·38	·06	·02			·01	·23				22
23			·01			·12		·06	·01		·06	·22	23
24	·03			·03				·06					24
25				·08				·24				·11	25
26				·38					·01	·01		·20	26
27			·06	·11						·06		·01	27
28	·32		·16	·34						·13			28
29	·03		·39	·64	·01			·07		·16	·02	·03	29
30	·63		·01							·38	·05		30
31	·03							·22					31
Total	4·19	1·42	3·64	3·31	2·93	0·63	0·73	1·44	3·32	3·98	2·57	2·17	YEAR'S TOTAL 30·33 ✓
Rain Days.	19	13	24	19	17	9	10	12	13	15	20	16	187 ✓

W.7,000, XI. 13

made

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

25 MAR 1914

Kept at Bradford-on-Avon

in the County of Wilts

by C. E. S. Flemming

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Bradford-on-Avon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·29	·20	·02	·21				·53		·19	·22	1
2	·04	·14	·01	·25			·05		·03	·60	·13		2
3	·05	·01	·08	·02	·57					·73		·26	3
4	·75		·11		·53				1·15	·36	·04	·09	4
5		·04			·03	·21	·14		·49		·01	·14	5
6		·02	·17		·27	·10	·21			·34	·18	·77	6
7		·39	·02		·17	·03	·09			·40	·12	·02	7
8		·05			·30	·10	·01			·34		·01	8
9		·18	·03		·07	·04		·60	·11		·05	·06	9
10	·09		·05	·04	·07	·01		·03		·10	·24		10
11	·40		·02	·23	·21			·06		·13	·30	·01	11
12	·06		·01		·11						·12	·01	12
13					·01			·03	·06		·18		13
14	·08		·14	·07	·05		·01	·03		·11	·10		14
15	·19	·09	·46	·43				·03	·06		·12	·01	15
16	·25		·69	·18					·11				16
17		·02	·03	·02		·01	·04		·06		·03		17
18	·09	·12	·26	·12		·01	·03				·09		18
19	·41	·06	·04		·03		·11		·47				19
20	·13	·01	·25	·07						·13	·06		20
21			·06	·22	·27		·04				·48		21
22	·59		·38	·06	·02			·01	·23				22
23			·01			·72		·06	·01		·06	·22	23
24	·03			·03				·06					24
25				·08				·24				·11	25
26				·38					·01	·01		·20	26
27			·06	·11						·06		·01	27
28	·32		·16	·34						·13			28
29	·03		·39	·64	·01			·07		·16	·02	·03	29
30	·63		·01							·38	·05		30
31	·03							·22					31
Total	4·19	1·42	3·64	3·31	2·93	0·63	0·73	1·44	3·32	3·98	2·57	2·17	YEAR'S TOTAL 30·33 ✓
Rain Days.	19	13	24	19	17	9	10	12	13	15	20	16	187 ✓

W.7,000, XI. 13

Aug 1–3 [illegible] referred 26.III.15 written 1.IV.15

Eve D.L.

Aug 1–3 estd. from run stats. 31.III.15

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bradford-on-Avon

in the County of Wilts

by Chas E S Flemming

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03		·02					·08	·06	1
2				·09			·76	(·60)			·54	·42	2
3			·06	·34	·26		·08				·25	·09	3
4	·09		·10	·27	·07		·22	·35			·43	·48	4
5	·08 ~~·09~~		·17	·39	·03		·32				·09	·16	5
6	~~·08~~	·35	·02	·26	·03	·03	·17				·02	·33	6
7	·02	·26	·16	·23	·53		·26	·04	·01			·14	7
8	·03 ~~·02~~		·64	·09	·06	·43	·05	·04	·02		·01		8
9	·13 ~~·03~~		·53	·17	·02	·71		·09	·20				9
10	~~·13~~	·21	·01	·05	·07			·02	·26				10
11		·08	·28	·04	·11	·16					·08	·38	11
12		·08	·12				·11		·30		·03	·16	12
13		·28	·39						·16	·10	·14	·48	13
14		·28	·49					·14	·03	·42	·24		14
15			·23					·46		·06	·12		15
16							·08		·21				16
17		·36	·19						·05			·67	17
18			·02				·25					·62	18
19		·10	·19				·60				·08	·16	19
20		·21	·51			·01						·27	20
21		·45	·03							·12	·01		21
22		·01	·01		·11	·28		·01		·23			22
23		·12	·18		·28	·02				·13			23
24			·06				·04			·34	·10		24
25	·03		·12					·28		·35	·02	·21	25
26	·06 ~~·03~~		·24				·05	·01		·06	·35	·53	26
27	~~·06~~									·01	·09	·12	27
28		·05	·04		·05					·06	·40	1·29	28
29	·15		·11		·06					·18	·37		29
30	·01 ~~·15~~	X	·02			·13				·24	·45	·76	30
31	~~·01~~	X		X	·03	X	·11		X	·36	X	·04	31
Total	·60 ~~·80~~	2·84	4·92	1·96	1·71	1·79	3·10	(2·04) ~~1·44~~	1·24	2·66	3·90	7·37	YEAR'S TOTAL (34·13) ~~33·53~~
Rain Days.	9	14	26	11	14	9	11	(13) ~~10~~	9	14	21	20	(174) ~~171~~

W. 8,000. X. 14.

AT HOME
3 TO 4,
NOT WEDNESDAYS.

Ans
1·IV·15

MANVERS HOUSE,
BRADFORD-ON-AVON.

24. 3. 15

Dear Sir

In reply to your letter of 20th I am sorry that I did not send a note with last year's record. My brother generally takes the record of rainfall, but last August while I was away on holiday, he also was away from 1st to 4th and it was supposed to have been taken by my women, we were doubtful about it but forgot to note it. I generally find the Winsley records ~~most~~ nearer mine than any of the others in the neighbourhood –

Yours faithfully

Chas. E. S. Hemming.

1631

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bradford-on-Avon (Manvers House)
in the County of Wilts
by Chas E S Flemming

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Bradford-on-Avon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·11			·06			·14	·30	·24	·02	·10	1
2	·45	·25	·20	·06			·01	·48	·05	·26		·30	2
3	1·17	·06	·05	·16	·10		·03	·02		·03		·28	3
4	·04	·01						·15				·44	4
5	·10	·58			·02							·25	5
6	·36	·04		·39			·45	·05				·14	6
7	·29	·49		·07	·67		·22	·05				·32	7
8	·30	·32		·05			·05	·10					8
9	·02	·05		·10				·01			·34	·96	9
10	·09		·07	·04				·09		·07		·04	10
11	·10		·11	·05	·02			·09			·68	·02	11
12	·17	·19		·16	·42			·21		·04	·45		12
13	·05	·73			·95			·02	·14				13
14	·08						·15	·63	·06	·05		·33	14
15	·45			·02	·12		·05	·13	·03	·07	·15	·05	15
16		·75			·50		·90					·15	16
17		·61	·01		·85		·01	·09				·02	17
18		·37	·02		·15						·02		18
19					·09		·31						19
20	·23			·05	·04							·09	20
21	·06	·24			·03		·02			·08		·20	21
22	·11	·61	·49	·01			·52		·01	·01		·20	22
23		·03	·15			·02	·08		·15	1·88		·30	23
24				·08			·84		·49	1·00		·23	24
25				·03		·11	·04					·15	25
26		·14				·04	·09					·53	26
27		·12				·16	·16			·39		·01	27
28		·04				·07			·79	·06			28
29		X				·16		·05			·07	·06	29
30	·23	X				·29				·22	·37	·13	30
31	·02	X		X		X	·02	·02	X	1·10	X	·34	31
Total	4·88	5·74	1·10	1·27	4·02	0·85	3·95	2·33	2·02	5·50	2·10	5·86	YEAR'S TOTAL 39·62
Rain Days.	20	20	8	14	14	7	18	17	9	15	8	25	175

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Manor House Bradford on Avon
in the County of Wilts
by C. E. S. Flemming

Lat. .... Long. ....
Time of Observation As last year
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·20	·17		·09		·74	·20		·02		1
2	·01			·14		·08		·09			·07		2
3	·04			·23			·57	·08		·55			3
4		·36	·07				·09	·04		·36			4
5	·29		·19	·19		·10			·17	·47	·14		5
6			·45							·17	·13		6
7	·13						·17	·04		·25		·01	7
8	·69			·14			·35	·85	·04	·39	·10	·09	8
9			·27		·06			·24	·07	·05	·30		9
10	·11		·30	·21				·15					10
11	·03		·47	·28				·20		·15	·03		11
12	·14			·01	·52			·25		·62			12
13			·17			·01		·29		·03			13
14			·23	·13				·15	·08				14
15				·07				·07		·03		·30	15
16				·18			·35			·37		·12	16
17				·21	·27		·46	·08	·38	·05	·02		17
18						·01	·31	·01	·37				18
19		·40	·10						·10	·63			19
20		·05	·08		·27	·18		·07					20
21										·03			21
22						·49		·03		·08			22
23		·08	·42		·12			·46		·01		·01	23
24		·05				·23	·06	·09		·14	·03		24
25		·08						·02	·02	·51	·01		25
26			·05		·26			·55	·17	·32	·05		26
27					·88	·01		·92					27
28			·13		·06	3·36		·78			·01	·03	28
29			·08		·12	·33	·08	·05		·31	·01	·13	29
30		✕	·13				·20	·11		·37			30
31		✕	·17	✕		✕		·01	✕	·03	✕		31
Total	1·45	1·02	3·51	1·96	2·56	4·89	2·64	6·37	1·60	5·92	·92	·69	YEAR'S TOTAL 33·53
Rain Days.	9	6	17	12	9	11	10	26	10	23	13	7	153

W. 8,000, IX. 17.

12

FORM A.
BRITISH RAINFALL
17 : 1 : 19

[illegible]

REGISTER OF RAINFALL IN 1918

Kept at Manvers House, Bradford-on-Avon

in the County of Wilts

by Dr. C. E. S. Flemming

Lat. ______ Long. ______

Time of Observation Same

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge as before in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01				·05			·21			·46	·05	1
2				·26				·51			·03	·25	2
3		·02		·34	·17			·11	·07	·08			3
4		·02	·01	·05				·02			·81	·06	4
5		·02			·24			·15	·03	·15	·05		5
6		·01		·37				·05		·08		·07	6
7	·10	·19		·04	·73				·23	·14	·27	·01	7
8		·20							·77	·34		·01	8
9		·01		·45		(·34)	1·36		·47	·08	·01	·15	9
10		·26		·25			·47		·23	·15		·34	10
11	·01			·01			·11		·11	·02	·01	·14	11
12	·01	·03			·37		·28					·04	12
13		·13			·04		·32		·45	·07		·16	13
14							·38		·26	·09		·15	14
15	·34			·55	·03	·10	·26					·18	15
16	1·08		·07	·53		·09	·02		(·39)			·11	16
17				·08	·03		·29	·10		·02		·27	17
18	1·00					·37	·10		·14	·01		·16	18
19	·63		·11	·08			·20	·01	·35	·03		·08	19
20	·06			·30			·23		·09	·01			20
21	·02	·08		·01			·02		·85	·06		·12	21
22	·04	·02					·22		·18	·06		·34	22
23					·21		·84	·04			·06	·02	23
24	·06					·13			·11		·04		24
25		·16					·10	·72		·01	·05		25
26							·52		·02	·01	·10	·08	26
27			·01					·16	·19		(·07)	·06	27
28		·03	·25								·10	·20	28
29			·07						1·25			·01	29
30		X	·22					·03			·03	·13	30
31		X	·18	X		X		·01	X		X		31
Total	3·36	1·18	·92	3·32	1·87	1·00 ✓	5·72	2·12	6·19 ✓	1·41	2·09	3·19	YEAR'S TOTAL 32·37 ✓
Rain Days.	12	14	8	14	9	5	17	13	19	18	14	25	168 ✓

W. 6,500, VII. 18. w w c

Recd Jo

1435

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

5 MAR 20

Kept at Manvers Hse. Bradford-a-Avon

in the County of Wilts

by C. E. S. Flemming

Lat. .... Long. .... Same as before.

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29		·04		·21					·07		1·05	1
2	·11				·02		·02		·33	·04	·09	·15	2
3	1·01		·10		·03				·18		·02	·40	3
4	·89	·10	·69			·08	·02		·25			·06	4
5	·21	·46	·64		·02				·28		·07	·24	5
6	·21	·05	·05		·08						·03	·24	6
7	·21		·34	·12								·02	7
8	·16		·17	·01									8
9	·02		·01	·15							·11		9
10	·06		·11	·06								·15	10
11	·04		·12	·14	·15		·49			·08		·01	11
12	·03		·11	·05		·13	·03			·06	·04	·10	12
13			·02	·34			·01			·01		·01	13
14	·50	·05		·43			·06		·03	·02		·03	14
15	·12	·02		·04								·27	15
16	·17	·88									·18		16
17		·23				·01		·01			·23		17
18		·21	·50					·16	·03		·07		18
19	·34	·22	1·04			·14	1·00	·44	·10			·05	19
20	·18	·07	·30			·32	·01	·32			·27	·18	20
21	·02	·41					·06		·02		·01	·01	21
22		·24				·01			·10			·16	22
23							·11		·01	·42	·06	·06	23
24						·02			·02	1·32	·33	·78	24
25	·12			·04		·06		·50			·03	·16	25
26	·11		·15	·29				·08	·11			·40	26
27	·05	·01		·21				·53				·05	27
28	·02		·36					·48			·25	·39	28
29			·02	·01				·03		·05	·20	·07	29
30		✕		·20		·19		·29		·02	·35	·41	30
31		✕	·06	✕		✕			✕		✕	·15	31
TOTAL	4·87	2·95	4·83	2·09	·51	·96	1·81	2·84	1·46	2·09	2·34	5·60	YEAR'S TOTAL 32·35
Days with ·01 in. or more	22 ~~1·01~~	13 ~~·88~~	19 ~~1·04~~	14 ~~·43~~	6 ~~·21~~	9 ~~·32~~	10 ~~1·00~~	10 ~~·50~~	12 ~~·33~~	10 ~~1·32~~	17 ~~·35~~	26 ~~1·05~~	168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1355

4910

Form A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

24 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Manvers House
in the County of Wilts
by Mr. C. E. S. Hemming.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Bradford-on-Avon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·31	·40		·21		·03	·29	·22	·35	1
2	·05	·02	·04	·08			·04	·30	·05	·04		·08	2
3	·01			·17			·46			·38			3
4				·06				·39		·10			4
5			·09	·07	·16		·45	·01		·38			5
6			·28	·02	·17		·34			·06			6
7	·01		·04	·09			·08			(·005)	·015		7
8		·04	·02	·30	·02		·40						8
9	·47	·10		·37		·09	·045						9
10	1·16	·21	·03	·04	·30	·25	·39						10
11	·19	·02	·09	·32	·01	·04	·12						11
12	·17		·02	·18		·87	·04				·06		12
13	·09	·05	·31	·09			·01				·03	·06	13
14	·02		·47	·34		·09			·05	·43	·30		14
15		·17	·08	·26	·015	·04	·05		·14	·32	·06		15
16		·01	·01	·05	·05	·04	·095		·04	·11	·31		16
17	·03		·02	·15	·17	1·16		·33	·21			·005	17
18	·07			·04		·03			·15		·01	·01	18
19	·06			·20	·025	·15							19
20	·01	·23		·16		·38						·28	20
21							·12		·02	·03		·04	21
22	·02			·07			·05		·01	·005		·44	22
23							·77	·05				·37	23
24	·02		·16	·03		·05					·17	·08	24
25		·06	·07				·30						25
26	·21		·13				·08				·68	·04	26
27	1·23	·02	·03	·19		·44					·005	·18	27
28			·05	·07	·21	·01	·05					·007	28
29	·22	·02	·22	·01	·035	·04					·11	·28	29
30	·06			·06		·21	·28		·45		·35	·21	30
31	·23		·31				·03			·28		·11	31
Total	4·35	·95	2·47	3·73	1·565	3·89	4·41	1·08	1·15	2·43	1·72	2·542	Year's Total 30·28
Days with ·01 in. or more	21	12	20	26	12	16	22	5	10	12	12	16	184
Days with ·04 in. or more	13	7	14	23	7	14	20	4	7	11	9	13	142

BRADFORD — ON — AVON

WOODLEIGH

WILTSHIRE

1917 —— 1920

REG

Kept at Woodleigh

in the County of Wil

by Arthur S

2 about

15. A.M.

Bradford on Avon

Gauge 5 in.

Ground 2 ft. 4 in.

Sea Level ft.

FORM A.
BRITISH RAINFALL.
7 JAN 1918

IMPORTANT NOT … the result entered to the previous day. If an O … ersal rule, he is earnestly requested to add the rea … r in the space provided for it at the end of thi … ent of rain, the selection and placing … tish Rainfall Organization are given i … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.05		.18					.01	.01	.04		1
2			.20	.20		.12		.76	.23		.03		2
3				.35		.12		.10			.09		3
4	.05		.09				.60	.11		.57			4
5							.10	.07		.27			5
6	.06		.15	.22		.12		.01	.17	.48	.18		6
7			.49							.17	.15		7
8	.16						.18			.28		.03	8
9	.72		.16	.17			.35	.93	.04	.38	.12	.11	9
10			.15		.08			.27	.09	.08	.32		10
11	.19		.31	.23				.20	.01	.05			11
12	.04		.50	.29				.16		.14	.03		12
13	.19				.50			.23		.67	.02	.01	13
14			.18			.02		.28	.08	.04			14
15			.23	.17				.15	.05	.01			15
16				.07			.80	.13	.01	.06	.01	.30	16
17		.29		.23	.05		.33			.39	.01	.12	17
18		.01		.21	.26		.55	.10	.41	.07	.01		18
19	.01	.01				.02	.38		.44		.01		19
20	.01	.40	.12			.02		.01	.09				20
21		.06	.08		.27	.19		.11					21
22			.24					.01		.04			22
23			.18			.60		.05		.11			23
24		.12			.12			.48		.02		.03	24
25		.06	.01			.25	.08	.15		.19	.06		25
26		.08	.06					.04	.05	.60	.02		26
27					.30			.55	.20	.32	.08		27
28					1.04	.02		1.22					28
29			.17		.02	3.25		.56			.01	.05	29
30		✕	.09		.11	.36	.10	.08	.01	.35	.02	.12	30
31		✕	.14	✕		✕	.23	.15	✕	.39	✕		31
	.05	—	.18	—	—	—	—	.01	.01	.04	—	.03	YEAR'S TOTAL
Total	1.47	1.08	~~3.55~~	~~2.32~~	2.75	5.09	3.70	6.91	1.89	5.69	~~1.21~~	.77	~~36.43~~
	1.48	1.03	3.73	2.14				6.92	1.89	5.73	1.17	.80	36.42
Rain Days.	10	~~9~~ 8	~~19~~ 20	~~11~~ 10	10	12	11	~~26~~ 27	15	24	~~18~~ 17	~~8~~ 9	173

W. 8,000, IX. 17.

All my readings ~~&c~~ are put down in date taken & not the day before wh is so confusing to people. AS

REG

FORM A.
BRITISH RAINFALL.
7 JAN 191

Kept at Woodleigh. Bradford on Avon
in the County of Wilts
by Arthur Scratton

Lat. 51 Long. 2 about
Time of Observation 9.15. A.M.
Nearest Railway Station Bradford on Avon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.05		.18					.01	.01	.04		1
2			.20	.20		.12		.76	.23		.03		2
3				.35		.12		.10			.09		3
4	.05		.09				.60	.11		.57			4
5							.10	.07		.27			5
6	.06		.15	.22		.12		.01	.17	.48	.18		6
7			.49							.17	.15		7
8	.16						.18			.28		.03	8
9	.72		.16	.17			.35	.93	.04	.38	.12	.11	9
10			.15		.08			.27	.09	.08	.32		10
11	.19		.31	.23				.20	.01	.05			11
12	.04		.50	.29				.16		.14	.03		12
13	.19				.50			.23		.67	.02	.01	13
14			.18			.02		.28	.08	.04			14
15			.23	.17				.15	.05	.01			15
16				.07			.80	.13	.01	.06	.01	.30	16
17		.29		.23	.05		.33			.39	.01	.12	17
18		.01		.21	.26		.55	.10	.41	.07	.01		18
19	.01	.01				.02	.38		.44		.01		19
20	.01	.40	.12			.02		.01	.09				20
21		.06	.08		.27	.19		.11					21
22			.24					.01		.04			22
23			.18			.60		.05		.11			23
24		.12			.12			.48		.02		.03	24
25		.06	.01			.25	.08	.15		.19	.06		25
26		.08	.06					.04	.05	.60	.02		26
27					.30			.53	.20	.32	.08		27
28					1.04	.02		1.22					28
29			.17		.02	3.25		.56			.01	.05	29
30			.09		.11	.36	.10	.08	.01	.35	.02	.12	30
31			.14				.23	.15		.39			31
	.05	—	.18	—	—	—	—	.01	.01	.04	—	.03	YEAR'S TOTAL
Total	~~1.47~~	1.08	~~3.55~~	~~2.32~~	2.75	5.09	3.70	6.91	1.89	~~5.69~~	~~1.21~~	~~.77~~	~~36.43~~
	1.48	1.03	3.73	2.14				6.92	1.89	5.72	1.17	.80	36.42
Rain Days.	10	~~9~~ 8	~~17~~ 20	~~11~~ 10	10	12	11	~~26~~ 27	15	24	~~18~~ 17	~~8~~ 9	173

W. 8,000, IX. 17.

All my readings ~~[illegible]~~ are put down on date taken & not the day before which is a contrary to rule. AS compd with the W D

8

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6. 1. 19

Kept at Woodleigh - Bradford on Avon
in the County of Wilts
by Arthur Scratton

Lat. Long.
Time of Observation 9. 15. A.M.
Nearest Railway Station B on A
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.11	.24					.01		.03	.07	1
2		.02			.06			.27		.05	.52	.03	2
3		.03		.25				.46		.01	.03	.27	3
4		.06	.01	.35				.14	.08	.11			4
5		.03		.06				.03			.86	.08	5
6	.01	.03			.40			.25		.18	.09	.01	6
7	.12	.22		.38	~~.40~~					.09		.09	7
8		.21		.06	.70				.40	.35	.29		8
9		.03							.68	.27		.02	9
10		.30		.46		.38	.70		.47	.13	.02	.19	10
11	.01			.26			.43		.25	.24		.31	11
12	.03	.04					.14		.36		.02	.18	12
13		.15			.38		.28		.01			.08	13
14					.06		.35		.46	.11		.19	14
15	.35		.03				.40		.28	.15		.17	15
16	.84			.52	.03	.10	.28					.20	16
17			.08	.50		.13	.02		.20			.12	17
18	1.14			.06			.67	.12	.01	.03		.28	18
19	.64					.40	.16		.16	.01		.19	19
20	.06	.02	.12	.10			.21	.02	.39	.03	.01	.11	20
21	.03	.10		.31			.26		.13	.01			21
22	.05	.03					.15		.91	.04		.12	22
23							.41		.22	.07	.01	.36	23
24	.08				.25		.60	.06			.04		24
25	.01	.18				.15	.02		.13		.06		25
26							.11	.74		.01	.02		26
27							.53		.03	.02	.15	.15	27
28		.04	.02					.18	.22		.14	.05	28
29			.27	.01							.23	.22	29
30		×	.06						1.01		.01		30
31	.01	×	.25	×		×		.03	×	.03	×	.15	31
	–	.11	.24	–	–	–	–	.01	–	.03	.07	–	YEAR'S TOTAL
Total	~~3.41~~ 3·38	~~1.49~~ 1·60	~~.95~~ 1·08	~~3.56~~ 3·32	~~1.88~~ 1·88	~~1.16~~ 1·16	~~5.72~~ 5·72	~~2.30~~ 2·31	~~6.41~~ 6·40	~~1.94~~ 1·97	~~2.53~~ 2·57	~~3.64~~ 3·57	~~35.09~~ 34·96
Rain Days.	~~15~~ 14	~~16~~ 17	9	~~14~~ 13	7	5	18	~~11~~ 12	~~21~~ 20	~~20~~ 21	17	~~24~~ 23	~~177~~ 176

W. 8,000, IX. 17.

Cond per WD 1432

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 26

Kept at Woodleigh Bradford on Avon
in the County of Wilts
by Arthur Scratton

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Bradford on Avon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft 4 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .18

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.22		.21					.37	1
2	.35		.05	.09	.27		.14		.02	.08	.04	1.05	2
3	.11		.01		.04		.05		.37	.04	.09	.18	3
4	Snow 1.62		.17		.05				.18		.02	.45	4
5		.08	.73			.08	.01	.03	.29		.01	.09	5
6		.49	.52		.04		.02		.28	.01	.08	.27	6
7	.22	.06	.09		.10						.02	.25	7
8	.21		.33	.14								.02	8
9	.15		.18										9
10	.04		.05	.16							.13		10
11	.09		.10	.06						.02		.17	11
12	.07		.13	.17	.16		.34			.05		.03	12
13	.05		.13	.06		.19				.08	.06		13
14	.02	.01	.02	.39						.02		.02	14
15	.49	.08		.44			.07		.05	.05		.05	15
16	.15	.02		.05	.04					.02		.28	16
17	.20	.88									.18		17
18		.39				.01					.24	.01	18
19	.03		.52				.19	.20	.07		.08	.02	19
20	.28	.22	.88			.13	.82	.43	.13		.30	.05	20
21	.25	.08	.34			.36		.33		.01		.16	21
22	.01	.46					.07		.03		.02	.05	22
23		.25					.12		.12			.18	23
24									.02	.37	.08	.06	24
25				.02		.10			.03	1.29	.33	.79	25
26	.13			.04				.49	.01		.08	.21	26
27	.12		.17	.10				.12	.13			.42	27
28	.11	.01		.39				.54					28
29	.01		.35					.48			.35	.45	29
30		╳		.02		.01		.04		.06	.12	.25	30
31		╳		╳		╳		.30	╳	.03	╳	.25	31
TOTAL	4.71	3.03	4.77	.22 ~~2.13~~ 2.35	~~.92~~ .70	.21 ~~.88~~ 1.09	~~2.04~~ 1.83	2.96	1.73	2.13	.37 ~~2.23~~ 2.60	.18 ~~6.13~~ 5.94	YEAR'S TOTAL ~~33.66~~ 33.84
Days with ·01 in. or more	22	13	18	~~14~~ 15	~~8~~ 7	8	16	10	14	14	~~18~~ 19	26	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1353

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Woolleigh Bradford on Avon

in the County of Wilts

by Arthur Scratton

Lat. Long.

Time of Observation 9.15 a.m.

Nearest Railway Station Bradford on Avon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 4 in.

" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.25		.27	.11		.20	.04		.36	.28	.39	1
2				.41	.42		.27	.02	.03	.34	.24	.33	2
3	.05			.10			.08	.32	.07	.08		.06	3
4		.03		.19	.02		.48			.42		.04	4
5			.05	.06			.01	.45		.11			5
6			.12	.03	.14		.50			.32		.01	6
7			.31	.02	.25		.52			.07	.01		7
8	.03		.06	.12			.10						8
9	.01	.06		.38	.05		.46						9
10	.48	.12	.03	.34		.12	.03		.01				10
11	1.06	.24	.04	.04		.28	.37				.01		11
12	.30	.02	.12	.31	.33	.05	.03						12
13	.20	.03	.02	.20		.91	.16			.01	.10		13
14	.11	.08	.34	.12				.01	.01		.01		14
15	.02	.01	.51	.37		.09	.01		.07	.42	.32	.09	15
16		.18	.09	.24	.02	.05	.05		.14	.35	.07		16
17			~~.04~~	.17	.06	.07	.10		.04	.12	.33		17
18	.04		.04	.18	.20	.95		.01	.23		.01		18
19	.08		.01	.08	.01	.05	.01	.35	.18		.01	.02	19
20	.08	.05		.25	.04	.15						.01	20
21		.20		.22		.41						.25	21
22							.17		.02	.04		.10	22
23	.03			.10			.04	.07	.03			.38	23
24		.01					.84			.02		.38	24
25	.03	.08	.18	.03				.01		.02	.67	.10	25
26			.09	.01			.33					.01	26
27	.24		.15				.05			.01	.04	.05	27
28	.24	.05	.05	.22		.45	.01		.01			.18	28
29	.96	.02	.07	.10	.19	.01	.05					.01	29
30	.19	✕	.25	.02	.05	.04				.01	.14	.25	30
31	.07	✕	.03	✕		✕	.31		✕		✕	.29	31 32.82
TOTAL	.25 ~~4.40~~ 4.47	– ~~1.43~~ 1.18	.27 ~~2.56~~ 2.83	.11 ~~4.58~~ 4.42	– ~~1.87~~ 1.76	.20 ~~3.63~~ 3.83	.04 ~~4.68~~ 4.82	– ~~1.28~~ 1.24	.36 ~~.84~~ 1.20	.28 ~~2.70~~ 2.92	.39 ~~1.74~~ 1.85	.04 ~~2.65~~ 2.60	YEAR'S TOTAL ~~32.96~~
Days with ·01 in. or more	20	~~16~~ 15	~~20~~ 21	27	~~14~~ 13	~~14~~ 15	25	~~9~~ 8	~~10~~ 13	16	14	19	206 ✓
Days with ·04 in. or more	15	~~10~~ 9	~~16~~ 17	22	~~10~~ 9	~~13~~ 14	19	~~5~~ 4	~~6~~ 7	11	9	14	150 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRADFORD – ON – AVON

WOODLEY GRANGE

WILTSHIRE

1911 – 1913, 1916 – 1917

FORM A2.
BRITISH RAINFALL.

11.

Kept at Woodley G

in the County of

by Percy. K.

ndard 5 - JAN 1912

5 in.

ove Ground ft. 7 in.

, Sea Level 216 ft.

.am.

Name Bradford-on-Avon

Distance 1 mile Direction S.W.

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl … British Rainfall Organization are give … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	–	·02	·14	–	–	–	·02	–	–	–	·01	1
2	·02	–	–	·15	·23	–	–	·16	–	·08	·28	·21	2
3	–	–	–	–	·24	–	–	·02	–	–	·06	·04	3
4	–	·02	·14	–	–	–	–	–	–	·04	·20	·34	4
5	·03	–	·03	·02	–	–	–	·57	–	·05	·55	–	5
6	·27	–	·17	–	–	–	–	·05	–	–	·17	·39	6
7	·03	–	–	–	–	–	–	–	–	–	·41	–	7
8	·09	–	·14	–	–	–	–	–	–	–	·02	·33	8
9	·08	–	·05	–	–	–	–	–	–	–	·09	·33	9
10	·02	·13	·26	–	·07	–	–	–	–	–	–	·29	10
11	·22	–	·01	–	·25	–	–	–	–	–	·61	·18	11
12	–	–	·66	–	–	–	–	·02	·01	–	·48	·15	12
13	–	–	·01	–	·01	–	–	–	·26	–	–	·43	13
14	–	·05	–	–	–	–	–	–	–	–	–	·55	14
15	–	·02	·03	–	–	·03	–	–	–	·01	·31	·06	15
16	–	·02	–	–	–	·27	–	–	–	–	·56	·31	16
17	–	·03	–	–	·20	·03	–	–	–	–	·04	·33	17
18	–	·32	·08	·07	·07	·38	–	–	–	·01	–	·33	18
19	–	·03	–	·05	–	·12	–	–	·40	·32	·12	·20	19
20	·02	·03	·17	·02	–	–	–	–	·14	·06	–	·55	20
21	–	·19	–	·02	–	·02	–	·09	–	·38	–	·15	21
22	·02	·01	·32	·03	–	·05	–	–	–	·21	–	·60	22
23	–	·24	·21	–	–	·10	–	–	·06	·09	·06	·17	23
24	·01	·12	–	–	–	·38	–	·04	–	·55	–	·14	24
25	·01	·05	·02	·11	–	·07	–	–	·01	·04	–	·22	25
26	–	·08	–	·18	·18	·08	–	–	–	·11	·03	·27	26
27	–	·23	·17	·07	–	–	–	·08	·10	–	·04	·20	27
28	–	·44	–	·33	·01	–	–	·09	–	–	·04	–	28
29	–		–	·17	–	·26	·02	–	·18	·20	·01	–	29
30	–		–	–	–	·02	–	–	·01	·18	·03	·02	30
31	–		–		–		–	–		·31		–	31
Total	·91	2·01	2·49	1·36	1·26	1·81	·02	1·14	1·17	2·64	4·11	6·80	TOTAL for year 25·72
No. of Rain Days.	13	17	17	13	9	13	1	10	9	16	20	26	164.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911.

Kept at Woolley Grange. Bradford-on-Avon
in the County of Wilts
by Percy. K. Stothert.

RAIN GAUGE
Pattern Standard.
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 216 ft.

5 - JAN 1912

Time of Observation 9. a.m.

Nearest Railway Station
Name Bradford-on-Avon
Distance 1 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	—	·02	·14	—	—	—	·02	—	—	—	·01	1
2	·02	—	—	·15	·23	—	—	·16	—	·08	·28	·21	2
3	—	—	—	—	·24	—	—	·02	—	—	·06	·04	3
4	—	·02	·14	—	—	—	—	—	—	·04	·20	·34	4
5	·03	—	·03	·02	—	—	—	·57	—	·05	·55	—	5
6	·27	—	·17	—	—	—	—	·05	—	—	·17	·39	6
7	·03	—	—	—	—	—	—	—	—	—	·41	—	7
8	·09	—	·14	—	—	—	—	—	—	—	·02	·33	8
9	·08	—	·05	—	—	—	—	—	—	—	·09	·33	9
10	·02	·13	·26	—	·07	—	—	—	—	—	—	·29	10
11	·22	—	·01	—	·25	—	—	—	—	—	·61	·18	11
12	—	—	·66	—	—	—	—	·02	·01	—	·48	·15	12
13	—	—	·01	—	·01	—	—	—	·26	—	—	·43	13
14	—	·05	—	—	—	—	—	—	—	—	—	·55	14
15	—	·02	·03	—	—	·03	—	—	—	·01	·31	·06	15
16	—	·02	—	—	—	·27	—	—	—	—	·56	·31	16
17	—	·03	—	—	·20	·03	—	—	—	—	·04	·33	17
18	—	·32	·08	·07	·07	·38	—	—	—	·01	—	·33	18
19	—	·03	—	·05	—	·12	—	—	·40	·32	·12	·20	19
20	·02	·03	·17	·02	—	—	—	—	·14	·06	—	·55	20
21	—	·19	—	·02	—	·02	—	·09	—	·38	—	·15	21
22	·02	·01	·32	·03	—	·05	—	—	—	·21	—	·60	22
23	—	·24	·21	—	—	·10	—	—	·06	·09	·06	·17	23
24	·01	·12	—	—	—	·38	—	·04	—	·55	—	·14	24
25	·01	·05	·02	·11	—	·07	—	—	·01	·04	—	·22	25
26	—	·08	—	·18	·18	·08	—	—	—	·11	·03	·27	26
27	—	·23	·17	·07	—	—	—	·08	·10	—	·04	·20	27
28	—	·44	—	·33	·01	—	—	·09	—	—	·04	—	28
29	—		—	·17	—	·26	·02	—	·18	·20	·01	—	29
30	—		—	—	—	·02	—	—	·01	·18	·03	·02	30
31	—		—		—		—	—		·31		—	31
Total	·91	2·01	2·49	1·36	1·26	1·81	·02	1·14	1·17	2·64	4·11	6·80	TOTAL for year 25·72
No. of Rain Days.	13	17	17	13	9	13	1	10	9	16	20	26	164.

W. 8,000, X. '11.

✓

cor fr auth 20·1·13 HSD

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Woolley Grange . Bradford-on-Avon
in the County of Wilts
by Percy . K . Stothert

Lat. 51·21 N Long. 2·14 W
Nearest Railway Station Bradford-on-Avon
Time of Observation 9 . a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " Sea Level 216 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·12	–	–	·16	·06	–	·03	·75	–	·25	1
2	–	–	·25	·01	–	·10	·33	–	–	·02	–	·01	2
3	·02	–	·07	–	–	·25	·06	·30	·05	–	·03	·03	3
4	·20	–	·78	–	·10	·48	–	·04	–	–	·26	·01	4
5	·33	·06	·15	–	·09	·02	–	·33	–	–	·01	·17	5
6	·48	·21	·03	–	·11	–	–	1·53	–	–	·01	·13	6
7	·02	·23	·05	–	·04	·42	–	·08	–	–	–	·06	7
8	·26	·14	·37	·02	–	·05	·04	·04	·02	–	–	·08	8
9	·03	·02	·19	·14	–	·27	·03	·01	–	–	–	·19	9
10	–	·05	–	–	–	·19	–	·03	–	–	·11	·14	10
11	·13	·05	–	–	–	·02	–	–	–	–	·01	·30	11
12	·02	·41	·07	·05	·02	–	·02	–	–	–	·04	·12	12
13	–	·19	·01	–	–	–	–	·02	–	–	·01	·08	13
14	·17	–	·40	–	·39	–	–	·11	–	·01	–	·03	14
15	·04	·10	–	–	·18	·44	–	·01	–	–	·01	·53	15
16	·84	·01	·12	–	·04	·02	–	·06	–	·09	·04	·05	16
·55 (am) ·66 (pm) 17	1·21	–	·05	–	–	1·09	–	·49	–	–	·03	·11	17
18	·25	–	·74	–	–	–	–	·05	–	·09	·01	·13	18
19	·09	·12	·12	–	–	·08	·17	·24	–	·12	·01	·02	19
20	·03	·01	·35	–	·02	–	·05	·23	–	·44	·01	–	20
21	·02	·03	·28	–	·71	–	–	·05	–	·25	·01	–	21
22	·42	·24	·10	–	·11	·01	·26	·19	–	·05	·05	·11	22
23	·25	·32	·38	–	–	·04	·02	·42	–	·13	·18	·58	23
24	·08	·02	·07	–	–	·31	·03	·15	–	·01	–	·19	24
25	–	–	–	–	–	·17	–	·63	–	·05	·40	·42	25
26	–	·04	·01	–	–	–	·26	·14	–	·45	·72	·13	26
27	–	·01	–	–	–	·13	[illegible] ('57)	–	–	·83	·04	·41	27
28	–	·09	–	–	–	·07	·03	·34	·08	·55	·46	·86	28
29	–	·06	·03	–	–	·12	·15	·01	·62	·41	–	·05	29
30	–		–	–	–	·13	·16	–	·22	·37	–	·01	30
31	–		·25		·04		·28	·04		·04		·09	31
Total	4·89	2·41	4·99	·22	1·85	3·57	2·52	5·54	1·02	4·6~~7~~6	2·45	5·29	TOTAL for year 39·41 39·42
No. of Rain Days	20	21	24	4	12	22	17	25	6	18	21	29	219

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

4·66

Price 2d.

FORM A.
BRITISH RAINFALL.

2 JAN 1914

REGISTER OF RAINFALL IN 1913

En DL

Kept at Woolley Grange. Bradford-on-Avon
in the County of Wilts
by Percy. K. Stothert.

Lat. 51·21 N Long. 2·14. W.
Time of Observation 9 a.m.
Nearest Railway Station G.W.Ry. Bradford-on-Avon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·29	·18	·01	·20	—	—	—	·50	—	·18	·21	1
2	·04	·13	·02	·27	—	—	·05	—	·02	·06	·15	·01	2
3	·04	·02	·09	·03	·57	—	—	—	—	·60	·02	·27	3
4	·72	—	·11	—	·47	—	—	—	1·15	·34	·04	·08	4
5	—	·05	—	—	·10	·17	·12	—	·42	·01	·02	·14	5
6	·01	·03	·15	—	·21	·09	·29	—	·01	·42	·22	·73	6
7	·01	·39	·05	—	·22	·03	·10	—	—	·39	·13	·04	7
8	—	·05	—	—	·23	·12	·01	—	—	·24	·01	·02	8
9	—	·19	·03	—	·13	·04	·02	[illegible]	·12	·01	·04	·06	9
10	·12	·01	·05	·06	·03	—	—	·57	—	·11	·25	—	10
11	·38	·02	·02	·25	·21	—	—	·04	—	·10	·29	·02	11
12	·06	·02	—	—	·10	—	—	·05	—	·01	·13	·02	12
13	·02	—	·03	—	·02	·01	·03	—	·05	—	·19	—	13
14	·07	·01	·15	·08	·08	—	—	·03	·02	·11	·10	—	14
15	·18	·08	·50	·45	—	—	·01	·03	·03	—	·19	·02	15
16	·22	—	·71	·15	—	·01	—	·04	·05	—	·02	—	16
17	·07	·01	·04	·02	—	·04	·07	—	·06	—	·03	·01	17
18	·06	—	·21	·12	·01	·02	·01	—	—	—	·08	·01	18
19	·40	—	·02	·01	·03	·01	·07	—	·48	·01	·01	·01	19
20	·12	—	·26	·07	—	—	—	—	—	·13	·08	—	20
21	—	—	·04	·23	·22	—	·09	—	—	·01	·44	·01	21
22	·57	—	·32	·04	·03	·04	·01	—	·24	—	—	—	22
23	·02	—	·02	—	—	·08	—	·03	·01	—	·05	·29	23
24	·03	·01	—	·03	—	—	—	·06	—	—	·01	—	24
25	—	·13	—	·09	—	—	—	·08	—	·02	·01	·06	25
26	—	·05	—	·33	—	—	—	—	—	·02	—	·20	26
27	·02	·02	·13	·12	—	—	—	·25	—	·07	·01	·02	27
28	·32	—	·12	·32	—	—	—	—	—	·15	·01	·02	28
29	·03		·42	·54	·03	—	—	·01	—	·18	·03	·04	29
30	·54		·01	—	—	—	—	·08	—	·38	·06	—	30
31	·12		·07		—		—	·23		·02		—	31
Total	4·18	1·51	3·75	3·22	2·89	·66	·88	1·50	3·16	3·39	2·80	2·29	YEAR'S TOTAL 30·23
Rain Days.	25	18	25	20	18	12	13	13	14	22	28	22	230

W. 7,500, XI. 12

✓ 1304

FORM A.
BRITISH RAINFALL.

13.

REGISTER OF RAINFALL IN 1916

Kept at Woolley Grange Bradford-on-Avon
in the County of Wilts
by Percy. K. Stothert

Lat. 57·21 N Long. 2·14 ·W
Time of Observation 9 AM. + 10 AM Summer time.
Nearest Railway Station Bradford-on-Avon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	–	–	–	·20	·05	·13	–	·07	·24	·35	–	1
2	·42	·06	·05	–	·05	–	–	–	–	1·05	·03	–	2
3	–	·74	–	–	·06	–	–	–	·13	·34	·15	–	3
4	·15	·16	–	–	·16	·48	–	–	·19	·27	·46	–	4
5	–	–	·04	–	·26	·08	–	–	–	·03	·16	–	5
6	·09	·14	·02	–	·14	·19	·47	–	–	·05	·61	–	6
7	·05	·03	·20	–	·06	–	–	–	–	·10	·32	·20	7
8	–	·08	·08	–	·22	·62	–	–	–	–	–	(·15)	8
9	–	–	–	–	·13	·15	·07	–	–	·05	·02	·03	9
10	–	·48	·03	·12	·03	·16	–	–	–	·02	·02	·13	10
11	·07	–	·03	·07	–	·08	–	–	–	–	–	–	11
12	·05	·08	·03	·03	·12	–	·12	·02	–	·04	–	–	12
13	–	·32	·20	–	–	–	–	·30	–	–	–	–	13
14	–	·42	·03	·04	·09	–	–	·17	–	·09	–	–	14
15	–	·21	–	·03	–	–	–	·22	–	–	–	–	15
16	·03	·05	–	·28	·03	–	·08	·37	–	·02	–	–	16
17	·09	·20	–	·03	–	–	–	·14	·35	·53	·03	–	17
18	–	·02	·06	·14	–	–	–	–	·05	·09	·32	·09	18
19	·15	–	·34	·30	–	–	–	–	·02	–	·22	–	19
20	·20	–	·55	–	–	–	–	–	–	–	·06	·08	20
21	·05	·04	·60	–	·09	–	–	–	–	–	·02	·77	21
22	–	–	–	·01	–	·04	–	–	–	·27	–	·59	22
23	·03	·25	–	·08	–	·05	–	·16	–	·07	·22	·12	23
24	–	·31	–	·03	·34	·08	–	·06	–	·39	·02	·32	24
25	–	·25	·12	–	–	–	–	·33	–	–	·16	·05	25
26	–	·28	·16	–	–	·32	–	·92	·20	·28	–	–	26
27	·10	·05	1·13	–	–	·05	·40	·21	·30	·33	–	–	27
28	–	·42	·46	·27	–	·08	–	·07	–	·45	–	·42	28
29	–	·44	·06	–	–	·24	–	1·63	·06	·76	–	·48	29
30	–	X	–	–	–	–	–	–	–	·47	–	–	30
31	–	X	–	X	–	X	–	·03	X	·09	X	·05	31
Total	1·59	5·03	4·19	1·43	1·98	2·67	1·27	4·63	1·37	6·03	3·17	3·48	YEAR'S TOTAL 36·84
Rain Days.	14	22	19	13	15	15	6	14	9	23	17	14	~~198~~

181

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1917

1528

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Woolley Grange. Bradford-on-Avon
in the County of Wilts
by Percy K. Stothert.

Lat. 51·21 N. Long. 2·14 W.
Time of Observation 9.A.M.
Nearest Railway Station Bradford-on-Avon G.W.R.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·09	—	·16	—	·10	—	·76	·23	—	·03	—	1
2	·01	—	—	·25	—	·10	—	·08	—	—	·07	—	2
3	·04	—	—	·02	—	—	·58	·11	—	·58	—	—	3
4	—	·25	·07	—	—	—	·09	·06	—	·34	—	—	4
5	·31	—	·02	·19	—	·11	—	·02	·15	·47	·16	—	5
6	—	—	·47	—	—	—	—	—	—	·11	·15	·01	6
7	·14	—	—	—	—	—	·18	·07	—	·28	—	·02	7
8	·65	—	·17	·14	—	—	·30	·88	·03	·36	·10	·09	8
9	—	—	·18	·02	·07	—	—	·27	·08	·06	·30	—	9
10	·12	—	·29	·22	—	—	—	·18	·01	·06	—	—	10
11	·03	—	·47	·26	—	—	—	·16	—	·10	·03	—	11
12	·16	—	·02	·01	·49	—	—	·23	—	·65	·02	—	12
13	—	—	·14	—	—	·02	—	·25	·11	·03	—	—	13
14	—	—	·20	·15	—	—	—	·13	·02	·01	—	—	14
15	—	—	—	·07	—	—	·94	·32	·01	·05	—	·19	15
16	—	·06	—	·18	·03	—	·30	·01	—	·37	—	·20	16
17	—	—	—	·20	·26	—	·52	·07	·38	·06	·01	·01	17
18	—	—	—	—	—		·33	—	·40	—	·01	—	18
19	·02	·02	·10	—	—	·02	—	—	·09	—	—	—	19
20	—	·29	·09	—	·29	·02	—	·08	—	—	—	—	20
21	—	·07	·25	—	—	·18	—	·01	—	·03	—	—	21
22	—	—	·08	—	—	·01	—	·04	—	·07	—	—	22
23	—	—	—	—	·10	·62	—	·46	—	·02	·01	·02	23
24	—	·10	·01	—	—	—	·07	·14	—	·17	·06	—	24
25	—	·07	·03	—	—	·22	—	·04	·04	·56	·02	—	25
26	—	·06	·02	—	·28	—	—	·52	·19	·31	·09	—	26
27	—	—	—	—	1·05	—	—	1·08	—	·01	·01	·01	27
28	—	—	·15	—	·05	·02	—	·60	—	—	·01	·03	28
29	—		·10	—	·07	2·56?	·08	·08	—	·32	·02	·12	29
30	—		·12	—	—	·35	·21	·13	—	·37	—	—	30
31	—		·17		—	—	—	·02		·03		·02	31
Total	1·49	1·01	3·15	1·87	2·69	4·33?	3·60	6·80	1·74	5·42	1·10	·72	YEAR'S TOTAL 33·92
Rain Days.	10	9	21	13	10	13	11	28	13	25	17	11	181

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Dh

referred 30 IV.19

FORM A.
BRITISH RAINFALL.

-252

BURBAGE SCHOOL

WILTSHIRE

1918

Kept at Burb

in the County of W

by E. L. We

18

ong.

ion

f Rain Gauge in.

ge above Ground ft. in.

„ Sea Level ft.

IMPORTAN . and the result entered to the previous day. t universal rule, he is earnestly requested to add ng year in the space provided for it at the en easurement of rain, the selection an he British Rainfall Organization are ee on application to Dr. H. R. Mill

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·16	—								1
2		·05		·09									2
3		·06		·21									3
4		·05	·05	·02									4
5		·05											5
6	·05	·06											6
7		·19		~~·25~~									7
8													8
9		·11		·30									9
10				·12									10
11	·04	·04											11
12		·16											12
13		·01											13
14	·27												14
15	1·05			1·16									15
16	·34		·02	·25									16
17	·26			·20									17
18	·78												18
19	·10	·01	·07										19
20	·01	·17											20
21	·12	·05		·33									21
22	·04												22
23	·17			·03									23
24	·15	·31											24
25													25
26													26
27		·03	·03										27
28	·01	·05	·34										28
29			·05										29
30		X	·21										30
31		X	·16	X		X			X		X		31
Total	3·39	1·40	·93	3·37 ~~2·92~~	1·93	·94	5·62	1·69	5·98	2·04	2·54	3·07	YEAR'S TOTAL 32·90
Rain Days.	15	16	8	15	11	9	19	13	21	20	13	26	186

W. 8,000, IX. 17.

Dl

referred 30 IV. 19

18

232

FORM A.
BRITISH RAINFALL.

36. 18

Kept at Purbage School

in the County of Wiltshire

by E. L. Webb

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·16	–								1
2		·05		·09									2
3		·06		·21									3
4		·05	·05	·02									4
5		·05											5
6	·05	·06											6
7		·19		·50 ~~·05~~									7
8													8
9		·11		·30									9
10				·12									10
11	·04	·04											11
12		·16											12
13		·01											13
14	·27												14
15	1·05			1·16									15
16	·34		·02	·25									16
17	·26			·20									17
18	·78												18
19	·10	·01	·07										19
20	·01	·17											20
21	·12	·05		·33									21
22	·04												22
23	·17			·03									23
24	·15	·31											24
25													25
26													26
27		·03	·03										27
28	·01	·05	·34										28
29			·05										29
30		X	·21										30
31		X	·16	X		X			X		X		31
Total	3·39	1·40	·93	3·37 ~~2·92~~	1·93	·94	5·62	1·69	5·98	2·04	2·54	3·07	YEAR'S TOTAL 32·90
Rain Days.	15	16	8	15	11	9	19	13	21	20	13	26	186

W. 8,000, IX. 17.

1493

CALNE
COMPTON BASSETT GDNS
WILTSHIRE
1914 — 1917

914
orodon

FORM A2.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Compton
in the County of
by Head Gar

p 5 in.
above Ground 3 ft. in.
„ Sea Level 500 ft.
9. am
on { Name Calne
Distance 3 m Direction W.

IMPORTANT — and the result entered to the previous day. If — universal rule, he is earnestly requested to add th — ng year in the space provided for it at the end — asurement of rain, the selection and — e British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.08			.19	.45			.15	.03	1
2				.05			1.00	.09			1.17	.47	2
3			.05	.21	.25		.23	.39			.01	.07	3
4	.22		.03	.26	.16		.05	.82			.30	.50	4
5	.04		.11	.38	.05		.26	.01			.49	.08	5
6		.12	.12	.17	.08		.06	.10			.03	.32	6
7		.28	.23	.14	.46	.05	.01	.15				.28	7
8	.07	.08	.87	.04	.04	.48		.02			.01		8
9	.07		.37	.14	.09	.70		.11	.28				9
10	.02	.16	.02	.04	.14				.26				10
11		.10	.38		.04	.19	.05		.02		.05	.60	11
12		.18	.14				.31		.26		.05	.23	12
13		.34	.30	.06						.09	.08	.30	13
14	.03	.22	.38				.18	.05	.01	.81	.23	.03	14
15	.03	.06						.53	.01	.03	.09		15
16			.24				.04		.24			.01	16
17		.47	.24				.02					.44	17
18			.02			.39	.30					.70	18
19		.12	.27				.80		.01		.11	.02	19
20		.20	.55			.15						.37	20
21		.88					.02			.20	.04		21
22			.17		.15	.24	.05	.04		.48		.05	22
23		.14	.16		.16	.03				.15		.02	23
24	~~.04~~	.17	.04		.02					.30	.06	.36	24
25	.04	.01	.19				.02	.36		.38		.05	25
26	.01		.05				.04	.02		.09	.26	.43	26
27	.05									.01	.12	.16	27
28		.08	.15		.04					~~.32~~	.30	.64	28
29	.23		.11		.03					.32	.22		29
30			.04			.05				.11	.46	.70	30
31					.01		.21			.25		.05	31
Total	.81	3.56	5.24 5.23	1.57	1.82 1.72	2.28	3.84	3.14	1.09	3.26 3.17	4.23 4.23	~~7.03~~ 6.93	TOTAL for year ~~37.94~~ 37.57
No. of Rain Days.	11	17	25	11	15	9	19	14	8	13	20	25	184

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Compton Bassett House

in the County of Wilts

by Head Gardener.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 500 ft.

Time of Observation 9. am

Nearest Railway Station
Name Calne
Distance 3.4 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.08			.19	.45			.15	.03	1
2				.05			1.00	.09			1.17	.47	2
3			.05	.21	.25		.23	.39			.01	.07	3
4	.22		.03	.26	.16		.05	.82			.30	.50	4
5	.04		.11	.38	.05		.26	.01			.49	.08	5
6		.12	.12	.17	.08		.06	.10			.03	.32	6
7		.28	.23	.14	.46	.05	.01	.15				.28	7
8	.07	.08	.87	.04	.04	.48		.02			.01		8
9	.07		.37	.14	.09	.70		.11	.28				9
10	.02	.16	.02	.04	.14				.26				10
11		.10	.38		.04	.19	.05		.02		.05	.60	11
12		.18	.14				.31		.26		.05	.23	12
13		.34	.30	.06						.09	.08	.30	13
14	.03	.22	.38				.18	.05	.01	.81	.23	.03	14
15	.03	.06						.53	.01	.03	.09		15
16			.24				.04		.24			.01	16
17		.47	.24				.02					.44	17
18			.02			.39	.30					.70	18
19		.12	.27				.80		.01		.11	.02	19
20		.20	.55			.15						.37	20
21		.88					.02			.20	.04		21
22			.17		.15	.24	.05	.04		.48		.05	22
23		.14	.16		.16	.03				.15		.02	23
24	~~.04~~	.17	.04		.02					.30	.06	.36	24
25	.04	.01	.19				.02	.36		.38		.05	25
26	.01		.05				.04	.02		.09	.26	.43	26
27	.05									.01	.12	.16	27
28		.08	.15		.04					~~.30~~	.30	.64	28
29	.23		.11		.03					.32	.22		29
30			.04			.05				.11	.46	.70	30
31					.01		.21			.25		.05	31
Total	.81	3.56	5.24 5.23	1.57	1.80 1.72	2.28	3.84	3.14	1.09	3.26 3.17	4.23 4.33	~~7.03~~ 6.93	TOTAL for year 37.44
No. of Rain Days.	11	17	25	11	15	9	19	14	8	13	20	25	184

37.57

W. 8,000, X. '11.

1611

FORM A.
BRITISH RAINFALL
3 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Compton Bassett House
in the County of Wilts
by Head gardener

Lat. 57° 20 N Long. 2° W
Time of Observation 9. a.m
Nearest Railway Station Calne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	—	—	—	.10	.06	.03	—	.06	.08	.78	—	1
2	.74	.03	.08	—	.19	.03	—	—	.01	.75	.04	—	2
3	—	.70	—	—	.05	—	.05	—	.09	.37	.18	—	3
4	.16	.16	.02	—	.06	.53	—	—	.34	.25	.68	—	4
5	.03	.01	—	—	.15	.16	—	—	—	.04	.18	—	5
6	.13	.12	—	—	.02	.05	.70	—	—	.12	.52	—	6
7	.01	.05	.28	—	.19	—	.02	—	—	.04	.38	.22	7
8	.03	.02	.12	—	.16	.05	—	—	—	—	.05	.16	8
9	—	—	.02	—	.02	—	.02	—	—	.09	—	.08	9
10	—	.48	.02	.09	—	.25	.05	—	—	.02	.01	—	10
11	.09	.01	.03	.09	.02	.29	—	—	.01	—	—	.11	11
12	.04	.07	—	.02	.30	—	.15	—	—	.03	—	—	12
13	—	.41	.11	.04	.01	—	—	.31	—	—	—	—	13
14	—	.44	—	.01	.13	—	—	.04	—	.05	—	—	14
15	—	.25	.07	—	—	—	—	.28	.01	—	—	—	15
16	.04	.04	.04	.04	.05	—	.35	.10	—	—	—	—	16
17	.14	.15	—	.21	—	—	—	.07	.37	.48	.01	—	17
18	—	.02	.07	.08	—	—	—	.02	.05	.06	.31	.31	18
19	.13	—	.17	.25	—	—	—	—	.07	—	.23	—	19
20	.19	—	.55	.04	—	—	—	—	—	—	.06	.60	20
21	.10	—	.75	—	.09	—	—	—	—	—	—	.45	21
22	—	.01	.01	.01	.04	.05	—	—	—	.32	.02	.55	22
23	.05	.01	—	—	—	.07	—	.09	—	.13	.15	.08	23
24	—	.15	—	.10	.15	.19	—	.08	—	.35	.05	.39	24
25	—	.23	.12	—	—	.03	—	.36	.03	.01	.23	.01	25
26	—	.29	.05	—	—	.25	—	.68	.03	.31	—	—	26
27	.09	.41	1.15	—	—	.02	—	.16	.17	.50	—	.02	27
28	—	.10	.13	—	—	—	—	.01	(.08)	.50	—	.32	28
29	—	.43	—	—	—	.35	—	1.30	.02	.48	—	.43	29
30	—	╳	—	—	—	—	—	.05	—	.56	—	—	30
31	—	╳	—	╳	—	╳		.05	╳	.10	╳	—	31
Total	2.05	4.59	3.79	.98	1.73	2.38	1.37	3.60	1.29	5.64	3.88	3.93	YEAR'S TOTAL 35.23
Rain Days.	16	24	19	12	17	15	8	15	14	23	17	14	194

W. 8,000. X. 15.

1536

Card for [illegible]

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Compton Bassett

in the County of Wilts

by

Lat. 51°20′ N Long. 2° W

Time of Observation 9 a.m

Nearest Railway Station Calne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	·19	·13	—	·05	—	·98	·10	—	·03	—	1
2	·02	—	·02	·43	—	·09	—	·02	—	—	·08	—	2
3	·06	—	—	·03	—	—	·72	·14	—	·70	—	—	3
4	—	·21	·07	—	—	—	·05	·05	—	·33	—	·05	4
5	·63	—	·04	·20	—	·12	—	·23	·04	·42	·14	—	5
6	·01	—	·34	—	—	·66	—	—	—	·11	·13	—	6
7	·25	—	—	—	—	—	·12	·05	—	·19	·01	·05	7
8	·48	—	·12	·08	—	—	·62	·36	·06	·41	·05	·13	8
9	·01	—	·04	·01	·12	—	·02	·36	·07	·03	·06	—	9
10	·14	—	·25	·12	·04	—	—	·39	—	·02	—	—	10
11	·05	·02	·45	·20	—	—	—	·15	—	·20	·01	—	11
12	·03	—	·01	—	·02	—	—	[illegible]	—	·44	·02	—	12
13	—	—	·17	·01	—	·01	—	·52	·11	·06	—	·01	13
14	—	—	·01	·15	—	—	—	·06	·01	·03	—	—	14
15	—	—	—	—	—	—	·28	·33	—	·09	—	·33	15
16	—	·08	—	·08	·05	—	·31	·02	—	·69	—	·26	16
17	·08	—	—	·10	·33	—	·37	·11	·50	·86	—	·04	17
18	—	—	—	—	—	—	·45	·02	·39	·05	—	—	18
19	·01	·39	·08	—	—	—	—	—	·03	—	—	—	19
20	—	·03	·19	—	·46	·01	—	—	·01	—	·02	—	20
21	—	—	·17	—	—	·16	—	—	—	·06	·04	—	21
22	—	—	·05	—	—	·04	—	·04	—	·04	—	—	22
23	—	·14	—	—	·08	—	—	·53	—	·05	·01	·05	23
24	—	·09	·02	—	—	·17	·10	·22	—	·29	—	—	24
25	—	·03	·06	—	—	—	—	·04	·03	·93	—	—	25
26	—	—	·02	—	·10	—	—	·26	·20	·08	·10	—	26
27	—	—	—	—	·83	·04	—	1·02	—	—	—	·03	27
28	—	—	·09	—	—	2·07	—	·85	—	—	—	·02	28
29	—		·11	—	·08	·26	·15	·04	—	·31	—	·16	29
30	—	×	·03	—	—	—	·59	·27	—	·64	—	—	30
31	—	×	·06	×	—	×	·04	·02	×	—	×	·08	31
Total	1·67	1·02	2·59	1·54	2·11	3·64	3·82	7·81	1·6 1·60	5·10	·73	1·14	YEAR'S TOTAL 32·50 32·30
Rain Days.	12	9	23	12	10	12	18	27	12	[illegible]	13	12	179

W. 8,000, VIII. 16

8L

CALNE

CASTLEWAY

WILTSHIRE

1911 — 1920

27.III.12

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

11

Kept at Calne

in the County of W

by H. Wilki

4 in.

ove Ground 1 ft. in.

,, Sea Level ft.

Name

Distance Direction

IMPORTANT … nd the result entered to the previous day. If a… niversal rule, he is earnestly requested to add the… year in the space provided for it at the end o… ement of rain, the selection and … British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·03	·11	·26						·02	·02	1
2				·04	·25						·26	·20	2
3	·02		·02					·15			·05	·04	3
4		·02	·12	·03						·07	·17	·44	4
5			·02	·01	·03			·38		·01	·43		5
6	·21		·13								·08	·48	6
7	·02										·36		7
8	·08		·20								·03	·40	8
9	·09		·02								·03	·24	9
10	·02	·12	·20								·02	·26	10
11	·22	·04	·02		·53						·50	·20	11
12			·67								·53		12
13			·02		·08				·01			·50	13
14									·36			·45	14
15		·04	·02								·31	·05	15
16		·03			·10	·13					·48	·24	16
17		·04				·07					·09	·23	17
18		·32	·04	·08		·44					·04	·27	18
19				·01		·39			·37	·16		·11	19
20		·03	·08	·02					·25			·65	20
21	·02	·15	·02			·06		·37	·01	·36		·22	21
22		·07	·46	·03		·07				·07		·61	22
23		·20	·07			·30			·08	·05	·01	·15	23
24		·18				·32		·07		·90		·13	24
25	·02	·05	·01	·12		·07		·01	·01	·04		·02	25
26		·11		·23		·03		·01		·10	·04	·27	26
27		·28	·33	·09				·08	·10		·05	·14	27
28		·41		·43				·12			·05	·01	28
29				·15		·24	·01		·10	·38			29
30				·09	·02	·03			·01	·13	·03	·01	30
31										·18			31
Total	·76	2·09	2·48	1·44	1·27	2·15	·01	1·19	1·30	2·45	3·58	6·34	TOTAL for year 25·06
No. of Rain Days	~~8~~10	16	19	~~13~~ 14	7	12	1	8	10	12	21	26	156

9,000, IX. '10.

DL

stats 27.III.12

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 11

Kept at Calne

in the County of Wilts

by H. Wilkins E. W. Brown

RAIN GAUGE	Pattern	
	Diameter of top	4 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·03	·11	·26						·02	·02	1
2				·04	·25						·26	·20	2
3	·02		·02					·15			·05	·04	3
4		·02	·12	·03						·07	·17	·44	4
5			·02	·01	·03			·38		·01	·43		5
6	·21		·13								·08	·48	6
7	·02										·36		7
8	·08		·20								·03	·40	8
9	·09		·02								·03	·24	9
10	·02	·12	·20								·02	·26	10
11	·22	·04	·02		·53						·50	·20	11
12			·67								·53		12
13			·02		·08				·01			·50	13
14									·36			·45	14
15		·04	·02								·31	·05	15
16		·03			·10	·13					·48	·24	16
17		·04				·07					·09	·23	17
18		·32	·04	·08		·44					·04	·27	18
19				·01		·39			·37	·16		·11	19
20		·03	·08	·02					·25			·65	20
21	·02	·15	·02			·06		·37	·01	·36		·22	21
22		·07	·46	·03		·07				·07		·61	22
23		·20	·07			·30			·08	·05	·01	·15	23
24		·18				·32		·07		·90		·13	24
25	·02	·05	·01	·12		·07		·01	·01	·04		·02	25
26		·11		·23		·03		·01		·10	·04	·27	26
27		·28	·33	·09				·08	·10		·05	·14	27
28		·41		·43				·12			·05	·01	28
29				·15		·24	·01		·10	·38			29
30				·09	·02	·03			·01	·13	·03	·01	30
31										·18			31
Total	·76	2·09	2·48	1·44	1·27	2·15	·01	1·19	1·30	2·45	3·58	6·34	TOTAL for year 25·06
No. of Rain Days	~~9~~ 10	16	19	~~13~~ 14	7	12	1	8	10	12	21	26	156

9,000, IX. '10.

82

293

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Calne High Street

in the County of Wilts

by

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·38	·19		·10	·58		·03	1
2			·23	·03		·10	·40						2
3			·09			·19	·10	·27	·07		·03	·09	3
4	·22	·01	·79		·11	·26		·06			·20	·01	4
5	·34	·10	·31		·17	·11		·53			·01	·07	5
6	·38	·09	·01		·11			·66				·10	6
7		·11	·03		·03	·50		·18				·03	7
8	·39		·29			·04	·03	·04	·06			·10	8
9		·03	·21	·04		·08						·30	9
10		·06	·03					·19			·15		10
11	·16	·02	·01			·02					·01	·30	11
12	·07	·42	·12		·01		·04				·05	·03	12
13		·04					·01	·02		·03		·08	13
14	·24		·40		·43	·04						·05	14
15	·04	·11	·22		·24	·33						·29	15
16	·45	·01						·04		·13	·02	·08	16
17	1·00		·11			·08		·67			·03	·03	17
18	·23		·54					·06		·06		·10	18
19	·02	·04	·14			·02	·35	·25		·11		·01	19
20	·03		·28				·09	·20		·44	·02		20
21	·02	·03	·49		·45			·27		·28	·		21
22	·61	·27	·03		·22	·35	·06	·16		·06	·03	·09	22
23	·21	·36	·49			·01		·38		·03	·20	·55	23
24	·06	·03	·12			·25	·02	·14				·18	24
25			·01			·11		·37			·34	·53	25
26		·04					·28	·25		·57	·58	·12	26
27						·11	·11			·69	·03	·40	27
28		·05					·16	·34	·09	·46	·45	·80	28
29		·04				·17	·14	·03	·85	·54	·01	·07	29
30			·01			·04	·27		·19	·34			30
31			·15		·04					·05		·10	31
Total	4·47	1·86	5·20	·07	1·81	3·19	2·25	5·11	1·36	4·37	2·16	4·54	TOTAL for year 36·39
No. of Rain Days.	17	19	25	2	10	20	15	21	6	15	16	26	192

W. 8,000, X. '11.

82 292

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Calne, High Street
in the County of Wiltshire 1
by E. W. Brown.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·25	·13	·09	·06				·46		·21	·11	1
2	·02	·14		·23	·67		·02		·01	·14	·09	·01	2
3	·01	·01	·07	·03	·45					·15		·38	3
4	·75	·03	·12		·02				1·18	·40	·02	·15	4
5	·01	·03			·02	·13	·03		·22			·05	5
6	·01	·03	·10		·27	·06	·42			·12	·09	·59	6
7		·26			·19	·10	·03			·19	·10		7
8		·08			·25					·11		·02	8
9		·20	·03		·04	·04	·02	·09	·20		·02	·05	9
10	·09		·02	·04	·04					·12	·42	—	10
11	·79	·01		·19	·14					·08	·41	·03	11
12					·14				·02		·09		12
13		·01	·01		·01			·02	·23		·18		13
14		·01	·12	·10	·09			·02		·09	·04	·01	14
15	·10	·08	·40	·63			·07		·06		·08	·02	15
16	·10		·53	·13		·24			·01	—			16
17	·23		·06	·01			·03		·02		·04		17
18	·07		·13	·23			·02				·03	·01	18
19	·55		·07		·01	·02	·17		·50			·02	19
20	·08		·22	·02						·06	·07		20
21			·02	·07	·20		·03				·46		21
22	·39		·21		·02	·02		·01	·22				22
23	·01					·08		·06			·03	·22	23
24	·04			·15									24
25		·16		·16	—							·02	25
26		·08		·25				·27		·12		·17	26
27			·14	·11						·06			27
28	·25		·16	·39						·24		·02	28
29	·04		·41	·46	·25					·26	·01	·04	29
30	·40							·04	—	·31	·08		30
31	·12		·04					·15		·01			31
Total	4·11	1·38	2·99	3·29	2·87	·69	·84	·66	3·13	2·46	2·47	1·92	YEAR'S TOTAL 26·81
Rain Days.	21	15	20	18 ~~17~~	18	8	10	8	12	16	19	18	183✓ ~~182~~

W. 7,500, XI. 12

DL

cndly B. 6.iii.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

282

Kept at High Street Calne

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06				·41			·19	·03	1
2				·07			·86	·10			1·30	·44	2
3			·06	·20	·22		·24	·25			·04	·07	3
4	·23		·03	·24	·17		·04	·69			·37	·47	4
5	·03		·11	·35	·03		·23	·04			·29	·08	5
6		·12	·09	·18	·05		·04	·03			·07	·33	6
7		·28	·22	·11	·45	·01	·16	·04			·01	·21	7
8	·06	·04	·75	·01	·01	·42	·14	·10	·06			·03	8
9	·07		·40	·16	·07	·66		·11	·18				9
10	·01	·12		·04	·07				·22		·02		10
11		·08	·37		·11	·16	·18				·05	·55	11
12		·13	·10				·08		·28		·06	·20	12
13		·32	·27						·17	·07	·09	·28	13
14		·21	·37				·10	·03	·02	·69 69	·21	·02	14
15	·02	·05	·23					·53		·02	·16	·01	15
16									·20				16
17		·39	·13						·04			·36	17
18		·01	·02			·25	·40					·56	18
19		·12	·25				·81				·11	·13	19
20		·16	·50			·12						·26	20
21		·67	·03			·15				·17	·03		21
22		·01	·13		·20	·23	·06	·01		·36			22
23		·25	·15		·10		·02			·10		·02	23
24		·11	·03							·28	·08		24
25			·13					·43		·38	·02	·35	25
26			·03				·02			·08	·26	·47	26
27	·07									·01	·13	·13	27
28		·07	·15		·05					·01	·31	·80	28
29	·18		·08		·01					·26	·25		29
30			·03			·14				·11	·43	·73	30
31							·17			·27		·04	31
Total	·67	3·14	4·66	1·42	1·54	2·14	3·55	2·77	1·17	2·81✓	4·48	6·57	YEAR'S TOTAL 34·92
Rain Days.	8	18	25	10	13	9	16	13	8	14	22	24	180

W.7,000, XI. 13

82 ✓ cnd for auth. 2.V.16 1635 ~~278~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at High Street Calne #W.H.
in the County of Wiltshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.63	.19			07			13	.12		.05	.02	1
2	.45	.23	28	.11		.01		.46		.24		.32	2
3	1.18	.03	.07	.05	02		.03	17		.13		.25	3
4	.04							.04				.27	4
5	.14	.72						15				.20	5
6	.35	.07		.30			.52	.02				.12	6
7	.28	.55		.05	29		03	.03				.29	7
8	.34	.36		.05			.07				.04		8
9	.05	.02		.06				10		.03		.76	9
10	.20	.03	.05	.03				.03				.05	10
11	03		.18	.10	.01			.12			.68		11
12	.12	.29	01	.16	.52			.73			.48	.06	12
13	.02	.75			.95				.13				13
14	.21						.12	34	.05	.02	.03	.83	14
15	.29				.07		.14	.05	01	.07	.10	.08	15
16	.02	.65			.34		1.08	.13				.04	16
17		.65	.05		1.12							.02	17
18		.32	.04		.05					.01			18
19		.03			.06		.36				.02		19
20	.24			.10	.07							.07	20
21	.15	.15					.01			.10		.03	21
22	.06	.58	.46	.03			.36					.12	22
23	.01	.09	.39				.29		.16	.96		.08	23
24			.04	.12		.01	.18		.06	49		.46	24
25				.01		.38	.27					.12	25
26						.03	.07					.44	26
27		.06				.97	.19			.40			27
28		.09							.77	.03		.17	28
29						.11	.03	.07			.06	.10	29
30	.18	X		.01		.08				.20	.02	.08	30
31		X		X		X	.03	.03	X	.90	X	.02	31
Total	4.99	5.86	1.57	1.18 1.~~2~~8	3.57	1.59	3.78	2.60	1.30	3.58	1.48	5.00	YEAR'S TOTAL 36.50
Rain Days.	21	20	10	14	12	7	17	16	7	13	9	25	171

W. 8,000. X. 14.

1610

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at *High Street Calne*

in the County of *Wiltshire*

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09		.01		.14	.04	.07		.05	.12	.72		1
2	.75	.03	.06		.13		.01			.81	.03		2
3	.01	.71			.03		.04		.08	.37	.17		3
4	.12	.09				.47			.22	.20	.64		4
5	.02	.02	.02		.07	.19				.10	.18		5
6	.19	.13	.02		.05	.02	.69			.12	.54		6
7	.03	.07	.32		.05		.01			.04	.32	.21	7
8	.01	.01	.04		.20	.02					.04	.14	8
9					.21	.02				.09	.01	.05	9
10	.01	.48	.01	.09	.03	.27	.04			.03		.02	10
11	.09	.02	.02	.12	.02	.19			.01			.09	11
12	.04	.08	.05	.05	.26		.20			.03			12
13		.43	.16					.30					13
14		.45	.01	.01	.12			.10		.08			14
15		.29	.06	.02			.04	.23					15
16	.03	.06	.02	.25	.04		.21	.11					16
17	.15	.14		.03					.35	.56	.10		17
18		.03	.04	.08					.09	.05	.34	.19	18
19	.16		.26	.13					.07		.12		19
20	.18		.53	.10							.06	.03	20
21			.75		.05							.80	21
22	.10	.01	.01		.04	.03				.38		.40	22
23		.10		.03		.01		.08		.11	.18	.46	23
24		.16		.07	.14	.21		.07		.29	.04		24
25		.61	.14					.38	.01		.21		25
26	.01	.05	.07			.27		.56	.04	.31			26
27	.08	.08	1.46			.06	.01	.08	.17	.34			27
28	.01	.30	.14					.01	.04	.71		.37	28
29		.31				.34		1.37	.03	.47		.46	29
30		X				.04		.05		.55			30
31		X		X		X		.04	X	.03	X	.08	31
Total	2.08	4.66 4.64	4.20	.98	1.58	2.18	1.32	3.38	1.16	5.79	3.70	3.30	YEAR'S TOTAL 34.33 34.37
Rain Days.	19	24	22	12	16	15	10	13	12	22	16	13	194

W. 8,000. X. 15.

81

1535
~~232~~

[illegible]

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at High Street, Calne

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·15				·98	·13		·03		1
2	·01			·27		·07		·03			·07		2
3				·04			·61	·20		·69			3
4	·10	·22	·06				·11	·11		·38		·02	4
5	·71		·04	·06		·09		·25	·04	·40	·18		5
6	·02		·44			·03				·15			6
7	·10						·07	·06		·16	·01	·03	7
8	·64		·05	·23			·58	·42	·04	·40	·04	·10	8
9	·01			·05	·06		·01	·36	·09	·03			9
10	·16		·08	·14	·03			·08		·07			10
11	·06	·01	·21	·15				·03		·18	·02		11
12	·04		·01	·01	·07			·06		·48	·02		12
13			·16			·01		·20	·07	·11			13
14			·06	(·20)				·03		·05			14
15							·28	·16		·08		·17	15
16		·07		·25	·37		·32	·03		·65		·50	16
17				·11			·38	·10	·47	·07			17
18							·48	·04	·41				18
19		·47	·12						·09		·01		19
20	·02	·04	·15		·40	·03							20
21						·15				·06	·01		21
22			·04			·09				·10			22
23		·15			·08			·62		·05	·01		23
24		·07				·18	·09	·21		·30		·04	24
25		·03	·08							·26			25
26			·02					·61	·17	·09	·09		26
27			·04		·98	·01		·80					27
28			·11			2·25		·93					28
29			·13		·09	·34	·17	·05		·29		·20	29
30		✕	·03				·47	·29		·04			30
31		✕	·07	✕		✕	·02	·02	✕		✕		31
Total	1·87	1·06	2·04	1·66	2·08	3·25	3·59	6·67	1·51	~~4·19~~ 5·09	·49	1·06	YEAR'S TOTAL ~~29·37~~ 30·37
Rain Days.	11	8	20	11	8	11	13	25	9	23	11	7	156

1·87

W. 8,000, VIII. 16

81

~~H~~ D1 [illegible] own stats

REGISTER OF RAINFALL IN 1918

20 ~~22~~

FORM A.
BRITISH RAINFALL.

1 18

Kept at High Street Calne

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·02	·05			·07			·45		1
2		·04		·19				·37		·01	·06	·18	2
3		·04	·03	·24	·24			·24	·03	·07	·03		3
4		·03	·02	·03				·04	·02		·61	·05	4
5		·02			·17			·32	·22	·17	·06	·02	5
6	·09	·16		·30		·01		·01		·01		·08	6
7	·08	·22		·08	·58	·01			·23	·28	·19		7
8	·02	·01				·01			·60			·01	8
9	·01	·17		·28		·19	·40		·38	·35	·01	·18	9
10				·12		·02	·44		·13	·21		·32	10
11	·04	·05		·02			·42		·85	·05	·03	·13	11
12		·22			·37		~~·20~~		·02			·08	12
13	·08	·01			·10		·26		·43			·22	13
14	·22		·02		·01	·08	·47		·23	·15		·14	14
15	1·20			·50			·22					·13	15
16	·22		·03	·58		·14	·02		·18	·02		·08	16
17	·24		·01	·08			·25	·05	·03	·02		·15	17
18	·73					·45	·10		·34	·01		·07	18
19	·03	·03	·13	·06			·50		·18	·06		·05	19
20	·02	·15		·22		·01	·62		·27	·04		·01	20
21	·07			·02			·02		1·02	·05		·01	21
22	·11	·02			·25		·40		·15	·09		·26	22
23	·11				·20		·46					·01	23
24	·01	·15				·04	·01		·14		·02		24
25				·03			·16	·49		·02			25
26							·69			·01		·15	26
27		·07	·05					·25	·11			·03	27
28		·07	·25	·01							·52	·10	28
29			·09						1·09			·03	29
30		X	·20							·02	·08	·11	30
31		X	·18	X		X			X		X		31
Total	3·28	1·47	1·01	2·78	1·97	·96	5·44	1·84	6·65	1·64	2·06	2·60	YEAR'S TOTAL 31·70
Rain Days.	17	18	11	17	9	10	18	9	21	19	11	25	185

W. 8,000, IX. 17.

81

Col 2

1443
~~288~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Calne High Street

in the County of Wiltshire

by E. W. Brown

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41		·04		·28		·22			·21		1·09	1
2	·14				·01		·07		·34		·08	·14	2
3	1·50		·18			·08	·06		·23		·06	·44	3
4	·15	·07	·57				·06	·03	·32			·11	4
5		·35	·30				·02		·33				5
6	·25		·28		·31								6
7	·22		·41	·22									7
8	·14		·11	·09									8
9	·05		·05	·08	·02						·08		9
10	·05		·12									·28	10
11	·07		·15	·15	·14		·44					·02	11
12	·03		·05			·40							12
13				·13									13
14	·50	·05		·44			·09			·08		·06	14
15	·09			·03						·06		·47	15
16	·13	·69									·49		16
17		·35											17
18			·33					·11	·01				18
19	·37	·19	·98			·09	1·01				·31		19
20	·28	·07	·38			·22						·28	20
21		·52				·11	·01						21
22		·10					·18		·14			·15	22
23											·07		23
24	·20					·07				1·18		·51	24
25				·01				·44					25
26	·21		·14	·02		·01		·12				·25	26
27	·06			·50				·41				·14	27
28				·02				·35				·42	28
29	·01			·01				·09		·06			29
30				·21		·22		·96		·05	·69	·41	30
31	·01						·09						31
Total	4·87	2·39	4·09	1·91	·76	1·20	2·25	2·51	1·37	1·64	1·78	4·77	YEAR'S TOTAL 29·54
Rain Days.	21	9	15	13	5	8	11	8	6	6	7	15	124

29·54
66

W, 6,500, VII. 18. W W B

260

1363

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Calne, High Street

in the County of Wiltshire

by E. W. Brown

Lat.………… Long.…………

Time of Observation…………

Nearest Railway Station…………

Diameter of Funnel of Rain Gauge…………in.

Height of top of Gauge above Ground…………ft…………in.

" " " " Sea Level…………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14			·52	·37		·52	·02	·03	·21		36	1
2				·23			·04	·22	·04	·17		·17	2
3		·04		·18			·12			·35		·03	3
4			·10	·08			·07	·50		·19			4
5			·09	·01			·41	·02		·29		·02	5
6					·28		·12			·05		·01	6
7	·07	·04		·05	·15		·07					·03	7
8				·56	·02		·80						8
9	·55	·09		1·61		·05	·02		·02				9
10	·75	·24	·25	·09		·12	·39						10
11	·37	·01	·12	·18	·32		·14						11
12	·16		·02	·10		·82	·05				·12		12
13		·19	·34	·30			·01				·02		13
14	·03			·35		·11	·02		·03	·55	·28		14
15		·23		·27		·01	·01		·01	·34	·08		15
16				·12	·02	·04	·06		·29	·08	·04		16
17	·02			·15	·13	·26			·49		·17		17
18	·09			·12	·13			·34	·23				18
19				·49									19
20		·25		·35								·27	20
21				·02									21
22				·15			·09	·06	·05			·37	22
23							1·47					·36	23
24	·04		·15								·08		24
25		·08	·07				·35					·15	25
26			·11		·04		·26				·02	·07	26
27	·46		·03	·13		·52	·01					·23	27
28	·53		·03	·13		·02	·07				·02	·07	28
29						·18	01				·14	·27	29
30	·06	✕		·05			·42	·01	·35		·34	·27	30
31	·16	✕	·23	✕		✕	·05		✕	·32	✕	·19	31
Total	3·43	1·17	1·54	6·24	1·46	2·13	5·58	1·17	1·54	2·55	1·31	2·87	Year's Total 30·99
Days with ·01 in. or more	14	9	12	24	9	10	25	7	10	10	11	16 ~~17~~	157 ~~158~~
·04	12	8	9	22	7	8	19	4	6	10	8	12	125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

comp W.D
20.11.13

CHESEL RECTORY

WILTSHIRE

1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

...12

Kept at Cherh

in the County of W

by Rev Septim

2 G Baker

p 12 in.

bove Ground 3 ft. 0 in.

„ Sea Level 390 ft.

9.30 am

n Name Calne

Distance 5 W Direction

IMPORTANT ... and the result entered to the previous day. If ... universal rule, he is earnestly requested to add th ... year in the space provided for it at the end ... urement of rain, the selection and ... British Rainfall Organization are gi... on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
9

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 0	0	5	20	0	0	14	24	3	0	0	0	1
2	0 0	0	6	15	0	24	25	0	6	0	0	28	2
3	0 0	0	28	6	0	13	40	0	0	0	0	0	3
4	0 0	0	11	3	0	18	2	33	5	0	9	4	4
5	0 21	0	88	3	11	29	0	5	0	0	20	0	5
6	0 49	0	23	1	16	19	0	80	0	0	0	0	6
7	0 30	21	2	0	14	2	0	46	0	0	0	22	7
8	0 0	15	0	0	3	69	0	18	0	0	0	0	8
9	0 38	19	56	0	0	9	2	7	8	0	0	17	9
10	0 2	1	19	0	0	16	0	0	0	0	0	25	10
11	0 0	8	0	2	0	1	0	15	1	0	12	16	11
12	0 11	6	0	0	0	0	0	0	0	0	0	28	12
13	0 9	42	10	0	2	0	3	0	0	0	3	3	13
14	0 0	5	1	0	0	0	0	12	0	0	0	5	14
15	0 23	10	39	0	40	4	0	0	0	7	0	5	15
16	0 0	0	0	0	26	37	0	0	0	0	0	25	16
17	0 62	3	32	0	0	0	17	12 ~~17~~	0	16	0	0	17
18	0 4	0	9	0	0	9	0	58	0	0	0	11	18
19	0 90	0	57	0	0	0	0	4	0	6	4	13	19
20	0 45	7	7	0	0	0	35	21	0	8	0	0	20
21	0 0	0	20	0	0	3	11	35	0	38	2	0	21
22	0 3	5	41	0	49	0	0	28	0	34	0	0	22
23	0 49	25	13	0	12	28	12	17	0	0	3	3	23
24	0 13	37	57	0	0	0	0	37	0	8	22	56	24
25	0 6	4	8	0	0	24	0	6	0	0	0	31	25
26	0 0	0	0	0	0	9	0	36	0	50	28	30	26
27	0 0	0	0	0	0	0	32	32	0	50 ~~56~~	34	12	27
28	0 0	0	0	0	0	12	7	0	0	56 ~~44~~	0	33	28
29	0 0	8	0	0	0	3	14	33	13	44	43	78	29
30	0 0		0	0	0	31	23	3	79	41	0	4	30
31	0 0		0		34		25	0		19		0	31
Total	– ~~4.55~~	·05 ~~2.16~~	·20 ~~5.26~~	– ~~0.00~~	– ~~2.07~~	·14 ~~3.60~~	·24 ~~2.62~~	·03 ~~6.62~~	– ~~1.15~~	– ~~3.26~~	– ~~1.80~~	·09 ~~4.49~~	TOTAL for year ~~37·08~~ 37·17
No. of Rain Days.	4·55 16	2·21 ~~16~~ 17	5·41 21	·30 ~~7~~ 6	2·07 10	3·74 ~~20~~ 21	2·72 15	5·41 22	1·12 ~~7~~ 6	3·26 12	1·80 [illegible]	4·58 ~~21~~ 22	~~178~~ 179

W. 8,000, X. '11.

20·11·13

12

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Cherhill Rectory

in the County of Wilts

by Rev Septimus Firman

RAIN GAUGE
Pattern made G Baker
Diameter of top 12 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 390 ft.

Time of Observation 9.30 am

Nearest Railway Station
Name Calne
Distance 5 W Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 0	0	5	20	0	0	14	24	3	0	0	0	1
2	0 0	0	6	15	0	24	25	0	6	0	0	28	2
3	0 0	0	28	6	0	13	40	0	0	0	0	0	3
4	0 0	0	11	3	0	18	2	33	5	0	9	4	4
5	0 21	0	88	3	11	29	0	5	0	0	20	0	5
6	0 49	0	23	1	16	19	0	80	0	0	0	0	6
7	0 30	21	2	0	14	2	0	46	0	0	0	22	7
8	0 0	15	0	0	3	69	0	18	0	0	0	0	8
9	0 38	19	56	0	0	9	2	7	8	0	0	17	9
10	0 2	1	19	0	0	16	0	0	0	0	0	25	10
11	0 0	8	0	2	0	1	0	15	1	0	12	16	11
12	0 11	6	0	0	0	0	0	0	0	0	0	28	12
13	0 9	42	10	0	2	0	3	0	0	0	3	3	13
14	0 0	5	1	0	0	0	0	12	0	0	0	5	14
15	0 23	10	39	0	40	4	0	0	0	7	0	5	15
16	0 0	0	0	0	26	37	0	0	0	0	0	25	16
17	0 62	3	32	0	0	0	17	12 ~~17~~	0	16	0	0	17
18	0 4	0	9	0	0	9	0	58	0	0	0	11	18
19	0 90	0	57	0	0	0	0	4	0	6	4	13	19
20	0 45	7	7	0	6	0	36	21	0	8	0	0	20
21	0 0	0	20	0	0	3	11	36	0	38	2	0	21
22	0 3	5	41	0	49	0	0	28	0	34	0	0	22
23	0 49	25	13	0	12	28	12	17	0	0	3	3	23
24	0 13	37	57	0	0	0	0	37	0	8	22	56	24
25	0 6	4	8	0	0	24	0	6	0	0	0	31	25
26	0 0	0	0	0	0	9	0	36	0	50	28	30	26
27	0 0	0	0	0	0	0	32	32	0	50 ~~56~~	34	12	27
28	0 0	0	0	0	0	12	7	0	0	56 ~~44~~	0	33	28
29	0 0	8	0	0	0	3	14	33	13	44	43	78	29
30	0 0		0	0	0	31	23	3	79	41	0	4	30
31	0 0		0		34		25	0		19		0	31
Total	– ~~4.66~~	·05 ~~2.16~~	·20 ~~5.26~~	– ~~0.00~~	– ~~2.07~~	·14 ~~3.66~~	·24 ~~2.62~~	·03 ~~6.62~~	– ~~1.15~~	– ~~3.26~~	– ~~1.80~~	·09 ~~4.49~~	TOTAL for year 37·08
No. of Rain Days.	4·55 16	2·21 ~~16~~ 17	5·41 21	·30 ~~7~~ 6	2·07 10	3·74 ~~20~~ 21	2·72 15	5·41 22	1·12 ~~7~~ 6	3·26 12	1·80	4·58 ~~22~~ 22	~~37~~ ~~178~~ 179

W. 8,000, X. '11.

S made ✓

REG

Kept at Kington L

in the County of Wi

by G. Garne

2°

a.m

Chippenham

5 in.

e Ground 1 ft. — in.

Sea Level 270'6" ft.

FORM A.
BRITISH RAINFALL.

6- JAN 1914

—

CHIPPENHAM

KINGTON LANGLEY

WILTS

1913, ~~1918~~, 1920.

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … r in the space provided for it at the end of this … nent of rain, the selection and placing … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·7	·23	·22	·10	·21	—	—	—	·78	—	·11	·4	1
2	·4	·17	·5	·26	—	—	·1	—	·12	·11	—	—	2
3	·3	—	·12	·1	·56	—	—	—	·5	—	·17	—	3
4	·83	·4	·7	—	·55	—	—	—	1·23	·83	—	·11	4
5	·1	·4	—	—	—	·17	—	—	·16	—	·10	·35	5
6	—	·5	·15	—	·28	·13	·69	—	—	·16	·24	·70	6
7	—	·27	—	—	·21	·17	—	—	—	—	·22	—	7
8	—	·11	—	—	·26	·11	—	—	—	·48	—	—	8
9	—	·15	·2	—	·12	·4	·12	—	·14	·8	·5	·4	9
10	·13	—	—	·5	·8	—	—	—	—	·23	·37	—	10
11	·63	—	·2	·20	·12	—	—	·2	·22	—	·33	—	11
12	—	·1	—	—	—	—	—	·3	—	—	·13	·6	12
13	·3	·1	·2	—	—	—	—	·8	—	—	·17	—	13
14	4	·1	·26	·9	—	—	—	·3	·18	—	·2	—	14
15	·16	·6	·37	·78	—	—	—	—	—	—	·16	·2	15
16	·13	—	·54	·10	—	—	—	—	—	·2	—	—	16
17	·12	—	·9	—	—	·7	·1	—	—	—	·2	—	17
18	·2	·1	·12	—	—	—	·4	—	·43	—	·8	—	18
19	·42	—	·4	·21	—	—	·9	—	—	—	—	—	19
20	·7	—	·10	·5	—	—	—	—	—	·22	·19	—	20
21	—	—	·12	·5	·12	—	—	—	—	—	—	—	21
22	·47	—	·42	—	·2	—	—	·4	·24	—	—	—	22
23	—	—	—	·1	—	·9	—	·12	—	—	·3	·22	23
24	·4	—	—	·2	—	—	—	·8	—	—	—	—	24
25	—	·15	—	·4	—	—	—	·2	—	—	—	·12	25
26	—	·4	—	·15	·8	—	—	—	—	·2	·1	·5	26
27	—	—	·9	·28	—	—	—	·5	·4	·8	—	·10	27
28	·35	—	·20	·43	—	—	—	·6	—	·48	—	—	28
29	·1		·35	·50	—	—	—	—	—	·26	—	—	29
30	·44		—	—	—	—	—	—	—	·41	—	—	30
31	·7		·6		—		—	·40		—	·2	—	31
Total	4·11	1·35	3·43	3·13	2·61	·80	·96	·93	3·63	3·38	2·42	1·81	YEAR'S TOTAL 28·57
Rain Days.	21	15	21	18	12	7	6	11	11	13	18	11	164

3·62

28·55

W. 7,500, XI. ·12

S. made ✓

REG

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at Kington Langley

in the County of Wilts 1

by G. Garnett Esq^r

Lat. 51 30 Long. 2°

Time of Observation 9 a.m

Nearest Railway Station Chippenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270' 6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·7	·23	·22	·10	·21	—	—	—	·78	—	·11	·4	1
2	·4	·17	·5	·26	—	—	·1	—	·12	·11	—	—	2
3	·3	—	·12	·1	·56	—	—	—	·5	—	·17	—	3
4	·83	·4	·7	—	·55	—	—	—	1·23	·83	—	·11	4
5	·1	·4	—	—	—	·17	—	—	·16	—	·10	·35	5
6	—	·5	·15	—	·28	·13	·69	—	—	·16	·24	·70	6
7	—	·27	—	—	·21	·17	—	—	—	—	·22	—	7
8	—	·11	—	—	·26	·11	—	—	—	·48	—	—	8
9	—	·15	·2	—	·12	·4	·12	—	·14	·8	·5	·4	9
10	·13	—	—	·5	·8	—	—	—	—	·23	·37	—	10
11	·63	—	·2	·20	·12	—	—	·2	·22	—	·33	—	11
12	—	·1	—	—	—	—	—	·3	—	—	·13	·6	12
13	·3	·1	·2	—	—	—	—	·8	—	—	·17	—	13
14	4	·1	·26	·9	—	—	—	·3	·18	—	·2	—	14
15	·16	·6	·37	·78	—	—	—	—	—	—	·16	·2	15
16	·13	—	·54	·10	—	—	—	—	—	·2	—	—	16
17	·12	—	·9	—	—	·9	·1	—	—	—	·2	—	17
18	·2	·1	·12	—	—	—	·4	—	·43	—	·8	—	18
19	·42	—	·4	·21	—	—	·9	—	—	—	—	—	19
20	·7	—	·10	·5	—	—	—	—	—	·22	·19	—	20
21	—	—	·12	·5	·12	—	—	—	—	—	—	—	21
22	·47	—	·42	—	·2	—	—	·4	·24	—	—	—	22
23	—	—	—	·1	—	·9	—	·12	—	—	·3	·22	23
24	·4	—	—	·2	—	—	—	·8	—	—	—	—	24
25	—	·15	—	·4	—	—	—	·2	—	—	—	·12	25
26	—	·4	—	·15	·8	—	—	—	—	·2	·1	·5	26
27	—	—	·9	·28	—	—	—	·5	·4	·8	—	·10	27
28	·35	—	·20	·43	—	—	—	·6	—	·48	—	—	28
29	·1		·35	·50	—	—	—	—	—	·26	—	—	29
30	·44		—	—	—	—	—	—	—	·41	—	—	30
31	·7		·6		—		—	·40		—	·2	—	31
Total	4·11	1·35	3·43	3·13	2·61	·80	·96	·93	3·63	3·38	2·42	1·81	YEAR'S TOTAL 28·57
Rain Days.	21	15	21	18	12	7	6	11	11	13	18	11	164

W. 7,500, XI. ·12

3·62

28·55

re chd for #86 Ex° M J S 22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3.

Kept at Chippenham

in the County of Wilts

by the late Daniel Collen
& Alice M. Collen (Miss)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chippenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 16 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03	·10			·16		·03½	·38	·04	1
2		·06		·14				·47½			·04	·19	2
3		·03½		·38½	·18½			·24½	·10	·06½	·03		3
4		·04		·05½				·06			·88	·05	4
5		·03			·18			·21	·02½	·11	·05½	·05	5
6	·10½	·21		·24						·15		·10	6
7		·13		·09½	·60½				·13	·23½	·26		7
8						·03			·41	·20		·03	8
9		·20½		·29		·27	·44		·54	·17		·17	9
10				·13			·41		·18½			·29	10
11	·04	·07½					·21		·99	·04	·05½	·16	11
12		·21	·03		·35		·04		·04			·08	12
13	·10						·25		·44	·03½		·24	13
14	·25					·04	·30		·43	·17		·15	14
15	1·32½			·58	·06½	·06½	·31			·05		·31	15
16	·35		·07	·65		·52			·22			·08½	16
17	·26½			·07½			·29	·06	·03	·05		·16	17
18	·75					·49½	·37½		·13			·08	18
19	·03	·03	·14	·10½			·09		·08	·06		·05	19
20	·03	·18½		·22			·20½		·43	·04			20
21	·07					·05	·04		·97	·03		·08	21
22	·03½	·03			·05½		·55		·11	·08		·30	22
23	·16				·22	·05	·45	·05			·05½		23
24		·11							·09		·05	·02½	24
25						·04	·11	·84½		·04	·03½		25
26							·40		·06	·03	·16	·14	26
27		·05	·05½					·25			·18	·02	27
28		·09	·21						·12½		·16½	·07	28
29			·11			·03			1·16			·03½	29
30		✕	·32							·04	·07	·09	30
31		✕	·07	✕		✕			✕	·04	✕		31
Total	3·51	1·49	1·00½	2·99½	1·76	1·59	4·47	2·35½	6·69½	1·67	2·41½	2·99½	YEAR'S TOTAL 32·95
Rain Days.	13	15	8	13	8	10	16	9	21	20	14	25	172

W. 6,500, VII. 18. W W C

1365

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chippenham
in the County of Wilts
by Miss A. M. Collen, Rowden Hill.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chippenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 16 in.
" " " " Sea Level 223 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·49	·47½		·33	·04	·03	·32	·06	·32	1
2	·06		·05	·14½			·10½	·34	·06	·18		·08	2
3	·02½	·05		·30½			·40		·02	·32		·02	3
4			·06	·06			·06	·42		·29			4
5			·11	·03	·06		·48	·07		·31			5
6			·27		·25		·22			·07			6
7	·04		·07	·09	·15		·03						7
8		·05		·50	·04		·45					·06½	8
9	·54	·10		·44			·04		·02				9
10	·67	·19½	·04	·10		·05	·52½						10
11	·42		·13	·26	·35	·10	·11						11
12	·14	·04	·03	·28½	·03	·89	·04				·10		12
13	·05½	·10	·34	·12								·05½	13
14	·04½	·02	·33	·37			·03		·04½	·62	·33		14
15		·16½	·03	·24½	·02½	·06½	·03		·11	·46	·06		15
16				·16½	·03		·10		·20	·07	·20		16
17	·03			·25	·19½	·29		·02½	·21½				17
18	·09			·07	·06			·27	·15½			·04	18
19	·07	·04		·21	·03½	·13½							19
20	·03	·21		·25½		·37						·24	20
21							·23½					·06	21
22	·03			·18		·03	·07	·05	·04			·32	22
23							·94					·49	23
24			·19								·74½	·14	24
25	·04½	·09½	·08				·35						25
26	·24½		·14				·04				·03½	·06½	26
27	·32	·05	·03	·15		·55½						·22	27
28	·67		·04½	·07	·26½		·06½						28
29	·16	·03	·11		·07	·07	·06				·20	·24	29
30	·06		·06	·04		·24	·38		·32	·03½	·48	·33	30
31	·09		·24				·06			·25		·18½	31
TOTAL	3·835	1·145	2·355	4·83	2·035	2·795	5·15	1·215	1·215	2·925	1·61	2·87	YEAR'S TOTAL 31·98 ✓
Days with ·01 in. or more	21	13	19	23	14	11	24	7	11	11	9	16	179 ✓
Days with ·04 in. or more	17	11	16	22	10	10	21	6	8	10	8	15	154 ✓

CHIRTON
OLD MANOR FARM
WILTSHIRE
1911 — 1920

11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Chirt 5 in.
ve Ground 3 ft. 0 in.
in the County of Sea Level 374 ft.
0 a.m. Patney Junc
by Mr Tom Name Tom Selfe
Distance 1½ mi. Direction N.

IMPORTANT NO d the result entered to the previous day. If an versal rule, he is earnestly requested to add the r year in the space provided for it at the end of t ment of rain, the selection and plac the British Rainfall Organization are given i "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01		0·04	0·18			0·01					0·02	1
2				0·02	0·22					0·12	0·23	0·21	2
3	Snow 0·12				0·24						0·14	0·10	3
4	0·03		0·09	Snow 0·04				0·08	0·01	0·13	0·30	0·54	4
5								0·25			0·28		5
6	0·31		0·11								0·30	0·46	6
7	0·01										0·04	0·03	7
8	0·12		0·18								0·10	0·50	8
9	0·11		Hail 0·01									0·37	9
10	0·03	0·12	0·23		0·06					0·04	0·01	0·49	10
11	0·42		0·03		0·44						0·55	0·12	11
12	0·01		Snow 0·80								0·32	0·05	12
13			0·01		0·14				0·26		0·02	0·56	13
14		0·03	Snow 0·02									0·57	14
15			0·01			0·02					0·07	0·05	15
16						0·25					0·70	0·17	16
17		0·03				0·06					0·10	0·44	17
18		0·24	0·08	0·05		0·37						0·38	18
19				0·03		0·32			0·07	0·23		0·15	19
20	0·02	0·01	0·07			0·02			0·15	0·07		0·74	20
21	0·01	0·16	0·05						0·12	0·43		0·15	21
22			0·30	0·02		0·01		0·06		0·13		0·64	22
23		0·25	0·19						~~0·08~~	0·01		0·19	23
24		0·07	0·01			0·26		0·07		0·33		0·10	24
25	0·07	0·08	Snow	0·14	0·28	0·08			0·14	0·10		0·24	25
26		0·08		0·17	0·13	0·09						0·27	26
27		0·28	0·25	0·04				0·03	0·11		Snow 0·01	0·15	27
28		0·52		0·24				0·15			0·15	0·02	28
29		—		0·14		0·19			0·11	0·25			29
30		—		0·02	0·07	0·05		0·01		0·17	0·01	0·02	30
31		—		—		—			—	0·19	—	0·01	31
Total	1·27 ✓	1·87 ✓	2·48 ✓	1·09 ✓	1·58 ✓	1·72 ✓	0·01 ✓	0·65 ✓	1·05 ✓	2·20 ✓	3·33 ✓	7·74 ✓	TOTAL for year 24·99 ✓
No. of Rain Days.	13	12	~~19~~ 18	12	8	12	1	7	9	13	17	29	151 152

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Chirton

in the County of Wilts 3

by Mr Tom Selfe

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 374 ft.

Time of Observation 9-0 a.m.

Patney Junc

Nearest Railway Station
Name Tom Selfe
Distance 1½ mi. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01		0·04	0·18			0·01					0·02	1
2				0·02	0·22					0·12	0·23	0·21	2
3	Snow 0·12				0·24						0·14	0·10	3
4	0·03		0·09	Snow 0·04				0·08	0·01	0·13	0·30	0·54	4
5								0·25			0·28		5
6	0·31		0·11								0·30	0·46	6
7	0·01										0·04	0·03	7
8	0·12		0·18								0·10	0·50	8
9	0·11		Hail 0·01									0·37	9
10	0·03	0·12	0·23		0·06					0·04	0·01	0·49	10
11	0·42		0·03		0·44						0·55	0·12	11
12	0·01		Snow 0·80								0·32	0·05	12
13			0·01		0·14				0·26		0·02	0·56	13
14		0·03	Snow 0·02									0·57	14
15			0·01			0·02					0·07	0·05	15
16						0·25					0·70	0·17	16
17		0·03				0·06					0·10	0·44	17
18		0·24	0·08	0·05		0·37						0·38	18
19				0·03		0·32			0·07	0·23		0·15	19
20	0·02	0·01	0·07			0·02			0·15	0·07		0·74	20
21	0·01	0·16	0·05						0·12	0·43		0·15	21
22			0·30	0·02		0·01		0·06		0·13		0·64	22
23		0·25	0·19						0·08	0·01		0·19	23
24		0·07	0·01			0·26		0·07		0·33		0·10	24
25	0·07	0·08	Snow	0·14	0·28	0·08			0·14	0·10		0·24	25
26		0·08		0·17	0·13	0·09						0·27	26
27		0·28	0·25	0·04				0·03	0·11		Snow 0·01	0·15	27
28		0·52		0·24				0·15			0·15	0·02	28
29		—		0·14		0·19			0·11	0·25			29
30		—		0·02	0·07	0·05		0·01		0·17	0·01	0·02	30
31		—		—		—			—	0·19	—	0·01	31
Total	1·27	1·87	2·48	1·09	1·58	1·72	0·01	0·65	1·05	2·20	3·33	7·74	TOTAL for year 24·99
No. of Rain Days.	13	12	~~19~~ 18	12	8	12	1	7	9	13	17	29	151 152

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN. 1913

Kept at Old Manor House, Chirton (nr: Devizes)
in the County of Wilts 3
by Tom Selfe

Lat. 51°. 18′ N Long. 1°. 53′ W.
Time of Observation 8 a.m.
Nearest Railway Station Patney and Chirton G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
„ „ „ „ Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·08			0·35	0·38			0·59		0·04	1
2		0·02	0·32	0·02		0·18	0·28			0·07			2
3			0·08			0·32	0·04	0·36	0·08		0·03	0·04	3
4	0·11		0·74		0·19	0·31		0·03			0·25		4
5	0·28		0·12		0·06	0·17		0·76			0·02	0·02	5
6	0·63	0·16	0·05		0·02		0·01	0·97				0·24	6
7		0·17			0·16	0·42		0·05				0·05	7
8	0·30	0·19	0·60		0·11	0·04			0·12			0·04	8
9	0·07	0·02	0·34	0·05		0·13	0·05	0·04				0·24	9
10	0·01	0·08			0·01	0·03		0·21			0·08	0·17	10
11	0·05	0·08				0·02						0·27	11
12	0·07	0·30	0·11	0·01	0·13		0·04			0·04	0·03	0·01	12
13	0·01	0·09	0·01					0·09				0·02	13
14	0·20	0·01	0·26		0·33			0·04		0·04		0·01	14
15	0·02	0·09	0·05			0·37		0·01			0·01	0·56	15
16	0·34	0·01	0·23					0·03		0·03	0·03		16
17	Snow & rain 1·53		0·11			0·09		0·56				0·09	17
18	~~Snow~~ 0·19		0·40					0·15		0·08	0·02	0·13	18
19	0·03	0·12	0·13		0·01	0·03	0·23	0·40		0·07	0·02		19
20	0·02	0·01	0·50		0·01		0·22	0·38		0·32	0·01		20
21	0·01	0·06	0·33		0·54			0·05		0·20			21
22	0·43	0·20	0·10		0·07	0·13	0·06	0·15		0·05	0·03		22
23	0·18	0·31						0·38		0·03	0·22	0·27	23
24	0·14	0·03	0·40			0·20		0·24		0·02		0·20	24
25	0·02	0·01	0·02			0·11		0·44		0·05	0·29	0·70	25
26		0·01					0·21	0·23		0·51	0·48	0·15	26
27						0·13	0·08			0·80	0·01	0·29	27
28		0·04				0·03		0·22	0·21	0·44	0·34	0·56	28
29		0·05				0·27	0·11	0·03	0·69	0·33	0·05	0·01	29
30		—				0·14	0·02	0·02	0·38	0·30	0·29		30
31		—	0·10		0·09	—	0·33	0·04	—	0·05	—	0·02	31
Total	4·64	2·06	5·08	0·08	1·73	3·47	2·06	5·88	1·48	4·02	2·21	4·13	YEAR'S TOTAL 36·84
Rain Days.	21	22	22	3	13	20	14	25	5	19	18	23	205

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Ex Dg

REGISTER OF RAINFALL IN 1913

Kept at Old Manor House, Chirton, Devizes

in the County of Wilts 3

by Tom Selfe

Lat. 51°. 18' N Long. 1°. 53' W.

Time of Observation 9 a.m.

Nearest Railway Station Patney

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·06	0·22	0·13		0·06				0·51		0·13	0·24	1
2	0·02	0·08	0·01	0·05					0·01	0·11	0·08	0·04	2
3	0·04		0·03	0·07	0·39					0·05	0·04	0·16	3
4	0·63		0·04		0·62		0·01		1·03	0·27		0·15	4
5	0·05	0·01				0·17	0·08		0·38		0·01	0·09	5
6	0·01	0·01	0·06		0·24	0·11	0·37			0·25	0·10	0·61	6
7	0·02	0·38			0·16		0·28			0·41	0·08		7
8		0·04	0·30		0·06	0·02				0·10	0·09	0·02	8
9		0·12				0·02		0·03	0·20		0·04	0·07	9
10		0·01	0·11	0·01	0·06		0·01			0·15	0·49		10
11	1·00			0·28	0·18					0·18	0·59		11
12	0·01	Fogs 0·02			0·32					0·01	0·15	0·01	12
13	0·06		0·07					0·06	0·09		0·19		13
14	0·19	0·02	0·08	0·11					0·04	0·08	0·11		14
15	0·15	0·14	0·06	0·41			0·17		0·02		0·10		15
16	0·27		Snow Rain 0·50	0·21				0·13					16
17	0·01		Snow 0·05	0·05		0·08			0·03				17
18	0·05		0·11	0·11			0·06				0·06		18
19	0·87		0·13				0·14		0·44				19
20	0·16		0·12	0·06	0·01	0·03				0·23	0·01		20
21	0·01		0·11	0·07	0·11					0·03	0·48		21
22	0·50		0·18	0·10	0·01		0·05		0·30	0·01			22
23	0·01					0·12		0·03			0·07	0·39	23
24	0·03			0·13				0·05			0·01		24
25		0·13		0·15							0·01	0·04	25
26		0·06		0·41				0·26		0·15		0·16	26
27		0·01		0·09						0·24		0·02	27
28	0·14		0·30	0·19						0·30		Snow 0·03	28
29	0·04	—	0·38	0·50	0·06			0·05		0·21		Snow 0·02	29
30	0·50	—						0·01		0·33			30
31	Snow Rain 0·06	—	0·08	—		—		0·34	—	0·01	—		31
Total	4·89	1·25	2·85	3·00	2·28	0·55	1·17	0·96	3·05	3·12	2·84	2·05	YEAR'S TOTAL 28·01
Rain Days.	25	14	20	18	13	7	9	9	11	19	20	15	180

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 - JAN 1915

Kept at Old Manor Farm, Chirton, Devizes

in the County of Wilts 3

by Tom Selfe

Lat. 51°. 18' N. Long. 1°. 53' W.

Time of Observation 9 a.m.

Nearest Railway Station Patney

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·02					0·51			0·30	0·02	1
2				0·03			0·58	0·01			1·20	0·23	2
3			0·23	0·13	0·21		0·51	0·45			0·07	0·05	3
4	0·06		0·14	0·30	0·01		0·05	0·84			0·41	0·47	4
5	0·08		0·16	0·26	0·11		0·30	0·02			0·60	0·17	5
6		0·14		0·19	0·06			0·05			0·31	0·32	6
7		0·40	0·17	0·16	0·63	0·05	0·23	0·01			0·02	0·39	7
8	0·12	0·08	0·80	0·03	0·12	0·21	0·21	0·08	0·12			0·05	8
9	0·08		Snow + Rain 0·55	0·22	0·02	0·70		0·02	0·12		0·01		9
10		0·14	Snow 0·01	0·02	0·18			0·06	0·26			0·05	10
11		0·18	0·35		0·08	0·17			0·01		0·11	0·42	11
12	Slight Snow	0·10	0·25				0·04		0·34		0·01	0·28	12
13		0·30	0·16				0·12		0·10	0·10	0·05	0·35	13
14		0·34	0·40				0·44	0·08	0·02	0·64	0·35	0·02	14
15	Snow + Rain 0·02	0·04	0·16					0·27	0·04	0·04	0·13		15
16			0·01						0·02				16
17		0·51	0·16						0·15			0·40	17
18			0·05				0·08					0·52	18
19		0·11	0·30				1·03		0·05		0·14	0·10	19
20		0·40	Snow + Rain 0·50			0·10	0·05					0·25	20
21		0·86	0·04					0·02		0·15			21
22		0·02	0·06		0·12	0·20	0·09	0·01		0·71			22
23		0·05	Snow 0·10		0·17	0·01	0·02			0·15			23
24		0·10	0·10		0·05		0·03			0·22	0·15		24
25	0·03	0·04	0·19				0·01	0·19		0·34	0·04	0·25	25
26			0·05				0·02	0·11		0·07	0·19	0·48	26
27	0·07									0·01	0·04	0·16	27
28		0·07	0·10							0·05	0·32	0·99	28
29	0·19	X	0·11		0·04					0·21	0·25	0·01	29
30		X	0·07		0·01					0·17	0·56	0·75	30
31	0·01	X		X		X	0·04		X	0·38	X	0·06	31
Total	0·66	3·88	5·24	1·34	1·81	1·44	3·85	2·73	1·23	3·24	5·26	6·79	YEAR'S TOTAL 37·47
Rain Days.	9 10	18	27	9	14	7	18	16	11	14	21	24	189

188

W. 8,000. X. 14.

1668

FORM A.
BRITISH RAINFALL

3 - JAN 191

REGISTER OF RAINFALL IN 1915

Kept at Old Manor House, Chirton

in the County of Wilts 3

by Tom Selfe

Lat. 51°. 18′ N Long. 1°. 53′ W.

Time of Observation 9 a.m.

Nearest Railway Station Patney + Chirton G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·84	0·14			0·03			0·08	0·31	0·15	0·09	0·27	1
2	0·43	0·26	0·22	0·02				0·67	0·05	0·46		0·26	2
3	1·50		0·08	0·18	0·05	0·01		0·07	0·01	0·13		0·48	3
4	0·04							0·19				0·32	4
5	0·06	0·85						0·09				0·25	5
6	0·36	0·10		0·40	0·02		0·57	0·25		0·01		0·03	6
7	0·27	0·46	Snow 0·02	0·03		0·03	0·37	0·07				0·37	7
8	0·11	0·43		0·02			0·12	0·03					8
9	0·06	0·07		0·27				0·06			0·34	0·70	9
10	0·07			0·03				0·01				0·06	10
11	0·03		0·22	0·08	0·01		0·07	0·10			0·77	0·01	11
12	0·10	0·14	0·01	0·12	0·42			0·28		0·03	0·48	0·10	12
13	0·06	0·83			0·75			0·20	0·14			0·01	13
14	0·04	0·01					0·24	0·35	0·06			0·50	14
15	0·19			0·02	0·10		0·01	0·08			0·20	0·22	15
16	0·03	0·65			0·06		0·74	0·10				0·08	16
17		0·48			1·30			0·01				0·02	17
18		0·30	Snow 0·05		0·23								18
19					0·05		0·26						19
20	0·20			0·03	0·06							0·09	20
21	0·23	0·10			0·05		0·03			0·35		0·19	21
22	0·12	Snow 0·65	0·46				0·45		0·01			0·21	22
23	0·01	Snow 0·09	0·33				0·25		0·08	0·95		0·27	23
24			0·03	0·14			0·19		0·49	0·72		0·55	24
25						0·25	0·14					0·18	25
26		0·08				0·05	0·10		0·03			0·56	26
27		0·15				0·30	0·11			0·33		0·05	27
28		0·09							0·71	0·05			28
29		×				0·10		0·10			0·21	0·07	29
30	0·10	×				0·07				0·39	0·41	0·14	30
31	0·06	×		×		×			×	1·05	×	0·25	31
Total	4·91	5·88	1·42	1·34	3·13	0·81	3·65	2·74	1·89	4·62	2·50	6·24	YEAR'S TOTAL 39·13
Rain Days.	22	19	9	12	13	7	15	18	10	12	7	27	171

W. 8,000. X. 15.

1642

FORM A.
BRITISH RAINFALL.
2 JAN 19

REGISTER OF ~~OF~~ RAINFALL IN 1916

Chgd Eh

Kept at Old Manor Farm, Chirton, Devizes
in the County of Wilts
by Tom Selfe

Lat. 51° 18′ N Long. 1° 53′ W.
Time of Observation 9 a.m.
Nearest Railway Station Patney and Chirton Junct
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·11				0·03	0·05	0·01		0·13	0·08	0·35		1
2	0·25	0·06			0·25				0·02	1·22	0·21		2
3	0·01	0·79	Snow 0·03		0·02				0·07	0·30	0·28		3
4	0·13	0·20			0·07	0·22			0·21	0·37	0·73		4
5	0·02	0·02	Snow 0·08		0·14	0·10				0·03	0·37		5
6		0·08			0·03	0·10	0·60			0·08	0·82		6
7	0·13	0·05	Sn: + Rain 0·32		0·01	0·01	0·24			0·06	0·41	0·23	7
8	0·01		Sn: + Rain 0·07		0·09	0·06				0·01	0·01	0·19	8
9					0·41	0·27	0·01			0·05			9
10		0·48		0·06	0·03	0·23				0·01		0·02	10
11	0·08	0·10	Snow 0·02	0·07	0·03	0·27						Sn; Rain 0·20	11
12	0·01	0·06		0·07	0·11	0·01	0·13						12
13	0·05	0·27	0·04		0·03	0·01	0·01	0·54		0·01			13
14		0·43			0·07			0·29		0·03			14
15	0·02	0·26	0·12		0·01			0·15		0·04			15
16	0·01	0·06	0·05	0·20	0·03		0·10	0·31					16
17	0·04	0·15		0·01				0·10	0·30	0·45	Snow 0·01		17
18	0·06	0·11	0.05	0·16				0·01	0·26	0·06	Snow 0·46	Snow 0·21	18
19	0·13	0·02	0·23	0·12					0·02		Sn: Rain 0·15	^	19
20	0·18		0·71					0·01			0·04	1·19	20
21	0·05		0·50	0·01								0·55	21
22	0·01	Snow 0·01			0·13					0·29	0·02	0·45	22
23	0·04	Snow 0·14		0·05		0·04		0·12		0·02	0·19	0·10	23
24		Snow 0·14		0·06	0·17	0·22		0·04		0·27	0·06	Snow 0·23	24
25		Snow 0·62	Ht Sn: Rain 0·10		0·01			0·49	0·01	0·04	0·13	0·10	25
26	0·02	Snow 0·01	Sn: Rain 0·19			0·11		0·06	0·02	0·43			26
27	0·05	Sn: + Rain 0·09	Sn: Rain 0·93			0·05		0·35	0·20	0·38			27
28		Sn: + Rain 0·41	Sn: Rain 0·20			0·09		0·02		0·16		0·15	28
29		Sn: + Rain 0·28	0·03			0·24		1·20	0·11	0·56		0·35	29
30		X	0·01			0·01		0·03		0·38		0·01	30
31		X		X		X		0·04	X	0·07	X	0·11	31
Total	1·41	4·84	3·68	0·81	1·67	2·09	1·10	3·76	1·35	5·40	4·24	4·09	YEAR'S TOTAL 34·44
Rain Days.	21	24	18	10	19	18	7	16	11	25	16	15	206

W. 8,000, VIII. 16

1567

FORM A.
BRITISH RAINFALL.
2 JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Old Manor Farm, Chirton

in the County of Wilts

by Tom Selfe

Lat. 51° 18′ Long. 1° 53′ W

Time of Observation 9 a.m.

Nearest Railway Station Patney

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01		0·01	0·07		0·06		0·73	0·09		0·02		1
2	0·01		0·15	Snow 0·90		0·08		0·07	0·01		0·10		2
3	0·02			Snow 0·08			0·78	0·01		0·37	0·02		3
4			Snow 0·08	0·01			0·18	0·03		0·48			4
5	0·32	Snow 0·47	0·06	0·14		0·08		0·25	0·04	0·34	0·12		5
6	0·02		0·39					0·01	0·02	0·02	0·01	0·03	6
7	0·39							0·05		0·43		0·02	7
8	Snow 0·40		Snow 0·10	0·08			0·45	0·35	0·06	0·27	0·10	0·22	8
9	0·05		Snow 0·20	Snow 0·06	0·04		0·04	0·45	0·04	0·07	0·07	0·01	9
10	Snow 0·18		0·30	Snow 0·22			0·33	0·03		0·03		0·01	10
11	0·10		0·75	Sn: Hail 0·21					0·02	0·02			11
12	0·10		0·02		0·03			0·05		0·53	0·01		12
13			0·10	0·01		0·02		0·10	0·05	0·04			13
14			0·02	0·25				0·05			0·02		14
15							0·22	0·14		0·08		0·03	15
16		0·15		0·11			0·03			0·53		Snow 0·15	16
17	Snow 0·01	0·03		0·15	0·30		0·33	0·04	0·35	0·19			17
18	0·02					0·01	0·35	0·01	0·37	0·03			18
19		0·28	0·06						0·19				19
20	0·03	0·17	Snow 0·24		0·45	0·03		0·04	0·08		0·03		20
21			Snow 0·20			0·11				0·04	0·03		21
22			0·10			0·19		0·05		0·06			22
23		0·15			0·03			0·24		0·03			23
24		0·14	0·03			0·06		0·08		0·18		0·14	24
25		0·04	0·01					0·06	0·04	0·39			25
26			0·07		0·14			0·60	0·15	0·20	0·10		26
27					0·99			0·84					27
28			0·07		0·03	Thunder 1·68		0·70				0·04	28
29			0·01		0·08		0·07	0·06		0·42		0·09	29
30		X	0·02				0·65	0·18		0·13		0·01	30
31		X	0·18	X		X	0·05		X	0·02	X	Snow 0·03	31
Total	1·66	1·43	3·17	2·29	2·09	2·32	3·48	5·22	1·51	4·90	0·63	0·78	YEAR'S TOTAL 29·48
Rain Days.	14	8	23	13	9	10	12	26	14	24	12	12	177

1.58

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at Old Manor Farm, Chirton (nr. Devizes)
in the County of Wilts
by Tom Selfe

Lat. 51°. 18′ N Long. 1°. 53′ W
Time of Observation 9 a.m.
Nearest Railway Station Patney Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
„ „ „ „ Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·01		Hail+R. 0·18	0·04			0·08			0·50	0·03	1
2		0·03		Hail+R 0·15				0·42		0·10	0·06	0·16	2
3		0·02	Snow+R 0·03	0·16	0·30			0·15	0·02	0·01	0·10		3
4		0·04	0·02	0·14				0·06	0·01		0·65	0·10	4
5		0·05			0·31			0·10	0·50	0·13		0·03	5
6	0·16	0·08		0·44				0·11	0·04			0·07	6
7		0·16		0·05	0·54	0·01		0·01	0·06	0·21	0·14	0·03	7
8	Snow 0·01	0·05							0·78	0·18	0·06	0·02	8
9		0·10		0·29		0·23	0·97		0·47	0·28		0·15	9
10				0·14		0·06	0·28		0·08	0·11		0·34	10
11	0·01			0·01			0·98		0·18	0·18	0·06	0·15	11
12		0·13			0·22		0·19		0·06	0·03		0·04	12
13	Snow 0·16				0·17		0·26		0·32	0·01		0·07	13
14	0·18		0·02			0·11	1·00		0·36	0·11		0·17	14
15	1·05			Snow+R 0·30		0·03	0·18		0·01			0·21	15
16	Snow+R 0·38			Snow 0·68		0·40	0·01		0·16	0·03		0·13	16
17	0·25		0·05	0·11			0·42	0·12	0·06			0·20	17
18	0·83					0·52	0·17		0·19			0·17	18
19	0·07		0·10	Snow 0·03			0·14	0·03	0·16	0·04		0·08	19
20	0·03	0·13		0·26		0·03	0·28		0·20	0·03		0·01	20
21	0·10	0·02				0·01	0·03		0·64	0·03		0·10	21
22	0·05				0·06		0·10		0·23	0·11		0·25	22
23	0·09				0·32		0·85	0·04	0·02		0·07	0·07	23
24		0·25				0·05	0·06		0·10		0·12		24
25							0·19	0·25					25
26				0·06			0·25		0·05	0·03	0·11	0·15	26
27		0·03	0·03				0·01	0·16	0·12		0·14	0·08	27
28		Snow 0·07	0·34								0·34	0·12	28
29			0·02						1·31		0·02	0·02	29
30			0·34					0·05		0·03	0·05	0·11	30
31			0·19					0·01		0·03			31
Total	3·37	1·17	1·14	3·00	1·96	1·45	6·37	1·59	6·13	1·63	2·42	3·06	YEAR'S TOTAL 33·29
Rain Days.	14	15	10	15	8	10	19	14	25	19	14	27	190

W, 6,500, VII. 18. W W &

extd of 21 1474

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Old Manor Farm, Chirton, near Devizes
in the County of Wilts
by Tom Selfe

Lat. 51° 18′ N Long 1° 53′ W
Time of Observation 9 a.m.
Nearest Railway Station Patney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft 0 in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·38		0·06	0·15	0·07		0·20			0·07		1·25	1
2	0·33		0·01		0·11		0·03		0·10	0·05		0·25	2
3	1·10		0·04		0·04				0·42			0·40	3
4	0·13	0·10	0·53			0·06	0·05	0·12	0·12		0·07	0·07	4
5	0·01	0·49	0·70				0·02		0·25		0·10	0·17	5
6	0·38	0·01	0·06		0·49							0·16	6
7	0·25		0·33	0·03							0·03		7
8	0·21		0·11	0·06								0·03	8
9	0·05		0·06	0·06	0·03						0·07	0·02	9
10	0·04		0·27	0·14						0·03		0·10	10
11	0·02		0·25	0·19	0·08		0·21					0·03	11
12	0·04		0·13	0·12		0·08	0·21			0·18	0·03	0·03	12
13	0·01		0·01	0·30						0·01		0·06	13
14	0·37	0·03		0·80			0·16		0·12	0·05		0·07	14
15	0·20			0·09							0·02	0·59	15
16	0·08	0·63		0·01							0·16		16
17		0·20				0·01		0·03			0·26	0·05	17
18		0·05	0·40					0·07	0·03		0·05	0·03	18
19	0·15	0·21	1·17			0·04	0·46	0·13	0·15		0·14	0·04	19
20	0·47	0·08	0·29			0·32		0·45	0·02		0·05	0·02	20
21	0·01	0·43				0·08	0·06		0·01		0·03	0·11	21
22		0·31					0·17		0·17			0·15	22
23									0·03	0·18	0·08	0·10	23
24						0·07	0·07		0·01	0·72	0·08	0·31	24
25	0·10					0·01		0·55		0·02	0·02	0·19	25
26	0·19		0·17	0·04				0·09	0·10			0·32	26
27	0·06		0·01	0·55				0·28				0·08	27
28			0·25					0·91			0·35	0·36	28
29	0·05							0·09		0·15	0·01		29
30				0·25		0·22		0·43			0·35	0·36	30
31												0·12	31
TOTAL	4·63	2·54	4·85	2·79	0·82	0·89	1·64	3·10	1·53	1·46	1·90	5·47	YEAR'S TOTAL 31·62
Days with ·01 in. or more	23	11	19	14	6	9	11	11	13	10	18	28	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1392

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Old Manor Farm, Chirton

in the County of Wilts

by Tom Selfe

Lat. 51°. 18' N Long. 1°. 53' W
Time of Observation 9 a.m.
Nearest Railway Station Patney & Chirton G. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05			0·49	0·35		0·30			0·26	0·15		1
2	0·03			0·12			0·03	0·13	0·08	0·30		0·15	2
3		0·06		0·22			0·35			0·38		0·06	3
4			0·08	0·07			0·19	0·31		0·21			4
5			0·04		0·01		0·27	0·01		0·18			5
6	0·11		0·25		0·25		0·47			0·22			6
7			0·06	0·23	0·04		0·13						7
8		0·08		0·31	0·04		0·88			0·03			8
9	0·30	0·02		0·19		0·07	0·02						9
10	0·67	0·31	0·08	0·08		0·15	0·18						10
11	0·39	0·04	0·11	0·22	0·24	0·05	0·14						11
12	0·15	0·04	0·03	0·32	0·04	0·82	0·02				0·05		12
13	0·31	0·06	0·27	0·07			0·01				0·06		13
14		0·04	0·23	0·45			0·01		0·03	0·06	0·27		14
15		0·11	0·25	0·40		0·09	0·07		0·11	0·22	0·17		15
16	0·03			0·06	0·07				0·27	0·04	0·06		16
17	0·02		0·07	0·24	0·15	0·22	0·07		0·20		0·04	0·08	17
18	0·03		0·04	0·09	0·15	0·03		0·44	0·09				18
19	0·10			0·23	0·16	0·07		0·01					19
20	0·05	0·23		0·34		0·47	0·01					0·10	20
21				0·04			0·26		0·03			0·14	21
22	0·05			0·12			0·04					0·30	22
23							0·56	0·05				0·42	23
24			0·13								0·15	0·06	24
25	0·05	0·08	0·14			0·02	0·38						25
26	0·19		0·19		0·23		0·05				0·04	0·05	26
27	0·29	0·05	0·05	0·22		0·29	0·11					0·20	27
28	0·65		0·03	0·01	0·16	0·02	0·04					0·02	28
29	0·19		0·11	0·01	0·03	0·02					0·16	0·21	29
30	0·05	×	0·06	0·11	0·08	0·08	0·20		0·11		0·46	0·22	30
31	0·17	×	0·35	×		×	0·02		×	0·40	×	0·15	31
TOTAL	3·88	1·12	2·57	4·64	2·00	2·40	4·81	0·95	0·92	2·30	1·61	2·16	YEAR'S TOTAL 29·36
Days with ·01 in. or more	21	12	20	24	15	14	26	6	8	11	11	14	182
Days with ·04 in. or more	17	11	18	22	13	10	19	4	6	10	11	13	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

RE

CHOLDERTON RECTORY

WILTSHIRE

1911 — 1917

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

290

Kept at Cholderl
in the County of Wil
by Rev. A. E.

in.
Ground 1 ft. in.
Sea Level 320 ft.

Name
Distance Direction

IMPORTANT NOT … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of th … ment of rain, the selection and placi … ritish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·22							·01	·04	1
2	·02	·01		·05	·22			·01		·20	·17	·25	2
3		·01			·19			·02			·09	·06	3
4	·02		·07	·03	·01				·01	·02	·12	·43	4
5	·01	·01		·01				·13		·10	·13		5
6	·28		·11								·10	·81	6
7	·01		·01								·35	·03	7
8	·10		·18								·17	·58	8
9	·07			·02							·02	·35	9
10	·02	·09	·28		·24						·01	·50	10
11	·37	·01	·05		·01						·74	·03	11
12			·80		·06				·01		·21	·27	12
13			·04						·40	·04	·01	·43	13
14		·03	·02		·01							·72	14
15		·01	·01							·02	·23	·04	15
16	·01		·01			·27					·53	·20	16
17		·01				·11					·30	·59	17
18		·17	·06	·04		·20				·04	·06	·51	18
19		·01				·50			·36	·11	·01	·18	19
20	·03	·02	·08	·02				·06	·13	·03		·61	20
21	·01	·15	·05	·02		·01		1·32		·90		·09	21
22	·01	·03	·13	·03		·14				·13		·46	22
23		·12	·12			·04			·11	·01	·06	·23	23
24	·01	·14	·01			·33		·07		·34		·14	24
25		·05		·07	·13	·06		·23	·04	·04		·22	25
26		·04		·22	·17	·07		·02		·12	·04	·32	26
27	·01	·34	·30	·22				·02	·07		·02	·23	27
28		·25		·30				·10			·04		28
29				·31		·28	·04		·16	·43	·01		29
30				·01	·13	·04			·01	·21		·02	30
31			·01							·06			31
Total	1·00	1·50	2·34	1·57	1·17	2·05	·04	1·98	1·30	2·80	3·43	8·34	TOTAL for year 27·52
No. of Rain Days	16	19	19	15	10	12	1	10	10	17	23	27	179

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 19

Kept at *Cholderton Rectory*

in the County of *Wilts* 3

by *Rev. A. E. Brisco Owen*

RAIN GAUGE	Pattern
	Diameter of top 8 in.
	Height of top above Ground 1 ft. in.
	" " " Sea Level 320 ft.
Time of Observation	
Nearest Railway Station	Name
	Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·22							·01	·04	1
2	·02	·01		·05	·22			·01		·20	·17	·25	2
3		·01			·19			·02			·09	·06	3
4	·02		·07	·03	·01				·01	·02	·12	·43	4
5	·01	·01		·01				·13		·10	·13		5
6	·28		·11								·10	·81	6
7	·01		·01								·35	·03	7
8	·10		·18								·17	·58	8
9	·07			·02							·02	·35	9
10	·02	·09	·28		·24						·01	·50	10
11	·37	·01	·05		·01						·74	·03	11
12			·80		·06				·01		·21	·27	12
13			·04						·40	·04	·01	·43	13
14		·03	·02		·01							·72	14
15		·01	·01							·02	·23	·04	15
16	·01		·01			·27					·53	·20	16
17		·01				·11					·30	·59	17
18		·17	·06	·04		·20				·04	·06	·51	18
19		·01				·50			·36	·11	·01	·18	19
20	·03	·02	·08	·02				·06	·13	·03		·61	20
21	·01	·15	·05	·02		·01		1·32		·90		·09	21
22	·01	·03	·13	·03		·14				·13		·46	22
23		·12	·12			·04			·11	·01	·06	·23	23
24	·01	·14	·01			·33		·07		·34		·14	24
25		·05		·07	·13	·06		·23	·04	·04		·22	25
26		·04		·22	·17	·07		·02		·12	·04	·32	26
27	·01	·34	·30	·22				·02	·07		·02	·23	27
28		·25		·30				·10			·04		28
29				·31		·28	·04		·16	·43	·01		29
30				·01	·13	·04			·01	·21		·02	30
31			·01							·06			31
Total	1·00	1·50	2·34	1·57	1·17	2·05	·04	1·98	1·30	2·80	3·43	8·34	TOTAL for year 27·52
No. of Rain Days	16	19	19	15	10	12	1	10	10	17	23	27	179

9,000, IX. '10.

82

[illegible]

284

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Cholderton Rectory

in the County of Wiltshire

3

by Rev A. E. Brisco Owen

RAIN GAUGE
Pattern
Diameter of top ___ in.
Height of top above Ground ___ ft. ___ in.
" " " Sea Level ___ ft.

Time of Observation

Nearest Railway Station
Name
Distance ___ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·11		02	·340	·170		·015	·865		·300	1
2			·23	·03		·175	·350	·025					2
3	·01		·13			·210	·030	·320	·010		·020	·030	3
4	·11	·02	·63		·09	·420		·115		·010	·160		4
5	·38	·06	·09			·020		·850				·100	5
6	·41	·08	·04		·09		·385	·395				·030	6
7		·34	·10		·10	·425	·010	·045		·005		·105	7
8	·35	·26	·53	·02		·330	·010		·010			·040	8
9		·05	·09	·03		·250	·040	·075			·005	·340	9
10		·09				·030		·085		·005	·045	·330	10
11	·06	·08	21			·060	·010				·020	·320	11
12	·05	·35	·12		·14	·340	·035	·055			·025		12
13	·01	·04	·01				·060	·115			·045	·010	13
14	·07	·01	·21		08			·065		·010		·010	14
15	·05	·13	·05		·03	·420		·010				·410	15
16	·48		·21		·02			·110		·020	·035	·010	16
17	1·26		·19			·065		·545		·010		·025	17
18	·16		·35					·345		·020	·025	·100	18
19	·06	·01	·09			·015	·100	1·130		·025	·010		19
20	·02	·01	·62		02		·180	·160		·310	·020		20
21	·02	·06	·25		·36			·055		·145	·010		21
22	·25	·36	·02		·09			·205	·005	·040		·085	22
23	·18	·37	·34					·450		·050	·195	·200	23
24	·10	·08				·345		·130		·010		·240	24
25	·12	·04				·225		·550		·040	·300	·560	25
26		·05				·030	·320	·125		·380	·500	·300	26
27			·01			·085	·290			·645		·320	27
28		·10				·030	·175	·600	·100	·430	·550	·325	28
29		·11				·330	·155	·180	·890	·345		·025	29
30			·02			·060	·050	—	·545	·260			30
31	·02		·18		·18		·220	·140		·035		·035	31
~~Total~~	4·18	2·70	4·83	·08	1·22	4·205	2·590	6·880	1·575	3·660	1·965	4·250	TOTAL for year 38·135
No. of Rain Days.	22	22	25	3	12	21	18	26	~~6~~ 7	~~18~~ 20	15	24	~~214~~ 215

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
27 JAN 1914

296

Kept at Cholderton Rectory [illegible]

in the County of Wiltshire 3

by Rev. A. E. Brisco Owen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·195	·105	·020	·085	·050			·770		·225	·140	1
2	·030	·065	·010	·015			·010		·110	·150	·130	·025	2
3	·040		·010	·035	·415					·020		·105	3
4	·545		·030		·365		·030		·830	·695	·055	·065	4
5	·050	·065			·220	·125	·280		·220		·035	·090	5
6		·055	·080		·360	·130	·800		·015	·360	·085	·630	6
7		·300			·295	·070	·105	·030		·615	·130	·010	7
8		·095			·055	·250				·140	·010	·020	8
9	·010	·105			·155		·015	·075	·120		·105	·025	9
10	·020		·010	·010	·105		·025	·030		·040	·660		10
11	·860	·015		·290	·320					·165	·685	·010	11
12	·015	·010	·010				·015	—		·010	·225		12
13	·115		·055			·015		·030	·225	·030	·185	·010	13
14	·210	·020	·070			·020	·010	·015	·155		·100		14
15	·205	·050	·150	·430			·845		·220		·040		15
16	·285		·300	·070						·010	·010		16
17	·015	·035	·020	·020			·060						17
18	·015		·235	·060			·020				·060		18
19	·830		·090		·045	·020	·080		·440			·010	19
20	·105		·090	·080	·020					·510	·035		20
21			·220	·105	·075					·030	·695		21
22	·480		·200	·100	·015			·120	·360				22
23	·010		·015			·075			·010		·015	·575	23
24	·020			·255				·070		·010	·010		24
25		·050		·195						·010		·010	25
26		·020		·405				·150		·275		·140	26
27	·015		·290	·070						·030			27
28	·320		·315	·165						·385	·010		28
29	·070		·110	·475	·065			·030	·010	·720	·010	·035	29
30	·410			·020	·020					·420			30
31	·060		·045		·030			·320		·010			31
Total	4·735	1·080	2·460	2·820	2·645	·755	2·295	·870	3·485	4·635	3·515	1·900	YEAR'S TOTAL 31·195
Rain Days.	24	14	22	19	17	9	13	10	13	21	22	16	200

W. 7,500, XI. ·12

Dl

Cod [illegible] 8.III.15

286

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cholderton Rectory

in the County of Wiltshire 3

by Rev. A. E. Brisco Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·010	·100				·025	·295			·120	·065	1
2			·010	·025			·065	·020			·890	·115	2
3	·010	·010	·250	·115	·290		·120	·040		·010	·020	·025	3
4	·060		·050	·200	·030		·010	·580			·360	·385	4
5	·045	·015	·100	·355	·230		·160	·330			·565	·085	5
6		·190	·045	·200	·020	·045	·205	·040			·040	·245	6
7	·010	·490	·125	·220	·100		·200	·030			·010	·330	7
8	·050	·080	·435	·030	·045	·100	·020	·145	·025			·075	8
9	·075		·425	·130	·050	·425			·165			·440	9
10	·035	·180	·015	·050	·220			·010	·345		·010	·010	10
11		·325	·390		·010	·075	·500		·030		·060	·535	11
12		·130	·170				·020		·310	·110		·415	12
13		·360	·235				·120		·170	·010	·090	·565	13
14		·375	·230				·065	·140	·025	·430	·235	·155	14
15	·020		·195					·355	·010	·050	·155	·015	15
16			·010						·180				16
17		·530	·380						·020			·565	17
18		·010	·120			·895	·050					·570	18
19		·050	·490				1·270		·030		·135	·180	19
20		·615	·115			·040				·010		·240	20
21		1·080	·040			·020				·230		·020	21
22		·150	·025		·370	·095	·080	·020		·420			22
23		·235	·190		·135	·010	·020			·160			23
24	·010	·075	·030		·110		·010			·065	·160		24
25	·040		·130		·010			·220		·370	·025	·275	25
26		·015	·025				·050	·025		·050	·290	·575	26
27	·060						·090		·010	·035	·040	·155	27
28		·075	·085		·040						·285	·850	28
29	·200		·135		·070					·240	·365	·015	29
30	·010		·095							·110	·700	1·050	30
31	·040				·010		·040			·295		·110	31
Total	·665	5·000	4·645	1·325	1·740	1·705	3·120	2·05 2·020	1·320	2·595	4·555	8·065	YEAR'S TOTAL 36·785
Rain Days.	14	21	29	9	16	9	20	14	12	16	20	27	207

W.7,000, XI. 13

81

Cord fr. author 2.V.16

1664
~~28~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 MAY 1916

Kept at Cholderton

in the County of Wiltshire

by A. E. Brisco Owen

3

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.660	.140	.010		.075		.010		.075	.220	.025	.220	1
2	.400	.175	.250	.065		.055		.825	.020	.310		.385	2
3	1.100	.020	.105	.120	.045	.010		.075	.010	.065		.290	3
4	.025	.010	.010		.010		.055	.010		.010	.010	.225	4
5	.025	.915	.020	.025				.085				.425	5
6	.590	.035		.300		.010	.455	.050			.010	.135	6
7	.205	.370	.010			.045	.260	.025				.310	7
8	.050	.470					.025	.145			.045	.035	8
9	.030	.020		.135				.030			.385	.785	9
10	.095		.060	.010				.095		.015	.010	.330	10
11	.080		.180	.060				.045			.785	.075	11
12	.090	.450	.010	.200	.485			.630		.015	.485	.025	12
13	.010	.700			.765				.155	.020			13
14	.025	.010					.200	.210	.070			.835	14
15	.190				.125		.040	.095	.060	.010	.185	.230	15
16	.010	.760			.200		.900	.075				.185	16
17		.370	.030		1.580			.200	.010	.010		.030	17
18		.240	.020	.020	.250					.010	.025		18
19		.020			.040		.155				.010		19
20	.115			.050	.025					.010		.075	20
21	.190	.080			.145		.095		.025	.265		.090	21
22	.180	.385	.585	.040			1.085		.025			.205	22
23	.010	.040	.235	.010			.420		.185	.635		.240	23
24	.010		.060	.025			1.200		.755	.600		.350	24
25			.040	.030		.015	.490		.065	.050		.150	25
26	.020	.090				.075	.215		.025			.675	26
27		.040				1.265	.055			.390		.040	27
28		.085				.045		.020	.750			.010	28
29						.115	.025	.090	.010	.030	.190	.060	29
30	.150	×				.110				.400	.700	.350	30
31	.020	×		×		×	.015		×	1.260	×	.460	31
Total	4.280	5.425	1.625	1.090	3.745	1.745	5.700	2.705	2.240	4.325	2.865	7.225 ~~6~~7.225	YEAR'S TOTAL 42.970 42.970
Rain Days.	24	22	15	14	12	10	18	17	15	19	13	28	207

W. 8,000. X. 14.

Dl Type Dl 1638 ~~26+~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Cholderton Rectory
in the County of Wiltshire
by Rev. A. E. Brisco Owen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·120		·045		·125	·060	·020		·315	·400	·310		1
2	·165	·150	·035		·320				·250	·750	·130		2
3	·020	1·360			·075	·015			·110	·455	·425		3
4	·115	·145			·060	·265			·265	·020	·770		4
5	·050	·125	·025		·245	·295			·010	·025	·740		5
6	·030	·155	·095		·075	·050	·555			·270	·935	·125	6
7	·065	·040	·220		·035	·010	·480			·070	·810		7
8		·030	·045		·170	·225				·010	·020	·140	8
9	·005		·010		·230	·055	·020			·105	·015	·465	9
10		·500	·025	·095	·065	·135	·065			·075		·010	10
11	·095	·030	·030	·050		·245			·010			·125	11
12	·145	·025	·085	·075	·180	·020	·155			·100	·020		12
13		·195	·120				·010	·415		·010			13
14		·330	·020		·060			·215		·025			14
15	·010	·215	·190	·025				·500		·040			15
16	·035	·085	·070	·215	·040		·175	1·485		·010			16
17	·115	·320		·030				·105	·375	·425		·025	17
18	·020	·060	·045	·125				·035	·200	·055	·485	·110	18
19	·085	·010	·185	·165					·025	·010	·295		19
20	·160	·030	·630	·010							·010	1·420	20
21	·010		·315		·035						·020	·955	21
22		·010	·020		·010					·185	·010	·525	22
23	·035	·160	·010	·045		·040		·300		·010	·145	·045	23
24		·030		·020	·210	·355		·055		·435	·035	·330	24
25	·015	·560	·095					·625	·030	·035	·095	·040	25
26		·045	·075			·365		·095	·045	·645			26
27	·010		1·150			·020		·465	·195	·350		·020	27
28		·655	·160			·025		·145		·275	·050	·265	28
29		·335	·020			·335		1·065	·155	·415	·025	·185	29
30		X						·025		·365	·010		30
31	·010	X		X		X		·035	X	·185	X	·105	31
Total	1·315	5·600	3·720	·855	1·935	2·515	1·480	5·565	1·985	5·755	5·355	4·890	YEAR'S TOTAL 40·970
Rain Days.	21	25	25	11	16	17	8	15	13	28	21	17	217

W. 8,000. X. 15.

81

Ex D.

1563
~~236~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1

Kept at Cholderton

in the County of Wiltshire

by A. E. Brisco-Owen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·160	·090		·020		·850	·040		·020		1
2			·040	1·200		·015					·110		2
3				·090			·580	·135		·310	·100		3
4		·200	·150				·040	·100		·260		·025	4
5	·210		·050	·205		·115			·040	·415	·100		5
6			·700							·070	·050		6
7	·185						·030	·055		·160	·010	·040	7
8	·395		·080	·050			·415	·135	·050	·160	·110	·310	8
9			·115	·020	·020			·335	·045	·045	·045		9
10	·225		·220	·225	·030			·155		·045		·010	10
11	·065		·460	·075						·210	·020		11
12	·105		·050	·010				·010		·380	·010		12
13			·170	·020				·090	·060	·020			13
14				·110			·155	·310	·025	·010		·010	14
15							·115	·530		·095		·030	15
16	·015	·105	·010	·140	·055		·050			·960	·020	·760	16
17		·015		·110	·170	·045	·455	·210	·680	·300	·010		17
18		·050			·018	·120	·170	·010	·520	·025			18
19	·025	·400	·125						·330				19
20		·070	·250		·600	·020			·065		·015		20
21	·010		·150			·325	·020		·010	·040	·020		21
22			·100		·010	·115		·110		·025			22
23		·185			·090			·300		·035		·035	23
24		·120				·015	·015	·065		·220		·010	24
25		·040	·090				·105	·020	·030	·120	·060		25
26		·010	·025		·200	·010		·435	·115	·035			26
27					·900	·065		·870		·060		·020	27
28			·100			2·060		·125	·010	·020		·030	28
29			·030		·335	·020	·115	·045		·770	·010	·095	29
30		X	·155				·475	·095	·015	·050	·010		30
31		X	·090	X		X	·020		X	·025	X	·015	31
													YEAR'S TOTAL
Total	1·235	1·195	3·320	2·345	2·420 ✓	2·945	2·760	4·990	2·035	4·865	·720	1·390	30·220 ✓
Rain Days.	9	10	22	13	11	13	15	22	15	27	17	13	187

W. 8,000, VIII. 16

15.95

11

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

CODFORD
ST MARY
WILTSHIRE
1911 —— 1920

Kept at Stock

…5 in.

…bove Ground 1 ft. – in.

in the County of W

„ Sea Level 260 ft.

9 a.m.

by Geo Thre

Name Wylye

Distance 2m. Direction

IMPORTANT N… and the result entered to the previous day. If an… universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and p… British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10 .01	–	.02	.15	–	–	–	.01	–	–	.01	.05	1
2	.04	–	–	.21	.30	–	–	.05	–	.15	.24	.25	2
3	–	–	–	–	.30	–	–	.07	.02	–	.20	.11	3
4	.02	.01	.10	.03	–	–	–	–	.07	.07	.17	.49	4
5	.06	–	.02	–	–	–	–	.15	–	.07	.18	–	5
6	.50	–	.15	–	–	–	–	.02	–	–	.17	.56	6
7	.03	–	–	–	–	–	–	–	–	–	.46	.01	7
8	.04	–	.15	–	–	–	–	–	–	–	.09	.62	8
9	.07	–	.05	.02	–	–	–	–	–	–	.04	.45	9
10	.08	.06	.38	–	.41	–	–	–	–	–	.04	.55	10
11	.45	–	.01	–	.18	–	–	–	–	–	.74	.11	11
12	–	–	.79	–	.05	–	–	.02	–	–	.18	.31	12
13	–	–	.04	–	–	–	–	–	.32	.03	.01	.41	13
14	–	.02	–	–	–	–	–	–	–	–	–	.61	14
15	–	.03	.04	–	–	.02	–	–	–	.03	.30	.08	15
16	–	.02	–	–	–	.24	–	–	–	–	.49	.30	16
17	–	.02	–	–	.05	.21	–	–			.13	.61	17
18	–	.32	.08	.07	–	.18	–	–	–	.02	–	.45	18
19	–	.09	–	.03	–	.28	–	–	.24	.26	.04	.34	19
20	.03	.02	.13	.07	–	.02	–	.05	.56	.06	–	.81	20
21	.02	.21	.03	.02	–	.05	–	.01	.06	.80	–	.19	21
22	.05	.02	.47	–	–	.08	–	.02	–	.27	–	.46	22
23	–	.16	.17	–	–	.04	–	–	.07	.08	.06	.25	23
24	–	.16	–	–	–	.46	–	.11	–	.27	–	.25	24
25	.03	.07	.03	.17	–	.07	–	.03	.04	.02	–	.43	25
26	–	.03	–	.41	–	.07	–	–	–	.12	.02	.49	26
27	–	.42	.19	.16	–	–	–	.03	.07	–	–	.16	27
28	–	.42	–	.26	–	–	–	.14	–	–	.11	.01	28
29	–		–	.45	–	.30	.07	–	.09	.46	.01	–	29
30	–		–	.11	.10	.09	.02	–	–	.33	–	–	30
31	–		–		–		–	–		.10		–	31
Total	1.52	2.08	2.85	2.16	1.39	2.11	.09	.71	1.54	3.14	3.69	9.36	TOTAL for year 30.64
No. of Rain Days	14	17	18	14	7	14	2	13	10	17	21	27	174

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

CODFORD ST. MARY

Kept at Stockton House

Stockton 3

in the County of Wilts

by Geo Knowles

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 260 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wylye
Distance 2m. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~.01~~ .10	–	.02	.15	–	–	–	.01	–	–	.01	.05	1
2	.04	–	–	.21	.30	–	–	.05	–	.15	.24	.25	2
3	–	–	–	–	.30	–	–	.07	.02	–	.20	.11	3
4	.02	.01	.10	.03	–	–	–	–	.07	.07	.17	.49	4
5	.06	–	.02	–	–	–	–	.15	–	.07	.18	–	5
6	.50	–	.15	–	–	–	–	.02	–	–	.17	.56	6
7	.03	–	–	–	–	–	–	–	–	–	.46	.01	7
8	.04	–	.15	–	–	–	–	–	–	–	.09	.62	8
9	.07	–	.05	.02	–	–	–	–	–	–	.04	.45	9
10	.08	.06	.38	–	.41	–	–	–	–	–	.04	.55	10
11	.45	–	.01	–	.18	–	–	–	–	–	.74	.11	11
12	–	–	.79	–	.05	–	–	.02	–	–	.18	.31	12
13	–	–	.04	–	–	–	–	–	.32	.03	.01	.41	13
14	–	.02	–	–	–	–	–	–	–	–	–	.61	14
15	–	.03	.04	–	–	.02	–	–	–	.03	.30	.08	15
16	–	.02	–	–	–	.24	–	–	–	–	.49	.30	16
17	–	.02	–	–	.05	.21	–	–			.13	.61	17
18	–	.32	.08	.07	–	.18	–	–	–	.02	–	.45	18
19	–	.09	–	.03	–	.28	–	–	.24	.26	.04	.34	19
20	.03	.02	.13	.07	–	.02	–	.05	.50	.06	–	.81	20
21	.02	.21	.03	.02	–	.05	–	.01	.06	.80	–	.19	21
22	.05	.02	.47	–	–	.08	–	.02	–	.27	–	.46	22
23	–	.16	.17	–	–	.04	–	–	.07	.08	.06	.25	23
24	–	.16	–	–	–	.46	–	.11	–	.27	–	.25	24
25	.03	.07	.03	.17	–	.07	–	.03	.04	.02	–	.43	25
26	–	.03	–	.41	–	.07	–	–	–	.12	.02	.49	26
27	–	.42	.19	.16	–	–	–	.03	.07	–	–	.16	27
28	–	.42	–	.26	–	–	–	.14	–	–	.11	.01	28
29	–		–	.45	–	.30	.07	–	.09	.46	.01	–	29
30	–		–	.11	.10	.09	.02	–	–	.33	–	–	30
31	–		–		–		–	–		.10		–	31
Total	1.52	2.08	2.85	2.16	1.39	2.11	.09	.71	1.54	3.14	3.69	9.36	TOTAL for year 30.64
No. of Rain Days	14	17	18	14	7	14	2	13	10	17	21	27	174

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stockton House, Stockton
in the County of Wilts 3
by Geo Knowles

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.10	—	—	.22	.04	—	.04	.77	—	.44	1
2	—	.01	.34	.01	—	.12	.24	.06	—	—	—	.01	2
3	—	—	.05	—	—	.45	.02	.45	.03	—	.03	.03	3
4	.16	—	.94	—	.06	.47	—	.02	—	—	.17	—	4
5	.50	.07	.20	—	.10	.01	—	.33	—	—	.01	.15	5
6	.66	.12	—	—	.07	—	.83	.34	—	—	—	.21	6
7	.03	.22	.08	—	.09	.65	.02	.10	—	—	—	.10	7
8	.45	.25	.48	.02	—	.16	—	.11	—	—	—	.05	8
9	—	.04	.13	.07	—	.16	.02	.17	—	—	—	.28	9
10	.01	.09	—	—	—	.01	—	.08	—	—	.11	.30	10
11	.08	.18	.07	—	—	.03	—	—	—	—	—	.42	11
12	.05	.42	.14	.02	—	.03	.05	.04	—	—	.05	.01	12
13	.01	.12	.01	—	—	—	—	.06	—	—	—	.05	13
14	.17	—	.23	—	.11	—	—	.08	—	.04	—	.02	14
15	.09	.10	.03	—	.04	.46	—	.03	—	—	.02	.51	15
16	.60	.01	.38	—	.03	.04	—	.06	—	.07	.01	—	16
17	1.13	—	.16	—	—	.05	—	.74	—	—	.03	.03	17
18	.24	—	.32	—	—	—	—	.25	—	.03	.02	.08	18
19	.06	.06	.11	—	—	.05	.23	.48	—	.02	.01	.01	19
20	.03	.01	.42	—	.04	.06	.23	.64	—	.37	.01	—	20
21	.02	.10	.30	—	.39	—	—	.06	—	.18	—	—	21
22	.39	.34	.01	—	.13	.31	.11	.16	—	.08	—	.16	22
23	.13	.39	.28	—	.01	—	—	.46	—	.08	.20	.33	23
24	.09	.03	.02	—	—	.46		.11	—	—	.01	.27	24
25	.11	—	—	—	.01	.19	—	.33	—	.06	.30	.34	25
26	—	.05	—	—	—	—	.18	.21	—	.44	.59	.21	26
27	—	.01	—	—	—	.18	.06	—	—	.93	—	.47	27
28	—	.07	—	—	—	.16	.08	.44	.13	.46	.49	.72	28
29	—	.14	.01	—	—	.18	.14	.13	1.08	.45	.02	—	29
30	—	+	.02	—	—	.23	.20	.02	.51	.47	—	—	30
31	—	+	.23	+	—	+	.23	.04	+	.05	+	.13	31
Total	5.01	2.83	5.06	.12	1.08	4.68	2.68	6.00	1.79	4.50	2.08	5.33	YEAR'S TOTAL 41.16
Rain Days.	21	22	25	4	12	23	16	28	5	16	17	25	214

W. 7,500, XI. 12

✓ Ex 3.P

REGISTER OF RAINFALL IN 1913

Kept at Stockton Codford St Mary

in the County of Wilts 3

by G Knowles

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

FORM A.
BRITISH RAINFALL.

6- JAN 1914

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.19	.13	.09	–	–	–	–	.30	.03	.26	.15	1
2	.01	.12	.04	.04	–	–	.01	–	.16	.04	.30	.03	2
3	.09	.02	.13	.04	.49	–	–	–	.02	.10	–	.14	3
4	.74	–	.04	–	.61	–	–	–	1.50	.54	.04	.11	4
5	.07	.03	.02	–	–	.17	.03	–	.38	–	.04	.11	5
6	.05	.03	.16	–	.30	.16	.18	–	.01	.54	.14	.57	6
7	.05	.30	.03	–	.35	.05	.03	–	–	.33	.17	.02	7
8	.03	.12	–	–	.40	.04	.02	–	–	.06	–	.02	8
9	–	.07	–	–	.13	.03	.02	.25	.16	–	.09	.03	9
10	.08	.01	.04	.05	.05	–	.02	.03	–	.26	.78	–	10
11	.72	.02	.01	.23	.08	–	–	–	–	.29	.59	.01	11
12	–	.02	–	–	.28	–	.01		.02	.03	.29	–	12
13	.05	.01	.08	–	.04	–	–	.01	.23	–	.12	–	13
14	.25	.01	.12	.02	.02	–	.06	.03	.06	.02	.25	–	14
15	.14	.12	.32	.61	–	–	.24	–	.06	–	.06	–	15
16	.31	–	.47	.09	–	.22	–	.17	.02	–	.01	–	16
17	.02	.02	.04	.05	–	.02	.02	–	–	–	–	–	17
18	.03	–	.25	.15	–	–	–	–	–	–	.08	–	18
19	1.14	–	.11	–	.03	.01	.07	–	.60	–	–	–	19
20	.07	–	.09	.08	.03	–	–	–	.01	.25	.13	–	20
21	–	–	.28	.44	.10	–	.05	–	–	.02	.69	–	21
22	.57	.01	.19	.03	.02	–	–	.07	.29	–	–	–	22
23	.02	–	.04	–	–	.06	–	–	.01	–	.02	.48	23
24	.04	.02	.01	.12	–	.01	–	.15	–	–	.02	–	24
25	–	.16	–	.16	–	–	–	–	–	.01	.01	.03	25
26	–	.02	–	.45	–	–	–	.27	–	.07	–	.27	26
27	.02	–	.24	.08	–	–	–	.01	–	.05	–	.03	27
28	.17	–	.21	.21	–	–	–	–	–	.56	–	.02	28
29	.07		.47	.46	.08	–	–	.09	–	.38	–	.03	29
30	.70		–	–	–	–	–	.01	–	.35	.01	–	30
31	.12		.05		–		–	.39		.03		–	31
Total	5.60	1.30	3.57	3.40	3.01	.77	.76	1.48	3.83 3.83	3.96	4.10	2.05	TOTAL for year 33.83
No. of Rain Days.	26	19	25	19	16	10	13	12	16	20	21	16	213

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Stockton,
in the County of Wilts. 3
by George Knowles

Lat. 51°8' N Long. 2°2' W
Time of Observation 9 a.m
Nearest Railway Station Wylye
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	.02	—	—	—	.50	—	—	.15	.04	1
2	—	—	.01	.02	—	—	.58	.06	—	—	1.73	.22	2
3	—	—	.20	.11	34 .34	—	.13	.06	—	—	.02	.08	3
4	.08	—	.03	.24	.06	—	.13	.99	—	—	.52	.44	4
5	.10	—	.11	.41	.32	—	.32	.20	—	—	.55	.04	5
6	.02	.25	.05	.18	.04	.03	.15	.12	—	—	.07	.39	6
7	—	.48	.09	.14	.32	.01	.11	.05	—	—	—	.20	7
8	.08	.08	.67	.02	.16	.14	.02	.30	.07	—	—	.03	8
9	.06	.01	.51	.30	.04	1.45	—	.07	.18	—	—	.07	9
10	.05	.16	.05	.05	.08	.01	—	.02	.37	—	.01	.01	10
11	—	.21	.57	—	.02	.14	.35	—	.01	—	.08	.55	11
12	—	.07	.17	—	—	—	—	—	.21	.01	.01	.38	12
13	—	.32	.28	—	—	—	—	—	.10	.22	.09	.43	13
14	—	.22	.33	—	—	—	.24	.39	.07	.55	.26	.17	14
15	.02	.05	.25	—	—	—	.01	.71	.03	.04	.24	—	15
16	—	—	—	—	—	—	.14	—	.23	—	—	—	16
17	—	.75	.19	—	—	—	—	—	.02	—	—	.76	17
18	—	.02	.06	—	—	.39	.08	—	.02	—	—	.51	18
19	—	.04	.63	—	—	—	1.05	—	.01	—	.10	.18	19
20	—	.52	.13	—	—	.11	—	—	—	—	—	.24	20
21	—	.93	.02	—	—	.09	—	—	—	.21	—	.03	21
22	—	.03	.10	—	.24	.07	.03	.03	—	.68	—	—	22
23	—	.14	.25	—	.09	.02	.01	—	—	.12	—	.07	23
24	—	—	.08	—	.03	—	.18	—	—	.30	.21	—	24
25	.09	—	.25	—	—	—	.09	.21	—	.35	.04	.30	25
26	—	—	.07	—	—	—	.08	.07	—	.08	.32	.57	26
27	.07	—	—	—	—	—	—	—	—	.07	.09	.18	27
28	.01	.10	.22	—	.15	—	.17	—	—	.01	.23	.86	28
29	.49		.17	—	.09	—	—	—	—	.30	.28	.01	29
30	.03		.05	—	—	.03	—	—	—	.14	.46	.79	30
31	.03		—		.03		.08	—		.56		.14	31
Total	1.13	4.38	5.62	1.49	2.01	2.49	3.95	3.78	1.32	3.64	5.46	7.77	YEAR'S TOTAL 43.04
Rain Days.	13	18	28	10	15	12	20	15	12	15	20	27	205

W.7,000, XI. 13

8L

1659
~~281~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at *Stockton*

in the County of *Wiltshire*

by *G. Knowles*

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.84	.14			.03			.21	.09	.22	.06	.23	1
2	.37	.39	.17	.07		.01		.60	.03	.24		.48	2
3	.85	.04	.10	.03	.03		.03	.02		.07		.32	3
4	.01	.01	.01									.28	4
5	.05	.97		.02				.08				.32	5
6	.62	.08		.35			.63	.16				.27	6
7	.28	.46	.02	.03	.03		.24	.03				.40	7
8	.15	.42		.03			.06	.09			.02	.02	8
9	.01	.07		.18				.01			.37	.78	9
10	.24	.02	.03	.05						.03	.02	.08	10
11	.01		.06	.06			02	.16		.01	.81	.07	11
12	.13	.48		.13	.60			.55		.04	.26	.01	12
13	.06	.82			1.01			02	.11		.02		13
14	.05	.01					.18	.43	.03			1.17	14
15	.24	.03			.14		05	11	.01	.03	.15	.21	15
16		.92			.40		.93	.05				.13	16
17		.47	.01		.94			.04		.01		.02	17
18		.37			.22						.01		18
19					.07		.14						19
20	.16			.05	.13					.02		.06	20
21	.09	.12			.02		.16			.65		.22	21
22	.14	.31	.48	.12			.66		.02			.26	22
23		.02	.16				.19		.10	1.38		.24	23
24				.14			.29		.51	1.44		.33	24
25			.02	.05		.03	.47					.16	25
26		.20				.05	.16					.77	26
27		.02				1.74	.23			.32		.05	27
28		.11				.03			.77				28
29						.05	.01	.02			.20	.10	29
30	.18	X				.17				.51	.69	.30	30
31	.14	X		X		X	.02		X	1.34	X	.41	31
Total	4.62	6.48	1.06	1.31	3.62	2.08	4.47	2.58	1.67	6.31	2.61	7.69	YEAR'S TOTAL 44.50
Rain Days.	20	23	10	14	12	7	18	16	9	16	11	27	182

W. 8,000. X. 14.

Dl

1633
2·50

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Stockton
in the County of Wiltshire
by G. Knowles

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·03		·37	·08	·02		·27	·49	·33		1
2	·24	·09	·03		·11				·01	·82	·05		2
3	·06	·91	·01		·02				·05	·38	·39		3
4	·15	·32			·09	·47			·42	·03	·99		4
5	·01	·02	·03		·64	·23				·04	·67		5
6	·04	·17	·03		·02		·69			·08	·81		6
7	·08	·11	·17		·03		·13			·03	·57	·13	7
8	·01	·12	·02		·18	·23					·04	·16	8
9	·01	·03			·09	·08	·03			·11	·02	·01	9
10		·53	·01	·06	·02	·04	·04			·25		·14	10
11	·01	·01	·02	·02		·20						·04	11
12	·07	·07	·04	·08	·09		·17	·01		·05			12
13		·28	·10					·40					13
14		·46	·01	·09	·08			·17		·07			14
15		·26	·06	·02				·18		·01			15
16	·02	·12	·02	·23	·01		·06	·54					16
17	·14	·21		·06				·27	·37	·37	·05		17
18	·02	·05	·10	·23				·01	·08	·03	·38	·34	18
19	·11		·38	·13					·04		·16	·06	19
20	·37	·07	·64								·06	1·25	20
21	·01	·06	·30		·05							·65	21
22		·01		·01		·03				·43	·04	·58	22
23	·02	·11				·07		·13			·19	·10	23
24		·04		·01	·43	·25		·02		·44	·07	·28	24
25		·62	·12					·60	·03	·02	·11		25
26		·03	·02			·17		·14	·26	·81			26
27		·07	1·10			·03		1·18	·33	·29			27
28		·29	·19			·01		·10	·21	·18	·01	·38	28
29		·49	·02			·36		1·84	·16	·42	·03	·24	29
30		X	·05							·81		·01	30
31		X		X		X		·10	X	·15	X	·04	31
Total	1·52	5·55	3·50	·94	2·23	2·25	1·14	5·69	2·23	6·31	4·97 4·98	4·41	YEAR'S TOTAL 40·74 40·75
Rain Days.	18	27	24	11	15	14	7	15	12	23	19	16	201

W. 8,000. X. 15.

1558

FORM A.
BRITISH RAINFALL.

7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stockton

in the County of Wilts

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	.17	.18	—	—	—	.70	.14	—	.02	—	1
2	—	—	—	.83	—	.11	—	.06	.01	—	.07	—	2
3	.01	—	—	.06	—	—	.89	.12	—	.44	.02	—	3
4	.13	.23	.16	—	—	—	.04	.02	.02	.28	—	.01	4
5	.21	—	.11	.27	—	.08	—	—	.17	.48	.12	—	5
6	—	—	.38	—	—	—	—	—	—	.12	.05	—	6
7	—	—	—	—	—	—	.22	.12	—	.14	.01	.04	7
8	.23	—	.16	.06	—	—	.31	.43	.07	.25	.19	.15	8
9	.34	—	.06	.03	.02	—	.04	.84	.04	.18	.33	—	9
10	—	—	.43	.20	.04	—	—	.11	—	.02	—	—	10
11	.16	—	.56	.27	—	—	—	.01	—	.45	.03	—	11
12	—	—	—	.01	.48	—	—	—	—	.56	.01	—	12
13	—	—	.11	.03	—	.01	.02	.09	.11	—	—	—	13
14	—	—	.12	.19	—	—	.22	.11	.01	.03	—	—	14
15	—	—	—	.31	—	—	.30	.02	—	.19	—	.12	15
16	—	.13	—	.09	.11	—	.10	—	—	.65	—	.68	16
17	.06	.01	—	—	.09	.07	.45	.09	.79	.28	—	—	17
18	.01	—	—	—	.02	.04	.23	.02	.40	—	—	—	18
19	.02	.40	.12	—	—	.02	—	—	.18	—	.01	—	19
20	—	.10	.05	—	.26	.04	—	.04	.08	—	.01	—	20
21	—	—	.19	—	—	.12	—	—	—	.07	.01	—	21
22	—	—	.03	—	—	.12	—	.07	—	.04	—	—	22
23	—	.16	.01	—	.07	—	—	.30	—	.02	—	.02	23
24	—	.07	—	—	—	.01	.03	.21	—	.28	.02	—	24
25	—	.01	—	—	—	—	.36	.09	.03	.21	.05	—	25
26	—	—	.06	—	.25	—	—	.71	.18	.04	.04	—	26
27	—	—	—	—	.85	.03	—	1.15	—	.13	—	—	27
28	—	—	.14	—	.09	3.90	—	.20	—	—	—	—	28
29	—	×	.03	—	.32	.09	.07	.08	—	.59	—	.17	29
30	.01	×	.16	—	—	—	1.20	.10	—	.06	—	—	30
31	—	×	.15	×	—	×	.04	.02	×	.05	×	.02	31
Total	1.18	1.12	3.20	2.53	2.60	4.64	4.52	5.71	2.23	5.56	.99	1.21	YEAR'S TOTAL 35.49
Rain Days.	10	9	20	13	12	13	16	25	14	24	16	8	180
	1.18	2.30	5.50	8.03	10.63	15.27	19.79	25.50	27.73	33.29	34.28	35.49	

2.19

W. 8,000, VIII 16

43
~~225~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Stockton House, Codford St. Mary
in the County of Wiltshire
by G. Knowles

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·09			·37			·71	·02	1
2	·01	·07		·26				·57			·07	·20	2
3		·08	·02	·12	·23			·17		·05	·05	·02	3
4		·03		·07				·05	·07		·77	·09	4
5		·01	·02	·04	·14			·18	·15	·28	·02	·03	5
6	·17	·50		·31				·01	·05	·07		·07	6
7	·01	·15		·18	·70			·02	·12	·16	·26	·05	7
8		·14		·01					·25	·15			8
9		·09		·35		·24	·58		·56	·09		·29	9
10	·02			·12			·20		·09	·34		·59	10
11					·02		1·33		·17	·05		·10	11
12		·08			·33		·12		·09			·02	12
13	·25				·20		·62		·65	·04		·06	13
14	·14		·03		·01	·05	·03		·17	·15		·18	14
15	1·36			·39	·03	·08	·14			·01		·24	15
16	·48		·01	·24		·04			·16		—	·33	16
17	·30			·36			·40	·03	·04			·26	17
18	·98					·70	·25		·33			·29	18
19	·05	·01	·14	·02			·14		·17	—		·12	19
20	·07	·14		·18		·02	·52		·24	·08			20
21	·18	·04				·01	·18		·55	·11	—	·09	21
22	·05	·01			·03		·41	—	·07	·12		·24	22
23	·18				·17	·06	·58				·05		23
24	·02	·24				·03	·22		·08		·04		24
25							·38	·54					25
26							·68		·04		·17	·15	26
27		·06	·03			·01	·03	·17	·09	·01	·11	·01	27
28		·02	·25	·02						·02	·41	·03	28
29			·03			—			1·24			·02	29
30		X	·41					·09			·06	·09	30
31		X	·06	X		X			X	·05	X		31
													YEAR'S TOTAL
Total	4·27	1·67	1·00	2·67	1·95	1·24	6·81	2·20	5·38	1·78	2·72	3·59	35·28
Rain Days.	16	16	10	15	11	10	18	11	22	17	12	25	183

W. 8,000, IX. 17.

82

Cor 82

1467
~~211~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Stockton House, Codford St. Mary
in the County of Wiltshire
by G. Knowles

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·54	·02	·11	·04	·14		·43		·07	·05	·02	1·47	1
2	·17				·03		·03		·24		·08	·07	2
3	1·03		·20		·02				·15		·01	·30	3
4	·27	·13	·51			·05		·05	·30		·01	·08	4
5		·36	·88		·04		·60		·12		·10	·12	5
6	·62	·03	·15		·21						·02	·25	6
7	·66		·49	·03							·01	·04	7
8	·29		·12	·01									8
9	·04		·04	·12					·01		·08		9
10	·07		·43	·05						·02	·01	·18	10
11	x		·20	·21	·15		·38					·01	11
12	x ·04		·06	·03		·03	·07			·11	·04		12
13	·06		·06	·52			·02					·13	13
14	·76	·07		·68			·05		·01			·12	14
15	·20	·03		·06						·02		·48	15
16	·11	·79						·03			·15		16
17		·20									·19	·03	17
18	—	·05	·56				·02	·02	·02		·10	·02	18
19	x ·36	·27	1·10			·15	·57	·25	·09		·14	·07	19
20	·39	·12	·11			·30	·01	·25				·09	20
21		·63	·02				·07		·01		·03	·10	21
22		·09					·11		·49		·01	·18	22
23										·15	·02	·21	23
24				·04		·11	·11			·63	·08	·29	24
25	·07	·10		·08		·02		·28		·01		·16	25
26	·04	·02	·13	·15				·26	·07		·01	·43	26
27	·14		·04	·47				·85				·05	27
28	·01		·52	·01				·68			·70	·43	28
29	·01							·08		·15	·01	·08	29
30			·03	·20		·13		·57		·02	·47	·60	30
31												·22	31
Total	5·88	2·91	5·76	2·70	·59	·79	2·47	3·32	1·58	1·16	2·29	6·21	YEAR'S TOTAL 35·66
Rain Days.	23	15	20	16	6	7	13	11	12	9	22	27	180

W. 6,500, VII. 18. W W C

263 1386

6A

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stockton

in the County of Wiltshire

by G. Knowles

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·01	·05	·21	·34								1
2	·15		·01	·11									2
3	·08	·10		·09									3
4	·01	·02	·03	·02									4
5			·08	·07	·10								5
6			·27	·01	·21								6
7	·07		·07	·30									7
8	·08	·05		·17	·05								8
9	·55	·11	·02	·11									9
10	·72	·41	·06	·18									10
11	·38		·12	·71	·27								11
12	·19	·08		·32	·02								12
13	·17	·05	·43	·10									13
14	·03	·03	·26	·72									14
15	·02	·08	·02	·40	·03								15
16		·01	·03	·26	·04								16
17	·01			·21	·28								17
18	·05		·01	·04	·14								18
19	·03	·01		·32	·23								19
20	·01	·16		·31	·01								20
21													21
22	·02			·06									22
23	·01												23
24	·06		·15										24
25	·05	·11	·13		·07								25
26	·21		·16	·01	·05								26
27	·40	·04	·11	·32	·02								27
28	·69		·04	·02	·06								28
29	·36		·11		·04								29
30	·07			·04	·04								30
31	·20		·16										31
TOTAL	4·70	1·27	2·32	5·11	2·00								YEAR'S TOTAL
Days with ·01 in. or more	27	15	21	25	18								

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

COLLINGBOURNE
KINGSTON
WILTSHIRE
1911 —— 1916

REG

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Collingbou
in the County of Wil
by Baldwin La

in.
nd 1 ft. " in.
Level 470·00 ft.

nce Direction

IMPORTANT NOTE.– result entered to the previous day. If an Obse l rule, he is earnestly requested to add the reading n the space provided for it at the end of this of rain, the selection and placing Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·24	·27	—	—	—	—	—	—	—	1
2	—	—	—	·04	—	—	—	—	—	·32	·33	—	2
3	—	—	—	—	—	—	—	·23	·10	—	·13	·08	3
4	—	·03	·09	—	—	—	—	—	—	—	·30	—	4
5	·05	—	—	—	—	—	—	·20	—	·25	·20	·41	5
6	·24	—	·10	—	—	—	—	—	—	—	·15	—	6
7	·05	—	—	—	—	—	—	—	—	—	·32	·60	7
8	·11	—	—	·01	—	—	—	—	—	—	·20	—	8
9	·08	—	·19	—	—	—	—	—	—	—	—	·03	9
10	·04	·11	·23	—	·22	—	—	—	—	—	—	·43 ·40	10
11	·44	—	·06	—	·06	—	—	—	—	—	·89	—	11
12	—	—	·74	—	—	—	—	—	—	—	·34	—	12
13	—	—	·01	—	—	—	—	—	·27	—	—	·81	13
14	—	·03	—	—	·03	—	—	—	—	—	—	—	14
15	—	·04	—	—	—	—	—	—	—	—	·30	·80	15
16	—	—	—	—	—	·15	—	—	—	—	·50	·28	16
17	—	·01	—	—	—	·10 ·05	—	—	—	—	—	·50	17
18	—	·18	·10	·04	—	·50	—	—	—	—	—	·34	18
19	—	—	—	—	—	·37	—	—	·15	—	·20	·25	19
20	—	—	·01	·07	—	·10	—	·01	·49	—	—	·55	20
21	—	·10	—	—	—	—	—	2·00	—	1·00	—	—	21
22	—	·04	·13	—	—	·30	—	—	—	·80	—	·24	22
23	—	·17	·03	—	—	—	—	—	·11	—	—	·29	23
24	—	·04	—	—	—	·23	—	·10		—	—	·14	24
25	—	·11	·03	·20	·01	·06	—	—	—	—	—	·06	25
26	—	·07	—	·21	·30	—	—	—	—	·32	—	·50	26
27	—	·37	·10	·09	—	—	—	—	— ?	—		·10	27
28	—	·44	—	·30	—	—	—	·15	—	—	·15	—	28
29	—		—	·20	—	·24	·09	—	—	·33	—	—	29
30	—		—	·01	·11	·11	—	·23		·16	—	—	30
31	—		—		—		—	—	—	·14		—	31
Total	1·01	1·74	1·84	1·41	1·00	1·41 1·71	·09	2·92	1·12 ~~·97~~	2·66 ~~3·92~~	4·01	6·88 6·81	TOTAL for year ~~26·70~~ ~~27·43~~
No. of Rain Days	7	14	14	11	7	7	1	7	4	8	13	18	111

26·32

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Collingbourne Kingston.

in the County of Wilts. 3

by Baldwin Latham.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 470·00 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·24	·27	–	–	–	–	–	–	–	1
2	–	–	–	·04	–	–	–	–	–	·32	·33	–	2
3	–	–	–	–	–	–	–	·23	·10	–	·13	·08	3
4	–	·03	·09	–	–	–	–	–	–	–	·30	–	4
5	·05	–	–	–	–	–	–	·20	–	·25	·20	·41	5
6	·24	–	·10	–	–	–	–	–	–	–	·15	–	6
7	·05	–	–	–	–	–	–	–	–	–	·32	·60	7
8	·11	–	–	·01	–	–	–	–	–	–	·20	–	8
9	·08	–	·19	–	–	–	–	–	–	–	–	·03	9
10	·04	·11	·23	–	·22	–	–	–	–	–	–	·43 ·40	10
11	·44	–	·06	–	·06	–	–	–	–	–	·89	–	11
12	–	–	·74	–	–	–	–	–	–	–	·34	–	12
13	–	–	·01	–	–	–	–	–	·27	–	–	·81	13
14	–	·03	–	–	·03	–	–	–	–	–	–	–	14
15	–	·04	–	–	–	–	–	–	–	–	·30	·80	15
16	–	–	–	–	–	·15	–	–	–	–	·50	·28	16
17	–	·01	–	–	–	·10	–	–	–	–	–	·50	17
18	–	·18	·10	·04	–	·05 ·50	–	–	–	–	–	·34	18
19	–	–	–	–	–	·37	–	–	·15	–	·20	·25	19
20	–	–	·01	·07	–	·10	–	·01	·49	–	–	·55	20
21	–	·10	–	–	–	–	–	2·00	–	1·60	–	–	21
22	–	·04	·13	–	–	·30	–	–	–	·80	–	·24	22
23	–	·17	·03	–	–	–	–	–	·11	–	–	·29	23
24	–	·04	–	–	–	·23	–	·10		–	–	·14	24
25	–	·11	·03	·20	·01	·06	–	–	–	–	–	·06	25
26	–	·07	–	·21	·30	–	–	–	–	·32	–	·50	26
27	–	·37	·10	·09	–	–	–	–	– ?	–	–	·10	27
28	–	·44	–	·30	–	–	–	·15	–	–	·15	–	28
29	–		–	·20	–	·24	·09	–		·33	–	–	29
30	–		–	·01	·11	·11	–	·23	–	·16	–	–	30
31	–		–		–		–	–		·14		–	31
Total	1·01	1·74	1·84	1·41	1·00	1·41 1·71	·09	2·92	1·12 ~~·97~~	2·66 ~~3·92~~	4·01	6·38 6·81	TOTAL for year 26·70 ~~27·13~~
No. of Rain Days	7	14	14	11	7	7	1	7	4	8	13	18	111

26·32

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

Ex. [illegible]

FORM A. BRITISH RAINFALL. 27 JAN 1913

Kep[illegible] at Collingbourne Kingston.

in the County of Wilts. 3

by Baldwin Latham.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 470·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	·10	"	"	"	"	·50	"	·64	"	·24	1
2	"	"	·38	"	"	·36	·37	·43	"	"	"	"	2
3	"	"	·07		"	·03	"	·33	"	"	"	"	3
4	·17	"	·86	"	·17	·48	"	·10	"	"	"	"	4
5	·20	"	"	"	"	"	"	·73	"	"	"	"	5
6	·60	·30	"	"	"	"	·28	·53	"	"	·26	·34	6
7	"	·50	"	"	·16	·50	"	"	"	"	"	"	7
8	·38	"	·50	"	"	"	"	"	"	"	"	"	8
9	"	"	"	"	"	"	"	"	"	"	"	·49	9
10	"	·40	"	"	"	·68	"	·33	"	"	·10	·18	10
11	"	·52	"	"	"	"	"	"	"	"	·20	·35	11
12	"	"	"	"	"	·24	"	"	"	"	·20	"	12
13	"	"	·31	"	"	"	"	·13	"	"	"	"	13
14	"	"	"	"	·43	"	"	·12	"	"	"	·64	14
15	"	"	·23	"	"	"	"	"	"	"	"	"	15
16	·28	"	"	"	"	"	"	"	"	·07	"	"	16
17	1·00	"	·36	"	"	·12	"	·79	"	"	·11	"	17
18	·50	"	·41	"	"	"	·10	·48	"	"	"	·17	18
19	·30	"	·16	"	"	"	"	·57	"	·10	"	"	19
20	"	·36	"	"	"	"	·35	·28	"	·25	"	"	20
21	"	"	·26	"	"	"	"	"	"	·22	"	"	21
22	·30	·31	"	"	"	"	"	·21	"	"	"	·01	22
23	·32	"	·46	"	"	"	"	·48	"	"	"	·22	23
24	·08	"	"	"	"	"	"	·10	"	"	·26	·25	24
25	"	"	"	"	"	·36	"	·50	"	"	·29	·59	25
26	"	"	"	"	"	"	·23	"	"	"	"	·25	26
27	"	"	"	"	"	"	·35	"	"	·78	"	·31	27
28	"	·06	"	"	"	·18	·05	·64	"	·43	·59	·35	28
29	"	"	"	"	"	·43	·03	·15	·93	·38	"	"	29
30	"		"	"	"	·90	"	"	·61	·22	"	"	30
31	"		·15		"		·01	·11		"		·12	31
Total	4·13 ✓	2·45 ✓	4·25 ✓	" ✓	·76 ✓	4·28 ✓	1·77 ✓	7·51 ✓	1·54 ✓	3·09 ✓	2·01 ✓	4·51 ✓	YEAR'S TOTAL ✓ 36·30 ✓
Rain Days.	11 ✓	7 ✓	13 ✓	" ✓	3 ✓	11 ✓	9 ✓	20 ✓	2 ✓	9 ✓	8 ✓	15 ✓	~~108~~ ✓

W. 7,500, XI. ·12

cnd 26.VII.12

✓

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL.

Kept at Collingbourne Kingston
in the County of Wiltshire
by (Mrs) Fanny Foote

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level 400 ft. about.

Time of Observation 9 - a m

Nearest Railway Station
Name Collingbourne Ducis
Distance 2 miles Direction dir. S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·24									1
2				·04	·27					·32	·33		2
3								·23	·10		·13	·08	3
4			·09	ft in ~~28·7~~ well							·30		4
5	·05	·03						·20		·25	·20	·41	5
6	·24		·10										6
7	·05			~~28·9~~							·15 ·32	·60	7
8	·11			·01							·20	·	8
9	·08		·19									·03	9
10	·04	·11	·23		·22							·43	10
11	·44		·06		·06						·89	·40	11
12			·74								·34		12
13			·01						·27			·81	13
14		·03			·03								14
15		·04									·30	·80	15
16						·15					·50	·28	16
17		·01				·10						·50	17
18		·18	·10	·04		·50						·34	18
19						·37			·15		·20	·25	19
20		·	·01	·07		·10		·01	·49			·55	20
21		·10						2 inches		1·06			21
22						·30				·80		·24	22
23		·17	·03						·11			·29	23
24		·04				·23		·10				·14	24
25		·11	·03	·20	·01	·06						·06	25
26		·07		·21	·30					·32		·50	26
27		·37	·10	·09								·10	27
28		·44		·30				·15			·15		28
29				·20		·24	·09			·33			29
30				·01	·11	·11		·23		·16			30
31			1·84							·14			31
Total	1·01	1·74	~~3·55~~	1·41 ~~1·20~~	1·00 ~~·70~~	1·71	·09	92 2·83	1·12 ~~1·03~~	2·66 ~~3·38~~	4·01 ~~3·69~~	6·81	TOTAL for year 26·32
No. of Rain Days													~~27·74~~

9,000, IX. '10.

Confirmed 19.10.15

EX [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-1 FEB 1915

Kept at Collingbourne-Kingston,

in the County of Wilts 3

by Baldwin Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 470·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	·26	-	-	·13	·15	1
2	-	-	-	·09	-	-	·17	·10	-	-	1·22	·06	2
3	-	-	·42	·10	-	-	·11	·03	-	-	-	-	3
4	-	-	-	·20	-	-	-	1·10	-	-	·62	·45	4
5	-	-	·16	·19	-	-	·20	-	-	-	-	·26	5
6	-	·21	-	·25	·14	-	·05	·32	-	-	·52	·27	6
7	-	·44	·20	-	·55	·33	·15	-	-	-	-	·45	7
8	·24	-	·85	·25	·12	·19	·10	·17	·05	-	-	·05	8
9	-	-	·50	·12	-	·04	-	-	·11	-	-	-	9
10	·29	-	-	-	·33	·48	-	-	·25	-	-	·07	10
11	-	·35	·45	·04	·12	·13	-	-	·15	-	-	·41	11
12	-	·20	·47	-	-	-	·45	-	·32	-	·12	·50	12
13	-	·46	-	-	-	-	·06	-	-	·12	·10	·42	13
14	-	-	·57	-	-	·16	·15	-	·11	·74	·15	·11	14
15	-	·30	-	-	-	-	-	-	-	-	·24	-	15
16	-	-	·19	-	-	-	·03	-	·36	-	-	-	16
17	-	·50	·22	-	-	-	-	-	-	-	-	·50	17
18	-	-	·07	-	-	-	-	-	-	-	-	·50	18
19	-	·30	·30	·25	-	-	·83	-	-	·11	·27	·26	19
20	-	-	·56	·04	-	·03	-	-	-	-	·06	·28	20
21	-	1·07	-	-	-	-	-	·21	·20	·33	-	-	21
22	-	-	·20	-	·37	·25	-	-	-	·91	-	-	22
23	-	·17	·08	-	·11	-	-	-	-	·30	-	·03	23
24	-	-	·01	-	·01	-	-	-	-	·12	·12	-	24
25	-	-	·07	-	·03	-	-	·43	-	·41	-	-	25
26	-	-	·10	-	-	-	-	·07	-	·09	-	·73	26
27	-	-	·12	-	-	-	-	-	-	-	-	·25	27
28	-	-	-	-	-	-	·09	-	-	·03	·18	·91	28
29	-	X	·17	-	-	-	-	-	-	-	·35	-	29
30	·31	X	·11	-	-	-	-	-	-	·22	·50	-	30
31	-	X	-	X	-	X	·16	-	X	·35	X	·21	31
Total	·84	4·00	5·82	1·53	1·78	1·61	2·55	2·69	1·55	3·73	4·58	6·87	YEAR'S TOTAL 37·55
Rain Days.	3	10	21	10	9	8	13	9	8	12	14	21	~~138~~

W. 8,000. X. 14.

1667

FORM A.
BRITISH RAINFALL.

1 - FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Collingbourne = Kingston

in the County of Wilts.

by Baldwin Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 470·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·35	·15	-	-	-	-	-	-	·14	·92	·42	1
2	-	-	·18	-	-	-	-	·91	-	-	·25	-	2
3	1·21	-	-	-	·04	-	·13	·35	-	·37	-	·34	3
4	·31	-	-	-	-	-	-	·01	-	·06	-	·24	4
5	·12	1·00	-	·15	-	-	-	·07	-	-	-	·34	5
6	-	·10	-	·50	-	-	·40	·15	-	-	-	·24	6
7	·34	·25	-	-	·04	-	·32	-	-	-	·06	·41	7
8	·05	·75	-	-	-	-	·15	-	-	-	·75	·25	8
9	·17	·03	-	-	-	-	-	·08	-	-	-	-	9
10	·20	-	-	-	-	-	-	-	-	-	-	·30	10
11	-	-	-	-	-	-	-	·15	-	-	·50	·15	11
12	-	-	-	·33	·42	-	-	1·01	-	·21	·27	-	12
13	-	-	-	-	1·00	-	-	-	-	-	-	-	13
14	-	-	-	-	-	-	-	·26	-	-	·15	·85	14
15	-	-	-	-	·11	-	·25	·03	-	-	-	·37	15
16	-	-	-	-	·25	-	·75	-	-	-	-	·21	16
17	-	-	-	-	1·41	-	·05	-	-	-	-	-	17
18	-	-	-	-	·21	-	-	-	-	-	·14	-	18
19	-	·30	-	-	-	-	·01	-	-	-	-	-	19
20	·12	·81	-	·03	-	-	·07	-	-	-	-	-	20
21	·25	-	-	-	·22	-	-	-	·79	-	-	·03	21
22	-	·50	·44	-	-	-	·75	-	-	-	-	·22	22
23	·23	-	·14	-	-	-	·25	-	-	·86	-	·30	23
24	-	·26	-	-	-	-	·41	-	-	-	-	·31	24
25	-	-	-	·04	-	-	·31	-	-	-	·36	·60	25
26	-	-	-	-	-	·03	·29	-	-	-	·41	·50	26
27	-	-	-	-	-	-	·35	-	-	·45	·26	·15	27
28	-	·25	-	-	-	-	-	-	·37	-	-	-	28
29	-	✕	-	-	-	·25	-	-	-	-	·46	·20	29
30	-	✕	-	-	-	·20	-	-	-	-	·47	·01	30
31	-	✕	-	✕	-	✕	·03	-	✕	·66	✕	·19	31
Total	3·61	4·60	·91	1·05	3·70	·48	4·52	3·02	1·16	2·75	5·00	6·63	YEAR'S TOTAL 37·43
Rain Days.	11	11	4	5	9	3	16	10	2	7	13	22	113

W. 8,000. X. 15.

1041

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at "The Schools" Collingbourne Kingston
in the County of Wilts
by Mrs Foote Per G. B. Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 470·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	30		20				12		03	11	·02		1
2		25	12			03			33	100	15		2
3		95	01		28				19	43	25		3
4					01	25			01	44	75		4
5						01				35	84		5
6		25			20	03	90				90		6
7			24				10				55	12	7
8					07		15				30	18	8
9					20								9
10													10
11		61			03				05				11
12	25	19		30	01								12
13	01	19		06	03			93					13
14		21			04			41		25			14
15		50						20					15
16						10		90					16
17	15					15		50		55			17
18				30				1·00					18
19		20	35										19
20			23	26								1·32	20
21			65	01	01							·50	21
22					25					21		42	22
23								22				21	23
24	10	80				15				31		26	24
25		100						49					25
26			01			20				50			26
27	01		1·00			03		01	33	41		20	27
28		20	32						07	26		·50	28
29		01	12							50	29	·30	29
30		X								39	29		30
31		X		X		X		1·00	X	21	X		31
Total	82	5·36	3·25	·93	1·13	95	1·27	5·66	1·01	5·92	4·25	4·01	YEAR'S TOTAL 34·56
Rain Days.	6	13	11	5	11	9	4	10	7	15	10	10	~~111~~

RE

CORSHAM

CROSSWAYS COTTAGE

WILTSHIRE.

1914 —— 1919

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Crossways ... am.

in the County of W ... Corsham

by Miss Swayne ... 5 in.

ove Ground one ft. — in.

Sea Level 338 ft.

IMPORTANT N ... d the result entered to the previous day. If an ... iversal rule, he is earnestly requested to add the r ... ear in the space provided for it at the end of ... ement of rain, the selection and plac ... British Rainfall Organization are given ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11	—	·01	—	·50	—	—	·16	·03	1
2				—	·01	—	·94	·12	—	—	·80	·53	2
3				·24	·21	—	~~·01~~	·24	—	—	·15	·65	3
4				·26	·17	—	·15	·21	—	—	·49	—	4
5				·52	·04	—	·38	·02	—	—	·12	·11	5
6				·20	·06	—	·03	·08	—	—	·02	·35	6
7				·22	·30	—	·41	[illegible]	—	—	—	·13	7
8				·02	·02	·51 ·51	·01	~~·03~~	·19	—	·01	—	8
9				·16	·12	·81 ·81	—	·05	·21	—	—	—	9
10				·12	[illegible]	—	—	—	·23	—	—	—	10
11				·03	·03	·22	·21	—	—	—	·06	·41	11
12				—	—	·01	—	—	·23	—	·06	·19	12
13				—	—	—	—	—	·24	—	·01	·58	13
14				—	—	—	—	—	·02	·70	·22	—	14
15	Gauge not	set up	·21	—	—	—	—	·56	·03	·03	·15	—	15
16			·04	—	—	—	—	·01	—	—	—	—	16
17			·20	—	—	—	—	—	·24	—	—	·64	17
18			·06	—	—	—	·30	—	—	—	—	·37	18
19			·48	—	—	—	·81	—	·05	—	·10	·08	19
20			·07	—	—	·03	—	—	—	—	—	·15	20
21			·01	—	—	·01	—	—	—	·18	·02	—	21
22			—	—	·07	·30	—	·03	—	·23	—	—	22
23			·15	—	·04	·02	·03	—	—	—	—	·03	23
24			·04	—	—	—	—	—	—	·39	·10	[illegible]	24
25			·22	—	—	—	—	·37	—	·36	—	·48	25
26			·07	—	—	—	·05	·03	—	·13	·32	·47	26
27			—	—	—	—	·02	—	—	—	—	·11	27
28			·38	—	·11	—	—	—	—	·06	·57	·98	28
29			·05	—	·05	—	—	—	—	·19	·29	·02	29
30		✕	·03	—	—	—	—	—	—	·15	·49	·75	30
31		✕	—	✕	·01	✕	—	—	✕	·22	✕	—	31
Total			~~2·01~~ imp	1·88	1·24	1·82 1·92	3·45 3·35	2·35	1·44	2·64	4·14	7·06	YEAR'S TOTAL ~~28·02~~ imp
Rain Days.			~~14~~	10	14	8 9	13	13	9	11	19	20	~~131~~

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Crossways Cottage Corsham
in the County of Wiltshire
by Miss Sprague Farebrother.

Lat. Long.
Time of Observation 9. am.
Nearest Railway Station Corsham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11	—	·01	—	·50	—	—	·16	·03	1
2				—	·01	—	·94	·12	—	—	·80	·53	2
3				·24	·21	—	~~·01~~	·24	—	—	·15	·65	3
4				·26	·17	—	·15	·21	—	—	·49	—	4
5				·52	·04	—	·38	·02	—	—	·12	·11	5
6				·20	·06	—	·03	·08	—	—	·02	·35	6
7				·22	·30	—	·41	[illegible]	—	—	—	·13	7
8				·02	·02	·51 ·51	·01	·03	·19	—	·01	—	8
9				·16	·12	·81 ·81	—	·05	·21	—	—	—	9
10				·12	[illegible]	—	—	—	·23	—	—	—	10
11				·03	·03	·22	·21	—	—	—	·06	·41	11
12				—	—	·01	—	—	·23	—	·06	·19	12
13				—	—	—	—	—	·24	—	·01	·58	13
14				—	—	—	—	—	·02	·70	·22	—	14
15	Gauge not	Set up	·21	—	—	—	—	·56	·03	·03	·15	—	15
16			·04	—	—	—	—	·01	—	—	—	—	16
17			·20	—	—	—	—	—	·24	—	—	·64	17
18			·06	—	—	—	·30	—	—	—	—	·37	18
19			·48	—	—	—	·81	—	·05	—	·10	·08	19
20			·07	—	—	·03	—	—	—	—	—	·15	20
21			·01	—	—	·01	—	—	—	·18	·02	—	21
22			—	—	·07	·30	—	·03	—	·23	—	—	22
23			·15	—	·04	·02	·03	—	—	—	—	·03	23
24			·04	—	—	—	—	—	—	·39	·10	[illegible]	24
25			·22	—	—	—	—	·37	—	·36	—	·48	25
26			·07	—	—	—	·05	·03	—	·13	·32	·47	26
27			—	—	—	—	·02	—	—	—	—	·11	27
28			·38	—	·11	—	—	—	—	·06	·57	·98	28
29			·05	—	·05	—	—	—	—	·19	·29	·02	29
30		X	·03	—	—	—	—	—	—	·15	·49	·75	30
31		X	—	X	·01	X	—	—	X	·22	X	—	31
Total			~~2·01~~ nup	1·88	1·24	~~1·82~~ 1·92	~~3·45~~ 3·35	2·35	1·44	2·64	4·14	7·06	YEAR'S TOTAL ~~28·02~~ nup
Rain Days.			~~14~~	10	14	~~8~~ 9	13	13	9	11	19	20	~~137~~

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Crossways Cottage Corsham
in the County of Wiltshire
by Miss Swayne Farebrother

Lat. 51½ Long. 2
Time of Observation 9. am.
Nearest Railway Station Corsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·17	—	—	·09	—	—	·50	·21	—	·02	·53	1
2	·52	·27	·29	·13	·01	—	—	·20	·01	·54	—	·21	2
3	·88	·05	·08	·05	·04	—	—	·08	—	·03	—	—	3
4	·06	·01	—	—	·01	—	·17	—	—	—	—	·70	4
5	·15	·63	—	—	·03	—	—	·19	—	—	—	·38	5
6	—	·05	—	·27	—	—	·67	·10	—	·15	—	·18	6
7	·72	·51	—	·09	·80	—	·18	—	—	—	·02	·23	7
8	·31	·36	—	·04	—	—	·15	·11	—	—	·35	—	8
9	·03	·03	—	—	—	—	—	·01	—	—	—	1·03	9
10	·17	—	·06	·18	—	—	—	·07	—	—	—	·08	10
11	·03	—	·21	·06	—	—	·01	·25	—	—	1·10	·02	11
12	·15	—	—	—	—	—	—	·77	—	—	·24	·01	12
13	·02	·73	—	—	1·50	—	—	·05	·19	—	·02	—	13
14	·18	—	—	—	—	—	·18	·26	—	—	—	·67	14
15	·31	—	—	—	·07	—	·32	·03	·03	—	·13	·07	15
16	—	·93	—	·14	1·22	—	·76	·23	—	—	—	·07	16
17	—	·40	·08	—	·79	—	—	·12	—	·03	—	·02	17
18	—	·36	—	—	—	—	—	—	—	—	·02	—	18
19	—	·03	—	—	·11	—	·44	—	—	—	—	—	19
20	·31	—	—	·05	·05	—	—	—	—	—	—	—	20
21	·08	—	—	—	·01	—	·43	—	—	·05	—	·21	21
22	·08	·50	·44	·02	—	—	·01	—	—	—	—	·19	22
23	—	·05	·23	—	—	—	·16	—	·29	2·85	—	—	23
24	—	—	·04	·08	—	—	·49	—	·48	·05	—	·80	24
25	—	—	·01	·02	—	·69	·27	—	—	—	—	·04	25
26	—	·09	—	—	—	·04	·14	—	—	—	—	·50	26
27	—	·05	—	—	—	·16	·17	—	—	·45	—	·02	27
28	—	·10	·02	—	—	—	·02	—	·69	·01	—	—	28
29	—	X	—	—	—	·34	—	·09	—	—	·09	·05	29
30	·20	X	—	—	—	·13	—	—	—	·47	—	·25	30
31	—	X	—	X	—	X	·03	·12	X	·69	X	32	31
Total	4·27	5·32	1·46	1·13	4·73	1·36	4·60	3·18	1·90	5·32	1·99	5·58	YEAR'S TOTAL 40·84
Rain Days.	18	19	10	12	13	5	18	17	7	11	9	23	162

W. 8,000. X. 15.

Exd DL

1609

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Crossways Cottage, Corsham
in the County of Wilts
by G. Swayne Farebrother

Lat. 51½ Long. 2
Time of Observation 9.0 A.M.
Nearest Railway Station Corsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·03	–	·10	·04	·41	–	·03	–	–	–	1
2	·95	·07	·05	–	·06	·02	·02	–	·01	1·34	–	–	2
3	·01	·86	·03	–	·17	–	–	–	·07	·34	·22	–	3
4	·21	·13	–	–	·10	·61	–	–	·12	·14	–	–	4
5	·02	·01	·03	–	·21	·19	–	–	–	·05	·64	–	5
6	–	·20	–	–	·16	·08	·62	–	–	·06	·23	–	6
7	·21	·21	·25	–	·04	–	–	–	–	·05	·38	·18	7
8	·03	·01	·04	–	·24	·50	–	–	–	–	·02	·18	8
9	–	–	·02	–	·11	·02	·07	–	–	·04	·01	·04	9
10	–	·50	–	·15	·03	·24	–	–	–	·05	·02	·04	10
11	·05	–	–	·14	·02	·05	–	–	–	·01	–	·04	11
12	·04	·12	·18	·02	·44	–	·15	·02	·03	·08	–	–	12
13	–	·53	·07	–	·01	–	–	·21	–	·01	–	–	13
14	–	·44	·04	·04	·15	–	·01	–	–	·03	·01	–	14
15	–	·36	·05	–	–	–	–	·44	–	·02	–	–	15
16	–	·04	–	·29	·03	–	·07	·75	–	–	–	–	16
17	·24	–	–	·04	–	–	–	·46	·45	·53	–	–	17
18	·02	·19	·05	·06	–	–	–	·01	·10	·09	·40	·18	18
19	·26	–	·25	·18	–	–	–	–	·04	–	·03	·03	19
20	·09	·04	–	·03	–	–	–	–	–	–	·07	1·34	20
21	·11	–	1·17	·01	·13	–	–	–	–	–	·02	–	21
22	·02	–	·02	·04	–	·02	–	–	–	·24	·02	·70	22
23	·04	·23	·01	·14	–	·03	–	·08	–	·17	·19	·02	23
24	–	·05	–	·02	·20	·07	–	·07	–	·37	·02	·33	24
25	–	·20	·16	–	·02	–	–	·29	–	·02	·20	·04	25
26	–	–	·05	–	–	·18	·19	·29	·11	·32	·01	–	26
27	·17	·28	·50	–	–	·07	·04	·14	·27	–	–	–	27
28	·01	·26	1.75	–	–	·01	–	–	·09	1·32	–	·49	28
29	–	·40	·01	–	–	·32	–	1·58	·05	·54	·01	·67	29
30	–	X	·01	–	–	–	–	–	·01	·62	–	·03	30
31	–	X	–	X	–	X	–	·05	X	·40	X	·09	31
Total	2·48	5.13	4.77	1.16	2.22	2.45	1.58	4.39	1.38	6.84	2.50	4.40	YEAR'S TOTAL 39.30
Rain Days.	17	21	22	13	18	16	9	13	13	24	18	16	210

W. 8,000, VIII. 16

1534

FORM A. BRITISH RAINFALL

7 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Crossways Cottage Corsham
in the County of Wiltshire
by Miss Swayne Farethother

Lat. 51½ Long. 2
Time of Observation 9·A.M. (Greenwich)
Nearest Railway Station Corsham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·14	—	·12	—	1·18	·07	—	·05	—	1
2	·03	—	·10	—	—	·23	—	·01	·01	—	·07	—	2
3	·09	—	—	·25	—	—	·41	·11	—	—	·02	—	3
4	—	—	·04	—	—	—	·07	·05	·03	1·12	—	—	4
5	·40	—	·10	·23	—	·10	—	·14	·11	·43	·13	—	5
6	·02	—	·42	—	—	—	—	—	—	·13	·16	—	6
7	—	—	—	·01	—	—	·08	—	—	·12	·02	·05	7
8	·71	—	—	·10	—	—	·40	·85	—	·44	·06	·07	8
9	—	—	—	·02	·12	—	·02	·81	·12	·04	·12	—	9
10	—	—	·59	·18	·02	—	—	·22	·02	·02	—	·01	10
11	·18	—	·46	·21	—	—	—	—	·02	·14	—	—	11
12	·06	—	·02	·02	·76	—	—	(~~·30~~)	—	·61	·03	·02	12
13	—	—	·21	—	—	·02	—	—	·10	·07	—	—	13
14	—	—	·13	·10	—	—	·01	·73	·01	·01	—	—	14
15	·01	—	—	—	—	—	·11	·05	—	—	—	—	15
16	·01	·13	—	·11	·05	—	·04	—	·02	·42	—	·44	16
17	—	—	·01	·13	·28	—	·40	·06	·59	·06	—	—	17
18	·02	·26	—	·01	·02	—	·53	·04	—	—	·02	—	18
19	—	·59	—	—	—	—	—	[illegible]	·46	—	·01	—	19
20	·01	—	·22	—	·45	·18	—	·01	·07	·01	·02	—	20
21	—	—	·22	—	—	·13	—	—	·02	·03	—	—	21
22	·01	—	·17	—	—	·22	—	·09	—	·10	—	—	22
23	—	—	·01	—	·09	—	—	·35	—	·03	·02	·02	23
24	—	·22	·01	—	—	·35	·03	·40	—	·20	·03	—	24
25	—	—	·04	—	—	—	—	·03	·05	·31	—	—	25
26	—	—	—	—	—	—	—	·68	·22	·13	·14	—	26
27	—	·04	—	—	1·28	—	—	—	—	·01	—	—	27
28	—	—	·08	—	·03	1·76	—	2·34	—	—	·02	·04	28
29	—	—	·11	—	·23	·35	—	·07	—	·60	·02	—	29
30	—	✕	—	—	—	—	—	·24	·02	·06	—	—	30
31	—	✕	·20	✕	—	✕	—	·10	✕	·04	✕	·17	31
Total	1·56	1·24	3·14	1·51	3·33	3·46	2·10	2·86	1·94	5·13	·94	·82	YEAR'S TOTAL 34·03
Rain Days.	18	5	19	13	11	10	11	23	17	24	17	8	171

W. 8,000, IX. 17.

~~H~~ · M.&S. cnd for auth

19

FORM A. BRITISH RAINFALL. 8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Crossways Cottage, Corsham

in the County of Wiltshire

by G. Swayne Fairbrother

Lat. 51½ Long. 2

Time of Observation 9.0 A.M.

Nearest Railway Station Corsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	·10	—	—	—	—	·04	·33	·01	1
2	—	·03	—	·08	—	—	—	·65	·01	—	·04	·23	2
3	—	—	·01	·36	·13	—	—	·85	·09	·06	—	·02	3
4	—	—	—	·03	—	—	—	·07	·02	—	·95	·05	4
5	—	·08	—	·26	·21	—	—	·20	·02	·13	·05	·04	5
6	·09	—	—	·01	·64	—	—	·01	·01	·14	·02	·08	6
7	—	·49	—	·06	—	—	—	—	·23	·26	·25	·02	7
8	—	—	—	—	—	—	—	—	·41	—	·02	·01	8
9	—	·23	—	·32	—	·27	·56	—	·60	·39	·01	·21	9
10	·02	·01	—	·11	—	—	·33	—	·20	·17	—	·32	10
11	·04	·16	—	·03	—	—	·22	—	·93	—	·05	·25	11
12	—	·28	·04	—	·38	—	—	—	—	—	—	·04	12
13	·12	·01	—	—	—	—	—	—	·42	·09	—	·42	13
14	— ×	—	·02	—	—	·05	·60	—	·38	·13	—	·10	14
15	— ×	—	—	—	·04	·65	·35	—	—	·04	—	·39	15
16	— ×	—	·06	1·19	—	·02	·02	—	·15	·01	·02	·03	16
17	2·15 ×	—	·02	·08	·16	—	·32	·09	·03	·03	—	—	17
18	·75	—	—	—	—	·50	·30	·02	·15	·01	—	·09	18
19	·06	—	·15	·08	—	—	·05	·01	·19	·05	—	·06	19
20	—	·18	—	·21	—	·01	·18	—	·30	·03	·01	·01	20
21	·08	·03	—	·02	—	·03	—	—	·98	·05	·01	·13	21
22	·03	—	—	—	—	—	—	—	·12	·04	·01	·36	22
23	·18	—	—	—	·40	·10	·98	·06	—	—	·03	—	23
24	·02	·12	—	—	—	·01	·04	—	·13	—	·04	·02	24
25	—	—	—	—	—	—	—	·84	—	·02	—	·01	25
26	—	—	—	—	—	—	·49	—	·09	·03	·20	·20	26
27	—	—	—	—	—	—	—	·29	·13	—	·18	·05	27
28	—	·05	·30	—	—	—	—	—	—	—	·20	·15	28
29	—		·36	—	—	—	—	—	1·18	—	·02	·03	29
30	—	X	·10	—	—	—	—	·02	·01	·06	·10	·10	30
31	—	X	·11	X	—	X	—	—	X	·09	X	—	31
Total	3·54	~~1·57~~ 1·67	1·17	~~2·90~~ 2·91	2·06	1·64	4·44	3·11	~~6·77~~ 6·78	1·87	~~2·44~~ 2·54	3·43	YEAR'S TOTAL ~~34·94~~ 35·16
Rain Days.	(14)	12	10	15	8	9	13	12	24	21	20	28	~~182~~ 186

Red ink figures from MS.

1442

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

18 JAN 20

Kept at Crossways Cottage, Corsham

in the County of Wilts

by G. Swayne Farebrother (Miss)

Lat. 51½ Long. 2

Time of Observation 9 0 AM (Greenwich time)

Nearest Railway Station Corsham, 1¼ mls South.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	·02	·06	·02			·18	—				1·05	1
2	·11	—	·02	—			·12	—					2
3	—	—	·26	—			·01	—				·96	3
4	1·76	—	·50	—			·05	·02				·25	4
5	—	·55	·50	—			—	—				·20	5
6	·24	·06	·12	—			—	—				·04	6
7	·20	—	·35	·10			—	—				·02	7
8	·12	—	·14	·03		·57	—	—				—	8
9	·06	—	·07	·19			—	—				—	9
10	·05	—	·21				—	—				·12	10
11	·03	—	·17				·40	—				—	11
12	·02	—	·08				·02	—				·17	12
13	·05	—	·02				—	—				·03	13
14	·55	·03	—				·07	—				—	14
15	·15	—	—			—	·02	—				·32	15
16	·08	·91	—			—	—	—				—	16
17	·01	·32	—			—	—	—				·03	17
18	·06	·01	·68			—	·12	·43				·04	18
19	·50	·32	—			—	1·00	·29				·03	19
20	·25	·12	1·34			·34	—	·15				·26	20
21	·01	·55	·01	1·81		—	·15	·03				·02	21
22	—	·08	·02			·01	·03	—				·19	22
23	—	—	—			—	—	·01				·03	23
24	—	—	—			·05	·28	—				·54	24
25	·16	·01	—			—	—	·55				—	25
26	·09	—	·17			—	—	·06				·40	26
27	·09	—	—			·02	—	1·11				—	27
28	·01	—	·24			—	—	—				·50	28
29	·02		—			—	—	—				—	29
30	—		—			·15	—	—				·44	30
31	·02		—				·03	—				·15	31
TOTAL	5·08	2·78	4·96	2·15	·85	1·14	2·48	2·65	1·96	1·20	1·85	5·79	YEAR'S TOTAL 33·09
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGIS

DEVIZES
WILTS COUNTY ASYLUM
WILTS
1911 – 1919

Kept at Wilts Coun
in the County of Wil
by I. Ireland

d 2 ft. 3 in.
evel 385 ft.
Devizes
ce 1¼ Direction N.W.

IMPORTANT NOTE.—I … result entered to the previous day. If an Observe… rule, he is earnestly requested to add the reading … the space provided for it at the end of this pa… of rain, the selection and placing of … Rainfall Organization are given in "R… ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	·10			·17	·22			·08			·20		2
3	·01				·21			·04		·11	·07	·27	3
4				·04							·10	·48	4
5								·51		·05	·32		5
6	·21		·18								·08	·52	6
7											·43		7
8											·09	·37	8
9	·12		·06										9
10	·06	·04	·16		·17						·03	·23	10
11	·04		·26		·14						·50	·17	11
12	·31		·61		·10						·44	·23	12
13									·25		·01	·40	13
14		·01										·53	14
15											·24	·03	15
16			·06			·19					·48	·21	16
17					·03	·04					·05	·38	17
18		·27				·55						·32	18
19				·03		·40			·11	·15	·03	·27	19
20	·01	·02	·13					·11	·06	·11		·44	20
21		·19	·03	·03					·13	·25		·19	21
22	·04		·36						·06	·10		·57	22
23	·02	·31	·20	·02		·03	·01			·05		·23	23
24		·08				·10		·05		·37			24
25	·03	·27		·12		·36			·02			·47	25
26		·06		·15		·03				·09	·01	·28	26
27		·29	·26	·09				·03	·12			·18	27
28		·48		·20				·16			·14		28
29				·18		·20				·19			29
30										·10			30
31										·20			31
Total	·95	2·12	2·31	1·03	·87	1·90	·01	·98	·75	1·77	3·22	6·77	TOTAL for year 22·68
No. of Rain Days.	11	11	11	10	6	9	1	7	7	12	17	21	123

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGIS

Kept at Wilts County Asylum

in the County of Wilts 1

by I. Ireland Bowes

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. 3 in.
" " " Sea Level 385 ft.

Time of Observation 9 am

Nearest Railway Station
Name Devizes
Distance 1¼ Direction NW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·10			·17	·22			·08			·20		2
3	·01				·21			·04		·11	·07	·27	3
4				·04							·10	·48	4
5								·51		·05	·32		5
6	·21		·18								·08	·52	6
7											·43		7
8											·09	·37	8
9	·12		·06										9
10	·06	·~~0~~14	·16		·17						·03	·23	10
11	·04		·26		·14						·50	·17	11
12	·31		·61		·10						·44	·23	12
13									·25		·01	·40	13
14		·01										·53	14
15											·24	·03	15
16			·06			·19					·48	·21	16
17					·03	·04					·05	·38	17
18		·27				·55						·32	18
19				·03		·40			·11	·15	·03	·27	19
20	·01	·02	·13					·11	·06	·11		·44	20
21		·19	·03	·03					·13	·25		·19	21
22	·04		·36						·06	·10		·57	22
23	·02	·31	·20	·02		·03	·01			·05		·23	23
24		·08				·10		·05		·37			24
25	·03	·27		·12		·36			·02			·47	25
26		·06		·15		·03				·09	·01	·28	26
27		·29	·26	·09				·03	·12			·18	27
28		·48		·20				·16			·14		28
29				·18		·20				·19			29
30										·10			30
31										·20			31
Total	·95	2·12	2·31	1·03	·87	1·90	·01	·98	·75	1·77	3·22	6·77	TOTAL for year 22·68
No. of Rain Days.	11	11	11	10	6	9	1	7	7	12	17	21	123

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL.
FORM A.

8- JAN 19

Kept at Wilts County Asylum., Devizes.,
in the County of Wiltshire.
by J, Ireland Bowes.

Lat. 3500 Long. 80
Time of Observation 9.a.m.
Nearest Railway Station Devizes.G.W.R.1¼mls
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.10			.30	.59		.09	.73		.18	1
2			.22			.15	.42			.03		.06	2
3			.09			.23		.29	.03		.03		3
4	.18		.81		.31	.30		.02			.25		4
5	.30		.19		.05	.36		.43				.07	5
6	.38	.10	.09		.15			.64				.04	6
7		.16	.04		.07	.46		.09				.04	7
8	.27		.43			.10			.05			.06	8
9	.03		.24	.03		.13		.04				.20	9
10		.05	.02								.08	.16	10
11	.10	.28										.34	11
12	.06	.53	.08				.03				.03	.06	12
13	.03	.07	.05					.06				.03	13
14	.21	~~.23~~	.23	~~.36~~	.36			.04		.05		.06	14
15	.04	.10	.02	~~.1~~	.19			.01		.03		.47	15
16	.55		.10			.38		.05					16
17	.50) &Snow.		.04			.10		.46				.19	17
18	.20)		.55					.05				.04	18
19	.04	.15	.21				29 .22	.13		.06	.04	.04	19
20			.29		.39		.05	.62		.45			20
21	.02	.06	.29					.03		.24			21
22	.47	.18	.03		.03	.10	.05	.15		.06		.10	22
23	.19 119	.33						.51		.07		.30	23
24	.08	.01	.43			.23		.10			.20		24
25						.09		.48		.03	.36	.78	25
26		.02					.10	.25		.06	.42	.17	26
27						.10				1.05	.45	.33	27
28		.08				.02		.21		.43		.10	28
29		.04				.22	.22	.02	1.06	.19		.60	29
30							.19		.25	.34			30
31						.18	.30			.03		.05	31
Total	3.65	2.16	4.55	.03	1.55	3.45	2.24	4.68	1.48	3.85	1.86	4.47	YEAR'S TOTAL 33.97
Rain Days.	18	15	22	1	8	17	10	22	5	16	9	24	167

W. 7,500, XI. ·12

33.97.

✓ cord. by own stats 16.III.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Wilts County Asylum. Devizes.

in the County of Wiltshire.

by J. Ireland Bowes.

Lat. 3500 Long. 80

Time of Observation 9 a.m.

Nearest Railway Station 1¼ miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.25	.15									.19	1
2		.10							.48	:10	.12		2
3	.03				.49						.14	.16	3
4	7° .07			.05	.55				1.28	.42	.02	.10	4
5		.03				.22	.06		.19		.03	.10	5
6					.28	.05	.49			.04	.19	.55	6
7	.02	.24			.24		.24			.48	.14	.04	7
8					.28								8
9		.22	.03		.19		.03	.03	.22		.03	.07	9
10	.10		.10	.05	.25			.02		.19	.41		10
11	.80			.24	.10						.58		11
12			.03		.18					.17	.16		12
13								.06	.26		.17		13
14	.11			.05	.08			.04		.08	.09		14
15		.10		.50			.35		.13				15
16	.33		.95	.11							.09		16
17	.03					.16		.48					17
18	.04		.15	.09			.03		.02		.03		18
19	.76					.04	.10		.54				19
20	.07		.08	.04						.24	.04		20
21				.08	.12		.03				.38		21
22	.39		.17						.37				22
23						.12					.04	.31	23
24				.11				.05					24
25		.20		.12									25
26		.05		.44				.32		.09		.19	26
27			.17	.24						.11			27
28	.18		.10	.28						.37			28
29	.04		.39	.58	.03			.03		.17			29
30	.49									.26	.04		30
31			.04					.27					31
Total	4.12 ✓	1.19	2.36	2.98	2.79	.59	1.33	1.30	3.49	2.72	2.70	1.71	YEAR'S TOTAL 27.28 ✓
Rain Days.	16	8	12	15	12	5	8	9	9	13	18	9	134 ✓

W.7,000, XI. 13

Ex JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Wilts County Asylum, Devizes
in the County of Wilts
by Sydney J Cole M.D.

Lat. 3500 Long. 80
Time of Observation 9 a.m.
Nearest Railway Station Devizes G.W.R. 1¼
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03					·50			·17	·02	1
2				·05			·73				1·17	·22	2
3				·23	·20		·42	·47				·03	3
4	·11		·16		·04		·04	·93			·43	·34	4
5			·07	·53	·06		·25	·39			·46	·08	5
6		·11	·08	·20	·03	·01	·01	·06			·10	·26	6
7		·17	·11	·14	·31		·26	·03				·24	7
8		·23	·84		·05	·32	·19	·05	·05			·04	8
9	·03		·45	·20	·05	·70		·08	·10				9
10		·19		·05	·11				·24				10
11		·10	·26		·06	·22	·30				·09	·50	11
12		·11	·12						·44			·23	12
13		·24	·36						·12	·01	·08	·29	13
14		·26	·35				·24	·07	·04	·52	·27	·01	14
15		·03	·18					·29		·02	·06		15
16									·14				16
17												·44	17
18			·07				·12					·56	18
19			·16 + snow				1·22		·05		·15	·14	19
20		·10	·55			·12						·26	20
21		·30				·05		·02		·20	·02		21
22		·73	·03		·15	·16	·02	·01		·45			22
23		·09	·10		·15		·02			·30		snow	23
24		·09			·02		·03			·22	·08		24
25		·03	·19				·01	·20		·28	·01	·25	25
26			·03				·02	·10		·10	·21	·50	26
27	·06										·05	·14	27
28					·02		·05				·32	·54 + snow	28
29	·11		·20		·03					·23	·19	·02	29
30		X								·14	·37	·77	30
31		X		X	·01	X	·07		X	·36	X	·05	31
Total	·31	2·78	4·34	1·40	1·29	1·58	4·00	3·20	1·18	2·83	4·23	5·93	YEAR'S TOTAL 33·07
Rain Days.	4	15	20	~~8~~ 7	15	7	18	14	8	12	18	23	~~162~~ 161

W. 8,000. X. 14.

Ed Lat.

1634

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4. JAN 1916

Kept at Wilts County Asylum, Devizes

in the County of Wilts

by Sydney J Cole.

Lat. 3500 Long. 80

Time of Observation 9 am.

Nearest Railway Station Devizes GWR. 1¼ m.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·70	·12			·03			·13	·34	·18	·03	·09	1
2	·49	·21	·21	·08		·02		·55	·01	·24		·28	2
3	1·07 } & Snow	·02	·07	·07			·06	·38				·35	3
4	·04							·03				·30	4
5	·05	·90		·06				·15				·21	5
6	·37	·12		·32			·48	·06				·03	6
7	·26	·39		·03			·20	·04				·32	7
8	·78	·39					·11	·10					8
9	·03	·04		·12				·02			·24	·71	9
10	·08		·06					·03		·02		·08	10
11	·01		·19	·09	·02			·08			·73		11
12	·11	·38		·15	·56			·08		·01	·33	Snow	12
13	·03	·59			·69			·11	·15				13
14	·05						·28	·28				·50	14
15	·20			·03	·10		·04	·02	·05	·02	·14	·11	15
16		·74			·19		·83	·22				·06	16
17		·42	·01		1·36			·03					17
18		·23	·02		·06								18
19					·04		·24						19
20	·14			·06	·05					·06		·07	20
21	Snow	·13					·05			·12		·16	21
22	·06	Snow	·46	·02			·37					·19	22
23		Snow	·22				·37		·07	·37		·22	23
24			·02	·11			·24		·41	1·14		·45	24
25						·27	·21					·25	25
26		·08				·05	·06		·09			·48	26
27		·06				·97	·33			·27			27
28		·06				·02			·74	·03			28
29						·10		·07			·06	·05	29
30	·12	✗		·01		·57				·52	·21	·14	30
31		✗		✗		✗		·07	✗	·47	✗	·26	31
Total	3·99	4·88	1·26	1·15	3·10	2·00	3·87	2·45	1·86	3·45	1·74	5·31	YEAR'S TOTAL 35·06
Rain Days.	18	14	9	13	10	7	15	19	8	13	7	22	158

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at The Wilts County Asylum, Devizes
in the County of Wiltshire
by Dr Sydney J Cole

Lat. 3500 Long. 80
Time of Observation 9am Greenwich
Nearest Railway Station Devizes. GWR. 1¼
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	—	—	—	·09	·07	·02	—	·09	·19	·78	—	1
2	·19	·05	—	—	·07	—	—	—	·01	1·04	·08	—	2
3	—	·87	—	—	·03	·08	—	—	·03	·26	·21	—	3
4	·14	·22	—	—	·08	·27	—	—	·17	·22	·8	—	4
5	·01	—	Snow	—	·11	—	—	—	—	·03	·21	—	5
6	·02	·08	Snow	—	—	·1	·57	—	—	·02	·69	—	6
7	·09	·04	·12 + Snow	—	·01	—	—	—	—	·05	·23	·21	7
8	·01	—	Snow	—	·1	·16	—	—	—	—	—	·1	8
9	—	—	—	—	·23	·1	·02	—	—	·07	·01	—	9
10	—	·46	—	·06	·03	·31	·11	—	—	—	·01	·04	10
11	·06	·02	·1	·04	·01	·26	—	—	—	—	—	·07 + Snow	11
12	·03	·04	—	·03	·23	·1	·1	—	—	·01	—	—	12
13	—	·25	·16	—	—	—	—	·28	—	—	—	—	13
14	—	·34	—	·01	·06	—	—	·17	—	—	—	—	14
15	·01	·16	·06	·04	—	—	—	·3	—	·03	—	—	15
16	·01	·01	·04	·2	·02	—	·09	·15	—	—	—	—	16
17	·08	·21	—	—	—	—	—	·17	·35	·38	Snow	—	17
18	—	·02	·05	·08	—	—	—	—	·11	·04	Snow	Snow	18
19	·1	—	·25	·07	—	—	—	—	·04	—	Snow	—	19
20	·15	—	·5	—	—	—	—	—	—	—	·05	·95	20
21	·04	·02	·56	—	·05	—	—	—	—	—	—	·40 + Snow	21
22	·01	Snow	Snow	·01	·03	·02	—	—	—	·24	·01	·43	22
23	·01	Snow	—	·1	—	·02	—	·14	—	·08	·15	·06	23
24	—	Snow	—	·02	·13	·13	—	·04	—	·34	·04	—	24
25	—	Snow	·1	—	—	—	—	·36	·02	·01	·01	·35	25
26	·02	Snow	·1 + Snow	—	—	·27	—	·4	·02	·47	—	—	26
27	·06	Snow	1·06 + Snow	—	—	·2	—	·2	·24	·27	—	—	27
28	—	Snow	·04 + Snow	—	—	·13	—	·06	—	·24	—	·22	28
29	—	·38	·05	—	—	·26	—	·96	·07	·58	—	·32	29
30	—	╳	—	—	—	—	—	·02	—	·35	—	—	30
31	—	╳	—	╳	—	╳	—	—	╳	·06	╳	·08	31
Total	1·15	3·17	3·19	0·66	1·28	2·48	·91	3·25	1·15	4·98	3·28	3·23	YEAR'S TOTAL 28·73
Rain Days.	19	16	14	11	16	16	6	13	11	22	14	12	170

W. 8,000, VIII. 16

1533

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wilts County Asylum, Devizes
in the County of Wilts
by Dr. Sydney J. Cole

Lat. 35·00 Long. 80
Time of Observation 9 am Greenwich m.
Nearest Railway Station Devizes G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Snow	·13	Snow		·03		·92	·12		·03		1
2		Snow	·01	Snow				·03			·14		2
3	·02			Snow			·76	·19		·52			3
4		Snow	Snow				·07			·28		·01	4
5	·28		·07			·09		·07	·05	·36	·08		5
6			·56								·09		6
7	·13		Snow					·12		·34			7
8	·27 + Snow		Snow	·21			·50	·33		·28	·06	·16	8
9	Snow		·13 + Snow	Snow	·03		·01	·16	·14	·06	·04		9
10	·12 + Snow		·28	·17 + Snow	·04			·21		·04			10
11	·07	Sleet	·69	·10 + Snow Sleet & Hail!				·02		·07	·02		11
12	·07 + snow				·3			·09		·57	·01		12
13			·08	·02		·01		·12	·06	·07			13
14			·03	·20				·02	·01	·03			14
15							·55	·21		·04			15
16	Snow	·12		·07	·06		·01			·66		·18 + snow	16
17	Snow			·11	·27		·36	·08	·32	·24			17
18		·03				·01	·22		·40				18
19		·34	·04 + Snow			·03			·11				19
20		·06	·11 + Snow		·42	·02							20
21			Snow		~~·06~~	·02 ~~·21~~ }		·06		·03			21
22			Snow			·21		·04		·10			22
23		·12			·06			·30		·03			23
24		·06				·09	·07	·08		·17			24
25		·04	·08				·44		·02	·37			25
26			Snow		·10			·42	·18	·15	·04		26
27					·90	·02		·95					27
28			·06			1·32		·37					28
29			·08 + Snow }		·13	·21	·06	·05		·40			29
30	Snow	X	·05 + Snow }				·52	·13		·13		·04	30
31	Snow	X	Snow	X		X	·02	·01	X		X	Snow	31
Total	0·96	0·77	2·40	·88	2·31	2·06	3·59	4·98	1·41	4·94	·51	·39	YEAR'S TOTAL 25·20
Rain Days.	7.	7.	15.	7.	10.	12.	13.	24.	10.	22.	9.	4	140

W. 8,000, IX. 17.

1.74

indep S 17

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Wilts County Asylum, Devizes
in the County of County of Wilts
by Dr. Sydney J. Cole

Lat. 3500 Long. 80
Time of Observation 9 am Greenwich
Nearest Railway Station Devizes GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1.	—	—	Snow	·09	·04	—	—	·13	—	·05	·44	·07	1.
2	—	—	—	·12	—	—	—	·32	—	—	—	·14	2
3	—	·04	·03	·15	·21	—	—	—	·04	·02	·09	—	3
4	—	·03	—	·03	—	—	—	—	·04	—	1·02	·06	4
~~4~~													~~4~~
5	—	·02	—	·04	·27	—	—	·33	·35	—	—	·03	5
6	·09	·07	—	—	—	·01	—	—	—	·03	—	·06	6
7	Snow	·11	—	·12	·56	—	—	—	—	·25	·21	—	7
8	Snow	—	—	—	—	—	—	—	·85	·15	—	·02	8
9	—	·12	—	·13	—	·21	·65	—	·42	·12	—	·15	9
10	—	—	—	·16	—	—	·56	—	·13	·19	—	·34	10
11	·01	·05	—	—	—	—	·54	—	·20	·06	·03	·15	11
12	—	·09	—	—	·30	—	·14	—	·04	—	—	·01	12
13	(4·00)	—	—	—	—	·02	·43	—	·40	·02	—	·11	13
14	·13	—	—	—	—	·10	·24	—	—	·11	—	—	14
15	~~·15~~ + Snow (1·65)	—	—	·69 + Snow	·01	—	·23	—	·19	·01	—	·29	15
16	Snow	—	—	·40 + Snow	—	·44	—	—	·09	·02	—	·10	16
17	·13	—	·04	·08	—	—	·33	—	·02	·01	—	·20	17
18	(·64)	—	—	—	—	·40	·08	·07	·16	—	—	·16	18
19	—	·01	·07	·05 + Snow	—	—	·21	·02	·21	—	—	·04	19
20	·06	·08	—	·26	—	—	·78	—	·09	·06	—	—	20
21	·08	·01	—	·02	—	—	·03	—	—	·05	—	—	21
22	·03	—	—	—	·04	—	·33	—	·73	·13	—	·27	22
23	·08	—	—	—	·18	·04	·45	·03	—	—	—	·01	23
24	—	·12	—	—	—	·02	—	—	·12	—	·17	—	24
25	—	—	—	·05	—	—	·14	·65	—	·01	·01	—	25
26	—	—	~~·02~~	—	—	—	·26	—	·08	—	·06	·10	26
27	—	—	·02	—	—	—	—	·13	·12	—	·15	·02	27
28	—	Snow	—	—	—	—	—	—	—	—	·21	—	28
29	—	—	·19	—	—	—	—	—	1·28	—	·01	·08	29
30	—	✕	—	—	—	—	—	·05	—	·02	—	·08	30
31	—	✕	·12	✕	—	✕	—	—	✕	—	✕	—	31
Total	(3·00) ~~·90~~	·75	·47	2·39	1·61	1·24	5·40	1·73	5·56	1·31	2·40	2·49	YEAR'S TOTAL (28·35) ~~26·75~~
Rain Days.	~~10~~ 12	12	6	15	8	8	16	9	20	18	11	22	~~155~~ 157

2·40

W. 6,500, VII. 18. W W C

4 RR 1440

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wilts County Asylum, Devizes
in the County of Wiltshire.
by Dr Sydney J. Cole.

Lat. 3500 N. Long. 80.
Time of Observation 9 am Greenwich
Nearest Railway Station Devizes (G.W.R)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	Snow	·04	·03	·13		·33			·04		1·06	1
2	~~·05~~						·03		·20.	·03	·05.	·14	2
3	·47 & snow		·19	·49	·03.				·22			·29	3
4	·24		·75	·75		·05	·~~05~~ 12	·03	·25			·03	4
5		·26 & snow.	·64		·07				·34.		·07	·15	5
6	·36		·06		·36								6
7	·42.		·27									·10	7
8	·26			·09									8
9	~~·38~~		·20			·01.							9
10	·08		·12	·17.						·02.		·11	10
11	~~1·03~~.		·25	·06	·09.		·40.					·02	11
12	·03		·05	·19.		·14.				·13		·04	12
13	~~·20~~.		·02										13
14	·31.	·06.		·52			·07		·10.	·01.		·05	14
15	·15			·43								·80	15
16	·05	·63.		·05							·15 & snow		16
17						·03.					·22	·02	17
18	~~·06~~.	·11 & snow	·38 & snow.				·15	·12	·02		·07	·01.	18
19	·29 ~~·06~~	·09 & snow.	·74 & snow			·09.	·50.	·28	·14.		·15	·05	19
20	·23.	·12.	·55 & snow.			·35	·16.	·26					20
21		·04.					·04		·05		·02	·11	21
22		·37.				·03	·18.		·09			·10	22
23		·13.							·01.	·22.	·06.	·02	23
24						·07.	·11.			·81.	·07		24
25								·53				·48	25
26	·21		·12					·09	·10.			·27	26
27	Snow			·43 & snow.				·53					27
28	Sleet							·48			·27 & snow	·39	28
29				·01.				·09		·09.		·02	29
30		☒	·02.	·26.		·20.		·50		·02.	·67.	·40	30
31	Snow	☒		☒		☒			☒		☒	·11.	31
TOTAL	3·36	1·81	4·40	2·24	·68	·97	2·09	2·91	1·52	1·37	1·80	4·77	YEAR'S TOTAL 27·92
Days with ·01 in. or more	14.	9.	16	11.	5.	9	11.	10.	11.	9	11	23	139.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made ✓

DEVIZES

SOUTHBROOM HOUSE

WILTSHIRE

1912-1913, 1920

FORM A.
BRITISH RAINFALL.
6 JAN 1913

REGIS

Kept at Southbroom

in the County of Wilts

by R H Caird

.........in.

ound about 1 ft. — in.

Level 430 ft.

IMPORTANT NOTE.- ... result entered to the previous day. If an Obser... l rule, he is earnestly requested to add the reading ... the space provided for it at the end of this p... of rain, the selection and placing of ... Rainfall Organization are given in " ... cation to Dr. H. R. MILL, 62, Camden

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			05		01	36	69		07	75		17	1
2		.02	28	01		14	52			02	01		2
3			06			23	02	35	06		02	09	3
4	.13		73		34	33		03			25	07	4
5	.22	.05	18		04	41		50			02		5
6	.42	10	11		13		01	66				08	6
7	.02	14	04		08	43		10				06	7
8	.25	21	42	01	01	04		04	10			12	8
9	.05	03	31	04		20	01	03				26	9
10		06	01			01		15	02		08	20	10
11	.10	07	01			02					01	27	11
12	.07	48	08	01			05					08	12
13		05	02				01	07			01	07	13
14	.25	01	26		33			06		05		03	14
15	.04	15	01		25	43		01				67	15
16	.45		09					05		05	02	01	16
17	1.65		06			11		52			03	03	17
18	.22		50					07		08	01	16	18
19	.03	15	19			08	33	15		06	01	05	19
20	.02	01	23		01		08	68		34		01	20
21	.02	05	35		40			02		27	01		21
22	42	18	02		05	23	13	15		05	03	10	22
23	15	35	42		01			50		07	22	35	23
24	05	02	05			16		15		01	01	21	24
25	01					14		44		05	55	60	25
26		02					13	26		37	50	14	26
27		01				10	10			73		35	27
28		07	01			03	01	28	15	42	48	80	28
29		05				14	19	02	82	22		02	29
30						12	20		28	32		01	30
31			23		01		35	03		03		06	31
Total	4.57	2.28	4.72	.07	1.67	3.71 3.71	2.83	5.32	1.50	3.89	2.27	5.07	YEAR'S TOTAL 37.90
Rain Days.	20	22	26	4	13	20	16	25	7	18	18	28	37.90 217

✓

W. 7,500, XI. 12

S. made

REGIS

FORM A.
BRITISH RAINFALL.
6 JAN 1913

Kept at Southbroom House Devizes

in the County of Wiltshire

by R H Caird

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Devizes

Diameter of Rain Gauge 4½ in. in.

Height of top of Gauge above Ground about 1 ft. — in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			05		01	36	69		07	75		17	1
2		.02	28	01		14	52			02	01		2
3			06			23	02	35	06		02	09	3
4	.13		73		34	33		03			25	07	4
5	.22	.05	18		04	41		50			02		5
6	.42	10	11		13		01	66				08	6
7	.02	14	04		08	43		10				06	7
8	.25	21	42	01	01	04		04	10			12	8
9	.05	03	31	04		20	01	03				26	9
10		06	01			01		15	02		08	20	10
11	.10	07	01			02					01	27	11
12	.07	48	08	01			05					08	12
13		05	02				01	07			01	07	13
14	.25	01	26		33			06		05		03	14
15	.04	15	01		25	43		01				67	15
16	.45		09					05		05	02	01	16
17	1.65		06			11		52			03	03	17
18	.22		50					07		08	01	16	18
19	.03	15	19			08	33	15		06	01	05	19
20	.02	01	23		01		08	68		34		01	20
21	.02	05	35		40			02		27	01		21
22	42	18	02		05	23	13	15		05	03	10	22
23	15	35	42		01			50		07	22	35	23
24	05	02	05			16		15		01	01	21	24
25	01					14		44		05	55	60	25
26		02					13	26		37	50	14	26
27		01				10	10			73		35	27
28		07	01			03	01	28	15	42	48	80	28
29		05				14	19	02	82	22		02	29
30						12	20		28	32		01	30
31			23		01		35	03		03		06	31
Total	4.57	2.28	4.72	.07	1.67	3.71 3.71	2.83	5.32	1.50	3.89	2.27	5.07	YEAR'S TOTAL 37.90 37.90
Rain Days.	20	22	26	4	13	20	16	25	7	18	18	28	217

W. 7,500, XI. 12

Cor. for arith & W.D. 7.VII.14.

6 JUL 1914

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at The Garden Southbroom House Devizes
in the County of Wilts
by W. J. Pike, Mr Caird has left Devizes

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Devizes
Diameter of Rain Gauge 5 1/2 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 375 ft. I believe

IMPORTANT NOTE. Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

(47) Sept 1st

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	6	18		6	1	2			~~47~~		5	4	1
2	4	24	9		1						13	15	2
3	1	8	1	13					2	10	14		3
4	5	1	14	12	50					10	1	22	4
5	65		5		51				1.00	52		13	5
6	2	2			1	14	6		26		2	23	6
7	1	1	6		28	8	51		1	27	4	45	7
8	2	24	1		28	1	40			19	14	1	8
9	1	6			30	3				12		3	9
10		22	3		15	1	3	5	24		5		10
11	4	1	12	4	14	2				19	45		11
12	83		3	28	12					4	59	8	12
13	1	2			30				24	2	13		13
14	5		4		1	1		4	2	9	14		14
15	9	2	14	12	13		1	4	11		18	2	15
16	11	10	48	53	1		32	2	2		15		16
17	32	1	64	14		30		40	2				17
18	7	1	5	4			8						18
19	4		18	12		2	2						19
20	70		2	1	2	5	8						20
21	5		13	8		1				20			21
22			3	4	12		2		32		39		22
23	40		19	6	2		2	2					23
24	1		1			12		1			6	33	24
25	3			13				8			1		25
26		22		11							1	5	26
27		4		46				31		10			27
28		2	14	13				2		11		20	28
29	18		12	34				4					29
30	5		40	46	4			24		55	3		30
31	4		1							24			31
Total	~~4.33~~	~~1.54~~	~~3.15~~	~~3.47~~	~~2.99~~	~~.85~~	~~1.55~~	~~1.63~~	2.76 ~~2.22~~	~~2.84~~	2.75 ~~2.40~~	~~1.94~~	YEAR'S TOTAL ~~29.30~~
Rain Days.	26	~~18~~ 17	25 ~~24~~	21	19	12 ~~13~~	11	13 ~~12~~	11 ~~12~~	16 ~~15~~	19	~~13~~ 12	202 ~~203~~
	4.45	1.39	3.21	3.42	3.00	.83	1.55	2.10	2.29	2.92	2.77	1.90	29.83

W.7,000, XI. 13

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Southbroom Vicarage. Devizes.
in the County of Wiltshire
by Revd H. C. B. LETHBRIDGE

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Devizes.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 10¾ in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ~~·43~~ ·13

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·[illegible]	·03	·44	·36	—	·21	·01	·03	·41	·15	·37	1
2		·[illegible]	·02	·15	—	—	·20	·35	·10	·12	·01	·06	2
3		·04	—	·33	—	—	·53	—	—	·45	—	·05	3
4		·01	·07	·03	—	—	·55	·36	—	·21	—	·01	4
5		—	·03	—	·05	—	·23	·02	—	·33	—	·02	5
6		—	·21	—	·30	—	·61	—	—	·05	—	—	6
7		·05	·04	·23	·03	—	·14	—	—	—	—	·02	7
8		·05	—	·77	·02	—	·60	—	—	—	—	—	8
9		·22	·02	·81	—	·05	—	·07	—	—	—	—	9
10		·03	·05	·07	—	·11	·20	—	—	—	—	—	10
11		·01	·11	·31	·31	—	—	—	—	—	—	·01	11
12		·08	·04	·23	·02	·87	·18	—	—	—	·04	—	12
13		—	·28	·09	—	—	—	—	·01	—	·04	·03	13
14		—	·36	·37	—	—	—	—	·05	·23	·33	—	14
15		·12	·04	·33	—	·13	—	—	·07	·17	·02	—	15
16		—	—	·02	·03	—	·10	—	·35	·02	·15	—	16
17		—	·06	·29	·15	·06	—	—	·32	—	—	—	17
18		—	—	·04	·20	—	—	·37	·11	—	—	·01	18
19		·02	—	·15	·05	—	—	—	—	—	—	—	19
20		·16	—	·26	—	·63	—	—	—	—	—	·17	20
21		—	—	·02	—	—	·16	—	·03	—	—	·08	21
22		—	—	·10	—	—	·07	·06	·02	—	—	·31	22
23		—	—	—	—	—	·63	—	—	—	—	·35	23
24		—	·11	·04	—	—	—	—	—	—	·19	·09	24
25		(·01)	·06	—	—	—	·37	·01	—	—	—	—	25
26	·16	—	·12	{·16 X +·5	·45	—	·03	—	—	—	·04	·10	26
27	·24	·07	·06		—	·37	·01	—	—	—	—	·16	27
28	·58	—	·02	—	·35	—	·05	—	—	—	·02	·01	28
29	·16	·01	·17	—	·02	—	·01	—	—	—	·10	·22	29
30	·05	X	·02	·07	—	·03	·37	—	·30	—	·41	·16	30
31	·08	X	·30	X	·01	X	·20	—	X	·42	X	·13	31 X
TOTAL	(3·77) ~~1·27~~	·98	2·22	5·29	2·35	2·25	5·45	1·25	1·39	2·41 ~~2·42~~	1·50	2·36	YEAR'S TOTAL 31·23 ~~28·74~~
Days with ·01 in. or more	(23)	14	22	23	15	8	21	8	11	10	12	20	~~164~~ (187)
Days with ·04 in. or more	(~~8~~ 16)	8	16	20	9	7	18	5	7	9	9	13	~~127~~ (137)

Record started on Jan. 26th 1920. (2·50)

X 2 days fall in one owing to absence

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1488

DEVIZES HIGHCLERE

WILTSHIRE

1917 – 20

RE 7

FORM A. BRITISH RAINFALL.

Kept at "Highcle . o a. m Devizes

in the County of 4

ain Gauge Five in.

by Herbert.

bove Ground 1 ft. 6 in.

, Sea Level 480 ft.

IMPORTANT id the result entered to the previous day. If ar niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	·12	·12	..	·03	..	·98	·10	..	·02	..	1
2	..	..	·01	·70	..	·12	..	·05	..	..	·15	..	2
3	·05	..	..	·04	..	..	·78	·22	..	·43	·00	..	3
4	..	·27	·02	..	..	..	·06	·03	..	·40	..	·01	4
5	·30	..	·10	·14	..	·09	..	·03	·07	·38	·11	..	5
6	·03	..	·50	..	..	..	..	..	..	·04	·10	..	6
7	·12	..	..	..	..	..	·10	·03	..	·25	..	..	7
8	·54	..	·10	·07	..	..	·54	·42	·07	·30	·07	·16	8
9	·01	..	·11	·05	02	..	·02	·14	·07	·04	·05	..	9
10	..	..	·26	·20	05	..	..	·13	..	·06	·01	..	10
11	·22	01	·77	·18	..	..	..	·02	..	·07	·03	..	11
12	·08	..	..	·01	·31	..	..	·14	..	·61	·02	..	12
13	..	..	·10	..	..	·02	..	·18	·08	·13	..	..	13
14	..	..	·06	·25	..	..	..	·04	·02	·04	·01	..	14
15	..	..	..	..	..	..	·60	·23	..	·03	..	..	15
16	..	09	..	·10	..	..	·02	..	·01	·73	..	·55	16
17	..	..	..	·09	·33	..	·40	·09	·34	·26	..	..	17
18	·01	05	..	..	..	·01	·25	·07	·40	..	..	..	18
19	..	40	·05	..	..	·02	..	..	·12	..	..	..	19
20	..	07	·21	..	·48	·03	..	·07	..	..	·01	..	20
21	..	01	·18	..	..	·02	..	..	..	·03	·01	..	21
22	..	..	·04	..	..	·25	..	·06	..	·11	..	..	22
23	..	12	..	..	·07	..	..	·35	..	·03	..	..	23
24	..	06	..	..	..	·10	·07	·08	..	·20	02	05	24
25	..	05	·04	..	..	..	·22	·01	·02	·40	..	..	25
26	..	..	·03	..	·23	..	..	·40	·20	·18	·09	..	26
27	..	..	..	..	1·10	·02	..	·90	..	..	..	..	27
28	..	..	·07	..	..	2.00	..	·53	..	..	..	..	28
29	..	..	·09	..	·12	·25	·07	·05	..	·39	..	..	29
30	..	X	·05	..	..		·52	·15	..	·13	..	·15	30
31	·01	X	·09	X	..	X	·03	--	X	·01	X	·07	31
Total	1.34	1.13	3.00	1.95	2.71	2.96	3.68	5.40	1.50	5.25	·70	·99	YEAR'S TOTAL 30·64
Rain Days.	10	10	21	12	9	13	14	26	12	24	14	6	171

W. 8,000, VIII. 16

RE 7

FORM A.
BRITISH RAINFALL.

Kept at "Highclere" Devizes
in the County of Wiltshire
by Herbert. W. Green

Lat. Long.
Time of Observation 9. 0 a.m
Nearest Railway Station Devizes
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	. .	. .	·12	·12	. .	·03	. .	·98	·10	. .	·02	. .	1
2	. .	. .	·01	·70	. .	·12	. .	·05	. .	. .	·15	. .	2
3	·05	. .	. .	·04	. .	. .	·78	·22	. .	·43	·00	. .	3
4	. .	·27	·02	. .	. .	. .	·06	·03	. .	·40	. .	·01	4
5	·30	. .	·10	·14	. .	·09	. .	·03	·07	·38	·11	. .	5
6	·03	. .	·50	. .	. .	. .	. .	. .	. .	·04	·10	. .	6
7	·12	. .	. .	. .	. .	. .	·10	·03	. .	·25	. .	. .	7
8	·54	. .	·10	·07	. .	. .	·54	·42	·07	·30	·07	·16	8
9	·01	. .	·11	·05	02	. .	·02	·14	·07	·04	·05	. .	9
10	. .	. .	·26	·20	05	. .	. .	·13	. .	·06	·01	. .	10
11	·22	01	·77	·18	. .	. .	. .	·02	. .	·07	·03	. .	11
12	·08	. .	. .	·01	·31	. .	. .	·14	. .	·61	·02	. .	12
13	. .	. .	·10	. .	. .	·02	. .	·18	·08	·13	. .	. .	13
14	. .	. .	·06	·25	. .	. .	. .	·04	·02	·04	·01	. .	14
15	. .	. .	. .	. .	. .	. .	·60	·23	. .	·03	. .	. .	15
16	. .	09	. .	·10	. .	. .	·02	. .	·01	·73	. .	·55	16
17	. .	. .	. .	·09	·33	. .	·40	·09	·34	·26	. .	. .	17
18	·01	05	. .	. .	. .	·01	·25	·07	·40	. .	. .	. .	18
19	. .	40	·05	. .	. .	·02	. .	. .	·12	. .	. .	. .	19
20	. .	07	·21	. .	·48	·03	. .	·07	. .	. .	·01	. .	20
21	. .	01	·18	. .	. .	·02	. .	. .	. .	·03	·01	. .	21
22	. .	. .	·04	. .	. .	·25	. .	·06	. .	·11	. .	. .	22
23	. .	12	. .	. .	·07	. .	. .	·35	. .	·03	. .	. .	23
24	. .	06	. .	. .	. .	·10	·07	·08	. .	·20	02	05	24
25	. .	05	·04	. .	. .	. .	·22	·01	·02	·40	. .	. .	25
26	. .	. .	·03	. .	·23	. .	. .	·40	·20	·18	·09	. .	26
27	. .	. .	. .	. .	1·10	·02	. .	·90	. .	. .	. .	. .	27
28	. .	. .	·07	. .	. .	2·00	. .	·53	. .	. .	. .	. .	28
29	. .	. .	·09	. .	·12	·25	·07	·05	. .	·39	. .	. .	29
30	. .	X	·05	. .	. .		·52	·15		·13	. .	·15	30
31	·01	X	·09	X	. .	X	·03	. .	X	·01	X	·07	31
Total	1·34	1·13	3·00	1·95	2·71	2·96	3·68	5·40	1·50	5·25	·70	·99	YEAR'S TOTAL 30·64
Rain Days.	10	10	21	12	9	13	14	26	12	24	14	6	171

W. 8,000, VIII. 16

18

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

29.1.19

Kept at Highclere Devizes
in the County of Wiltshire
by Herbert, William, Green

Lat. Long.
Time of Observation 9.0 AM
Nearest Railway Station Devizes
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	- -	- -	- -	·14	·05	- -	- -	·10	- -	- -	·48	·03	1
2	- -	·02	- -	·20	- -	- -	- -	·40	- -	·08	·04	·15	2
3	- -	·03	·04	·27	·22	- -	- -	·26	·03	·03	·05	- -	3
4	- -	·03	·02	·04	- -	- -	- -	·07	·05	- -	1.04	·06	4
5	- -	·01	- -	- -	·26	- -	- -	·16	·29	·11	- -	·03	5
6	·15	08	- -	36	- -	- -	- -	·13	·01	- -	- -	·08	6
7	- -	·15	- -	07	·60	·01	- -	- -	·06	·17	·21	·03	7
8	- -	01	- -	- -	- -	- -	- -	- -	·84	·25	- -	·02	8
9	- -	18	- -	·30	- -	·20	·52	- -	·43	·15	01	·23	9
10	- -	- -	- -	·22	- -	- -	·60	- -	·17	·20	- -	·35	10
11	·02	·08	- -	·01	- -	- -	·54	- -	·22	·07	·08	·18	11
12	- -	·12	- -	- -	·30	- -	·12	- -	·05	- -	- -	·03	12
13	·10	- -	- -	- -	·03	- -	·32	- -	·30	- -	- -	·12	13
14	·15	- -	·01	- -	·01	·11	·34	- -	·31	·18	- -	·21	14
15	1.18	- -	- -	·55	·01	·13	·21	- -	·01	·01	- -	·14	15
16	·45	- -	04	·47	- -	·45	·01	- -	·11	·02	- -	·10	16
17	·15	- -	- -	·10	- -	- -	·29	·08	·02	·01	- -	·18	17
18	·67	- -	- -	- -	- -	·41	·10	- -	·18	- -	- -	·14	18
19	·04	- -	·09	·07	- -	- -	·25	·02	·17	·04	- -	·07	19
20	·03	09	- -	·27	- -	·01	·81	- -	·10	·03	- -	·01	20
21	·08	- -	- -	- -	- -	·02	·05	- -	·64	·05	- -	·07	21
22	·03	- -	- -	- -	- -	- -	·12	- -	·14	·14	·01	·29	22
23	·09	- -	- -	- -	·23	- -	·69	·03	·01	·01	·05	·05	23
24	- -	20	- -	- -	- -	06	·01	- -	·12	- -	·13	·01	24
25	- -	- -	- -	- -	- -	- -	·19	·64	- -	·02	- -	- -	25
26	- -	- -	- -	- -	- -	- -	·33	·01	·06	·01	·09	·10	26
27	- -	- -	- -	- -	- -	- -	- -	·15	·10	- -	·15	·07	27
28	- -	- -	·25	- -	- -	- -	- -	- -	- -	·01	·25	·14	28
29	- -	- -	·05	- -	- -	- -	- -	- -	1.30	- -	·01	·02	29
30	- -	X	·29	- -	- -	- -	- -	·05	- -	·03	·03	·11	30
31	- -	X	·13	X	- -	X	- -	·01	X	·01	X	- -	31
Total	3.14	1.06	·92	3.07	1.41	1.40	5.50	2.11	5.42	1.63	2.63	3.02	YEAR'S TOTAL 31.85
Rain Days.	13	12	9	14	9	9	18	14	25	22	15	28	188

W. 8,000, IX. 17.

1441

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Highclere Devizes

in the County of Wiltshire

by Herbert W. Green

Lat. Long.

Time of Observation 9. 0 a. m

Nearest Railway Station Devizes

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	- -	·06	·01	·18	- -	·38	- -	- -	·05	- -	1·10	1
2	·09	- -	- -	- -	·04	- -	·05	- -	·22	·05	·04	·14	2
3	1·10	- -	·15	- -	·04	- -	- -	- -	·26	- -	·02	34	3
4	17	03	·72	- -	- -	07	·09	·02	·27	- -	- -	09	4
5	- -	·38	·75	- -	·01	- -	- -	- -	·36	- -	·10	·18	5
6	32	·04	·05	- -	·41	- -	- -	- -	- -	- -	- -	·12	6
7	40	- -	·27	·04	- -	- -	- -	- -	- -	- -	- -	·05	7
8	34	- -	·16	·05	- -	- -	- -	- -	- -	- -	- -	- -	8
9	·01	- -	06	·16	- -	02	- -	- -	- -	- -	·06	- -	9
10	·10	- -	·14	·08	- -	- -	- -	- -	- -	·02	- -	·12	10
11	·02	- -	·23	·19	·08	- -	·44	- -	- -	- -	- -	- -	11
12	·02	- -	·08	·08	- -	·16	·04	- -	- -	14	·01	06	12
13	- -	- -	- -	·39	- -	- -	- -	- -	- -	- -	- -	02	13
14	34	·05	- -	·55	- -	- -	·09	- -	·07	·02	- -	05	14
15	13	·01	- -	·06	- -	- -	- -	- -	- -	·01	·01	59	15
16	·07	·68	- -	- -	- -	- -	- -	- -	- -	- -	·16	- -	16
17	- -	·20	- -	- -	- -	·01	- -	- -	- -	- -	·26	·02	17
18	- -	·01	·40	- -	- -	- -	·13	·13	·02	- -	·07	·01	18
19	·28	·13	1·04	- -	- -	·07	·72	·10	·18	- -	·20	·05	19
20	·26	·05	·23	- -	- -	·36	- -	·41	·04	- -	·02	·08	20
21	·01	·40	·01	- -	- -	·08	·06	- -	·02	- -	·02	·13	21
22	- -	·16	- -	- -	- -	- -	·19	- -	·10	- -	- -	·14	22
23	- -	- -	- -	- -	- -	- -	- -	- -	·03	·21	·08	·04	23
24	- -	- -	- -	- -	- -	09	·10	- -	·02	·85	·09	·54	24
25	·07	- -	- -	- -	- -	- -	- -	·55	- -	- -	·02	·05	25
26	·12	- -	·17	·08	- -	- -	- -	·10	·11	- -	- -	·25	26
27	·06	- -	- -	·54	- -	- -	- -	·42	- -	- -	- -	·06	27
28	- -	- -	26	·02	- -	- -	- -	·56	- -	- -	50	·40	28
29	01	- -	- -	- -	- -	- -	- -	·11	- -	·12	·01	·03	29
30	- -	X	- -	·30	- -	·23	- -	·48	- -	·02	·35	36	30
31	·01	X	- -	X	- -	X	- -	- -	X	- -	X	08	31
TOTAL	4·23	2·14	4·78	2·55	·76	1·09	2·29	2·88	1·79	1·49	2·02	5·10	YEAR'S TOTAL 31·03
Days with ·01 in. or more	22	12	17	14	6	9	11	10	13	10	18	27	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2/259

1361

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Devizes, Highclere

in the County of Wiltshire

by H. W. Green

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·43	·35		·26	·01	·07	·35	·15	·37	1
2	·03		·03	·15			·03	·34	·06	·10		·06	2
3	·06	·05		·35	·01		·54			·45		·07	3
4		·02	·07	·04			·65	·37		·21			4
5			·04		·04		·64	·03		·35		·01	5
6			·21		·27		·31			·01		·04	6
7	·04		·03	·24	·03		·09						7
8		·05		1·30	·03		·58						8
9	·43	·05		·15		·06		·04					9
10	·90	·23	·06	·05		·16	·17					·04	10
11	·37	·02	·10	·33	·31	·01	·15						11
12	·14	·02	·04	·24	·03	·90	·07						12
13	·19	·07	·27	·10					·01		·08	·03	13
14	·01	·01	·17	·38		·03			·05	·26	·26		14
15		·12	·23	·34		·08	·05		·09	·17	·07		15
16				·01	·03	·03	·05		·27	·04	·15		16
17	·02		·06	·29	·17	·11			·30			·01	17
18	·07			·03	·18	·02		·38	·12			·01	18
19	·06	·02		·16	·05	·13						·01	19
20	·04	·17		·25		·58	·01					·18	20
21							·24		·03			·08	21
22	·02			·10			·08	·05	·02			·31	22
23							·68					·35	23
24	·03		·11	·03							·20	·08	24
25	·02	·10	·07				·35	·01					25
26	·17		·11		·46		·02				·02	·08	26
27	·26	·03	·07	·18		·38						·16	27
28	·56	·01	·03	·01	·38	·01	·05				·02	·01	28
29	·19		·15		·03	·01					·10	·21	29
30	·05	X	·05	·06	·02	·15	·34		32		·40	·17	30
31	·12	X	·34	X	·02	X	·28		X	·38	X	·13	31
TOTAL	3·82	·97	2·27	5·22	2·41	2·66	5·64	1·23	1·34	2·32	1·45	2·41	YEAR'S TOTAL 31·74
Days with ·01 in. or more	23	15	21	23	17	15	22	8	11	10	10	21	196

(44281). Wt. 21,258—218/7500. 10/19. Gp.132. A.&E.W.

~~17~~ 16	8	17	19	9	9	19	5	8	9	8	15	142 ~~143~~

~~made~~ B

W. D. cod. 10.11.12

REG

DEVIZES

W. W.

WILTSHIRE

1911 — 1914

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Devizes Wate

in the County of Wilts

by Arthur Carter.

in.

und 1 ft. 6 in.

Level ft.

lock. am

me Devizes.

stance 5 Direction South west

IMPORTANT NOTE.- e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·21	·0	-	-	·03	-	-	-	·08	-	1
2	-	-	·04	·17	-	-	-	-	-	-	-	-	2
3	·06	-	-	·02	·23	-	-	·14	-	·04	·16	·16	3
4	·03	-	·02	·-	·17	-	-	-	-	-	·02	·06	4
5	·01	·01	·05	·01	-	-	-	-	-	·14	·03	·48	5
6	-	-	·01	-	-	-	-	·46	-	·04	·14	-	6
7	·12	-	·04	-	-	-	-	·01	-	-	·05	·46	7
8	·01	-	-	-	-	-	-	-	-	-	·38	-	8
9	·04	-	·13	-	-	-	-	-	-	-	·09	·33	9
10	·02	-	·01	-	-	-	-	-	-	-	-	·25	10
11	-	·16	·05	-	-	-	-	-	-	-	·04	·26	11
12	·26	·05	-	-	·45	-	-	-	·02	-	·33	·10	12
13	-	-	R.S. ·53	-	-	-	-	-	·03	-	·49	·15	13
14	-	-	-	-	·13	-	-	-	·25	-	-	·20	14
15	-	-	·01	-	-	-	-	-	-	-	-	·07	15
16	-	·04	·01	-	-	·01	-	-	-	-	·38	·05	16
17	-	·02	-	-	-	·17	-	-	-	-	·37	·07	17
18	-	·03	-	-	-	·06	-	-	-	-	·09	·25	18
19	-	R.S. ·19	·04	·02	-	·31	-	-	-	-	-	·34	19
20	·00	·01	-	·01	-	·17	-	-	·17	·11	·04	·28	20
21	·02	·03	·06	·02	-	-	-	·02	·15	·10	-	·25	21
22	·01	·17	·02	-	-	·03	-	·20	·22	·25	-	·15	22
23	·00	-	·25	·04	-	·01	-	·02	-	·09	-	·51	23
24	·00	·18	·04	-	-	·05	-	-	·13	·04	-	·25	24
25	·05	·15	·30	-	-	·33	-	·12	-	·30	-	·14	25
26	·02	·03	·00 ~~·15~~	·15	·01	·07	-	-	·02	-	-	·04	26
27	·00	·01	-	·19	·01	·02	-	-	-	·04	-	·32	27
28	·00	·08	R.S. ·28	·03	-	-	-	·03	·11	-	·09	·14	28
29	-	-	-	·32	-	-	-	·19	·00	-	·06	·00	29
30	-	-	-	·18	-	·27	-	-	·09	·34	-	-	30
31	-	·21	-	-	·03	·03	-	-	-	·10 ·68	-	(-)	31
Total	~~·65~~	~~1·16~~	~~1·81~~	~~1·16~~	~~1·03~~	~~1·50~~	~~·03~~	~~1·19~~	~~1·17~~	~~1·54~~	~~2·84~~	~~5·31~~	TOTAL for year. 1[illegible]·44
No. of Rain Days.	·65 12	1·37 16	1·60 18	1·16 12	1·03 7	1·53 13	·00 0	1·19 9	1·17 9	1·67 13	2·76 16	5·31 25	150

W. 8,000, X. '11.

No B

REG

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Devizes Water Works.

in the County of Wiltshire. 5

by Arthur Carter.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level ft.

Time of Observation 9 o'clock. am.

Nearest Railway Station
Name Devizes.
Distance 5 Direction South West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·21	·0	–	–	·03	–	–	–	·08	–	1
2	–	–	·04	·17	–	–	–	–	–	–	–	–	2
3	·06	–	–	·02	·23	–	–	·14	–	·04	·16	·16	3
4	·03	–	·02	–	·17	–	–	–	–	–	·02	·06	4
5	·01	·01	·05	·01	–	–	–	–	–	·14	·03	·48	5
6	–	–	·01	–	–	–	–	·46	–	·04	·14	–	6
7	·12	–	·04	–	–	–	–	·01	–	–	·05	·41	7
8	·01	–	–	–	–	–	–	–	–	–	·38	–	8
9	·04	–	·13	–	–	–	–	–	–	–	·09	·33	9
10	·02	–	·01	–	–	–	–	–	–	–	–	·25	10
11	–	·16	·05	–	–	}	–	–	–	–	·04	·26	11
12	·26	·05	–	–	·45	–	–	–	[illegible]	–	·33	·10	12
13	–	–	R.S. ·53	–	–	–	–	–	·03	–	·49	·15	13
14	–	–	–	–	·03	–	–	–	·25	–	–	·20	14
15	–	–	·01	–	–	–	–	–	–	–	–	·07	15
16	–	·04	·01	–	–	·01	–	–	–	–	·38	·05	16
17	–	·02	–	–	–	·17	–	–	–	–	·37	·07	17
18	–	·03	–	–	–	·06	–	–	–	–	·09	·25	18
19	–	R.S. ·19	·04	·02	–	·31	–	–	–	–	–	·34	19
20	·00	·01	–	·01	–	·17	–	–	·17	·11	·04	·28	20
21	·02	·03	·06	·02	–	–	–	·02	·15	·10	–	·25	21
22	·01	·17	·02	–	–	·03	–	·20	·22	·25	–	·15	22
23	·00	–	·25	·04	–	·01	–	·02	–	·09	–	·51	23
24	·00	·18	·04	–	–	·05	–	–	·13	·04	–	·25	24
25	·05	·15	·30	–	–	·33	–	·12	–	·30	–	·14	25
26	·02	·03	·00 ~~·15~~	·15	·01	·07	–	–	·02	–	–	·04	26
27	·00	·01	–	·19	·01	·02	–	–	–	·04	–	·32	27
28	·00	·08	R.S. ·28	·03	–	–	–	·03	·11	–	·09	·14	28
29	–	–	–	·32	–	–	–	·19	–	–	·16	·00	29
30	–	–	–	·18	–	·27	–	–	·09	·30	–	–	30
31	–	·21	–		·03	·03	–	–	–	·10 ·68	–	(–)	31
Total	~~·15~~ ·65	~~1·16~~ 1·37	~~1·81~~ 1·60	~~1·16~~ 1·16	~~1·03~~ 1·03	~~1·50~~ 1·53	~~·03~~ ·00	~~1·19~~ 1·19	~~1·17~~ 1·17	~~1·59~~ 1·67	~~2·84~~ 2·76	~~5·31~~ 5·31	TOTAL for year 19·44
No. of Rain Days.	12	16	18	12	7	13	0	9	9	13	16	25	150

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

7 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Devizes Water Works.

in the County of Wiltshire.

by Arthur Carter.

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Devizes.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·39	·20		·05	·64		·09	1
2			·31	·04		·14	·34						2
3			·05			·20	·01	·27	·07		·01	·10	3
4	·05		·74		·16	·31	·	·03			·21		4
5	·27		·14		·02	·26		·63			·01	·02	5
6	·25	·11	·01		·13		·01	·47			·	·01	6
7	·		·03		·04	·49		·02				·02	7
8	·26	·02	·24			·03		·24	·05			·03	8
9	·02		·31	·04		·09		·01				·21	9
10	·	·06				·02	·02	·15			·03	·12	10
11	·03	·03				·02						·25	11
12	·02	·36	·13	·02			·04				·02	·03	12
13		·06	·00			·03		·02				·06	13
14	·09		·30		·35	·03		·03		·04		·03	14
15	·01	·06	·01		·06	·37	·	·				·38	15
16	·18		·18		·02	·01		·02		·06		·01	16
17	·27		·06			·05		·33			·03	·17	17
18	·48		·36					·05				·05	18
19	·25	·12	·13			·02	·29	·20		·02			19
20	·02		·29				·09	·18		·13			20
21			·39		·30			·19		·16			21
22	·45	·32	·01		·13	·11	·05	·16		·03	·01	·04	22
23	·18	·27	·52					·27		·07	·10	·52	23
24	·06	·03	·08					·06				·19	24
25						·20		·37			·32	·46	25
26		·07					·29	·15		·35	·50	·12	26
27						·13	·06			·71		·29	27
28		·02			·05	·02	·02	·31	·15	·42	·41	·52	28
29		·05				·05	·20		·51	·19		·01	29
30						·11	·21		·21	·17			30
31			·15		·20		·33	·02		·06		·09	31
Total	2·89	1·58	4·53	·10	1·46	3·08	2·16	4·18	1·04	3·05	1·65	3·82	YEAR'S TOTAL 2954
Rain Days.	17	14	23 22	3	11	22	15	23	6	14	11	25	short 184

W. 7,500, XI. 12

S made ✓

end for W.D. 16.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
24 JAN 1914

Kept at Devizes Corporation Water Works Pumping Station

in the County of Wiltshire 24 RN

by Mr G. Sparks for Water Committee

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.06		.04					.16		.03	.07	1
2	.04	.14	.09	.14					.36		.06	.27	2
3	.00	.08		.03	.02				.01	.10	.10	.01	3
4	.01		.06		.49					.03		.37	4
5	.73	.01	.06		.30				.81	.21	.04	.12	5
6	.03	.02			.01	.11	.07		.22		.02	.05	6
7		.01	.09		.25	.03	.49			.20	.05	.35	7
8	.02	.13	.01		.36	.01	.06			.36	.14	.02	8
9		.04			.20	.02				.12			9
10		.21	.04		.02	.01	.02	.03	.20		.02	.02	10
11	.09		.02	.03		.01		.01		.12	.31	.04	11
12	.69	.01		.36	.17					.08	.39		12
13		.01			.33					.02	.13		13
14	.02	.01	.02					.05	.03		.19		14
15	.10	.01	.10	.06	.04		.05	.01	.02	.08	.04		15
16	.04	.13	.42	.34			.15		.21		.12	.03	16
17	.26		.64	.10		.20		.65	.05		.01		17
18	.06		.04	.04			.03		.02		.02		18
19	.04		.14			.01	.01				.03		19
20	.39				.01	.01	.10		.35			.01	20
21	.03		.18							.09	.04		21
22			.03	.02	.13		.03				.40		22
23	.21		.12	.02	.02			.07	.36				23
24						.04		.01			.02	.19	24
25	.03							.01					25
26		.01		.35									26
27		.03		.44				.30		.12		.18	27
28			.14	.31						.08			28
29	.12		.04	.33						.26			29
30	.03		.38	.34				.03		.12	.02	.01	30
31	.36				.02					.10			31
	.06	–	.04	–	–	–	–	.16	–	.03	.07	(–)	YEAR'S TOTAL
Total	~~3.30~~	~~.91~~	~~2.62~~	~~2.65~~	2.17	.45	1.01	~~1.11~~	~~2.60~~	~~.99~~	~~2.18~~	~~1.64~~	~~22.72~~
Rain Days.	3.36 22 ✓	.85 15	2.66 20	2.61 15	✓ 15	✓ 10	✓ 10	1.27 11	2.44 12	2.02 17	2.22 21 ✓	1.57 14	22.63 182

W.7,000, XI. 13

Complete [illegible] + [illegible] WD .8.III.15 WTM

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

- 9 FEB 1915

Kept at Devizes Water Works
in the County of Wiltshire
by A. Carter

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Devizes
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.07	.	.	.01	.	.12	.	.	.23	.43	1
2	.	.	.	.	.	.	.12	.52	.	.	.16	.03	2
3	.	.	.01	.05	.	.	.65	.04	.	.	1.15	.31	3
4	.01	.	.08	.37	.23	.	.20	.27	.	.	.01	.04	4
5	.12	.	.05	.31	.10	.	.04	.95	.	.	.23	.40	5
6	.08	.	.14	.41	.02	.	.28	.02	.	.	.47	.06	6
7	.	.11	.10	.19	.05	.	.34	.09	.	.	.12	.25	7
8	.02	.40	.12	.15	.58	.01	.29	.04	.	.	.	.26	8
9	.	.03	.37	.	.07	.33	.20	.10	.01	.	.01	.02	9
10	.12	.	.14	.21	.05	.60	.	.08	.29	.	.	.	10
11	.	.07	.	.03	.14	.	.	.00	.25	.	.	.	11
12	.	.09	.39	.	.04	.15	.17	.	.01	.	.	.44	12
13	.	.10	.17	.	.	.	.14	.	.35	.	08	.18	13
14	.	.26	.27	.	.	.	.	.	.20	.08	.11	.25	14
15	.	.11	.20	.	.	.	.14	.02	.02	.28	.18	.01	15
16	.	.04	.30	.	.	.	.	.29	.	.01	.07	.	16
17	.	.	.	.	.	.	.	.	.23	.	.	.	17
18	.	.17	.12	.	.	.	.	.	.02	.	.	.27	18
19	.	.	.05	.	.	.	.26	.	.	.	.	53	19
20	.	.11	.24	.	.	.	.76	.	.	.	.12	.24	20
21	.	.13	.12	.	.	.14	.	.	.	.	.	.33	21
22	.	.63	.02	.	.	.06	.	.	.	.19	.02	.01	22
23	.	.12	.15	.	.16	.33	.02	.03	.	.62	.	.	23
24	.	.10	.25	.	.03	.	.02	.	.	15	.	.24	24
25	.	.12	.05	.	.	.	.07	.	.	.19	.08	.	25
26	.04	.	.18	.	.	.	.02	43	.	40	.02	.33	26
27	.	.	.04	.	.	.	.01	.13	.	10	.24	.55	27
28	.	.	.	.	.	.	.	.	.	.01	.04	.09	28
29	.	.	.13	.	01	.	.	.	.	.02	.14	.62	29
30	.24		.09	.	.05	.	.	.01	.	.16	.22	.	30
31	.		.04		.		.	.		.03		.78	31
	–	.07	–	–	.01	–	.12	–	–	.23	.43	.03	YEAR'S TOTAL
Total	.63	~~2.59~~ 2.66	~~3.89~~ 3.82	1.72	~~1.53~~ 1.54	~~1.63~~ 1.62	~~3.73~~ 3.85	~~3.14~~ 3.02	1.36	~~2.24~~ 2.47	~~3.70~~ 3.90	~~6.69~~ 6.27	~~32.83~~ 32.86
Rain Days.	7	16	21	8	14	7	19	15	9	14	20	24	~~179~~ 180

W. 8,000. X. 14.

DOWNTON

WILTSHIRE

1911 — 1912

FORM A.
BRITISH RAINFALL.

JAN SWR 1912

F … 11

W 1° 45' 38" -

Kept at … Downton.

in the County of … am.

by 7/ … 8 in.

… above Ground … ft. 6 ~~about~~ in.

Sea Level 120 ft. about ft.

NOTE.—Rain should be me… Full instructions for the measurement
of rain and particulars as to the … servers," sent post-free on application
to Dr. H. R. MILL, 62, Camden …

Date	Jan.	Feb.	Ma							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1	·02	—	·							~~·05~~		·08	1
2	·01	—								·05	·19	·24	2
3	—	—	—	—	·15						·05	·09	3
4	·02	—	·06	·02	—					·09	·16	·25	4
5	·03	—	—	—	—			·06		·16	·06	—	5
6	·35	—	·11	—	—					·02		·71	6
7	·06	—	·02	—	—						·42	—	7
8	·02	—	·26	—	—						·14	·57	8
9	·06	—	·06	·01	—						·01	·41	9
10	·06	·07	·24	—	·30						—	·56	10
11	·52	—	·02	—	·16						1.25	·01	11
12	—	—	·77	—	·01			·01			·04	·22	12
13	—	—	·04	—	—				·45	·09		·47	13
14	—	·02	—	—	—							·52	14
15	—	·02	—	—	—						·25	·01	15
16	—	—	—	—	—	·15					·47	·35	16
17	—	—	—	—	—	·14					·48	·47	17
18	—	·11	·06	·03	—	·21				·02	·09	·50	18
19	—	·09	—	~~[illegible]~~	—	·35			·15	·18	·01	·32	19
20	·02	·01	·09	—	—			·06	·08	·04		·58	20
21	·01	·20	·06	·01	—			·06		·70		·10	21
22	·06	·01	·21	·01	—	·12				·23		·36	22
23	—	·18	·03	—	—	·13			·09	·12	·11	·31	23
24	·01	·17	—	—	—	·27		·11		·65		·18	24
25	—	·04	—	·10	·23	·06		·03	·10	·03		·33	25
26	—	·01	—	·38	·43	·04				·14		·34	26
27	—	·44	·14	·05	—				·04	·13	·11	·19	27
28	—	·23	—	·30	—			·09		—	·06	—	28
29	—		—	·45	—	·20	·05	·02	·09	·30	·01	—	29
30	—		—	·01	·01	05		·26		·14	·01	—	30
31	—		—		—			—		—		—	31
Total	1.25	1.60	2.18	1.58	1.58	1.72	·05	·72	1.00	3.09	3.92	8.17 8.17	TOTAL for year 26.86
No. of Rain Days	14.	14	16	13	8·	11.	1	10	7	17	19	25·	~~26.81~~ 155

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Kept at Downton

in the County of Wilts 3

by F. J. Penrose

Lat. N. 50° 59' 23" Long. W 1° 45' 38"

Nearest Railway Station Downton. SWR

JAN 1912

Time of Observation 9 am.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 6 in.

" " " Sea Level 120 ft. about ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·01	·12	—					~~·05~~		·08	1
2	·01	—	—	·09	·29			·02		·05	·19	·24	2
3	—	—	—	—	·15						·05	·09	3
4	·02	—	·06	·02	—					·09	·16	·25	4
5	·03	—	—	—	—			·06		·16	·06	—	5
6	·35	—	·11	—	—					·02		·71	6
7	·06	—	·02	—	—						·42	—	7
8	·02	—	·26	—	—						·14	·57	8
9	·06	—	·06	·01	—						·01	·41	9
10	·06	·07	·24	—	·30						—	·56	10
11	·52	—	·02	—	·16						1.25	·01	11
12	—	—	·77	—	·01			·01			·04	·22	12
13	—	—	·04	—	—				·45	·09		·47	13
14	—	·02	—	—	—							·52	14
15	—	·02	—	—	—						·25	·01	15
16	—	—	—	—	—	·15					·47	·35	16
17	—	—	—	—	—	·14					·48	·47	17
18	—	·11	·06	·03	—	·21				·02	·09	·50	18
19	—	·09	—	~~·02~~	—	·35			·15	·18	·01	·32	19
20	·02	·01	·09	—	—			·06	·08	·04		·58	20
21	·01	·20	·06	·01	—			·06		·70		·10	21
22	·06	·01	·21	·01	—	·12				·23		·36	22
23	—	·18	·03	—	—	·13			·09	·12	·11	·31	23
24	·01	·17	—	—	—	·27		·11		·65		·18	24
25	—	·04	—	·10	·23	·06		·03	·10	·03		·33	25
26	—	·01	—	·38	·43	·04				·14		·34	26
27	—	·44	·14	·05	—				·04	·13	·11	·19	27
28	—	·23	—	·30	—			·09		—	·06	—	28
29	—		—	·45	—	·20	·05	·02	·09	·30	·01	—	29
30	—		—	·01	·01	05		·26		·14	·01	—	30
31	—		—		—			—		—		—	31
Total	1.25	1.60	2.18	1.58	1.58	1.72	·05	·72	1.00	3.09	3.92	8.17 8.17	TOTAL for year 26.86
No. of Rain Days	14.	14	16	13	8.	11.	1	10	7	17	19	25.	~~26.81~~ 155

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London,

Price 2d.

20.1.13

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
-2 AUG 1912

Kept at Wick House. Downton

in the County of Wilts. 3

by Dr. F. G. Penrose. (or in his absence by his Gardener H. Tewson)

RAIN GAUGE
Pattern "Symons'"
Diameter of top 8 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 110 ft (about)

Time of Observation 9 am

Nearest Railway Station
Name Downton
Distance 1 mile Direction E by N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	—	.02	·29	·08						1
2	·01	—	·28	—	—	·06	·33						2
3	—	—	·20	—	—	·24	·02						3
4	·08	~~·11~~ ·01	·49	—	.01	·36	—						4
5	·50	·11	·07	—	—	·04	—						5
6	·30	·02	·01	—	·12	·07	·22						6
7	·01	·46	·17	—	·14	·76	—						7
8	·41	·19	·46	·01	—	·07	.03						8
9	·02	·08	·11	·05	—	.15	.02						9
10	—	·08	—	—	—	.01	.02						10
11	·14	·14	—	—	—	·29	—						11
12	·04	·37	·10	—	·86	—	·01						12
13	—	·01	·02	—	—	.68	—						13
14	·13	—	·25	—	.02	—	—						14
15	·08	·12	·02	—	.06	.51	—						15
16	·46	—	·55	—	.05	—	—						16
17	·67	—	·33	—	.01	·05	—						17
18	·09	—	·22	—	—	—	—						18
19	·02	·05	·19	—	—	—	·07						19
20	·01	·03	·37	—	.01	—	·14						20
21	—	·17	·32	—	.36	—	—						21
22	·16	·36	·03	—	.03	—	.01						22
23	·24	·30	·19	—	—	—	—						23
24	·16	·05	·01	—	—	·33	—						24
25	·08	—	—	—	—	.20	—						25
26	—	·06	—	—	—	—	.09						26
27	—	·02	—	—	—	.11	.13						27
28	—	·08	—	—	—	·35	·23						28
29	—	·13	—	—	—	·19	·11						29
30	—		·08	—	—	·09	·05						30
31	—		·39		—		·23						31
Total	3·81	2·84	4·91	·06	1.69 1.69	4·79	1·79	#					TOTAL for year
No. of Rain Days.	20	20	23+	2	12	20	17						

W. 8,000, X. '11.

FORM A1.
BRITISH RAINFALL.

10 JAN 1912

11

Kept at Slades

in the County of W

by Edward

EAST KNOYLE

SLADES

WILTSHIRE

1911 —— 1919

5 in.

ove Ground 1 ft. 6 in.

, Sea Level 590 ft.

A M

Name Semley

Distance 3 Direction S

IMPORTANT … nd the result entered to the previous day. If a … niversal rule, he is earnestly requested to add the … year in the space provided for it at the end o … ement of rain, the selection and … British Rainfall Organization are give … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·08	·11				·02			·02	·05	1
2	·03		·02	·11	·38			·05		·05	·26	·22	2
3				·01	·30			·02			·15	·17	3
4	·01	·01	·12	·03						·06	·19	·43	4
5	·11							·15		·08	·19		5
6	·60		·20							·03	·06	·78	6
7	·04										·39		7
8	·14		·20								·11	·42	8
9	·13		·01								·03	·68	9
10	·15	·09	·30		·31						·02	·33	10
11	·43		·02								·75	·15	11
12			·78		·02						·06	·37	12
13									·27	·01	·01	·47	13
14		·06										·80	14
15		·06	·06			·01				·02	·36	·12	15
16			·03			·32					·51	·43	16
17	·01	·04			·07	·12					·18	·45	17
18		·35	·09	·12	·14	·06				·03	·04	·45	18
19		·12	·11	·03		·35			·18	·21	·02	·35	19
20	·03	·05	·02	·08		·02		·14	·64	·08		·72	20
21	·03	·44	·38	·07		·04		·48	·04	·64		·32	21
22	·10	·03	·06	·04		·11		·01		·45		·40	22
23		·20	·01			·05			·10	·11	·04	·24	23
24	·01	·25				·38		·12		·33		·26	24
25	·02	·09		·22		·12		·13	·04	·02		·33	25
26		·04		·36				·01		·12	·02	·35	26
27		·64	·17	·20				·06	·12	·02		·21	27
28		·37		·28				·19			·10	·02	28
29				·61		·28	·09		·17	·47	·01		29
30						·20				·27	·02	·02	30
31										·03			31
Total	1·94	2·84	2·66	2·27	1·22	2·06	·09	1·38	1·56	3·03	3·54	9·54	TOTAL for year ✓ 32.13
No. of Rain Days	16	16	18	14	6	13	1	12	8	19	23	27	173 ✓

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.
BRITISH RAINFALL.
10 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Slades East Knoyle

in the County of Wilts 3

by Edward H Miles

RAIN GAUGE
Pattern Symonds
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 590 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Semley
Distance 3 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·08	·11				·02			·02	·05	1
2	·03		·02	·11	·38			·05		·05	·26	·22	2
3				·01	·30			·02			·15	·17	3
4	·01	·01	·12	·03						·06	·19	·43	4
5	·11							·15		·08	·19		5
6	·60		·20							·03	·06	·78	6
7	·04										·39		7
8	·14		·20								·11	·42	8
9	·13		·01								·03	·68	9
10	·15	·09	·30		·31						·02	·33	10
11	·43		·02								·75	·15	11
12			·78		·02						·06	·37	12
13									·27	·01	·01	·47	13
14		·06										·80	14
15		·06	·06			·01				·02	·36	·12	15
16			·03			·32					·51	·43	16
17	·01	·04			·07	·12					·18	·45	17
18		·35	·09	·12	·14	·06				·03	·04	·45	18
19		·12	·11	·03		·35			·18	·21	·02	·35	19
20	·03	·05	·02	·08		·02		·14	·64	·08		·72	20
21	·03	·44	·38	·07		·04		·48	·04	·64		·32	21
22	·10	·03	·06	·04		·11		·01		·45		·40	22
23		·20	·01			·05			·10	·11	·04	·24	23
24	·01	·25				·38		·12		·33		·26	24
25	·02	·09		·22		·12		·13	·04	·02		·33	25
26		·04		·36				·01		·12	·02	·35	26
27		·64	·17	·20				·06	·12	·02		·21	27
28		·37		·28				·19			·10	·02	28
29				·61		·28	·09		·17	·47	·01		29
30						·20				·27	·02	·02	30
31										·03			31
Total	1·94	2·84	2·66	2·27	1·22	2·06	·09	1·38	1·56	3·03	3·54	9·54	TOTAL for year ✓ 32.13
No. of Rain Days	16	16	18	14	6	13	1	12	8	19	23	27	173 ✓

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

[illegible] by Tisbury 20·11·13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

11 JAN 1913

Kept at Slades. East Knoyle

in the County of Wilts 3

by Edward Miles

RAIN GAUGE: Pattern Symonds
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 570 ft.

Time of Observation 9 AM

Nearest Railway Station: Name Semley
Distance 3 Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12			·22	·34		·02	·92		·45	1
2			·35	·02		·11	·41	·02		·02	·04		2
3	·01		·12			·52	·03	·48	·04		·05	·08	3
4	·24	·01	·71		·05	·57		·10			·18	·01	4
5	·56	·07	·13		·03	·04		·64			·02	·16	5
6	·68	·08	·04		·13		·25	·48				·16	6
7	·04	·26	·11	·02	·25	·41	·03	·06				·16	7
8	·40	·25	·42	·02		·08	·02	·33				·30	8
9	·02	·06	·31	·15		·35	·02	·17				·40	9
10		·11	·01			·02		·03			·06	·15	10
11	·07	·15				·04					·02	·37	11
12	·07	·33	·11	·02			·03	·03					12
13		·09	·03			·07	·03	·06			·03	·07	13
14	·18		·32					·06		·03			14
15	·14	·11			·08	·62		·05				·55	15
16	·72	·01	·46		·12			·09		·11		·05	16
17	1·32		·10		·01	·07		·80			·02	·03	17
18	·22		·44					·22		·06		·10	18
19	·06	·15	·10			·09	·13	·50		·03	·05	·01	19
20	·04	·03	·35		·03	·02	·20	·49		·30			20
21	·02	·13	·34		·66		·02	·17		·49	·01		21
22	·29	·40	·04		·01	·55	·08	·27		·11	·01	·11	22
23	·14	·47	·24		·01		·10	·82		·02	·25	·27	23
24	·12	·02	·03			·34		·19		·05		·32	24
25	·12	·01				·18	·05	·29		·12	·31	·58	25
26		·07				·03	·38	·23		·41	·57	·25	26
27		·02				·10	1·02			·82		·53	27
28		·07				·15	·17	·38	·24	·58	·43	·82	28
29		·12	·02			·09	·16	·08	1·20	·39			29
30			·03			·61	·21		·45	·30			30
31			·43		·05		·18	·06		·01		·14	31
Total	5·46	3·02	5·36	·23	1·43	5·28	3·86	4·10	1·95	4·77	2·05	6·07	TOTAL for year 46·58
No. of Rain Days.	21	23	25	5	12	23	21	27	5	18	15	24	219

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
19 JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at Slades East Knoyle

in the County of Wilts

by Edward White

Lat. ______ Long. ______

Time of Observation 9 AM

Nearest Railway Station Semley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·20	·12			·01			·39		·27	·18	1
2	·05	·10	·02	·07	·07				·18	·01	·19	·04	2
3	·10		·05	·04	·45					·11		·15	3
4	·86		·04		·58				·87	·33	·05	·13	4
5	·11	·04	·03		·03	·10			·42		·06	·20	5
6	·06	·03	·07		·34	·19	·29		·01	·67	·10	·62	6
7	·04	·26	·05		·33	·07		·01		·41	·21	·01	7
8	·04	·08			·40	·09	·05			·23		·06	8
9		·07			·08	·07	·16	·19	·03		·09	·06	9
10	·09		·08		·02	·01		·03		·30	·50		10
11	·72		·03	·27	·04					·11	·60		11
12		·02			·40				·03	·11	·35		12
13	·07		·16						·13	·01	·15		13
14	·16		·14	·02	·10				·04		·28	·02	14
15	·16	·08	·26	·56				·06	·16		·11		15
16	·25		·34	·18		·05			·07				16
17	·01	·02	·02	·01		·05					·01		17
18	·03		·17	·14		·01					·12		18
19	1·14		·08	·02	·09	·12	·04		·48				19
20	·06		·05	·07			·05			·32	·17		20
21			·22	·20	·03	·01	·01			·09	·86		21
22	·81		·21		·01		·06	·05	·27				22
23	·01		·01			·07					·03	·68	23
24	·06	·03		·17			·04	·10			·06		24
25		·20		·22								·04	25
26		·02		·41				·25		·04	·02	·27	26
27	·03		·23	·13						·15			27
28	·17		·15	·33						·25		·04	28
29	·07		·65	·53	·10			·06		·31			29
30	·69			·01	·01			·03		·29	·03		30
31	·20		·04					·75		·03			31
Total	5·99	1·15	3·22	3·38	3·08	·85	·70	1·53	3·08	3·77	4·26	2·50	YEAR'S TOTAL 33·51
Rain Days.	25	13	24	18	17	13	8	10	13	18	21	14	194

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

WLMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Slades. East Knoyle

in the County of Wilts 3

by Edward H Miles

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Semley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07					·57			·19	·05	1
2		·01					·96	·07			1·27	·27	2
3			·30	·15	·38		·05				·01	·06	3
4	·04		·14	·20	·02		·19	·86			·70	·53	4
5	·17		·27	·48	·24		·31	·07			·58		5
6		·25	·02	·28	·02	·04	·06	·09			·02	·36	6
7	·02	·55	·09	·20	·18	·05	·21	·08				·27	7
8	·12	·07	·58		·25	·18	·01	·55	·15			·05	8
9	·25		·40	·28	·05	·75		·08	·25			·02	9
10	·05	·28		·07	·12				·41		·02	·02	10
11		·22	·72		·04	·13	·33		·03		·09	·58	11
12		·22	·22						·31		·02	·37	12
13		·31	·35						·10	·20	·27	·41	13
14		·24	·17				·27	·34		·47	·28	·40	14
15		·01	·20				·27	·67	·05	·04	·11		15
16			·01				·09		·21				16
17		·66	·24				·01		02			·69	17
18		·01	·09				·08				·11	·46	18
19		·08	·60				1·02					·16	19
20		·41	·28			·09						·43	20
21		1·01				·21				·19		·03	21
22		·02			·30	·06		·03		·80			22
23		·13	·21			·05				·11	·28	·06	23
24		·10	·09		·06		·28			·15	·07		24
25	·10		·31				·06	·25		·31	·36	·32	25
26		·01					·08	·06		·05	·12	·53	26
27	·08									·03	·28	·15	27
28		·10	·22		·03		·06				·34	·80	28
29	·50		·13		·07					·37	·40		29
30	·02	X	·03							·21		·99	30
31	·08	X		X	·03	X	·08		X	·90	X	·15	31
Total	1·43	4·69	5·74	1·66	1·70	1·56	4·42	3·72	1·53	3·83	5·52	8·16	YEAR'S TOTAL 44·05
Rain Days.	11	20	24	7	14	9	19	13	9	13	20	25	184

W. 8,000. X. 14.

Est. Ind.

1649

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Slades. East Knoyle

in the County of Wilts 3

by Edward. [illegible]

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Semley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·81	·40			·03			·12	·10	·27	·05	·25	1
2	·52	·37	·23	·11			·01	·67	·01	·22		·59	2
3	·50	·07	·19	·06	·09	·06		·03		·04		·35	3
4	·01	·01			·01							·27	4
5	·08	1·11	·02					·08				·33	5
6	·66	·10		·48			·62	·14				·20	6
7	·24	·50	·02	·07			·22	·01				·37	7
8	·15	·55					·01	·08			·03		8
9	·01	·03		·28							·38	·65	9
10	·32	·04	·03	·04								·08	10
11	·06		·09	·07				·57			·76	·07	11
12	·15	·81		·10	·55			·13		·06	·19		12
13	·09	·57			·89			·04	·14		·05		13
14	·10	·02					·18	·64	·09			1·16	14
15	·17	·03			·16		·08	·65	·03		·05	·22	15
16		·79			·41		1·10	·06				·14	16
17		·32			·65		·03	·13				·02	17
18		·37			·11								18
19		·03			·09		·16						19
20	·32			·07	·17							·06	20
21	·06	·09			·24		·08			·57		·40	21
22	·11	·34	·50	·05			·85		·15			·32	22
23	·01		·20				·66		·49	1·65		·30	23
24				·10			·55		·14	1·63		·35	24
25				·05		·04	·28					·18	25
26		·14				·02	·15					·76	26
27		·10				·18	·12			·35		·03	27
28		·10				·07		·04	·77	·01			28
29						·36					·19	·07	29
30	·08	X				·08				·62	·56	·26	30
31	·05	X		X		X	·02		X	·90	X	·40	31
Total	4·50	6·89	1·28	1·48	3·40	·81	5·12	3·39	1·92	6·32	2·26	7·83	YEAR'S TOTAL 45·20
Rain Days.	21	23	8	12	12	7	17	15	9	11	9	25	169

1623

FORM A.
BRITISH RAINFALL
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Slades East Knoyle

in the County of Wilts

by Edward H Miles

Lat. Long.

Time of Observation 9 o'clock

Nearest Railway Station Semley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22		·02		·48	·03	·02		·30	·34	·32		1
2	·28	·12	·04		·22		·01		·06	·77	·03		2
3	·02	1·22	·02		·02				·07	·46	·39		3
4	·20	·40			·14	·54	·58		·29	·03	1·07		4
5	·15	·04	·05		·26	·36				·06	·59		5
6	·07	·16	·01		·03		·87			·17	·83		6
7	·04	·04	·30		·14		·32			·03	·63	·19	7
8	·02	·14			·34	·02					·03	·12	8
9			·02		·16	·09	·06			·16	·06	·10	9
10		·46	·05	·11	·03	·04	·08			·03	·05	·27	10
11	·03			·06		·18					·01	·05	11
12	·12	·10	·01	·18	·09		·21			·19			12
13		·28	·12					·40		·02			13
14	·05	·37	·02	·06	·14			·05		·05			14
15	·02	·21	·10	·05				·30					15
16	·04	·10		·30	·03		·10	1·31					16
17	·23	·22		·13				·05	·42	·57	·19		17
18	·02	·21	·12	·15					·08	·12	·33		18
19	·10		·43	·08					·03		·15	·24	19
20	·30	·18	·46								·08	1·84	20
21	·03	·06	·22		·05						·03	·19	21
22	·03	·01	·03			·04				·65	·02	·52	22
23	·01	·17		·02		·09		·13		·15	·21	·17	23
24		·10	·03	·05	·39	·23		·02		·57	·07	·23	24
25		1·00	·10					·56			·15		25
26	·03	·09	·04			·26		·08		·87			26
27	·03	·03	1·26			·13	·05	2·71	·98	·30			27
28		·48	·09					·08	1·04	·30	·04	·24	28
29		·47	·02			·37		1·96	·95	·35	·04	·35	29
30		X	·01					·07		·66			30
31		X		X		X			X	·15	X	·05	31
Total	2·04	6·66	3·57	1·79	2·52	2·38	2·30	7·74	4·22	7·00	5·32	4·56	YEAR'S TOTAL 49·50
Rain Days.	22	25	24	11	15	13	10	13	10	28	22	14	202

W. 8,000, VIII. 16

RW.C

1548

FORM A.
BRITISH RAINFALL.

23 APR 1918

Stades

REGISTER OF RAINFALL IN 1917

Kept at East. Knoyle

in the County of Wilts

by Edward Thule

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Semley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·13	·17		·11		·70	·10		·11		1
2	·02			·40		·04		·16	·07	·01	·05		2
3				·06			1·13	·05		·22	·14		3
4		·16	·11				·02	·02		·33			4
5	·26		·31	·35		·10	·15	·12	·33	·24	·19		5
6			·60							·11	·08	·03	6
7	·29		·04				·03	·05		·36	·01	·06	7
8	·28		·14	·09			·35	·72	·09	·31		·15	8
9			·12	·03			·01	·10	·07	·09	·18		9
10	·16		·30	·20	·06			·08		·39			10
11	·10		·31	·38						·53	·04		11
12			·01		·25								12
13			·14	·27				·22	·10	·07	·01		13
14			·18	·16				·05					14
15				·02			·32	·15		·20		·24	15
16	·03	·06		·12	·03		·11	·02	·01	·72	·01	·50	16
17		·03		·20	·16		·41	·09	·91	·29	·01		17
18		·06		·01		·04	·20	·02	·40		·02		18
19		·31	·17			·03			·18		·05		19
20		·20	·07		·31	·06		·21	·08		·12		20
21			·25			·04				·12	·01		21
22			·09					·11		·08			22
23		·15			·18			·24					23
24		·10	·02			·02	·02	·09		·28	·10	·01	24
25		·05	·03				·02	·03	·06	·01	·04		25
26			·03		·35	·04		(·54)	·20		·01		26
27					·94	·08		1·15		·06			27
28			·15			3·58		·80				·17	28
29			·08		·27	·51	·07	·20		·77			29
30		X	·16				1·14	·06		·10			30
31		X	·10	X		X	·03		X	·11	X	·02	31
Total	1·15	1·72	3·54	2·46	2·49	4·65	4·01	5·96	2·55	5·37	1·18	1·18	YEAR'S TOTAL 35·68
Rain Days.	8	9	23	14	9	12	15	25	13	22	18	8	176

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

2·15

Price 2d.

FORM A.
BRITISH RAINFALL,
6 · 1 · 1[illegible]

REGISTER OF RAINFALL IN 1918

Kept at Slades. East Knoyle
in the County of Wilts
by Edward A Miles

Lat. Long.
Time of Observation 9
Nearest Railway Station Semley
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02			·08			·58		·02	·90	·02	1
2		·10		·12				·72	·08	·01	·09		2
3		·08		·10	·20			·10	·01	·06	·05	·21	3
4		·05	·04	·04				·06	·07	·04	·70	·20	4
5		·03	·03		·08			·30	·23	·23	·02	·05	5
6	·20	·37		·25				·06	·29	·08		·10	6
7		·16		·06	·50			·03	·20	·06	·26	·05	7
8	·02	·24							·23	·18	·02	·06	8
9		·15		·36		·25	·85		·62	·17		·43	9
10	·18			·10			·18		·12	·33	·04	·50	10
11	·03			·02			·99		·09	·04	·04	·18	11
12	·02	·11			·38		·11		·21	·05		·05	12
13	·50				·36		·81		·98			·12	13
14	·22		·04			·06			·26	·13		·22	14
15	1·00			·40			·27		·02			·35	15
16	·25		·05	·23		·05			·17			·17	16
17	·59			·28			·24	·03	·14			·24	17
18	·83					·66	·06		·24			·32	18
19	·16	·01	40				·22			·03		·14	19
20	·05	·16		·23		·04	·13	·03	·24	·10			20
21	·15	·07				·08	·07		·44	·17		·15	21
22	·05	·01			·08		·48		·09	·06			22
23	·30				·26		·70		·05		·09	·33	23
24		·25				·05	·18		·16		·06	·94	24
25	·02			·03			·52	·71		·02	·03		25
26		·02					1·13		·02		·12	·38	26
27		·20	·04				·06	·17	·13	·03	·16	·07	27
28		·04	·23						·01	·01	·14	·24	28
29			·24						1·17		·02		29
30		X	·23					·06	·07	·03	·07	·11	30
31		X	·05	X		X		·04	X	·03	X		31
Total	4·57	2·07	1·05	2·22	1·94	1·22	7·00	2·89	6·34	1·88	2·81	4·75	YEAR'S TOTAL 38·72
Rain Days.	17	18	10	13	8	7	17	13	27	22	17	25	194

W. 8,000, IX. 17.

W RL 1457

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Slades East Knoyle

in the County of Wilts

by Edward H. Miles

Lat. Long.

Time of Observation 9 o'clock

Nearest Railway Station Semley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·57		·11		·18		·27		·02	·09		1·15	1
2	·14				·09				·36		·10	·30	2
3	1·07		·65		·08				·38			·35	3
4	·22	·10	·25			·04	·07	·18	·25		·04	·22	4
5	·02	·45	·66		·09				·13			·30	5
6	·68	·08	·20		·10						·03	·27	6
7	·32		·44	·05								·04	7
8	·25		·17								·02		8
9	·03		·05	·09	·05						·01		9
10	·08		·36	·10						·02	·06	·20	10
11	·03		·18	·21	·07		·24				·01		11
12	·02		·04	·02	·10	·02	·09			·12	·09	·02	12
13	·07	·01		·45			·02					·21	13
14	·71	·04		·64			·13			·02		·09	14
15	·23	·65		·03						·04		·35	15
16	·06							·10			·16		16
17	·02	·22									·38	·04	17
18		·10	·55				·02	·02	·01		·20	·04	18
19	·42	·27	·90			·03	·62	·24	·05		·37	·05	19
20	·37	·18	·07			·32		·20				·14	20
21	·03	·70	·02				·35					·15	21
22		·10					·15		·62		·05	(·76)	22
23										·19	·03	·19	23
24						·12	·68			·30	·03	·52	24
25	·11	·08		·12				·33			·05	·14	25
26	·06		·11	·08				·35			·02	·36	26
27	·13		·03	·39				·67	·09			·45	27
28			·53	·01		·02		·86		·17	·98		28
29	·02			·02				·06				·03	29
30		✕		·20		·18		·71			·65	·57	30
31		✕	·01	✕		✕			✕		✕	·37	31
TOTAL	5·66	2·98	5·33	2·41	·76	·73	2·04	3·72	1·91	·95	3·28	7·31	YEAR'S TOTAL 37·08
Days with ·01 in. or more	24	13	19	14	8	7	11	11	9	8	19	26	169

—

ERLESTOKE VICARAGE

WILTSHIRE

1913 — 1918, 1920

FORM A. BRITISH RAINFALL.

16 MAR 191

RE 3

Kept at Erlestoke 10.

in the County of Wil Edington & Bratton

5 in.

by Rev Henry ve Ground 0 ft. 5½ in.

Sea Level 320 ft.

IMPORTANT NO the result entered to the previous day. If an versal rule, he is earnestly requested to add the re r in the space provided for it at the end of th nent of rain, the selection and placin itish Rainfall Organization are given i sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·24	·16		·01				·46		·18	·10	1
2		·09	·02	·11	·04						·10		2
3	·07		·07	·17	·53					·71		·26	3
4	·64		·04		·42				1·23	·20	·03	·09	4
5					·11	·20	·18		·20	·02	·02	·10	5
6		·01	·10		·24	·08	·34		·01	·38	·21	·55	6
7	·03	·44	[illegible]		·29	·02	·09			·46	·18	·02	7
8		·05	·04		·26					·29			8
9		·07		·01	·12	·02		·38	·25		·05	·02	9
10	·18		·08			·01				·24	·43	·01	10
11	·68			·23	·14	·02				·43	·58		11
12	·01				·20				·03		·12		12
13	·02		·04					·04	·27		·17		13
14	·01		·13	·11				·03	·02	·05	·15		14
15	·10		·28	·47	·02		·12	·02	·21		·08	·02	15
16	·38		·63	·07		·05		·08			·01		16
17	·04		·03				·05						17
18			·22								·09		18
19	·82						·07		·46				19
20			·12	·07						·23	·14		20
21		·10	·06	·20	·15		·06				·45		21
22	·53		·21	·11				·02	·35				22
23						·13					·03	·35	23
24	·03			·10				·19					24
25		·16		·13		·02					·01	·03	25
26				·33				·28	[illegible]	·05		·20	26
27			·18	·13					[illegible]	·15		·03	27
28	·13		·12	·28					[illegible]	·48			28
29	·04		·44	·47	·09			·08	[illegible]	·30		·01	29
30	·48				·05					·27	·05		30
31	·11		·05					·30		·04			31
Total	4·70	1·16	2·98	2·99	2·67	·55	·91	1·42	3·49	4·20	3·08	1·79	YEAR'S TOTAL 29·94
Rain Days.	19	8	19	16	15	9	7	10	11	16	20	14	164

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Erlestoke Vicarage
in the County of Wilts
by Rev Henry S. Travers

Lat. Long.
Time of Observation 10.
Nearest Railway Station Edington & Bratton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 5½ in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·24	·16		·01				·46		·18	·10	1
2		·09	·02	·11	·04						·10		2
3	·07		·07	·17	·53					·71		·26	3
4	·64		·04		·42				1·23	·20	·03	·09	4
5					·11	·20	·18		·20	·02	·02	·10	5
6		·01	·10		·24	·08	·34		·01	·38	·21	·55	6
7	·03	·44	~~·18~~		·29	·02	·09			·46	·18	·02	7
8		·05	~~·24~~		·26					·29			8
9		·07		·01	·12	·02		·38	·25		·05	·02	9
10	·18		·08			·01				·24	·43	·01	10
11	·68			·23	·14	·02				·43	·58		11
12	·01				·20				·03		·12		12
13	·02		·04					·04	·27		·17		13
14	·01		·13	·11				·03	·02	·05	·15		14
15	·10		·28	·47	·02		·12	·02	·21		·08	·02	15
16	·38		·63	·07		·05		·08			·01		16
17	·04		·03				·05						17
18			·22								·09		18
19	·82						·07		·46				19
20			·12	·07						·23	·14		20
21		·10	·06	·20	·15		·06				·45		21
22	·53		·21	·11				·02	·35				22
23						·13					·03	·35	23
24	·03			·10				·19					24
25		·16		·13		·02					·01	·03	25
26				·33				·28	~~[illegible]~~	·05		·20	26
27			·18	·13					~~[illegible]~~	·15		·03	27
28	·13		·12	·28					~~[illegible]~~	·48			28
29	·04		·44	·47	·09			·08	~~[illegible]~~	·30		·01	29
30	·48				·05					·27	·05		30
31	·11		·05					·30		·04			31
Total	4·70	1·16	2·98	2·99	2·67	·55	·91	1·42	3·49	4·20	3·08	1·79	YEAR'S TOTAL 29·94
Rain Days.	19	8	19	16	15	9	7	10	11	16	20	14	164

W.7,000, XI. 13

written 8·III·15

corr for auth 6.III.15

FORM A.
BRITISH RAINFALL.

12 JAN 15

REGISTER OF RAINFALL IN 1914

Kept at Erlestoke Vicarage
in the County of Wilts
by Rev. H. S. Travers.

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Edington & Bratton
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·50			·12	·05	1
2	·01			·05			·68	·05			33 1·30	·28	2
3			·23	·13	·24		·23	·46			·01	·05	3
4	·11		·07	·32	·02		·12	·86			·44	·53	4
5	·06		·10	·26	·17		·23	·17			·33	·20	5
6		·13	·03	·21	·04	·03	·01	·04			·06	·25	6
7		·40		·17	·52		·23	·03				·35	7
8		·04	·79	·06	·10	·34	·01	·05	·07			·04	8
9	·11		·45	·34	·04	·78		·10	·20				9
10	·03	·21	·02	·02	·11	·24			·31				10
11		·11	·23		·05		·21		·01		·08	·52	11
12		·13	·10		[illegible]		·04		·30	·18	·03	·20	12
13		·28	·28						·13	·58	·07	·33	13
14		·29	·41				·18	·12		·01	·30	·01	14
15	·02	·02	·19					·35			·05		15
16			·02			·30	·04		·22				16
17		·55	·22						·01			·90	17
18			·11				·09		·03			·42	18
19		·07	·63?				·93				·14	·12	19
20		·33	·12			·11					·02	·36	20
21		·80	·03							·22			21
22		·03			·17	·04		·01		·57			22
23		·12	·13		·26					·23		·06	23
24		·03	·06		·07		·01			·15	·11		24
25			·19		·00			·29		·33		·18	25
26			·03				·05	·01		·05	·26	·45	26
27					·07						·09	·14	27
28		·07	·18		·02					·06	·30	·89	28
29			·12							·20	·30		29
30			·04		[illegible]	·01	·12			·17	·57	·78	30
31	·57									·50		·02	31
Total	·85	3·61	4·78	1·56	1·88	1·85	3·18	3·04	1·28	3·68 3·18	4·58 4·58	7·13	YEAR'S TOTAL 36·43 36·92
Rain Days.	7	17	25	9	14	8	16	14	9	13	19	23	174

W.7,000, XI. 13

cnd for auth 2.v.16 [illegible] o days

1623

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Erlestoke Vicarage Devizes

in the County of Wilts

by Rev. H. S. Travers

Lat. Long.

Time of Observation 9 A M

Nearest Railway Station Edington & Bratton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·72	·11			·05			·20	·36	·22	·01	·18	1
2	·67	·33	·15	·18				1·07		·18		·33	2
3	·88	·04	·07		·03		·04	·06		·02		·34	3
4	·05	·01										·30	4
5	·05	·90						·10				·26	5
6	·39	·05		·35			·50	·10				·14	6
7	·28	·47		·02	·16		·23	·02				·38	7
8	·20	·47		·03			·18	·07			·05	·01	8
9	·01	·05		·09							·34	·72	9
10	·10			·04				·03		·03		·08	10
11	·05	·04	·20	·10				·13				·03	11
12	·12	·45		·17	·64			·21		·02	·87		12
13	·02	·75			·88			·01			·25		13
14	·05						·19	·21	·14			·62	14
15	·24			·01	·13		·10	·16	·04	·02	·22	·13	15
16		·71			·63		·72	·04				·08	16
17		·40	·05		1·05			·23				·01	17
18		·31			·10								18
19					·06		·20						19
20	·16			·05	·06		·11			·04		·08	20
21	·10	·10			·02		[illegible]			·15		·10	21
22	·06	·51	·47	·03			·33					·27	22
23		·04	·13				48		·08	1·25		·31	4·37 23
24				·11			·22		·53	·75		·57	24
25						·05	·17		[illegible]			·08	25
26		·11				·02	·06					·70	26
27						·47	·37		·03	·30		·01	27
28		·10				·06			·72	·05			28
29						·70		·11		[illegible]	·11	·09	29
30	·25					·22				·34	·26	·20	30
31	·05									1·10		·30	31
Total	4·45 4·45	5·95	1·07	1·18	3·81	·92	3·90	2·75	1·90	4·49	2·11	6·32	YEAR'S TOTAL 38·83 38·83
Rain Days.	20	20	6	12	12 12	6	15	16	7	14	8	26	162
		10·30	11·37	12·55	16·36	17·28	21·18	23·94	25·84	30·31	32·41	38·73	

W. 8,000. X. 14.

1596

good dry

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Erlestoke Vicarage
in the County of Wilts
by Rev H. S. Travers

Lat. .... Long. ....
Time of Observation 9
Nearest Railway Station Edington & Bratton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·03		·23	·05	·02			·35	·71		1
2	·32	·06	·02		·14					·72	·01		2
3		·80			·03				·05	·25	·25		3
4	·12	·21			·10	·23			·31	·22	1·00		4
5	·03	·01			·28	·13				·05	·24		5
6	·05	·15			·03	·04	·59			·06	·76	~~·17~~	6
7		·06	·21				·18				·31	·17	7
8	·02	·03	·02		·17	·43						·13	8
9					·46	·24				·01	·01		9
10		·51	·04	·08	·03	·22	·03			·09		·05	10
11	·08			·04	·01	·10	·11					·06	11
12		·03	·10	·02	·13								12
13		·26	·08		·02		~~·59~~	·83					13
14	·04	·44	·01		·04			·51		·03			14
15		·23	·04					·19					15
16	·04	·10		·18			·07	·35		·44			16
17	·10	·20						·14	·35	·03			17
18	·01	·03	·06	·26					·08		·45	·30	18
19	·24		·25	·13					·03		·18	·05	19
20	·07		·56								·08	1·02	20
21	·02		·47		·06						·01	·39	21
22			[illegible]	·01		·03				·45	·03	·59	22
23	·02	·02		·07		[illegible]		·14		·17	·23	·05	1·15 23
24		·24		·01	·27	·03		·04		·40	·05	·29	24
25						·08		·39	·02	·01	·13		25
26		·73	·28			·21		·03	·01	·52			31 26 70
27		·04	1·16			·10		·51	·25	·15			27
28	·05	·31	·16			·12		·05	·05	·65		·26	28
29		·41	·06			·26		1·31	·11	·67		·40	29
30		╳						·03		·36			30
31		╳		╳		╳		·11	╳	·13	╳	·06	31
Total	1·31	4·87	3·55	·80	2·00	2·27	1·00	4·63	4·26	5·58 5·56	4·45	3·92	YEAR'S TOTAL 35·82
Rain Days.	16	21	14	9	15	~~16~~ 15	6	14	10	21	16	14	174

W. 8,000 X. 15.

1522

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Erlestoke Vicarage

in the County of Wilts

by Rev. H. S. Travers.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station as before.

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·13		·06		·84	·23		·01		1
2				·68		·05		·03			·09		2
3	·01			·09			·82	·15		·55	·04		3
4		·18	·07				·11	·03		·26		·03	4
5	·23		·08	·17		·10		·04	·09	·40	·10		5
6	·03		·55					·02		·10	·13		6
7	·15						·25	·07		·24	·01		7
8	·47		·10	·08			·48	·40	·03	·27	·06	·14	8
9	·01		·09					·36	·08	·12	·20		9
10	·16		·34	·25				·33		·01			10
11	·02		·62	·23	·06			·02		·12			11
12	·11		·01					·03		·58			12
13			·09		·52	·04		·09	·02	·03			13
14			·15	·24				·10	·08				14
15							·17	1·34		·10		·20	15
16		·14						·01		·56			16
17				·15			·30	·09	·34	·20			17
18	·02	·04		·08	·30		·27		·45				18
19	·01	·35	·10			·02	·01	·03	·08				19
20		·02	·04		·30			·01					20
21			·20							·02			21
22			·04			·15		·07		·02			22
23		·06	·02			·35		·34		·01		·07	23
24		·07				·06	·04	·08		·19			24
25		·05	·05					·02	·03	·36			25
26								·59	·13	·35	·08		26
27					·40	·02		1·09		·01			27
28			·12		1·12	3·60		·80					28
29			·12		·13	·19	·07	·05		·46		·33	29
30		✕	·03				·46	·10		·16			30
31		✕	·11	✕		✕	·02		✕	·02	✕	·07	31
Total	1·22 ✓	·91 ✓	2·93 ✓	2·10 ✓	2·83 ✓	4·04 ✓	3·03 ✓	7·13 ✓	1·56 ✓	5·14 ✓	·72 ✓	·84 ✓	YEAR'S TOTAL 32·45 ✓
Rain Days.	11 ✓	8 ✓	20 ✓	10 ✓	7 ✓	11 ✓	12 ✓	28 ✓	11 ✓	24 ✓	9 ✓	6 ✓	157 ✓

W. 8,000, VIII. 16

June 28th 4.15 P.m to 4.21½ ·45 2.55 during rest of time.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Erlestoke Vicarage
in the County of Wilts
by Rev Henry - S. Travers

Lat. Long.
Time of Observation 9
Nearest Railway Station Edington & Bratton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·20	·10			·60			·54	·02	1
2		·01		·23				·17		·05	·06	·22	2
3		·05	·03	·27	·23			·5	·05	·01	·04		3
4		·05							·04	·03	·85	·10	4
5		·02			·35			·14	·45	·17			5
6	·10	·12		·49				·05		·05		·01	6
7				·11	·74					·27	·24	·08	7
8									·95	·21			8
9		·15		·35		·28	·87		·48	·09		·12	9
10	·01			·14			·25		·20	·27		·45	10
11	·02						·95		·13			·10	11
12					·29		·55		·01				12
13	·20						·38		·40	·01	·01	·12	13
14	·25				·10	·05	·32		·20	·10			14
15	·90			·45			·24		·01	·02		·15	15
16	·80		·03	·53		·05			·10			·20	16
17	·25		·05	·18			·23	·10	·02			·24	17
18	·82					·44	·15	·08	·18			·16	18
19			·09	·06			·12	·02	·20	·02		·02	19
20	·09	·10					·20		·13		·01		20
21		·02					·01		·60	·05		·08	21
22	·15				·05		·27		·16	·06		·26	22
23	·10				·21		·80	·05				·02	23
24		·23				·02	·05		·04		·20		24
25				·06			·18	·70	·11				25
26							·29		·03	·03	·09	·09	26
27		·04	~~[illegible]~~				·02		·15	·01	·12	·04	27
28			·35						~~[illegible]~~		·29	·03	28
29			·03						1·40	·02			29
30		X	·30					·05			·02	·05	30
31	·01	X	·33	X		X		·04	X	·02	X		31
Total	3·70	·79	1·21	3·07	2·07	·84	5·88	2·05	6·04	1·49	2·47	2·56	YEAR'S TOTAL 32·17
Rain Days.	13	10	8	12	8	5	18	12	23	19	12	21	161

W. 8,000, IX. 17.

·17 ·25 ·5

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Erlestoke Vicarage

in the County of Wilts

by Rev H. S. Travers

Lat. Long.

Time of Observation 9

Nearest Railway Station Edington Bratton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·40

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	March	April	May	June	July	August	Sept.	Oct.	**Nov.**	Dec.	*Date*
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·03	·40	·38		·28	·35	·02	·21	·25	·50	1
2	·07			·14			—		·05		·10	·09	2
3	·12	·08		·18			·30	·42		·73			3
4			·07	·02			·82			·32			4
5			·06		·10		·58	·01		·27		·02	5
6			·19		·23		·22					·01	6
7				·20	·02		·10						7
8		·08		·75			·66					·06	8
9	·49	·04	·02	·15		·13	·05						9
10	·69	·15	·05	·07		·22	·18					·00 (01)	10
11	·50		·11	·38	·35	·02	·14					·02	11
12	·10	·05	·06	·28	·01	·86	·04				·10		12
13	·07	·01	·33	·07								·05	13
14			·30	·47		·07	·01		·04		·42	·06	14
15		·10	·04	·44								·03	15
16			·04	·02	·03		·05		·10		·11		16
17	·63		·05	·27	·20	·04			·35				17
18				·04	·23	·75		·40	·18			·01	18
19	·12			·20	·10	·25		·03					19
20	·04	·25		·30		·42						·25	20
21	·08						·16		·01			·02	21
22				·08			·05	·06				·34	22
23	·05						·63	·02				·40	23
24	·08		·11								·20	·06	24
25		·07	·09				·44						25
26	·20		·12		·28		·04		·02				26
27	·28	·05		·20	·25	·30						·10	27
28	·58		·02	·09			·03				·05		28
29	·20		·16			(~~·03~~ ·05)			~~·30~~		·16	·40	29
30	·05	✕	·01	·02	13	·15	·15		·30		·23	·35	30
31	·20	✕	·25	✕		✕			✕	·34	✕		31
TOTAL	4·00	·88	2·18	4·77	2·31	3·24	4·93	1·29	1·07	1·87	1·62	~~2·89~~ 2·78	YEAR'S TOTAL 30·89
Days with ·01 in. or more	20	10	~~9~~ 20	22	13	12	20	7	9	5	9	19	166
	19	9	16	19	10	10	18	4	6	5	9	12	137

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FONTHILL HOUSE GDNS.

WILTSHIRE

1913 – 1916, 1919 - 1920

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

RE

Kept at Fonthil ... 2 West-
... a m
Tis ... Tisbury

in the County of ... 5 in.

by Hugh Mon ... ove Ground ... ft. 10 in.
H H Mil ... Sea Level 400 ft.

IMPORTANT NO ... d the result entered to the previous day. If an ... iversal rule, he is earnestly requested to add the re ... ear in the space provided for it at the end of t ... ement of rain, the selection and placi ... ritish Rainfall Organization are given ... application to Dr. H. R. Mill, 62, C...

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·20	·14	·01	·	·	·	·	·38	·02	·26	·18	1
2	·02	·09	·03	·04	·01	·	·	·	·22	·02	·23	·03	2
3	·11	·	·04	·05	·64	·	·	·	·	·32	·	·30	3
4	·81	·	·05	·	·60	·	·	·	1·19	·29	·03	·20	4
5	·12	·05	·03	·	·01	·13	·	·	·39	·	·04	·14	5
6	·08	·04	·09	·	·34	·17	·18	·	·01	·64	·14	·66	6
7	·04	·27	·04	·	·40	·04	·09	·	·	·63	·20	·01	7
8	·01	·08	·	·	·43	·10	·01	·	·	·10	·	·04	8
9	·	·06	·01	·	·10	·08	·07	·15	·08	·	·11	·06	9
10	·09	·	·06	·02	·06	·	·02	·01	·	·33	·46	·	10
11	·71	·	·	·33	·03	·01	·	·	·	·12	·57	·02	11
12	·	·02	·	·	·42	·	·	·	·02	·01	·35	·01	12
13	·05	·	·14	·	·	·	·	·	·09	·	·18	·	13
14	·23	·	·19	·02	·11	·	·01	·	·10	·	·27	·02	14
15	·16	·12	·30	·67	·	·	·11	·	·07	·	·07	·01	15
16	·29	·	·40	·10	·	·02	·	·	·08	·	·01	·	16
17	·01	Snow ·04	·03	·02	·	·03	·02	·	·	·	·02	·01	17
18	·05	·	·17	·18	·	·	·	·	·	·	·09	·	18
19	1·06	·	·09	:	·06	·11	·08	·	·61	·	·	·	19
20	·06	·	·07	·10	·	·	·	·	·	·25	·20	·	20
21	·	·	·25	·32	·02	·	·04	·01	·	·02	·81	H Frost ·01	21
22	·66	·	·20	:	·02	·	·	·08	·29	·	·	·	22
23	·	·	·01	·	·	·06	·	·	·	·	·01	·64	23
24	·05	·02	·01	·21	·	·	·	·32	·	·	·05	·	24
25	·	·24	·	·22	·	·	:	·	·	·01	·	·03	25
26	·	·01	·	·58	·	·	·	·34	·	·05	·01	·27	26
27	·03	·	·22	·11	·	·	·	·	·	·07	·	·	27
28	·21	·	·21	·25	·	·	·	·	·	·52	·	Snow ·02	28
29	·10	X	·60	·48	·04	·	·	·07	·	·46	·02	Snow ·03	29
30	·70	X	·	·	·01	·	·	·02	·	·40	·02	·	30
31	·15	X	·04	X	·	X		·60	X	·	X	·	31
Total	5·83 ~~5·93~~	1·24	3·42	3·71	3·30	·75	·63	1·60	3·53	4·26	4·15	2·69	YEAR'S TOTAL ~~[illegible]~~ 35·41
Rain Days.	~~25~~	~~13~~	~~25~~	~~18~~	~~17~~	~~10~~	~~10~~	~~9~~	~~13~~	~~18~~	~~23~~	~~20~~	~~20[illegible]~~

W. 7,500, XI. ·12

✓

RE

FORM A.
BRITISH RAINFALL.

4 JAN 1914

Kept at Fonthill House Gardens Tisbury
in the County of Wilts 3
by Hugh Morrison Esq
H H Mills (observer)

Lat. 51½ N Long. 2 West
Time of Observation 9 a m
Nearest Railway Station Tisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·20	·14	·01	.	.	.	.	·38	·02	·26	·18	1
2	·02	·09	·03	·04	·01	.	.	.	·22	·02	·23	·03	2
3	·11	.	·04	·05	·64	.	.	.	.	·32	.	·30	3
4	·81	.	·05	.	·60	.	.	.	1·19	·29	·03	·20	4
5	·12	·05	·03	.	·01	·13	.	.	·39	.	·04	·14	5
6	·08	·04	·09	.	·34	·17	·18	.	·01	·64	·14	·66	6
7	·04	·27	·04	.	·40	·04	·09	.	.	·63	·20	·01	7
8	·01	·08	.	.	·43	·10	·01	.	.	·10	.	·04	8
9	.	·06	·01	.	·10	·08	·07	·15	·08	.	·11	·06	9
10	·09	.	·06	·02	·06	.	·02	·01	.	·33	·46	.	10
11	·71	.	.	·33	·03	·01	.	.	.	·12	·57	·02	11
12	.	·02	.	.	·42	.	.	.	·02	·01	·35	·01	12
13	·05	.	·14	.	.	.	.	.	·09	.	·18	.	13
14	·23	.	·19	·02	·11	.	·01	.	·10	.	·27	·02	14
15	·16	·12	·30	·67	.	.	·11	.	·07	.	·07	·01	15
16	·29	.	·40	·10	.	·02	.	.	·08	.	·01	.	16
17	·01	Snow ·04	·03	·02	.	·03	·02	.	.	.	·02	·01	17
18	·05	.	·17	·18	.	.	.	.	.	.	·09	.	18
19	1·06	.	·09	.	·06	·11	·08	.	·61	.	.	.	19
20	·06	.	·07	·10	.	.	.	.	.	·25	·20	.	20
21	.	.	·25	·32	·02	.	·04	·01	.	·02	·81	H Frost ·01	21
22	·66	.	·20	.	·02	.	.	·08	·29	.	.	.	22
23	.	.	·01	.	.	·06	.	.	.	.	·01	·64	23
24	·05	·02	·01	·21	.	.	.	·32	.	.	·05	.	24
25	.	·24	.	·22	.	.	.	.	.	·01	.	·03	25
26	.	·01	.	·58	.	.	.	·34	.	·05	·01	·27	26
27	·03	.	·22	·11	.	.	.	.	.	·07	.	.	27
28	·21	.	·21	·25	.	.	.	.	.	·52	.	Snow ·02	28
29	·10	×	·60	·48	·04	.	.	·07	.	·46	·02	Snow ·03	29
30	·70	×	.	.	·01	.	.	·02	.	·40	·02	.	30
31	·15	×	·04	×	.	×	.	·60	×	.	×	.	31
Total	5·83 5·93	1·24	3·42	3·71	3·30	·75	·63	1·60	3·53	4·26	4·15	2·69	YEAR'S TOTAL ~~35·4~~
Rain Days.	~~25~~	~~13~~	~~25~~	~~18~~	~~17~~	~~10~~	~~10~~	~~9~~	~~13~~	~~18~~	~~23~~	~~20~~	~~204~~ 35

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at Fonthill Ho gardens
in the County of Wilts 3
by H Morrison Esq.

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Tisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.12	.	.	.	.	.58	.	.	.20	.05	1
2	.		.	.	.	.	.67	.18	.	.	1.51	.29	2
3	.01	.	.24	.17	.46	.	.02	.	.	.	.01	.10	3
4	.05	.	.09	.23	.02	.	.15	.93	.	.	.65	.61	4
5	.11	.	.25	.54	.53	.	.40	.10	.	.	.53	.01	5
6	.02	.28	.02	.28	.02	.02	.08	.14	.	.	.06	.39	6
7	.03	.63	.08	.36	.22	0.6	.25	.10	.	.	.	.30	7
8	.13	.10	.56	.	.27	15 ~~.21~~	.	.53	.10	.	.	.05	8
9	.16	.	.37	.42	.05	.84	.	.07	.20	.	.	.07	9
10	.05	.23	—	.05	.13	.	.	.01	.44	.	.01	.02	10
11	.	.28	.69	.	.03	.14	.42	.	.02	.	.12	.50	11
12	.	.11	.23	.	.	.	.	.	.32	.	.01	.36	12
13	.	.37	.36	.	.	.	.	.	.12	.19	.19	.46	13
14	.	.39	.37	.	.	.	.28	.26	.01	.48	.31	.16	14
15	.02	.02	.27	.	.	.	.16	.61	.03	.04	.14	.	15
16	.	.	.	.	.	.	.11	.	.25	.	.	.	16
17	.	.71	.22	.	.	.	.01	.	.01	.	.	.79	17
18	.	.01	.13	.	.	.	.09	.	.01	.	.	.50	18
19	.	.05	snow .91	.	.	.	1.24	.	.	.	.09	.16	19
20	.	.50	.13	.	.	.09	.	.	.	.	.	.30	20
21	.	1.00	.01	.	.	.01	.	.	.	.21	.	.02	21
22	.	.04	.09	.	.25	.06	.01	.05	.	.69	-	-	22
23	.	.23	.23	.	.02	.02	.02	.	.	.13	.	.07	23
24	.	.06	.10	.	.02	.	.30	.	.	.32	.28	.	24
25	.09	.01	.27	.	.	.	.11	.24	.	.32	.07	.32	25
26	.	.	.04	.	.	.	.03	.06	.	.05	.38	.66	26
27	.07	.	.	.	.	.	.	.	.	.02	.11	.17	27
28	.01	.11	.21	.	.08	.	.05	.	.	.	.30	.99	28
29	.64	✕	.15	.	.09	.	.	.	.	.33	.37	.	29
30	.01	✕	.08	.	.	.03	.	.	.	.21	48	.91	30
31	.10	✕	.	✕	.01	✕	.08	.	✕	.83	✕	.12	31
Total	1.50	5.13	6.22	2.05	2.20	1.42	4.48	3.86	1.51	3.82	5.82	8.38	YEAR'S TOTAL 46.39
Rain Days.	15	19	26	7	15	9	20	14	11	13	20	26	195

8,000. X. 14.

Esc DL

1650

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Fonthill Ho Gardens
Tisbury
in the County of Wilts 3
by Hugh Morrison Esq

Lat. ______ Long. ______
Time of Observation 9 a.m
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. 9 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·89	·33	·01	.	·03	.	.	·32	·31	·26	·10	·25	1
2	·50	·34	·24	·14	.	·02	.	·82	.	·23	.	·59	2
3	·77	·06	·18	·05	·10	·03		·01	.	·02	.	·37	3
4	·02	.	.	.	.	.	.	.	.	.	.	·28	4
5	·07	1·04	·02	·02	.	.	.	·13	.	.	.	·40	5
6	·66	·12	.	·50	.	.	·71	·16	.	.	.	·34	6
7	·26	·57	·02	·07	.	.	·36	.		.	.	·36	7
8	·16	·47	.	·02	.	.	·02	·09	.	.	·03	·01	8
9	.	·04	.	·31	.	.	.	.	.	.	·43	·71	9
10	·35	·02	·04	·03	.	.	.	.	.	·01	.	·08	10
11	·07	·02	·07	·06	.	.	·02	·41	.	.	·69	·06	11
12	·16	·49	.	·15	·57	.	.	·54		·05	·32	·01	12
13	·01	·83	.	.	1·11	.	.	·08	·15	.	·03	.	13
14	·09	·02	.	.	.	.	·17	1·07	·07	.	.	1·20	14
15	·20	.	.	.	·18	.	·01	·14	·02	·01	·07	·23	15
16	.	·95	.	.	·33	.	1·03	·06	.	.	.	·11	16
17	.	·38	.	.	1·42	.	.	·08	.	.	.	·01	17
18	.	·37	·01	.	·27	.	.	.	.	.	.	.	18
19	·01	·02	.	.	·11	.	·18	.	.	.	.	.	19
20	·31	.	.	·10	·05	.	.	.	.	·02	.	·05	20
21	·09	·12	.	.	·07	.	·12	.	.	·52	.	·28	21
22	·12	·37	·49	·07	.	.	·88	.	·02	.	.	·33	22
23	.	·04	·17	.	.		·37	.	·13	1·46	·01	·32	23
24	.	.	.	·11	.	.	·27	.	·67	2·16	.	·31	24
25	.	.	·02	·04	.	·01	·46	.	·12	·01	.	·17	25
26	.	·15	.	.	.	.	·18	.	.	.	.	·80	26
27	.	·11	.	.	.	·15	·14	.	.	·33	.	·02	27
28		·08	.	.	.	·07	.	·02	·75	·02	.	.	28
29	.	×	.	.	.	·19	.	·09	.	.	·23	·05	29
30	·12	×	.	.	.	·25	.	.	.	·65	·62	·30	30
31	·07	×	.	×	.	×	.	.	×	1·28	×	·43	31
Total	4·93	6·94	1·27	1·67	4·24	·72	4·92	4·02	2·24	7·03	2·53	8·07	YEAR'S TOTAL 48·58
Rain Days.	20	23	11	14	11	7	15	15	9	15	10	27	177

RP

W. 8,000. X. 15.

1624

card for month

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Fonthill Ho. gardens
in the County of Wilts
by Hugh Morrison Esq.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	.	·01	.	·40	·05	·02	.	·32	·63	·38	.	1
2	·35	·14	·03	.	·13	.	.	.	·02	·55	·04	.	2
3	·02	1·17	·01	.	·02	.	.	.	.	·46	·46	.	3
4	·19	·40	.	.	·10	·58	·04	.	·43	·03	1·20	.	4
5	·08	·04	·04	.	·40	·35	.	.	.	·06	·77	.	5
6	·03	·18	·02	.	·03	.	·99	.	.	·19	·92	.	6
7	·12	·04	·29	.	·14	·01	·32	.	.	·04	·68	·17	7
8	·01	·16	·02	.	·28	·41	.	.	.	.	·02	·08	8
9	.	.	.	.	·18	·06	·02	.	.	·18	·01	·07	9
10	·01	·54	·02	·07	·03	·06	·12	.	.	·03	·03	·31	10
11	·02	.	·04	·05	.	·26	·01	.	.	.	.	·07	11
12	·11	·09	·06	·11	·07	.	·22	.	.	·15	.	.	12
13	.	·31	·08	.	.	.	.	·36	.	·01	.	.	13
14	·03	·49	·02	·05	·12	.	.	·10	.	·08	.	.	14
15	·01	·25	·09	·01	.	.	.	·29	.	·05	.	.	15
16	·03	·07	.	·36	·01	.	·11	·86	.	.	.	.	16
17	·24	·17	.	·17	.	.	.	·19	·42	·57	·15	.	17
18	·01	·15	·13	·22	.	.	.	.	·09	·09	·44	·33	18
19	·08	.	·46	·08	.	.	.	.	·03	.	·17	·09	19
20	·37	·06	·49	.	.	.	.	.	.	.	·08	1·25	20
21	·02	·05	·25	.	·05	.	.	.	.	.	.	·60	21
22	·02	.	·02	.	.	·02	.	.	.	·75	·02	·53	22
23	·02	·18	.	·03	.	·07	.	·14	.	·02	·21	·17	23
24	.	·04	.	·03	·48	·12	.	·02	.	·47	·07	·28	24
25	.	1·55	·09	.	.	.	.	·60	·01	·01	·17	.	25
26	·02	·06	·03	.	.	·35	.	·08	·31	·96	.	.	26
27	·02	·06	1·20	.	.	·01	·03	2·66	·50	·35	.	.	27
28	.	·41	·10	.	.	.	.	·09	1·53	·29	·02	·39	28
29	.	·43	·02	.	.	·38	.	2·01	·36	·35	·04	·34	29
30	.	✕	·01	.	.	.	.	.	.	·69	.	·01	30
31	.	✕	.	✕	.	✕	.	·10	✕	·23	✕	03	31
Total	1·97	7·04	3·53	1·18	2·44	2·78 2·73	1·88	7·50	4·02	7·24	5·88	4·72	50·13 ~~50·18~~
Rain Days.	23	24	24	11	15	14	10	13	11	25	20	16	206

W. 8,000, VIII. 16

1458

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

20 JAN 20

THE GARDENS
FONTHILL HOUSE
TISBURY
WILTS.
STATION & TELEGRAPH 8 MILES

Kept at ....
in the County of ....
by ....

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 400 ft.

H H Mills for Hugh Morrison Esq MP

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.57	.02	.11	.03	.24	.	.18	.	.11	.12	.01	1.19	1
2	.17	.	.	.	.10	.	.03	.	.26	.	.12	.12	2
3	1.13	.	.24	.	.	.	.	.11	.31	.	.02	.42	3
4	.21	.09	.63	.	.07	.03	.	.	.30	.	.	.04	4
5	.01	.41	.57	.	.15	.	.19	.	.12	.	.14	.42	5
6	.68	.	.22	.	.	.	.	.	.	.01	.04	.31	6
7	.64	.	.52	.06	.	.	.	.	.	.	.	.04	7
8	.34	.	.22	.	.03	.	.	.	.	.	.	.	8
9	.04	.	.05	.22	.	.	.	.	.	.02	.09	.	9
10	.07	.	.43	.02	.18	.	.	.	.	.	.02	.23	10
11	.02	.	.23	.23	.	.	.27	.	.	.11	.	.02	11
12	.04	.	.08	.	.	.04	.09	.	.	.	.08	.	12
13	.07	.	.03	.55	.	.	.	.	.	.04	.	.15	13
14	.83	.10	.	.64	.	.	.16	.	.02	.08	.	.16	14
15	.23	.01	.	.04	.	.	.	.	.	.	.	.39	15
16	.04	.80	.	.	.	.	.	.09	.	.	.18	.	16
17	.03	.28	.	.	.	.	.	.	.	.	.40	.	17
18	.	.	.58	.	.	.	.03	.04	.	.	.19	.07	18
19	.49	.35	1.03	.	.	.03	.66	.31	.12	.	.29	.05	19
20	.44	.13	.15	.	.	.35	.	.23	.	.	.	.12	20
21	.	.73	.02	.	.	.	.20	.	.11	.	.02	.22	21
22	.	.12	.	.	.	.	.15	.	.57	.14	.02	.50	22
23	.	.	.01	.	.	.	.	.	.	.74	02 .02	.27	23
24	.	.	.	.01	.	.13	.05	.	.	.01	.08	.50	24
25	.09	.13	.	.13	.	.03	.	.33	.	.	.	.28	25
26	.05	.03	.17	.22	.	.	.	.34	.10	.	.02	.40	26
27	.17	.01	.04	.39	.	.	.	.83	.	.	.	.05	27
28	.	.	.62	.01	.	.	.	.86	.	.18	.80	.49	28
29	.03	X	.	.03	.	.	.	.07	.	.04	.	.03	29
30	.	X	.03	.19	.	.15	.	.60	.	.	.62	.72	30
31	.	X	.	X	.	X	.	.	X	.	X	.24	31
Total	6·39	3·21	5·98	2·77	·77	·76	2·01	3·81	2·02	1·49	3·26 3·16	7·47	Year's Total 39·84
Days with ·01 in. or more	~~23~~	~~14~~	~~21~~	~~15~~	~~6~~	~~7~~	~~11~~	~~11~~	~~10~~	~~11~~	~~19~~	~~26~~	~~39·84~~ 174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

form MS

1549

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1917

At Fonthill House, Tisbury

In the County of Wiltshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. — in.
Height of Top: *Above Sea Level* 400 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·36	·84	8	7
FEB.	1·21	·39	19	9
MAR.	3·77	·63	6	21
APR.	3·17	·90	2	13
MAY	2·19	·77	27	10
JUNE	6·53	5·74	28	13
JULY	4·42	1·21	30	13
AUG.	6·23	1·33	27	23
SEPT.	2·57	·96	17	12
OCT.	5·70	·72	29	25
NOV.	1·40	·28	9	17
DEC.	1·45	·73	16	11
Total	40·00	1016 ✗		174

~~Signed~~ H. H. Mills for Morrison Esq

W. 16,000. viii.16.

[Please fill in the other side also.

1376

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

THE GARDENS
FONTHILL HOUSE
TISBURY
WILTS.
STATION & TELEGRAPH 3 MILES

Kept at
in the County of
by Hugh M[illegible] Esq

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	.	·06	·26	.	.	·35	·12	·03	·22	·38	·54	1
2	·23	.	·02	·13	·03	.	·61	·84	·07	·06	.	·14	2
3	·06	·12	.	·07	.	.	·50	.	.	1·01	.	.	3
4	.	·02	·02	·02	·13	.	·13	·36	.	·29	.	.	4
5	.	.	·09	·07	·27	.	·70	·34	.	·28	.	.	5
6	.	.	·34	.	.	.	·37	.	.	·01	.	.	6
7	·09	.	·09	·49	·05	.	·67	.	.	·02	.	.	7
8	·06	·06	.	·26	.	.	·20	.	.	.	.	.	8
9	·82	·32	.	·11	.	·14	·07	.	.	.	.	.	9
10	·75	·56	·15	·11	·30	·28	·46	.	.	.	.	.	10
11	·35	.	·10	·74	.	·06	·18	.	.	.	.	.	11
12	·28	·06	.	·39	.	·98	·03	.	.	.	.	.	12
13	·33	·05	·51	·19	.	.	.	.	.	.	.	.	13
14	·13	.	·24	·78	·08	.	·02	.	·18	·24	·08	.	14
15	·03	·11	·03	·39	.	·01	·03	.	·03	·25	·02	.	15
16	.	·01	·08	·08	·31	.	·13	.	·14	·04	·54	.	16
17	·04	.	·03	·24	·13	.	·06	.	·51	.	·05	.	17
18	·06	.	·02	·05	.	·07	.	·50	·09	.	~~·09~~	·14	18
19	·03	.	.	·38	·02	·14	.	.	.	.	.	.	19
20	·04	·16	.	·23	.	·46	.	.	.	.	.	·17	20
21	.	·01	.	.	.	.	·43	.	·06	.	[illegible]	·16	21
22	·06	.	-	·09	.	.	·06	·04	.	.	.	·34	22
23	·01	.	.	.	·01	.	·66	.	.	.	.	·37	23
24	·02	.	·18	.	·03	.	.	.	.	.	·19	·11	24
25	·02	·07	·12	.	.	.	·41	.	.	.	.	·01	25
26	·23	.	·18	·01	·03	.	(·12)	.	.	.	·06	·13	26
27	·41	·03	·11	·42	·07	·30	·03	.	.	.	·01	·33	27
28	·61	·01	·06	·09	·04	·02	·12	.	.	.	.	·06	28
29	·41	-	·12	·33	.	.	·02	.	.	.	.	·34	29
30	·12	×	(·06)	.	·06	·27	·21	.	·36	.	·76	·26	30
31	·16	×	·18	×	.	×	·02	.	×	·53	×	·24	31
TOTAL	5·41	1·59	2·79	5·93	1·56	2·73	6·61	2·20	1·47	2·95	2·09	3·34	YEAR'S TOTAL 38·67
Days with ·01 in. or more	~~26~~	~~14~~	~~21~~	~~24~~	~~15~~	~~11~~	~~26~~	~~6~~	~~9~~	~~11~~	~~9~~	~~16~~	
Days with ·04 in. or more	~~21~~	~~9~~	~~12~~	~~22~~	~~10~~	~~9~~	~~20~~	~~6~~	[illegible]	~~9~~	~~7~~	~~14~~	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R 11

GRAFTON

WEXCOMBE

WILTSHIRE

1911 - 1918

Kept at Wexcom 5 in.

ve Ground 1 ft. in.

in the County of Wil Sea Level 580 ft.

by H. A. mac And

Name

Distance Direction

IMPORTANT NO d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·34								·02	1
2	·03			·08	·27			·05		·10	·34	·20	2
3					·24			·26			·22		3
4		·03	·10						·02	·17	·22	·56	4
5	·07			·03				·20		·15	·25		5
6	·45		·14	·01							·05	·60	6
7	·04		·02							·06	·33	·05	7
8	·14		·18								·19	·43	8
9	·09		·04									·35	9
10	·10	·12	·25		·12						·05		10
11	·42		·03		·02					·01	·73	·04	11
12			·70							·02	·37	·41	12
13					·04				·31			·23	13
14		·03	·02									·79	14
15		·05								·03	·31	·04	15
16		·02				·15					·54	·30	16
17			·02			·16					·04	·37	17
18		·29	·11	·04		·75				·06		·46	18
19		·02		·03		·33			·10	·16		·19	19
20		·05	·10			·07		·03	·54			·65	20
21		·28		·05		·03		1·36		·72		·23	21
22	·05		·13	·02		·20				·10		·68	22
23		·29	·06			·05			·10	·09	·02	·28	23
24	·03	·16				·23		·10		·14		·18	24
25		·07	·03	·12	·25	·06			·04			·07	25
26	·05	·12		·29	·20	·03				·16	·03	·27	26
27		·43	·23	·03				·12	·09		·03		27
28		·56		·31							·05		28
29				·09		·28		·11	·16	·34	·02		29
30					·02	·13	·08			·20	·02		30
31								·08		·18		·03	31
Total	1·51	2·52	2·19	1·44	1·16	2·47	·08	2·31	1·36	2·69	3·81	7·43	TOTAL for year 28·97
No. of Rain Days	12	15	17	13	8	13	1	9	8	17	19	24	156

9,000, IX. '10.

8L

297

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wexcombe

in the County of Wilts 5

by H. A. MacAndrew

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 580 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.03	.34								.02	1
2	.03			.08	.27			.05		.10	.34	.20	2
3					.24			.26			.22		3
4		.03	.10						.02	.17	.22	.56	4
5	.07			.03				.20		.15	.25		5
6	.45		.14	.01							.05	.60	6
7	.04		.02							.06	.33	.05	7
8	.14		.18								.19	.43	8
9	.09		.04									.35	9
10	.10	.12	.25		.12						.05		10
11	.42		.03		.02					.01	.73	.04	11
12			.70							.02	.37	.41	12
13					.04				.31			.23	13
14		.03	.02									.79	14
15		.05								.03	.31	.04	15
16		.02				.15					.54	.30	16
17			.02			.16					.04	.37	17
18		.29	.11	.04		.75				.06		.46	18
19		.02		.03		.33			.10	.16		.19	19
20		.05	.10			.07		.03	.54			.65	20
21		.28		.05		.03		1.36		.72		.23	21
22	.05		.13	.02		.20				.10		.68	22
23		.29	.06			.05			.10	.09	.02	.28	23
24	.03	.16				.23		.10		.14		.18	24
25		.07	.03	.12	.25	.06			.04			.07	25
26	.05	.12		.29	.20	.03				.16	.03	.27	26
27		.43	.23	.03				.12	.09		.03		27
28		.56		.31							.05		28
29				.09		.28		.11	.16	.34	.02		29
30					.02	.13	.08			.20	.02		30
31								.08		.18		.03	31
Total	1.51	2.52	2.19	1.44	1.16	2.47	.08	2.31	1.36	2.69	3.81	7.43	TOTAL for year 28.97
No. of Rain Days	12	15	17	13	8	13	1	9	8	17	19	24	156

9,000, IX. '10.

8L ✓ Jan 15-16 cut for S. Est [illegible] 292

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Wexcombe Grafton
in the County of Wiltshire 5
by H. A. MacAndrew

Rain Gauge: Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. „ „ „ Sea Level .... ft.
Time of Observation ....
Nearest Railway Station: Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10			·39	·10		·05	·65		·28	1
2			·29	·03		·14	·32	·11		·03			2
3	·02		·11			·29	·02	·32	·05		·05	·12	3
4	·14	·02	·90		·16	·64		·13			·23		4
5	·43	·11	·07			·10		·86			·02	·12	5
6	·40		·02		·06		·24	·46	·02			·21	6
7		·31	·02		·12	·70		·19				·08	7
8	·36	·26	·51			·06	·11	·02	·03			·04	8
9	·04	·14	·24	·07		·39	·06	·15	·03			·36	9
10		·11				·10		·15			·13	·23	10
11	·05	·10	·02			·06	·01				·07	·34	11
12	·10	·41	·16		·02	·29	·05				·03	·03	12
13		·05	·02				·07	·09		·03	·03	·07	13
14	·14		·18		·33			·04		·04		·05	14
15		·16	·06		·14	·46				·08	·02	·53	15
16	(1·36)		·28		·06			·11	·01		·04		16
17	·32		·10			·10		·79		·03	·02	·04	17
18	·49		·45					·57		·07	·02	·15	18
19	·08	·16	·16			·04	·11	·58		·04	·04	·02	19
20			·39				·27	·28		·34		·12	20
21	·04	·07	·25		·58			·09		·16			21
22	·44	·28	·05		·09		·08	·18		·08		·09	22
23	·19	·42	·48					·44		·03	·27	·24	23
24	·11	·06	·03			·20		·21		·04		·27	24
25	·04	·02				·26		·50		·20	·32	·61	25
26		·03					·27	·18		·44	·34	·24	26
27						·12	·23			·80	·02	·34	27
28		·09				·06	·04	·56	·27	·42	·63	·36	28
29		·06				1·35	·14	·12	·86	·37		·05	29
30						·11	·14		·64	·25			30
31			·12		·40		·36	·11		·04		·15	31
Total	(4·75)	2·86	5·01	·10	1·96	5·86	2·62	7·24	1·96	4·14	2·28	5·14	TOTAL for year 43·92
No. of Rain Days.	19	19	24	2	10	20	18	25	9	20	17	26	209

W. 8,000, X. '11.

88 ✓

301

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Spd DM

5

Kept at Wexcombe
in the County of Wiltshire
by H. A. MacAndrew

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·04	·22	·19	·05	·13	·02			·81		·22	·22	1
2	·03	·15	·05	·04			·02		·05	·08	·14	·03	2
3	·05		·09	·14	·58					·03		·21	3
4	·60		·04		·35	·07			1·39	·51	·08	·14	4
5	·06	·03				·16	·07		·28		·06	·06	5
6		·04	·07		·28	·14	·67			·56	·13	·48	6
7	·02	·37			·43	·06	·29	·06		·77	·12		7
8	·02	·08			·27	·02				·17		·03	8
9		·15		·02	·07		·05	·19	·17		·03	·08	9
10	·10		·07	·08	·05		·05	·02			·83		10
11	1·04			·35	·27					·14	·86	·02	11
12		·03			·39						·22		12
13	·15		·12					·05	·23		·31		13
14	·19	·03	·10	·07	·09		·10	·07	·22	·12	·07	·01	14
15	·34	·06	·26	·62			·62		·15		·11	·01	15
16	·19		·46	·10		·04						·01	16
17	·06	·03	·09	·05			·10						17
18	·03		·38	·19			·05				·05		18
19	·98		·04		·03	·02	·19		·53			·06	19
20	·12		·09	·09						·43	·05		20
21			·36	·16	·11					·03	·73		21
22	·48		·25		·02	·04		·12	·16				22
23			·03			·17			·01		·04	·31	23
24		·03		·19									24
25	·03	·02		·18							·02		25
26		·02		·47				·16		·33			26
27			·31	·12						·20			27
28	·21		·12	·18						·26		·08	28
29	·05		·44	·69	·03			·03		·60	·03		29
30	·58				·03					·49	·02		30
31	·04		·08					·34					31
Total	5·41	1·26	3·64	3·79	3·13	·74	2·21	1·04	4·00	4·72	4·12	1·75	YEAR'S TOTAL 35·81
Rain Days.	23	14	21	19	16	10	11	9	11	15	20	15	184

W. 7,500, XI. ·12

259

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wexcombe

in the County of Wiltshire 5

by K. A. MacAndrew

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03					·36			·24	·05	1
2				·05			·20	·31			1·38	·05	2
3			·36	·14	·29	—	·15	·05			·02	·14	3
4	·05		·03	·29	·05			1·00			·43	·40	4
5	·09		·11	·40	·21		·23	·43			·37	·08	5
6	·03	·19		·22	·06	·04	·05	·06			·04	·45	6
7		·45	·14	·16	·45	·19	·15	·05				·15	7
8	·12	·18	·88		·09	·22	·09	·17			·02	·02	8
9	·15		·41	·13	·09	·67		·08	·10			·33	9
10	·03	·15	·03	·04	·20			·03	·30		·02		10
11		·28	·52		·05	·19			·05		·16	·54	11
12		·18	·16				·25		·35	·16	·02	·57	12
13		·37	·32						·20	·08	·09	·38	13
14		·34	·48				·14	·04	·05	·78	·26	·14	14
15	·07		·23					·22	·17	·05	·24	·02	15
16							·04		·15				16
17		·66	·39						·07			·57	17
18			·11			·02	·08					·73	18
19		·19	·45				·95				·14	·07	19
20		·47	·21			·08						·28	20
21		1·18	·05				·05	·22		·35		·05	21
22		·07	·10		·23	·15	·02	·04		1·03			22
23		·11	·14		·14					·21			23
24			·04		·10		·01			·16	·10		24
25	·06		·18				·02	·32		·48	·04	·37	25
26	·03		·08				·02	·03		·10	·21	·70	26
27	·02										·04	·38	27
28		·09			·10						·19	·85	28
29	·25		·19		·08					·35	·35	·21	29
30			·09		—					·19	·56	1·20	30
31	·07				·04		·11			·34		·05	31
Total	·97	4·91	5·73	1·43	2·18	1·56	2·56	3·41	1·44	4·28	4·92	8·78	YEAR'S TOTAL 42·17
Rain Days.	12	15	25	8	15	8	17	16	9	13	21	26	185

W.7,000 XI. 13

82

1674
~~285~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Wexcombe

in the County of Wiltshire 4

by K. A. MacAndrew

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·78	·18	·02		·07			·09	·13	·16	·10	·30	1
2	·47	·29	·38	·05		·05		·78	·06	·26		·28	2
3	2·11	·03	·03	·15	·09			·05				·29	3
4							·12	·02				·40	4
5	·06	·79		·05				·10				·37	5
6	·42	·11		·35			·70	·36				·23	6
7	·34	·50	·03	·02	·05	·11	·14	·02				·47	7
8	·14	·43		·03			·04	·12			·05		8
9	·05	·03		·10				·02			·39	·70	9
10	·19	·06	·04									·18	10
11	·05		·08	·06			·04	·20			·95		11
12		·38		·19	·57		·02	·74		·05	·43		12
13	·05	·68			·91			·02	·10		·02		13
14	·06	·02					·26	·26	·07			1·08	14
15	·15				·10		·15	·10		·02	·20	·26	15
16	·07	·84		·02	·39		·98	·09					16
17		·40			1·72							·18	17
18		·20	·02		·11								18
19					·07		·18						19
20	·24			·05	·01							·17	20
21	·21	·04			·07		·20		·03	·17		·07	21
22	·16	·53	·53	·02			·66					·20	22
23		·07	·23				·18		·14	·48		·39	23
24			·05	·03			·58		·76	·48		·35	24
25				·03		·13	·33			·03		·12	25
26		·08				·11	·20					·63	26
27		·05				·18	·12		·02	·47		·03	27
28		·11				·04			·84	·04	·02		28
29						·05		·06			·33	·07	29
30	·15	×				·22				·37	·41	·36	30
31	·02	×		×		×	·02	·03	×	1·30	×	·32	31
Total	5·72	5·82	1·41	1·15	4·16	·89	4·92	3·06	2·15	3·83	2·90	7·45	YEAR'S TOTAL 43·46
Rain Days.	19	21	10	14	12	8	18	17	9	12	10	23	173

W. 8,000. X. 14.

8L

Ex 8L

164
254

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Wexcombe

in the County of Wiltshire

by K. A. MacAndrew

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16		39		19	·07	·03		·16	·18	·25		1
2	·39	·11	·05		·30				·12	·90	·16		2
3	·04	·98			·04				·12	·38	·27		3
4	·14	·28			·05	·40	·05		·46	·40	1·04		4
5	·05	·05			·23	·17				·07	·55		5
6	·05	·15	·07		·08	·12	·50			·12	1·04		6
7	·07		·30		·05	·03	·10			·08	·45	·20	7
8		·04			·17		·05			·01		·16	8
9					·17	·19	·02			·14			9
10		·49	·03	·06	·04	·13	·05			·01			10
11	·13	·03	·04	·06		·20			·03				11
12	·07	·08		·07	·16	·04	·17	·02		·03			12
13		·29	·09		·08	·03		·64	·07				13
14		·44	·02	·07	·05			·23		·12			14
15	·02	·30	·20	·03				·14					15
16	·04	·06	19	·20	·05		·26	1·16	·02				16
17	·14	·19		·02				·26	·32	·53			17
18		·11	·03	·14				·12	·15		·60		18
19	·17		·13	·28					·06		·20	·10	19
20	·23		·48	·02							·10	·80	20
21		·03	·57	·02								·70	21
22			·05		·09					·13		·75	22
23	·03	·04		·04		·09		·19			·12	·55	23
24		·13		·04	·18	·12		·04		·31	·25	·17	24
25		·57	·08		·02			·60			·17		25
26	·03	·05	·21			·15		·10	·08	·47			26
27	·04		·92			·05		·30	·11	·43			27
28	·01	·85	·30			·07			·21	·25		·50	28
29		·09				·34		1·45	·06	·45		·47	29
30		X	·03					·02		·50		·14	30
31	·01	X		X		X		·08	X	·11	X	·04	31
Total	1·82	(5·36)	4·18	1·05	1·95	2·20	1·23	5·35	1·97	5·62	5·20	4·58	YEAR'S TOTAL (40·51)
Rain Days.	19	22	~~19~~ 20	13	17	16	9	15	14	21	13	12	190

W. 8,000. X. 15.

8L 1573
239

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wexcombe
in the County of Wiltshire
by K. A. MacAndrew

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15				·80	·10				1
2			·40	·37				·05					2
3								·18		·35			3
4			·05				·73	·16		·45			4
5	·60		·23	·33			·18	·46	·09	·32	·23		5
6			·17			·49					·11		6
7	·25									·53			7
8	·45			·08			·25	·25		·33	·15	·10	8
9			·13		·05		·43	·32			·11	·36	9
10	·30		·20	·26			·19	·12					10
11			·60	·06				·18		·33			11
12	·05	·30	·04		·06					·52			12
13			·11					·16	·15				13
14				·24				·15					14
15	·05						·25	·14		·13			15
16		·07		·12	·07					·60			16
17				·11	·20		·11	·18	·70	·24			17
18		·05		·03		·31	·44		·55	·18			18
19		·25	·13				·29		·20				19
20		·10	·28		·92								20
21			·09			·23				·08			21
22			·12			·05		·17				·65	22
23	·01	·16			·12			·48		·12			23
24		·10						·15		·30			24
25		·07	·15					·03	·25	·20			25
26					·11			·67					26
27					·62			·85					27
28			·08		·09	1·68		·65					28
29	·05		·09			·08		·03		·50			29
30		X	·08				·13	·15					30
31		X	·17	X		X	1·20		X		X		31
Total	1·76	1·10	3·12	1·75	2·24	2·84	~~4·20~~ (·17) 4·37	6·33	2·04	5·28 5·18	·60	~~·91~~ 1·11	YEAR'S TOTAL 32·44 32·47
Rain Days.	10	7	19	10	9	6	~~11~~ 12	22	7	16	4	3	...

2.36

W. 8,000, VIII. 16

Dh   Cn 81   55 ~~228~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Wexcombe
in the County of Wiltshire
by K. A. MacAndrew.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·08				·10					1
2		·10	·10	·16				·38	·10				2
3		·06		·23				·54					3
4		·05	·03		·50			·05					4
5		·09			·25			·10	·15				5
6		·07		·40				·03	·09				6
7		·12		·14	·50								7
8		·04							·45				8
9		·10		·30		·20	·25		·53				9
10	·45			·11		·17	·64						10
11							1·00						11
12		·17			·22		·14		·04				12
13			·05		·36		·34		·54				13
14	·32					·11	·25		·31				14
15	1·00				·04		·17		·02				15
16				1·20		·04							16
17	·60			·24	·11		·77						17
18	·90					·50	·12		·25				18
19	·12		·11	·04			·23		·10				19
20	·04	·21		·40		·04	·80		·17				20
21	·16	·06					·03		·65				21
22	·06				·13		·29		·12				22
23	·20			·06	·27		1·07						23
24		·28					·75		·10				24
25							·25	·10					25
26	·10						·31						26
27			·07				·04	·30	·13				27
28			·33										28
29									1·40				29
30		X	·44										30
31		X	·04	X		X			X		X		31
Total	3·95	1·35	1·17	3·36	2·38	1·06	7·45	1·60	5·15				YEAR'S TOTAL
Rain Days.	11	12	8	12	9	6	18	8	17				

W, 8,000, IX. 17.

Df

303

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

—

HANNINGTON HALL

WILTSHIRE

1911 —— 1920

1911

Kept at Hann

in the County of W

by Mrs H

top in.
above Ground ft.
„ Sea Level ft.

tion Name
Distance Direction

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… g year in the space provided for it at the end … urement of rain, the selection and … British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·24							·04		1
2	·02			·04	·23			·11		·08	·17	·11	2
3					·26	·10					·06	·05	3
4	·02		·11	·02		·01			·02	·11	·14	·39	4
5	·02							·30		·07	·06	·01	5
6	·23		·05	·01							·06	·37	6
7	·01									·15	·52	·01	7
8	·14		·12									·23	8
9	·17		·01								·05	·16	9
10	·04	·11	·16									·22	10
11	·14		·03		·16						·70	·04	11
12		·01	·56		·02				·02		·61	·05	12
13			·03		·18				·41	·03		·47	13
14		·03										·34	14
15		·01	·02								·17	·03	15
16		·01				·12					·44	·10	16
17						·08					·04	·32	17
18		·31	·02	·02		·05				·01		·22	18
19		·02		·02		·44			·41	·14	·05	·08	19
20	·01	·07	·09			·01			·15	·16		·49	20
21	·01	·09	·01	·01		·01		·05		·23		·08	21
22		·01	·18	·01		·04		·08		·21		·52	22
23	·01	·17	·29			·33			·09	·02		·14	23
24		·09				·35				·55		·13	24
25		·06	·03	·04	·12	·07		·04	·02				25
26		·18		·15		·01				·17	·10	·23	26
27		·19	·17	·08				·05	·17		·06	·13	27
28		·36	·01	·41				·10			·07		28
29				·02		·22			·15	·18			29
30				·02	·16	·01		·04		·15		·01	30
31													31
Total	·85	1·72	1·90	1·09	1·13	1·85	—	·77	1·44	2·26	3·34	4·93	TOTAL for year 21·28
No. of Rain Days	13	16	18	14	7	15	0	8	9	15	17	26	158

9,000, IX. '10.

Df 303

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Hannington Hall

in the County of Wilts 6

by Mrs Hussey-Freke

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·24							·04		1
2	·02			·04	·23			·11		·08	·17	·11	2
3					·26	·10					·06	·05	3
4	·02		·11	·02		·01			·02	·11	·14	·39	4
5	·02							·30		·07	·06	·01	5
6	·23		·05	·01							·06	·37	6
7	·01									·15	·52	·01	7
8	·14		·12									·23	8
9	·17		·01								·05	·16	9
10	·04	·11	·16									·22	10
11	·14		·03		·16						·70	·04	11
12		·01	·56		·02				·02		·61	·05	12
13			·03		·18				·41	·03		·47	13
14		·03										·34	14
15		·01	·02								·17	·03	15
16		·01				·12					·44	·10	16
17						·08					·04	·32	17
18		·31	·02	·02		·05				·01		·22	18
19		·02		·02		·44			·41	·14	·05	·08	19
20	·01	·07	·09			·01			·15	·16		·49	20
21	·01	·09	·01	·01		·01		·05		·23		·08	21
22		·01	·18	·01		·04		·08		·21		·52	22
23	·01	·17	·29			·33			·09	·02		·14	23
24		·09				·35				·55		·13	24
25		·06	·03	·04	·12	·07		·04	·02				25
26		·18		·15		·01				·17	·10	·23	26
27		·19	·17	·08				·05	·17		·06	·13	27
28		·36	·01	·41				·10			·07		28
29				·02		·22			·15	·18			29
30				·02	·16	·01		·04		·15		·01	30
31													31
Total	·85	1·72	1·90	1·09	1·13	1·85	—	·77	1·44	2·26	3·34	4·93	TOTAL for year 21·28
No. of Rain Days	13	16	18	14	7	15	0	8	9	15	17	26	158

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Hannington Hall

in the County of Wiltshire — 6

by

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·46	·37		·03	·59		·19	1
2			·19	·02		·14	·32						2
3	·04		·08		·04	·10	·08	·39	·03		·01	·03	3
4	·19		·65		·10	·38		·17			·23		4
5	·22	·04	·14		·03	·03		·47			·01	·01	5
6	·45	·11	·01		·05		·11	·67				·15	6
7		·19			·08	·62		·03	·01			·04	7
8	·35	·12	·23			·01	·05	·05	·02			·08	8
9	·03	·06	·23	·04		·18	·01					·19	9
10		·06	·03			·19		·31			·14	·11	10
11	·12	·04	·07			·01					·07	·30	11
12	·06	·27	·13		·02		·02				·02	·01	12
13		·04					·06				·02	·01	13
14	·07		·26		·44			·05		·01		·05	14
15	·07	·11	·02		·19	·31		·02				·31	15
16	·31		·09		·04			·04		·07	·05	·02	16
17	·88		·08			·04		·36			·02	·11	17
18	·29		·45					·03				·06	18
19	·05						·17	·33		·04		·02	19
20	·02	·05	·24				·07	·31		·47	·11		20
21	·02	·06	·46		·66			·18		·29	·01		21
22	·37	·15	·12		·45	·07	·05	·10		·02		·06	22
23	·50	·53	·46				·22	·34		·07	·06	·35	23
24	·05	·02	·02			·04	·17	·19				·16	24
25						·19		·45		·05	·35	·47	25
26		·03					·33	·38		·47	·57	·11	26
27			·02			·13	·26			·55		·36	27
28		·08				·01	·06	·31	·09	·34	·34	·11	28
29		·06	·03			·21	·27		·59	·28		·76	29
30						·21	·13	·03	·13	·27		·02	30
31			·05		·39		·50	·08		·02		·03	31
Total	4·09	2·02	4·15	·06	2·49	3·33	3·25	5·29	·90	3·54	2·01	4·12	TOTAL for year 35·25
No. of Rain Days.	19	18	24	2	12	19	19	23	7	15	15	27	200

W. 8,000, X. '11.

88 ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

305

27 JAN 1914

Kept at Hannington Hall Exd D11

in the County of Wiltshire 6

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·05	·19	·14	·11	·08	·03			1.11		·18	·05	1
2	·01	·14	·01	·05					·18	·42	·07		2
3	·01		·15		·33					·06		·21	3
4	·50	·02	·02		·26				·02	·29	·01	·12	4
5		·03				·05	·10			·01	·04	·05	5
6	·01	·05	·15		·24	·13	·95			·38		·36	6
7		·28			·12	·03	·01			·33	·16	·01	7
8		·09			·15	·16				·37			8
9		·14			·01	·03	·15	·29	·22		·02	·02	9
10	·07		·01	·12			·01	·04			·47		10
11	·55			·54	·07			·01		·13	·60	·02	11
12					·16				·02		·19		12
13	·11	·02			·01	·01		·01	·24		·16		13
14	·05		·19	·04			·22	·09		·10			14
15	·08	·16	·21	·68			·31		·15		·02		15
16	·19		·42	·17									16
17	·02		·04	·17		·15	·05		·02				17
18	·14		·09	·22			·05				·03		18
19	·64		·11		·01	·04	·04		·23			·02	19
20	·07		·22	·04						·16	·08		20
21		·01	·30	·13	·23						·32		21
22	·50		·29	·27	·01			·01	·21				22
23	·02		·01			·09		·08			·02	·12	23
24				·11				·07					24
25		·07		·11						·02		·02	25
26	·03	·04		·21				·14		·20		·20	26
27	·02	·03	·09	·09						·06			27
28	·41		·12	·20						·32			28
29			·37	·77	·01			·01		·12			29
30	·24		·01	·01						·28	·02		30
31	·02		·05		·01			·29					31
Total	3·74	1·27	3·00	4·04	1·70	·72	1·89	1·04	2·40	3·25	2·39	1·20	YEAR'S TOTAL 26·64
Rain Days.	22	14	21	19	15	10	10	11	10	16	16	12	176

W. 7,500, XI. ·12

DL.

292

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hannington Hall

in the County of Wiltshire 6

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·04			·07	·50			·15	·02	1
2				·05			·48	·04			1·29	·43	2
3			·09	·13	·19		·11	·21			·02	·18	3
4	·22			·19	·06		·07	·77			·38	·50	4
5			·12	·27	·02		·26	·03			·31	·17	5
6		·06	·06	·02	·04			·02				·30	6
7	·04	·21	·24	·17	·15	·13	·19	·09	·01			·22	7
8	·03		·81	·01	·07	·55	·11	·04				·05	8
9	·07	·01	·29	·07	·05	·74		·08	·16				9
10	·01	·12	·03	·02	·14	·34			·30		·01		10
11		·10	·29	·03	·12		·07				·16	·38	11
12		·09	·13				·27		·21	·01	·04	·27	12
13		·35	·23						·24	·10	·06	·22	13
14		·24	·42				·19	·01	·02	·95	·14	·04	14
15		·04	·13				·08	·20	·03	·01	·19		15
16									·11				16
17		·32	·12									·37	17
18	·01		·02			·01	·29					·57	18
19			·54				·65				·08	·03	19
20		·19	·07			·07						·18	20
21		·51	·04			·07				·13		·07	21
22		·14			·18	·11	·02	·06		·16			22
23		·02	·12		·04	·01				·09		·12	23
24			·06		·10		·03	·01		·42	·08		24
25	·06		·21				·02	·20		·26	·01	·21	25
26			·05				·11	·03			·22	·33	26
27	·05						·02				·13	·20	27
28		·06	·06		·15					·05	·38	·69	28
29	·07		·09		·04					·29	·23		29
30			·13		·01					·15	·72	·46	30
31							·13			·11		·03	31
Total	·58	2·46	4·35	1·00	1·36	2·03	3·17	2·29	1·08	2·73	4·70	6·04	YEAR'S TOTAL 31·79
Rain Days.	10	15	24	11	15	9	19	15	8	13	19	24	182

W.7,000, XI, 13

81 1686 ~~289~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Hannington
in the County of Wiltshire 5
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	37	·08	·05		·13			·04	·19	·23	·04	·19	1
2	·31	·34	·21	·12				1·08		·32		·11	2
3	1·35		·03	·11	·18		·02	·04			·01	·15	3
4					·03		·50	·01				·55	4
5	·04	·30						·08				·20	5
6	·23			·15			·40					·13	6
7	·15	·38		·01	·30	·01	·06	·06				·15	7
8	·29	·25		·04			·14	·07			·02	·06	8
9	·12	·03		·22				·03			·21	·73	9
10	·14			·02								·03	10
11				·09				·01			·96	·05	11
12	·05	·03		·17	·42			·17		·02	·35		12
13	·06	·40			1·06				·03				13
14	·11	·04					·16	·02	·05	·05	·01	·69	14
15	·17				·05		·02	·04		·04	·06	·06	15
16		·50			·26		·66	·36				·01	16
17		·51	·02		1·56								17
18		·33	·03		·04						·08		18
19					·08		·30						19
20	·22			·06						·02		·14	20
21	·09						·03			·17		·05	21
22	·08	·53	·55	·05			·49		·01			·19	22
23	·02	·06	·08			·18	·60		·11	·60		·42	23
24			·03	·08		·02	·14		·50	·62		·30	24
25				·02		·83	·01					·09	25
26		·09				·01	·08					·47	26
27		·03				·06	·32			·32		·01	27
28		·04				·01			·73				28
29							·02	·08			·05	·04	29
30	·03	X		·01		·03				·07	·24	·14	30
31	·07	X		X		X		·01	X	1·17	X	·32	31
Total	3·90	3·94	1·00	1·15	4·11	1·15	3·95	2·10	1·62	3·63	2·03	5·28	YEAR'S TOTAL 33·86
Rain Days.	19	17	8	14	11	8	17	15	7	12	11	25	164

W. 8,000. X. 14.

8L

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Hannington Hall

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01				11	·06	·18		·01	·23	·29		1
2	·88	·02	·10		·37	·02			·01	·67	·06		2
3		·54			·07		·02		·05	·25	·10		3
4	·26	·16			·09	·58			·10	·32	·43		4
5	·02	·03	·04		·18	·02				·06	·21		5
6	·10	·09	·09		·01	·11	·31				·36		6
7	·10		·14		·07					·12	·32	·21	7
8	·01		·02		·21						·02	·16	8
9					·15	·23	·04					·03	9
10		·48	·05	·08	·01	·11				·02			10
11			·09	·14	·04	·24						43	11
12		05		·06	·16	·01	·06			·04			12
13		·40	·18	·18				·16		·01			13
14		·49	·05	·01	·05			·39		·09			14
15	·05	·16	·34	·02	·02			·21					15
16	·05	·02	·15	·12			·22			·02			16
17	·09	·20		·05				·14	·35	·41			17
18		·02	·03	·05				·15	·11	·22	·29	18	18
19	·24		·07						·02		·73		19
20	·11		·67									·66	20
21	·11		·68		·14						·01	·57	21
22				·04		·01				·14		49	22
23	·03	·34						·06		·05	·06	·18	23
24					·11	·13		·03		·14		·23	24
25		42	·17	·01		·03		·26			21		25
26	·02	·05				·10		·01	·07	·13			26
27	·05		}			·02		·05	·07	·31			27
28		·50	1·01 }			·01			·18	·06		18	28
29		·28				·21		2·00		·23		44	29
30		X								·54			30
31		X		X		X			X	·30	X	·02	31
Total	2·13	4·25	3·88	·76	1·79	1·89	·83	3·46	·97	4·36	3·09	3·78	YEAR'S TOTAL 31·19
Rain Days.	16	18	18	11	16	16	6	11	10	22	13	13	170

W. 8,000. X. 15.

1580
~~243~~

card for auth

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hannington

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·07		·02		·92	·04		·05		1
2				·23		·16		·01			·07		2
3							·16	·18		·78			3
4		·06	·07				·07	·09		·19			4
5	·32		·09	·23		·04			·06	·32	·19		5
6			·08			·08				·14	·21	·02	6
7	·20						·38	·22		·20			7
8	·38		·09	·15			1·21	·27	·05	·19	·05	·32	8
9			·04		·23			·26	·27		·03		9
10	·18		·23	·17				·08		·03		·01	10
11	·09		·38	·37				·12	·05	·13	·01		11
12	·06		·03	·02				·45		·27			12
13			·23	·03		·03		·19	·04				13
14	·01			·09				·05					14
15					·02			·15		·10		·16	15
16	·02	·11		·07			·08	·02		·35		·49	16
17				·08	·40		·38	·07	·44	·05			17
18	·03	·08					·23		·52				18
19		·41			·01				·05				19
20		·05	·38		·33	·20					·09		20
21			·20							·01	·03		21
22			·10					·06		·08			22
23		·17			·02	·03		·26		·07	·01		23
24			·02			·39		·30		·20	·03	·05	24
25		·09	·08				·48		·03	·05			25
26					·06			·30	·17		·17		26
27					·92	·04		·83					27
28			·06			1·19		·21		·35		·02	28
29			·06			·61	·12	·07				·17	29
30		X	·05				·44	·21					30
31		X	·10	X		X	·05	·12	X	·05	X	·10	31
Total	1·29	·97	2·35	1·51	1·99	2·79 2·79	3·60	5·24	1·72	3·56 ~~3·76~~	·94	1·34	YEAR'S TOTAL 27·50
Rain Days.	9	7	19	11	8	11	11	24	11	19	12	9	151

W. 8,000. VIII. 16

172

62
~~231~~

FORM A.
BRITISH RAINFALL

30 · 1 19

REGISTER OF RAINFALL IN 1918

Kept at Hannington Hall

in the County of Wiltshire

by F. M. S. Hussey-Freke

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03	.07			.18			.34	.03	1
2		.11		.12				.36		.04	.10	.11	2
3		.03	.02	.20	.20			.31	.16	.04	.05		3
4		.05						.02	.05		.52	.02	4
5		.04		.10	.38			.09	.06	.09	.05		5
6	.16	.14		.13		.02			.02			.06	6
7	.02	.13		.07	.50				.22	.33	.17	.03	7
8									.09	.11		.04	8
9		.28		.14		.24	.41		.39	.20	.01	.13	9
10	.08			.25		.01	.34		.20	.20		.17	10
11	.02			.05	.07		.14		.73	.12	.10	.10	11
12		.10			.24		.04		.06				12
13	.02	.03			.07		.31		.28	.03		.28	13
14	.38		.07			.09	.71		.36	.08		.06	14
15	.66			.82	.02	.04	.14					.24	15
16	.25		.02	.35		.09	.02	.01	.11			.03	16
17	.10			.25	.04		.43			.03		.07	17
18	.51					.35	.20		.28			.15	18
19	.02	.03	.17	.09			.10		.04	.10		.07	19
20		.17		.37		.02	.12		.33	.05		.05	20
21	.06			.01					.54	.07		.04	21
22	.15				.14	.01	.24		.05	.04		.19	22
23	.06				.14		.20	.04			.07		23
24								.64			.10		24
25		.08		.07			.18		.03	.02	.07		25
26							.66		.02	.04	.06	.13	26
27			.07			.01	.01	.22	.14		.12	.04	27
28		.03	.15	.04					.02		.13	.13	28
29			.09						1.11				29
30		✕	.21						.01		.05	.10	30
31		✕	.11	✕		✕		.05	✕		✕		31
Total	2.49	1.22	.91	3.09	1.87	.88	4.25	1.92	5.30	1.59	1.94	2.27	YEAR'S TOTAL 27.73
Rain Days.	14	13	9	17	11	10	17	10	24	17	15	23	180

81

1428
~~216~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Hannington Hall

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·02	·04		·05		·19			·12		·86	1
2	·09				·03		·10		·11		·07	·55	2
3	·93		·13			·11	·12		·41	·02	·02	·35	3
4	·12		·66					·03	·31		·03	·28	4
5		·53	·38				·03		·29		·01	·13	5
6			·03		·57							·05	6
7	·08		·27	·05							·07		7
8	·17		·06	·08									8
9	·07			·14							·10		9
10	·03		·37	·02							·01	·08	10
11	·01		·17	·08			·64						11
12			·20		·05	·92				·10	·03		12
13	·05			·21									13
14	·47		·02	·47			·07		·07				14
15	·21	·09		·02						·03		·45	15
16		·67									·13		16
17				·03							·13		17
18		·36	·33				·02	·18	·02		·06		18
19	·40	·14	1·23			·11	·91	·46	·05		·08		19
20	·08		·18			·21	·02	·23	·07			·10	20
21		·47	·02				·26		·01		·01	·24	21
22		·14					·18	·01	·09			·09	22
23							·07	·02		·33	·08		23
24				·03		·06			·02	·50	·14	·28	24
25				·10				·39					25
26		·03	·11				·61	·02	·16			·31	26
27	·20			·68				·50				·02	27
28	·10		·25					·37			·09	·22	28
29								·05		·10	·06		29
30		X		·19		·11		·45		·05	·29	·38	30
31	·02	X	·05	X		X			X		X		31
Total	3·36	2·45	4·50	2·10	·70	1·52	3·22	2·71	1·61	1·25	1·41	4·39	YEAR'S TOTAL 29·22
Rain Days.	17	9	18	13	4	6	13	12	12	8	18	16	146

W. 6,500, VII. 15. W W C

268 1403

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at *Hannington*

in the County of *Wiltshire*

by *Mrs Hussey Freke*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·26	·09		·31	·01		·67		·24	1
2			·03	·06	·34		·09	·19	·01	·07		·15	2
3		·08		·09		·01	·45			·23			3
4			·01	·01			·04	·35	·03	·14			4
5				·08			·52	·05		·57			5
6			·32		·09		·32			·08		·03	6
7	·04			·03			·16						7
8		·04		·42	·09		·47						8
9	·17	·02		1·52		·02	·04						9
10	·83	·08		·07		·07	·44				·04	·03	10
11	·24	·02	·13	·23	·38	·15	·09				·05		11
12	·08	·06	·08	·09	·01	·60	·02						12
13	·07	·02	·28	·07					·03				13
14	·02		·40	·12		·19	·02			·07	·35		14
15		·12	·16	·17	·01	·12	·04		·09	·12	·15		15
16			·01	·10	·04	·25	·04		·12	·05	·02		16
17	·05			·10	·22	·42			·27				17
18				·09	·11			·25	·19			·06	18
19	·13	·15		·27	·10	·06		·04					19
20	·03	·14		·18		·33						·20	20
21							·07		·08				21
22	·01			·12					·14			·24	22
23							·53	·06				·35	23
24	·04		·12								·13	·12	24
25		·10	·09	·02			·28						25
26	·26		·13	·06	·61	·09	·02					·07	26
27	·28		·01	·10		·39	·02					·13	27
28	·49		·07	·03	·39	·01							28
29	·15		·04	·02	·07	·02					·08	·29	29
30	·03		·01	·02		·15	·26		·32		·15	·33	30
31	·09		·10				·01			·42		·21	31
TOTAL	3·01	·83	1·99	4·33	2·55	2·88	4·24	·95	1·28	2·42	·97	2·40	YEAR'S TOTAL 27·90
Days with ·01 in. or more	18	11	17	26	14	16	22	7	10	10	8	14	173
A ·04	14	8	12	20	12	12	17	6	7	10	7	12	137

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI NIZATION.

REGI

HEYTESBURY

WILTS

1920

18 JAN 1921

Kept at Hey

in the County of W

by S H T

6"

m

ytesbury

Gauge 5 in.

Ground 1 ft 7 in.

Sea Level 300 ft.

IMPORTANT NOTE.—F red to the previous day.

If an Observer prefers not to d to add
the reading at 9 a.m. on 1st J the end of
this paragraph. Full instructio in gauges,
and particulars as to the Briti Observers,"
sent post-free on application , Camden
Square, London, N.W. 1.

Jan. 1, following.

Reco

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·385		·03	·015	·335		·30	·04	·035	·26	·36	·41	1
2	·11		·03	·32			·07	·31	·035	·28		·17	2
3	·01	·06		·135			·65			·51			3
4				·03			·345	·39		·215			4
5			·06	·07	·14		·59	·06		·32		·015	5
6			·185		·36		·08			·04			6
7	·06		snow ·095	·37			·43			·03			7
8	Hail ·015	·05		·37			·49			·025			8
9	·605	·105		·115	·055	·12	·035						9
10	·71	·26	·095	·26		·225	·34						10
11	·22		·11	·295	·33	·08	·08				·07	snow ·03	11
12	·20	·075	·09	·305		·75	·025				·185		12
13	·14		some snow ·365	·27							·56	snow ·035	13
14	·025	·055	·265	·52		·04							14
15	·01	·125		·47	·05	·30			·08	·055			15
16			·03	·23			·07		·055	·27			16
17	·015		·035	·07	some hail ·33		·025		·09	·21			17
18	·065			·025	some hail ·275	·025		·355	·17	·045		some snow ·05	18
19	·015			some hail ·355		·115			·22	·03		·02	19
20		·18		some hail ·20	·06	·44			·015	·04	·01	·16	20
21				·04			·23					·14	21
22	·02							·06				·305	22
23							1·07					·28	23
24	·02		·145								·36		24
25		·08	·105	·34			·465					·105	25
26	·175		·225		·12		·15					·10	26
27	·33	·03	·055			·24	·03				·055	·165	27
28	·59		·025		·23	·02	·04					·155	28
29	·325		·115								·11	·25	29
30	·055	×		·035	·155	·115	·15		·19		·035	·29	30
31	·175	×	·11	×		×			×	·38	×	·19	31
TOTAL	4·275	1·02	2·17	4·84	2·44	2·47	5·665	1·215	·89	2·71	1·745	2·87	YEAR'S TOTAL 32·31
Days with ·01 in. or more	23	10	19	22	12	12	21	6	9	15	9	18	176
Days with ·04 in. or more	15	9	14	18	12	10	18	6	~~7~~ 6	13	7	14	~~143~~ 142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGI** … **IZATION.**

18 JAN 1921

REGIS

Kept at Heylesbury
in the County of Wilts
by Dr H. T. Hinton

Lat. 51° 11" Long. 2° 6"
Time of Observation 9 a m
Nearest Railway Station Heylesbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·385		·03	·015	·335		·30	·04	·035	·26	·36	·41	1
2	·11		·03	·32			·07	·31	·035	·28		·17	2
3	·01	·06		·135			·65			·51			3
4				·03			·345	·39		·215			4
5			·06	·07	·14		·59	·06		·32		·015	5
6			·185		·36		·08			·04			6
7	·06		snow ·095	·37			·43			·03			7
8	Hail ·015	·05		·37			·49			·025			8
9	·605	·105		·115	·055	·12	·035						9
10	·71	·26	·095	·26		·225	·34						10
11	·22		·11	·295	·33	·08	·08				·07	snow ·03	11
12	·20	·075	·09	·305		·75	·025				·185		12
13	·14		some snow ·365	·27							·56	snow ·035	13
14	·025	·055	·265	·52		·04							14
15	·01	·125		·47	·05	·30			·08	·055			15
16			·03	·23			·07		·055	·27			16
17	·015		·035	·07	some hail ·33		·025		·09	·21			17
18	·065			·025	some hail ·275	·025		·355	·17	·045		some snow ·05	18
19	·015			some hail ·355		·115			·22	·03		·02	19
20		·18		some hail ·20	·06	·44			·015	·04	·01	·16	20
21				·04			·23					·14	21
22	·02							·06				·305	22
23							1·07					·28	23
24	·02		·145								·36		24
25		·08	·105	·34			·465					·105	25
26	·175		·225		·12		·15					·10	26
27	·33	·03	·055			·24	·03				·055	·165	27
28	·59		·025		·23	·02	·04					·155	28
29	·325		·115								·11	·25	29
30	·055	X		·035	·155	·115	·15		·19		·035	·29	30
31	·175	X	·11	X		X			X	·38	X	·19	31
TOTAL	4·275	1·02	2·17	4·84	2·44	2·47	5·665	1·215	·89	2·71	1·745	2·87	YEAR'S TOTAL 32·31
Days with ·01 in. or more	23	10	19	22	12	12	21	6	9	15	9	18	176
Days with ·04 in. or more	15	9	14	18	12	10	18	6	~~7~~6	13	7	14	14~~3~~2

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

142

1485

HOLT
THE RETREAT
WILTSHIRE

1911 — 1920

19 11

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at The

top 5" in.
above Ground 2 ft. 6 in.
" Sea Level 145 ft.

in the County of

9 A.M.

by A. V. Y

tion { Name Holt G. W. R.
Distance ½ Direction E.

IMPORTAN … and the result entered to the previous day. I … universal rule, he is earnestly requested to add … ng year in the space provided for it at the en … asurement of rain, the selection an … e British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07		·02	·20	·24			·02				·01	1
2	·03			·05	·24		·02	·13		·08	·26	·18	2
3		·02									·07	·04	3
4	·01	·01	·14							·04	·16	·33	4
5	·03		·04	·04				·49		·07	·47		5
6	·26		·17					·04			·12	·37	6
7	·03									·01	·36		7
8	·09		·14								·02	·28	8
9	·08		·05								·06	·33	9
10	·02	·13	·24		·04							·28	10
11	·21		·03		·21						·57	·17	11
12		·03	·69								·40	·17	12
13			·01		·04				29			·33	13
14		·05								·01		·50	14
15		·02	·06			·03					·31	·05	15
16		·02				·24					·53	·25	16
17	·02	·04			·36	·05					·09	·30	17
18	·01	·31	·08	·11	·07	·23				·01		·27	18
19		·03		·03		·10			31	·20	·09	·22	19
20	·02	·03	·17	·02		0		·01	15	·07		·54	20
21	·01	·18				·02		·12	·01	·33		·12	21
22	·01	·01	·31	·03		·05				·28		·59	22
23		·28	·24			·11			·06	·15	·05	·14	23
24	·02	·12	·01			·36		·04		·68		·13	24
25	·01	·06	·02	·10		·05			·02	·15		·20	25
26		·08	·17	·16	·27						·03	·28	26
27		·23		·07	·02			·10	·09			·18	27
28		·45		·34				·10			·07	·01	28
29				·19		·32	·02		·16	·21	·01		29
30				·07		·02		·07		·16	·02	·02	30
31										·25			31
Total	·93	2·10	2·59	1·41	1·49	1·58	·04	1·12	1·09	2·70	3·69	6·29	TOTAL for year 25·03
No. of Rain Days.	17	19	18	13	9	12	2	10	8	16	19	27	170 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Retreat, Holt
in the County of Wilts
by A. V. H. Beaven

Rain Gauge: Pattern
Diameter of top 5" in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 145 ft.
Time of Observation 9 A.M.
Nearest Railway Station: Name Holt G. W. R.
Distance ½ Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07		·02	·20	·24			·02				·01	1
2	·03			·05	·24		·02	·13		·08	·26	·18	2
3		·02									·07	·04	3
4	·01	·01	·14							·04	·16	·33	4
5	·03		·04	·04				·49		·07	·47		5
6	·26		·17					·04			·12	·37	6
7	·03									·01	·36		7
8	·09		·14								·02	·28	8
9	·08		·05								·06	·33	9
10	·02	·13	·24		·04							·28	10
11	·21		·03		·21						·57	·17	11
12		·03	·69								·40	·17	12
13			·01		·04				29			·33	13
14		·05								·01		·50	14
15		·02	·06			·03					·31	·05	15
16		·02				·24					·53	·25	16
17	·02	·04			·36	·05					·09	·30	17
18	·01	·31	·08	·11	·07	·23				·01		·27	18
19		·03		·03		·10			31	·20	·09	·22	19
20	·02	·03	·17	·02		0		·01	15	·07		·54	20
21	·01	·18				·02		·12	·01	·33		·12	21
22	·01	·01	·31	·03		·05				·28		·59	22
23		·28	·24			·11			·06	·15	·05	·14	23
24	·02	·12	·01			·36		·04		·68		·13	24
25	·01	·06	·02	·10		·05			·02	·15		·20	25
26		·08	·17	·16	·27						·03	·28	26
27		·23		·07	·02			·10	·09			·18	27
28		·45		·34				·10			·07	·01	28
29				·19		·32	·02		·16	·21	·01		29
30				·07		·02		·07		·16	·02	·02	30
31										·25			31
Total	·93	2·10	2·59	1·41	1·49	1·58	·04	1·12	1·09	2·70	3·69	6·29	TOTAL for year 25·03
No. of Rain Days.	17	19	18	13	9	12	2	10	8	16	19	27	170 days

W. 8,000, X. '11.

✓

FORM A.
BRITISH RAINFALL.

-5 MAR 1913

REGISTER OF RAINFALL IN 1912

Ex ms

Kept at Holt

in the County of Wilts

by AWJ Beaven

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			11			20	04		04	69		20	1
2			22	02		11	23			02			2
3			08			26	04	24	05		02	04	3
4	21		80		15	44		07			25	01	4
5	37		16		12	02		35				09	5
6	43	20	02		10			1·64				09	6
7	02	16	04		03	44		11			01	03	7
8	24	15	34			09	07	04	02			08	8
9	03	04	20	11		20	03	01				20	9
10		04	01			07		06			13	14	10
11	13	04										31	11
12	02		07	05	02		03				01	10	12
13		41				02		02				07	13
14	15	10	33		31			07				03	14
15	03	09	01		21	[illegible]						45	15
16	87	01	10		03	02		04		12	03	05	16
17	97		2			09		48			04	09	17
18	24		68					05		08		09	18
19	04	14	11			07	17	28		11		01	19
20	03	02	27		02		03	23		37			20
21	02	03	33		69			06		22			21
22	49	22	11		11	05	17	18		06	05	13	22
23	21	29	35			05	05	39		09	21	48	23
24	07	02	07			33	02	12				18	24
25		01				14		56		07	38	47	25
26		04					28	16		43	63	29	26
27		01				12	30	01		80	03	23	27
28		07				04	06	31	18	54	44	76	28
29		05	02			08	12	02	73	49		03	29
30						04	17	02	25	30			30
31	02	[illegible]	23		28		33	04		05		07	31
Total	4·59	2·14	4·68	·18	2·07	3·28	2·14	5·56	1·27	4·43	2·23	4·73	YEAR'S TOTAL 37·30
Rain Days.	20	21	24	3	12	22	17	26	6	16	13	27	207

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

29 APR 1914

Ex Mo

REGISTER OF RAINFALL IN 19 13

Kept at Holt
in the County of Wilts
by A. V. H. Beaven.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Holt G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2	28	14	1	3				53		16	18	1
2	1	11	1	27					1	5	14		2
3	5	1	8	2	42					58		25	3
4	62		10		42				95	37	3	7	4
5	2	3			10	16			42		2	11	5
6		2	16		22	8	28			35	22	68	6
7		35	4		17	2	13			40	12	2	7
8		4			19	9				7			8
9		17	4		6	3		36	15		4	6	9
10	14	1	3	4	3			3		8	32	2	10
11	35		2	24	24			2		8	29		11
12	6				8						14		12
13	2	3	2		2		1	5	8		16		13
14	7		14	6	7				4	10	9	3	14
15	16	11	43	50				2	7		16		15
16	19		64	19					2		1		16
17	6		4	3		4	5		6		3		17
18	4		18	10	1	2				2	8		18
19	41		2		3		9		46	15			19
20	11		20	5						2	7		20
21			4	15	21		8				44		21
22	55		19		2			2	25				22
23						12		5	1		5	29	23
24	3	2	1	2				7					24
25		15		10						2	1		25
26		4		27				23		3		24	26
27			12	10						10		2	27
28	35		14	27						29	2		28
29	3		41	41	2			7		16	4		29
30	49				1					30	4	4	30
31	11		6					21		1			31
Total	3·89	1·37	3·26	2·83	2·35	·56	·64	1·07	3·05	3·18	2·68	2·01	YEAR'S TOTAL 26·89
Rain Days.	22	14	24	18	19	8	6	11	13	19	23	13	190

√ Exd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - MAR 1915

Kept at Holt
in the County of Wilts
by A V H Beaven

Lat. Long.
Time of Observation 9.a.m
Nearest Railway Station Holt-junction
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	04	.	-	-	34	-	-	09	03	1
2	-	-	-	07	-	-	78	05	-	-	77	43	2
3	-	-	09	30	27	-	13	53	-	-	13	08	3
4	11	-	06	22	08	-	14	50	-	-	41	46	4
5	05	-	15	38	05	-	32	01	-	-	15	14	5
6	-	11	07	22	-	03	16	06	-	-	04	30	6
7	-	42	11	21	-	03	27	04	01	-	-	14	7
8	03	04	70	06	53	44	02	04	02	-	02	-	8
9	11	-	40	14	09	67	-	11	23	-	-	-	9
10	-	18	03	04	03	-	.	-	35	-	-	-	10
11	-	09	27	.	11	16	14	-	-	-	09	40	11
12	-	09	13	.	08	-	12	-	41	-	05	18	12
13	-	27	35	-	.	-	-	-	17	12	11	46	13
14	-	26	41	-	-	-	06	11	03	45	22	-	14
15	-	03	22	-	.	-	-	37	-	05	17	-	15
16	02	-	01	-	.	-	03	-	22	-	-	-	16
17	-	33	20	-	.	-	-	-	07	-	-	89	17
18	-	-	04	-	-	-	28	-	02	-	-	32	18
19	-	10	18	-	-	-	64	-	-	-	08	18	19
20	-	16	55	-	-	03	-	.	-	-	-	14	20
21	-	53	-	-	-	-	-	-	-	09	-	-	21
22	-	03	03	-	09	28	01	02	-	24	-	-	22
23	-	20	18	-	18	-	-	-	-	21	-	-	23
24	-	-	04	-	-	-	03	-	-	37	-	-	24
25	03 08	-	14	-	-	-	-	24	-	33	13	22	25
26	-	-	08	-	-	-	03	02	-	07	32	47	26
27	04	-	-	-	-	-	-	.	-	01	15	10	27
28	-	05	16	-	09	-	-	-	-	07	29	1-25	28
29	13	-	10	-	06	-	-	-	-	20	27	-	29
30	-	X	02	-	-	-	-	-	-	20	42	67	30
31	-	X	-	X	-	X	12	-	X	29	X	7	31
Total	·52	2·89	4-72	1·68	1·66	1·64	3·28	2·44	1-53	2-70	3-91	6-93	YEAR'S TOTAL 33·90
Rain Days.	8	16	26	10	12	7	17	14	10	14	19	20	173

W. 8,000. X. 14.

Esd Lit

1633

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Holt

in the County of Wilts

by F Pretty

1

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Holt junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	46	12			6	–	–	12	18	27	2	9	1
2	65	21	23	18	–	–	–	39	6	18	–	33	2
3	1-02	5	–	4	6	–	4	2		–	–	29	3
4	3	1	–	–	–	–	–	–	–	–	–	40	4
5	6	66	–	–	–	–	–	14	–	–	–	21	5
6	37	4	–	36	–	–	54	4	–	–	–	18	6
7	32	54	–	7	72	–	16	5	–	–	–	28	7
8	27	28	–	2	–	–	12	10	–	–	–	–	8
9	2	5	–	11	–	–	–	1	–	–	33	1-3	9
10	8	–	5	3	–	–	–	13	–	3	2	5	10
11	4	–	7	7	–	–	–	9	–	–	70	4	11
12	15	31	–	11	56	–	–	29	–	4	39	–	12
13	2	54	–	–	98	–	–	2	15	–	–	–	13
14	7	–	–	–	–	–	12	56	4	8	–	52	14
15	42	–	–	2	10	–	8	1	–	–	19	5	15
16	–	68	–	–	60	–	92	2	–	–	–	10	16
17	–	49	–	–	1-5	–	2	13	–	–	–	1	17
18	–	34	5	–	7	–	–	–	–	–	–	–	18
19	–	2	–	–	9	–	30	–	–	–	–	–	19
20	23	–	–	–	5	–	–	–	–	–	–	11	20
21	7	26	–	4		–	–	–	4	8	–	12	21
22	5	51	47	–		–	40	–	19	–	–	19	22
23	–	4	25	–		–	26	–	51	1-75	–	33	23
24	–	–	–	11		–	69	–	–	80	–	18	24
25	–	–	–	2		16	5	–	–	–	–	11	25
26	–	12	–	–		6	6	–	–	–	–	57	26
27	–	11	–	–		9	35	–	–	29	–	1	27
28	–	7	–	–		2	–	–	71	7	–	–	28
29	–		–	–		22	–	4	–	–	10	5	29
30	22	X	–	–		8	–	–	–	37	42	12	30
31	–	X	–	X		X	–	3	X	1–	X	29	31
Total	4-55	5-45	1-12	1-18	4-34	-63	4-11	2-19	1-88	4-96	2-17	5-66	YEAR'S TOTAL 38-24
Rain Days.	19	21	6	13	11	6	15	18	8	12	8	25	162

W. 8,000. X. 15.

W cord fr auth 1607

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at Holt

in the County of Wilts

by A V H Beaven

Lat. 51' 21 Long. 2' 12

Time of Observation 9 a m

Nearest Railway Station Holt-junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	9	2			19	6	7		7	20	47		1
2	42	4	3		4					98	3		2
3		65			6				11	32	18		3
4	14	17			16	41			16		54		4
5	1				30	8				3	22		5
6	11	11	16		11	10	53			5	64		6
7	11	10			5					10	34	22	7
8	2	4	9		22	40					1	10	8
9					18	7	3			7			9
10		45	3	13	3	20	4						10
11	8			10		22							11
12	5	8	9		10					5			12
13		32	17				10	28					13
14		43	4		9			19		8			14
15	2	22	3	5	3			28					15
16	2	4		26			6	42		3			16
17	8	20		2				53	30	57	2		17
18			5	15					11	8	27	22	18
19	14		26	20							20		19
20	18	4	50								5	76	20
21	4	5	63								3	49	21
22					11	4				43		53	22
23	3			11		6		14		4	21	10	23
24				4	24	6		7		34	3	33	24
25		66	14		2			35		2	14	7	25
26	2		16			30		1·13	13	34			26
27		7	1·40			6	20	20	28	34			27
28		49	14	12				3		39		34	28
29		43	6			27		1·52	10	75		45	29
30										46			30
31								3		9		6	31
Total	1·56	4·61	3·98	1·18	1·93	2·93	1·63	5·17	1·26	5·76	3·38	3·67	YEAR'S TOTAL 35·86
Rain Days.	17	20	17	10	16	2.33 14	7	13	8	22	16	12	35-86 172

W. 8,000, VIII. 16

~~W~~ C 32

1532

FORM A.
BRITISH RAINFALL.
4 JAN

REGISTER OF RAINFALL IN 1917

Kept at The Retreat Holt

in the County of Wilts

by F Pretty for A V H Beaven

Lat. 51 ·21 Long. 2·12

Time of Observation 9 a m

Nearest Railway Station Holt-junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		4	14	37		7		80	22		3		1
2	5					12		5			7		2
3							63	11		57			3
4	32	22	7				8	8		32			4
5			7	20		8		3	13	48	16		5
6	2		54							7	12		6
7	14						14	8		25		3	7
8	63		10	12			35		4	35	9	9	8
9			10		20			84	7	5	25		9
10	12		27	19				25		4			10
11	3		52	21				18		10	3		11
12	(12)		5		62			8		64			12
13			15					13		4			13
14			19	15				7	6	3			14
15							92	52		4		12	15
16		10		21	5		41	2		50		38	16
17				12	25		52	7	36	6			17
18		2					32		39				18
19		41	10						9				19
20		5	10		29	13		8			4		20
21			20			17							21
22			15			78		6		10			22
23		13			9			65		4		3	23
24		6				20	7	12		17			24
25		5	5					5	5	51	2		25
26					18			48	18	23	10		26
27					1·15			1·5					27
28			12					65				2	28
29			9		72	2·49	12	6		28		12	29
30		X	12			33	27	11		31			30
31		X	12	X		X		2	X	2	X	3	31
Total	1·42	1·08	3·25	1·57	3·55	4·37	3·83	6·44	1·59	5·20	91	82	YEAR'S TOTAL 34·23
Rain Days.	8	9	20	8	9	9	11	26	10	23	10	8	151

W. 8,000, IX. 17.

135

~~W~~ M95 16

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL 1 . 19

Kept at Holt
in the County of Wilts
by F Pretty for A.V.H Beaven

Lat. 51' 21 Long 2' 12
Time of Observation 9 a m
Nearest Railway Station Holt junction
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					7			24		3	39		1
2		4		21				42				25	2
3		4		38	11			47	6				3
4				6				3			65		4
5		2			22			20	8	15			5
6	10	3		33				3		9	3		6
7		17		6	61				14	30	25	11	7
8									86	17			8
9	2	28		41		27	49		42	11		20	9
10				19			40		23	20		29	10
11	3	3					18		30		3	(18)	11
12		14			39		20					5	12
13	13				5		25		46	8		15	13
14	19					7	37		25	10		16	14
15	1·25			54	2	6	19		18	6		14	15
16	40			52		2	2			6		5	16
17	23		9	7			27	9	2			10	17
18	60					33	13		26	3		25	18
19	2	2	11	71			24		29	4		15	19
20	3	10		29			19		11	3		8	20
21	6	2					6		89	5		9	21
22							37		26			31	22
23	7				20	3	66	6				4	23
24		18				6	2		12	7			24
25							9	73					25
26							52		5	3	25	12	26
27								16	18		15	4	27
28		11	24								17	15	28
29			6						1·22			2	29
30		X	22					4		2	9	10	30
31		X	19	X		X		3	X		X		31
Total	3·13	1·18	91	3·77	1·67	84	4·65	2·50	6·37	1·60	2·01	3·02	YEAR'S TOTAL 31·65
Rain Days.	13	13	6	12	8	7	18	12	20	18	9	22	158

W, 6,500, VII. 18. w w c

1439

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Holt
in the County of Wilts
by A. W. Beaven

Lat. 51-21 Long. 2·12
Time of Observation 9 a.m.
Nearest Railway Station Holt junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
„ „ „ „ Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32		5	5	24		13			7	5	98	1
2	10				3		3		42		7	17	2
3	1·57		17		3			2	22		2	40	3
4	34	7	70			6			25			8	4
5		45	45		2				39		10	24	5
6	24	5	7		11							20	6
7	17		30	13								3	7
8	15		15										8
9	3		7									13	9
10	6		8	13							10		10
11	7		10	20	12		33					3	11
12	5		8	6		17	5			14	3	4	12
13				34						3			13
14	43	4		40			8			4		3	14
15	11			6						2		25	15
16	20	89				1					17		16
17		38									23		17
18			53				13	17			6		18
19	29	1.8	80			10	94	37	21		24	7	19
20	22	6	33			33		30				9	20
21	3	40					5				2	7	21
22		22					10		11			15	22
23									3	33	5	4	23
24						6			2	1·22	28	65	24
25	14			6				45			5	15	25
26	11							9	11			35	26
27	9		15	40				86				6	27
28			30								35	40	28
29										5		7	29
30		☒		17		16		2		2	35	32	30
31		☒		☒		☒		49	☒		☒	11	31
TOTAL	4·72	2·74	4·33	2·00	0·55	0·89	1·84	2·77	1·76	1·92	2·17	5·11	YEAR'S TOTAL 30·80
Days with ·01 in. or more	20	10	16	11	6	7	9	9	9	9	16	25	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1359

FORM A.
BRITISH RAINFALL.

4 JAN 1921

[illegible]

REGISTER OF RAINFALL IN 1920

Kept at Holt

in the County of Wilts

by A. V. H. Beaven

Lat. 51-21 Long 2-12

Time of Observation 9 a.m

Nearest Railway Station Holt Junction

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 6" in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2			41	39		22			10	19	28	1
2	4		4	10			4	27	7	7		7	2
3	2	3		23			39	39		40		3	3
4			6	8			4	3		12			4
5			11		11		43			27			5
6	2		21	2	27		36			20			6
7			6	10			6						7
8		5		36	4		48						8
9	43	9	2	25		14	2	3					9
10	89	20	4	7		18	30						10
11	38	2	10	37	31	5	13						11
12	17	2	2	17	2	1·02	5				10		12
13	8	6	27	9					4			9	13
14	2		48	26		7	3		4	67	35		14
15		16	5	23		6	6		18	27			15
16				13	3	16	7		10	9	25		16
17	2		2	12	19	36	2		23				17
18	5			7	5	5		35	18				18
19	4			15	9	11		2					19
20		20		18		42	1					20	20
21				2			12		2	5		9	21
22				8			3	6	3			30	22
23	3						82					39	23
24	3		16	3							13	10	24
25		7	6				33						25
26	21		10								3	7	26
27	20	4	3	21		38						15	27
28	71		3	9	10		4					2	28
29	16	2	13		3	3	6				12	19	29
30	5	X	4	8		23	29		27		41	18	30
31	19	X	23	X		X	3		X	24	X	15	31
Total	3·76	96	2·26	3·90 ~~3·80~~	1·63	3·26	4·43	1·15	1·16	2·48	1·58	3·31 ~~2·37~~	YEAR'S TOTAL 28·88 ~~28·84~~
Rain Days.	21	12	21	25	12	14	25	7	10	11	8	15	181 ✓
27·04	14	8	16	22	9	13	19	4	8	11	7	13	144

W. 8,000, IX. 17.

1504

KILMINGTON RECTORY

WILTSHIRE

1911 - 20

11

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

Kept at Kilmin

in the County of

by H. G. Fox

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.15	.06	.01			.05			.03	.07	1
2			.04	.14	.38			.22			.35	.27	2
3	.03	.01	.01	.01	-35			.05			.19	.05	3
4			.13	.05	.01			.02	.02		.24	.62	4
5	.02		.02	.01				.44		.12	.15	.02	5
6	.65		.17	02				.02		.10	.13	.71	6
7	.01										.40		7
8	.04		.25								.07	.44	8
9	.30		.02								.10	.43	9
10	.19	.05	.41		1.25						.02	.52	10
11	.54	.02	.03								.65	.19	11
12		.02	1.00						.03		.20	.28	12
13			.03		.10				.24		.05	.48	13
14		.10	.02		.01						.01	.95	14
15		.08	.01			.06				.02	.45	.08	15
16	.01	.01				.45				.03	.48	.53	16
17	.01	.04	.01			.14		—			.12	58	17
18		.41	.06	.11	.08	.40				.05	.03	.51	18
19		.19				.23			.12	.28	.02	.67	19
20	.01	.04	.11	.23		.01			.30	.06		.50	20
21	.04	.35	.04	.02		.02		.20	.03	.58		.27	21
22	.03	.03	.28	.04		.02		.03		.75		.52	22
23	.10	.24	.08	.01		.05			.21	.09	.02	.30	23
24	.01	.35	.01			.62				.49		.18	24
25		.12	.02			.12		.18	.04			.29	25
26	.05	.07		.32	.04	.02		.01		.16	.01	.42	26
27		.87	.18	.40				.03	.19	.01	.01	.22	27
28		.38	.01	.22				.16			.07	.01	28
29				.31		.45	.04		19	.65	.02	.01	29
30			.01	.64		.16	.01			.37	.10	.01	30
31			.01							.15		.01	31
Total	2.12	3.38	3.11	2.59	2.23	2.75	05	1.41	1.37	3.91	3.92	10.14	TOTAL for year 36.98
No. of Rain Days.	17	19	26	16	9	14	2	12	10	16	25	30	196

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

REGISTER OF RAINFALL IN 1911

E4844

Kept at Kilmington Rectory
in the County of Wilts
by H. G. Fox Strangways (H. a Boyd)

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.
Time of Observation
Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.15	.06	.01			.05			.03	.07	1
2			.04	.14	.38			.22			.35	.27	2
3	.03	.01	.01	.01	.35			.05			.19	.05	3
4			.13	.05	.01			.02	.02		.24	.62	4
5	.02		.02	.01				.44		.12	.15	.02	5
6	.65		.17	02				.02		.10	.13	.71	6
7	.01										.40		7
8	.04		.25								.07	.44	8
9	.30		.02								.10	.43	9
10	.19	.05	.41		1.25						.02	.52	10
11	.54	.02	.03								.65	.19	11
12		.02	1.00						.03		.20	.28	12
13			.03		.10				.24		.05	.48	13
14		.10	.02		.01						.01	.95	14
15		.08	.01			.06				.02	.45	.08	15
16	.01	.01				.45				.03	.48	.53	16
17	.01	.04	.01			.14		—			.12	58	17
18		.41	.06	.11	.08	.40				.05	.03	.51	18
19		.19				.23			.12	.28	.02	.67	19
20	.01	.04	.11	.23		.01			.30	.06		.50	20
21	.04	.35	.04	.02		.02		.20	.03	.58		.27	21
22	.03	.03	.28	.04		.02		.03		.75		.52	22
23	.10	.24	.08	.01		.05			.21	.09	.02	.30	23
24	.01	.35	.01			.62				.49		.18	24
25		.12	.02			.12		.18	.04			.29	25
26	.05	.07		.32	.04	.02		.01		.16	.01	.42	26
27		.87	.18	.40				.03	.19	.01	.01	.22	27
28		.38	.01	.22				.16			.07	.01	28
29				.31		.45	.04		19	.65	.02	.01	29
30			.01	.64		.16	.01			.37	.10	.01	30
31			.01							.15		.01	31
Total	2.12	3.38	3.11	2.59	2.23	2.75	05	1.41	1.37	3.91	3.92	10.14	TOTAL for year 36.98
No. of Rain Days.	17	19	26	16	9	14	2	12	10	16	25	30	196

W. 8,000, X. '11.

entd. for auth. 20.11.13 W. J. C.

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL
6 - JAN 1913

Kept at Kilmington (The Rectory.)

in the County of Wilts. 2

by (Revd.) H. G. Fox Strangways

Rain Gauge
Pattern Howard's.
Diameter of top 5 in.
Height of top above Ground 1. ft. 6. in.
" " " Sea Level 710 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Witham G.W.R.
Distance 3. mi. as crow flies Direction South of.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01.		·12.	·53.	trace.	·21.	·38.	·01.	·02.	1·01.		·60.	1
2			·16.	·02.		·14.	·37.				·05.	·01.	2
3	·02.		·42.	·01.		·40.	·13.	·69.	·05.		·03.	·13.	3
4	·24.		·08.		·01.	·43.	·01.	·02.			·20.	·01.	4
5	·73.	·07.	1·00.		·02.	·06.	·01.	·74.	·01.		·01.	·26.	5
6	·73.	·24.	·25.		·20.	·01.	·58.	1·12.			·01.	·08.	6
7	·05.	·12.	·06.	·02.	·23.	·49.	·01.	·15.			·01.	·19.	7
8	·47.	·33.	·18.	·07.	·01.	·14.	·24.	·31.	·04.			·06.	8
9	·02.	·21.	·39.	·16.		·13.	·03.	·08.		·01.	·02.	·75.	9
10	·01.	·07.	·28.	·01.		·07.	·02.	·07.		·01.	·11.	·25.	10
11	·18.	·13.	·01.				·01.	·01.			·01.	·52.	11
12	·09.	·09.	·01.	·04.	·01.		·03.	·01.			·03.	·01.	12
13	·01.	·56.	·17.	·01.		·06.	·01.	·16.			·02.	·13.	13
14	·26.	·05.	·04.		·07.	·03.	·01.	·16.		·02.		·01.	14
15	·14.		·55.	·01.	·20.	·72.		·09.		·01.		1·03.	15
16	1·12.	·16.	·02.		·18.	·02.		·24.		·18.	·03.	·10.	16
17	·96.	·01.	·54.		·01.	·05.		·90.		·01.	·05.	·08.	17
18	·23.		·16.			·05.		·23.		·11.	·02.	·10.	18
19	·05.	·01.	·58.			·17.	·21.	·19.		·02.	·01.	·01.	19
20	·05.	·23.	·14.		·05.	·05.	·07.	·44.		·41.	·05.	trace.	20
21	·02.	·04.	·40.		·81.	·01.	·02.	·13.		·53.	·01.		21
22	·53.	·37.	·33.		·22.	×	·07.	·34.		·03.	·02.	·08.	22
23	·21.	·25.	·06.		·03.	·02.	·07.	·95.		·09.	·29.	·35.	23
24	·09.	·54.	·34.			·45.	·03.	·12.		·05.	·01.	·30.	24
25	·07.	·06.	·05.			·14.	·01.	·31.		·25.	·43.	·72.	25
26		·02.	·01.			·01.	·35.	·28.		·52.	·54.	·22.	26
27		·03.	trace.			·25.	·91.	·01.		·99.	·02.	·45.	27
28		·02.				·11.	·04.	·41.	·10.	·66.	·68.	·68.	28
29		·07.	·01.			·27.	·12.	·10.	1·26.	·46.		·03.	29
30			·02.		·01.	·54.	·32.	·01.	·35.	·48.		·01.	30
31			·01.		·01		·51.	·08.		·03.		·23.	31
Total	6·29.	3·62.	6·39.	·88.	2·07.	5·03.	4·57.	8·36.	1·83.	5·88.	2·66.	7·40.	TOTAL for year Inches 54·98.
No. of Rain Days.	24.	23.	29.	10.	16.	27.	27.	30.	7.	21.	24.	29.	267.

54·98

W. 8,000, X. '11.

~~Fm~~ Mid. Wessex. Ex. Mf

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 APR 1914

Kept at Kilmington Rectory

in the County of ~~Somerset~~ Wilts 2

by Rev. H. G. Fox Strangways. Rev. H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·33	·24	·07	·02	–	–	–	·44	·06	·29	·30	1
2	·05	·09	·06	·15	·07	–	·02	–	·16	·07	·22	·02	2
3	·22	·02	·20	·04	·51	–	–	–	–	·03	·01	·12	3
4	1·08	–	·07	·02	·38	–	·07	–	·86	·39	·05	·34	4
5	·05	·03	·07	–	·20	·31	–	–	·54	·01	·04	·14	5
6	·07	·07	·09	–	·25	·23	·20	–	·07	·57	·05	·67	6
7	·03	·40	·04	–	·32	·03	·07	–	–	·50	·24	·01	7
8	·01	·05	–	–	·25	·05	·04	–	–	·21	·01	·06	8
9	–	·05	·02	–	·34	·13	·05	·35	·07	·22	·12	·05	9
10	·23	·01	·05	–	·05	·07	·07	·07	–	·20	·34	·01	10
11	·73	–	·04	·27	·27	·05	–	–	–	·07	·27	·02	11
12	·01	·02	·01	·07	·40	·07	·02	–	·01	·02	·18	·01	12
13	·05	–	·15	–	·07	·02	–	·03	·19	·01	21	·01	13
14	·15	·02	·21	·08	–	–	–	·07	–	·02	·37	·03	14
15	·34	·06	·27	·82	–	–	·07	·06	·06	–	·05	·03	15
16	·28	·07	·73	·04	–	–	·01	·07	·02	–	·02	–	16
17	·03	·01	·05	·05	–	–	·09	–	–	–	·02	–	17
18	·05	·01	·40	·21	–	–	–	–	–	–	·18	–	18
19	·75	–	·10	·07	·17	·16	·10	–	·67	·01	·01	·01	19
20	·03	–	·13	·10	–	·07	·07	–	·07	·29	·31	–	20
21	–	–	·10	·27	·26	–	·03	–	·01	·02	·78	–	21
22	1·24	–	·43	·05	·03	·04	–	·05	·27	·01	·01	–	22
23	·03	–	·65	–	–	·04	–	–	·02	·01	·03	·59	23
24	·14	·04	·02	·21	–	–	–	·08	–	·01	·07	·01	24
25	·01	·24	–	·20	–	–	–	–	–	·01	·02	·06	25
26	·01	·01	–	·52	–	–	–	·24	–	·01	·01	·36	26
27	·03	–	·27	·20	–	–	–	–	–	·15	·01	·03	27
28	·20	–	·25	·37	–	–	–	–	–	·18	–	·06	28
29	·07		·55	·66	·03	–	–	·29	–	·40	·01	·02	29
30	·66		·07	·07	·04	–	–	·07	–	·59	·08	–	30
31	·15		·07	–	–			·80		·06		–	31
Total	6·71	1·47	4·62	4·30	3·54	1·09	·67	1·94	3·34	4·13	4·01	2·96	YEAR'S TOTAL 38·78
Rain Days.	29	18	28	22	18	13	14	12	15	27	29	23	248

W.7,000, XI. 13

cndly Brops 8.III.15 W DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Kilmington Rectory.

in the County of Wilts 2

by (Revd.) H. G. Fox Strangways.

Lat. 51° 8′ Long. 2° 20′

Time of Observation 9.a.m.

Nearest Railway Station Witham. G.W.R

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1. ft. 6. in.

" " " " Sea Level 710. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01.	·01.	·02.	trace.		·01.	·14.	·52.			·10.	·45.	·06. 1
2		trace.		·03.	·03.	trace.	·93.	·12.			·78.	·35.	·41. 2
3	·01.	·01.	·46.	·18.	·36.		·05.	·68.		·01.	·29.	·06.	·09. 3
4	·11.	trace.	·31.	·28.	·07.		·35.	·70.			·72.	·02.	·50. 4
5	·18.	trace.	·38.	·70.	·91.		·37.	·01.			·37.	·03.	·02. 5
6	·02.	·25.	·07.	·24.	·06.	·01.	·17.	·12.			·04.	·27.	·45. 6
7	·05.	·59.	·09.	·15.	·43.	·06.	·35.	·25.			·01.	·29.	·35. 7
8	·19.	·03.	1·17.	·01.	·37.	·21.	·08.	·36.	·36.		·01.	·56.	·06. 8
9	·36.	·01.	·48.	·40.	·03.	·87.	·01.	·13.	·26.			·08.	·02. 9
10	·05.	·23.	·01.	·09.	·14.	·28.		·01.	·49.	trace.	·02.	·01.	·03. 10
11		·21.	·88.	·01.	·02.	·01.	·18.	trace	·06.		·21.	trace.	·27. 11
12		·14.	·26.	·01.	trace.	trace.	·01.		·40.	·01.	·08.	·82.	·29. 12
13	·01.	·37.	·30.	trace.		~~·01.~~	·08.		·15.	·30.	·18.	·86.	·56. 13
14		·20.	·19.		trace.	·01.	·01.	·37.	·04.	·59.	·37.	·16.	·08. 14
15	·02.	·03.	·38.			·02.	·20.	·61.	·09.	·03.	·21.	·57.	·01. 15
16	·01.	·01.	·01.				·09.	·01.	·23.	·01.	·01.	·02.	trace. 16
17	trace.	·52.	·28.				·03.		·05.		·01.	·82.	17
18		·04.	·04.				·34.		·01.		trace.	·86.	18
19		·11.	·65.		[illegible]		·91.		·01.		·18.	·16.	19
20		·41.	·10.			·01.	·01.					·57.	20
21		·86.	·02.			·02.	·02.			·19.	·01.	·02.	21
22		·03.	·01.		·19.	·21.	·01.	·06.		·70.			22
23		·14.	·26.		·10.	·03.	·02.	·01.		·27.		·02.	23
24	trace.	·68.	·15.		·12.	trace.	·19.	trace.	trace.	·23.	·22.	·01.	24
25	·07.	·01.	·23.		·01.		·07.	·35.	·01.	·47.	·08.	·48.	25
26	·01.	·01.	·01.		trace.		·08.	·05.		·05.	·37.	·58.	26
27	·08.	·01.	trace.				·01.	·01.	trace.	·25.	·10.	·19.	27
28	·03.	·21.	·20.		·02.			·02.		·04.	·27.	1·09.	28
29	·44.		·15.		·10.		·01.	·01.		·33.	·37.	·01.	29
30	·01.	×	·08.		·01.	·02	trace.	trace.		·26.	·37.	1·11.	30
31	·08.	×	·01.	×		×	·16.		×	·54.	×	·11.	31
Total	1·74.	5·12.	7·20.	2·10.	2·97.	1·79. 1·74	4·88.	4·40.	2·16.	4·28.	5·38.	9·23.	YEAR'S TOTAL 51·23.
Rain Days.	19.	25.	29.	11.	17.	14.	28.	20.	13.	17.	25.	29.	247.

W. 8,000. X. 14.

From Originals returned W.G.

1645

FORM A.
BRITISH RAINFALL.
5. MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Kilmington Rectory

in the County of Wiltshire . 2 .

by H. G. Fox Strangways
per Rev. H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·86	·45	·01		·04		·01	·32	·14	·29	·02	·22	1
2	·60	·30	·28	·14		·05		·76	·03	·26	·01	·67	2
3	·33	·12	·21	·10	·14	·02	·07	·03	·01	·06	·01	·44	3
4	·02	·04	trace	·01	·02	trace	·01	trace	~~·01~~			·37	4
5	·06	·78	·03	·09				·10				·45	5
6	·70	·07	trace	·23			·73	·27		·01	·01	·15	6
7	·31	·68		·05	·01		·20	·01				·47	7
8	·18	·75		·02			·01	·09			·02	·04	8
9	·02	·07		·07				·02			·51	·86	9
10	·40	·02	·06	·07			·01	·04		·01		·08	10
11	·06	·01	·11	·15	trace		·03	*·37	·01	·01	1·03	·08	11
12	·19	·55	trace	·10	·61		trace	·20		·07	·35	·01	12
13	·04	·97		·01	1·10			·10	·13	trace	·04	·01	13
14	·05	·01		·01	·01		·24	·48	·12	trace	·01	1·25	14
15	·20	·12			·20		·10	·12	·05	·08	·08	·17	15
16	·01	·84			·44		1·31	·09	·02	·01	·01	·08	16
17		·42			·84		trace	·15		·01		·02	17
18		·45	·01		·06		trace	·01				·01	18
19	·03	·02			·17		·28	·01		·01	·01	·01	19
20	·47	·01		·11	·03		trace			·01		·09	20
21	·10	·03		·01	·03		·21		trace	·37		·28	21
22	·09	·55	·60	·04	trace		·81		·02	·04		·31	22
23	·01	·05	·12	trace			·65		·22	2·00	·01	·45	23
24	trace	·01	·02	·09			·38		·46	·98		·54	24
25			·02	·03		·15	·74		·02	·01		·23	25
26	·01	·13		trace		·11	·10		·02			·80	26
27		·08				·10	·27			·41		·01	27
28		·11				·07	·01	·03	·78	·03	·01	·01	28
29		X				·29	·03	·03	·07	·01	·18	·09	29
30	·18	X		·02		·08	·01	trace		·54	·50	·28	30
31	·08	X		X		X	·02	trace	X	1·07	X	·32	31
Total	5·00	7·64	1·47	1·35	3·70	·87	6·23	3·23	2·10	6·29	2·81	8·80	YEAR'S TOTAL 49·49
Rain Days.	24	27	11	19	14	8	23	20	16	22	17	31	232

W. 8,000. X. 15.

* ·25 in. in 10 minutes.

from Mid Wessex M. cnd for S (by Boys to.....) Exd RC 1619

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Kilmington Rectory

in the County of Wilts

by Rev H. A Boys H G Fox Strangways

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17	.02	.01		.40	.07	.03		.16	.66	.82		1
2	.35	.15	.04		.17	.01	.04		.02	.85	.03		2
3	.03	.96			.11		.01		.10	.49	.33		3
4	.20	.35		.02	.06	.43	.07		.35	.16	.85		4
5	.11	.06	.03		.33	.53	.01		01	.10	.85		5
6	.10	.25	.03		.13	.03	.93			.14	.80		6
7	.02	.06	30		.18	.02	.37			.05	.58	.16	7
8	.02	.24			.30	.02	.01			.01	.07	.16	8
9	.01		.04		.07	.26	.02			.15	.13	.07	9
10	.01	.57	.05	.10	.05	.02	.10			.09	.03	.18	10
11	.02	.01	.07	.20	.01	.14			.02	.01	.01	01	11
12	.17	.08	.04	.33	.08	.01	.46			.14	.02		12
13	.01	.38	.22	.02	.01		.01	.67	.02	.01	.01		13
14	.03	.40	.04	.06	.18			.50		.13	.01		14
15	.02	.40	10	.03	01			.23		.01		.02	15
16	.07	.10	.01	.34	.01		.04	.15		.03			16
17	.27	.31	.01	.11			.01	.10	.74	.50	.11	.01	17
18	.02	.18	.14	.17				.01	.05	.14	.38	32	18
19	.10	.01	.52	.25				.02	.02	.01	.15	07	19
20	.38	.04	.45	.01				.01			.10	1.08	20
21	.05	.13	.32		.07						.02	.66	21
22	.03	.01	.02		.03	.05				.42	.07	.50	22
23	.04	18	.01	.05		.10		.16		.06	.15	.22	23
24		.13	.07	.06	.50	.31		.05	.01	.48	.11	.23	24
25		(1.00) ~~13~~	.10	.01	.08	.01		.40		.05	.12		25
26	.02	.14	.04			.21		.22	.50	.71	.03	.01	26
27	.02	14	1.50			.33		1.04	.66	.30			27
28	.01	.31	.06			.01		.12	.80	.28		.50	28
29		56	.07		.02	.40		2.22	.42	.82		.37	29
30		X	.01			01		.02	.01	.57		03	30
31		X		X		X		.13	X	.19	X	.07	31
Total	2.25	(7.17)	4.30	1.76	2.80	2.97	2.11	6.05	3.89	7.56	5.78	4.67	YEAR'S TOTAL (51·31)
Rain Days.	26	28	27	15	21	20	14	17	16	29	24	19	256 (51·31)

W. 8,000, VIII. 16

1544

FORM A.
BRITISH RAINFALL.
2 APR 1918

from M. O. ~~[illegible]~~ [illegible]

REGISTER OF RAINFALL IN 1917

Kept at Kilmington Rectory,

in the County of ~~South Devon~~ Wilts

by Rev. H. Fox Strangways per H A Boyo

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	·14	·25		·15		1·07	·30		·09		1
2	·07		·04	·20		·08		·11	·02	·01	·05		2
3	·02		·01	·06		·01	·98	·05	·01	·35	·10		3
4		·20	·10	·01			·06	·10	·02	·36	·01	·01	4
5	·35		·25	·35		·15	·01	·01	·38	·30	·14		5
6	·01		·36	·01		·01		·01	·01	·05	·14	·02	6
7	·37		·02	·01			·15	·18		·32	·04	·05	7
8	·40		·25	·10			·63	·76	·10	·26	·24	·11	8
9			·05	·05	·02		·03	·56	·07	·20	·23	·01	9
10	·13		·40	·26			·01	·33	·01	·03	·01		10
11	·10		·48	·38			·01	·05		·31	·05		11
12	·05		·02	·01	·70			·01		·80	·02	·01	12
13	·02		·16	·01	·01	·02		·32	·20	·12	·01	·02	13
14			·27	·20			·10	·15	·01	·02	·02	·02	14
15			·01	·01			·20	·15	·04	·20	·01	·35	15
16	·02	·14	·01	·31	·05		·22	·05	·01	·67	·01	·35	16
17		·02	·01	·17	·06		·70	·12	·75	·17	·02		17
18	·03	·04	·01	·01	·02		·25	·01	·50	·01	·04		18
19	·01	·56	·19				·01	·01	·12		·09		19
20		·15	·09		·30	·42		·16	·03		·07		20
21	·02	·03	·17		·01	·07	·01	·02	·01	·10	·02		21
22			·14		·01			·08		·07	·01		22
23	·01	·20	·01		·19	·01		·34		·01	·02	·03	23
24		·12	·03			·13	·05	·08		·30	·11	·01	24
25		·06	·03			·01	·01	·11	·12	·21	·02		25
26		·01	·02		·37			·92	·26	·08	·06		26
27			·01		1·05	·14		1·36	·02	·13	·04	·02	27
28			·09		·08	4·60		·70		·01	·01	·03	28
29			·17		·01	·30	·10	·20		·60	·01	·21	29
30		✕	·26			·01	·60	·16		·10	·01	·02	30
31		✕	·23	✕		✕	·01	·06	✕	·15	✕	·10	31
Total	1·63	1·54	4·03	2·40	2·88	6·11	4·14	8·24	2·99	5·94	1·70	1·37	YEAR'S TOTAL 42·97 ~~[illegible]~~
Rain Days.	16	12	31	18	14	15	20	31	21	28	30	17	253

W. 8,000, IX. 17.

from original retd to Rev H A Boys

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Kilmington Rectory

in the County of Wiltshire

by Rev H. G. Fox Strangways
Rev H. A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 710 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.08	.10			45	.01	.04	.67	.02	1
2		.07		.20	.01			.83	.11	.02	.09	.22	2
3		.10	.05	.21	.18		—	.11	.02	.07	.02	.05	3
4		.06	.03	.06	.01			.09	.02	.06	.85	.18	4
5		.01	.03	.06	.12			.26	1.16	.30	.02	.10	5
6	.22	.85	.01	.30	.01			.06	.06	.16		.20	6
7		.25		.09	.63			.05	.20	.15	.33	.05	7
8	.01	.03		.01	.01			.02	.42	.25	.02	.07	8
9	.05	.15		.35		.32	.65	.01	.65	.17	.01	.45	9
10	.16	.01		.10			.45		.18	.26	.03	.50	10
11	.01	.03	.02	.02			.90		.30	.02	.07	.24	11
12		.21	.01		.43	.01	.12		25	.01	.01	.06	12
13	.50	.03		.01	.07		.63		1.14	.10		.21	13
14	.15	.01	.04		.02	.10	.10		.16	.22		.16	14
15	1.25			.65		.07	.30		.03	.03		.24	15
16	.36		.07	.46		.02	.05		.25	.02	.01	.29	16
17	.32		.02	.45			.35	.12	.07	.01		.18	17
18	.93		.01	.01		.76	.15	.01	.15	.01		.40	18
19	.10	.01	.09	.05		.02	.25	.06	09	.04		.26	19
20	.05	.16	.01	.20		.08	.15	.01	.21	.10	.02	.01	20
21	.16	09		.01		.12	.20		.57	.10		.17	21
22	.05	.01	.01		.05	.01	.63		.22	.05	.02	.45	22
23	.25			.01	.30	.02	.61	.01	.06	.01	.13	.07	23
24	.02	.17			.01	.03	.12	.02	.15		.08	.01	24
25	.02	.01		.01			.40	.82	.01	.01	.05		25
26	.02	03					.63	.01	.07	.02	.21	.46	26
27	.01	.15	.05			.01	.20	.21	22	.03	.21	.23	27
28		.10	.18				.01	.01	04	.02	.25	.27	28
29	.01		.15			.01			1.40	01	.02	.06	29
30	.01		.48					16	.03	06	10	.10	30
31	.01		.25					.04		.08		.01	31
Total	4.61	2.57	1.51	3.34	1.95	1.58	6.90	3.36	8.25	2.43	3.22	5.72	YEAR'S TOTAL 45.44
Rain Days	23	23	18	21	14	14	20	21	30	30	22	30	266

W, 6,500, VII. 18. W W C

1452

20 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kilmington Rectory

in the County of Wilts

by H. G. Fox Strangways, per Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·70		·11	·03	·23		·50		·11			1·40	1
2	·10		·02		·21		·02		·38	·12	·12	·28	2
3	·75		·27		·08				·15		·05	·60	3
4	·30	·15	·75		·01	·05	·15	·12	·57		·01	·09	4
5	·02	·45	·75		·08		·08	·01	·17		·12	·62	5
6	·50	·14	·21		·16		·01		·01	·01	·03	·29	6
7	·18		·56	·13	·01							·06	7
8	·25		·17	·03		·02							8
9	·03		·06	·17	·04				·01		·12		9
10	·15		·23	·04	·02					·07	·01	·32	10
11	·04		·25	·22	·26		·31					·06	11
12	·04		·05	·02	·01	·12	·02			·17	·12	·15	12
13	·08		·03	·54			·02			·01		·06	13
14	·80	·10	·01	·65	·06		·16			·07		·15	14
15	·16			·06			·01			·07		·48	15
16	·14	·70		·01	·01		·02	·07			·21	·01	16
17	·03	·66		·01	·01			·03		·01	·52	·03	17
18	·08		·65				·25	·07	·01	·01	·26	·04	18
19	·52	·30	1·00			·08	·75	·40	·25	·01	·25	·08	19
20	·48	·20	·18			·32	·01	·16				·18	20
21	·01	·10	·02				·55	·02	·01	·01	·02	·27	21
22		·23				·02	·13	·01	·30		·07	1·22	22
23			·01						·02	·31	·04	·26	23
24		·01		·03		·20				1·32	·06	·45	24
25	·10	·05		·15			·01	·48	·03	·02	·04	·21	25
26	·08	·01	·18	·13		·01		·40	·17		·01	·38	26
27	·25	·01	·05	·38				·92				·10	27
28			·25	·01		·02		·50			·50	·59	28
29				·03				·12		·05		·06	29
30			·01	·18		·18		·82		·03	·52	·50	30
31	·01		·04				·03	·01		·01		·38	31
TOTAL	5·80	3·11	5·86	2·82	1·19	1·02	3·03	4·14	2·19	2·30	3·08	9·32	YEAR'S TOTAL 43·86
Days with ·01 in. or more	25	14	24	19	14	10	18	16	14	17	20	29	220

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

28 MAR 1921

Kept at Kilmington Rectory
in the County of
by per Boys H G Fox Strangways

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	·01	·05	·23	·50		·41	·14	·10	·12	·46	·53	1
2	·16		·03	·15	·01		·15	·56	·10	·16	·01	·15	2
3	·09	·08	·01	·07	·02		1·80	·02	·02	·90		·03	3
4	·01		·05	·07	·01		·45	·54		·26	·01	·01	4
5			·10	·20	·28		·67	·25		·29	·01	·02	5
6			·23	·04	·15		·23	·02		·07	·01		6
7	·11		·05	·56	·01		·30	·01		·04			7
8	·05	·12	·01	·55	·11		·31						8
9	1·01	·41	·05	·15	·01	·15	·07	·01					9
10	·70	·55	·17	·10		·32	·32				·01		10
11	·45	·01	·11	·60	·35	·01	·30					·01	11
12	·30	·08	·02	·25	·02	·62	·09				·15		12
13	·30	·12	·60	·13		·01	·01				·02	·02	13
14	·22	·02	·28	·68			·01		·17	·12	·42		14
15	·04	·10	·05	·48	·15	·03	·05		·07	·77	·04		15
16	·01	·02	·15	·11		·50	·16		·10	·07	·06		16
17	·09		·10	·20	·36	·02	·02	·02	·41		·01	·02	17
18	·08	·01	·05	·08	·10	·10		·36	·15		·01	·05	18
19	·06	·02	·01	·41	·17	·15		·01	·01		·01		19
20	·12	·25		·22	·01	·56	·02				·01	·27	20
21	·01			·02			·20		·03	·01		·17	21
22	·05		·01	·18		·02	·05	07		·01		·35	22
23	·03			·01			1·14	·01		·01		·35	23
24	·08		·15	·04	·01		·01			·01	·25	·06	24
25	·01	·08	·10	·01	·04	·01	·50				·01	·01	25
26	·31	·01	·12	·48	·01	·03	·09			·01	·12	·08	26
27	·35	·05	·07	·01		·46	·03			·01	·02	·25	27
28	1·35	·03	·12	·04	·23	·06	·14				·23	·05	28
29	·30	·01	·15	·01	13	·04	·04				·03	·30	29
30	·08	✗	·01	·05	·15	·44	·21		·52		·35	·34	30
31	·17	✗	·14	✗	·01	✗	·02		✗	·38	✗	·22	31
TOTAL	6·61	1·98	2·99	6·13	2·84	3·53	7·80	2·02	1·68	3·24	2·25	3·29	YEAR'S TOTAL 44·36
Days with ·01 in. or more	29	19	28	30	23	18	29	13	11	17	22	21	260
Days with ·04 in. or more	24	10	21	25	13	11	22	6	8	11	9	14	174

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KINGTON LANGLEY
GREATHOUSE
WILTSHIRE
1914 - 15

FORM A.
BRITISH RAINFALL.
20 FEB 1915

REG

Kept at Chippen
in the County of Wi
by Charlest

Chippenham
8 in.
ove Ground ft. in.
Sea Level 270 ft.

IMPORTANT NO … d the result entered to the previous day. If an C … iversal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of th … ement of rain, the selection and placin … British Rainfall Organization are given … application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·07	—	—	—	·33	—	—	·31	·03	1
2	—	—	·01	·04	—	—	·70	·11	—	—	·98	·52	2
3	·06	—	·05	·19	·24	—	·28	·02	—	—	—	·18	3
4	·22	—	·01	·32	·14	—	·07	·32	—	—	·36	·62	4
5	·05	—	·08	·42	·02	—	·02	—	—	—	·12	·05	5
6	—	·09	·02	·09	·10	—	·03	·07	—	—	·02	·29	6
7	—	·57	·28	·13	·30	·07	·25	·08	—	—	—	·05	7
8	·01	·03	·73	·09	·08	·45	·02	·09	·08	—	—	·13	8
9	·05	—	·35	·14	—	·90	—	·07	·29	—	—	—	9
10	·07	·07	·02	·13	—	·01	—	—	·23	—	·05	—	10
11	·01	·08	·35	·05	·10	·25	·09	—	—	—	·08	·45	11
12	—	·09	·23	—	—	—	·14	—	·30	—	·03	·22	12
13	—	·58	·28	—	—	—	—	—	·25	·12	·05	·33	13
14	—	·30	·32	—	—	—	·04	·02	·30	·39	·22	·01	14
15	—	—	·23	—	—	—	—	·66	·03	—	·03	—	15
16	—	—	—	—	—	—	·04	—	·15	—	—	—	16
17	—	·38	·23	—	—	—	·03	—	·02	—	—	·50	17
18	—	·02	—	—	—	—	·39	—	—	—	—	·55	18
19	—	·10	·33	—	—	·03	·79	—	—	—	·05	·15	19
20	—	·17	·24	—	—	—	—	—	—	—	—	·13	20
21	—	·53	·02	—	—	·13	—	—	—	·15	—	—	21
22	—	·01	·08	—	·02	—	·03	·04	—	—	—	—	22
23	—	—	·14	—	·06	—	—	—	—	—	—	—	23
24	—	·02	·08	—	·09	—	—	—	—	·08	·05	·03	24
25	·03	—	·13	—	—	—	·02	·39	—	39	·04	·35	25
26	—	—	·02	—	—	—	—	—	—	—	·40	·59	26
27	·05	—	·04	—	—	—	·03	—	—	—	·05	·13	27
28	·01	·10	·09	—	—	—	—	—	—	·15	·34	1·02	28
29	·24		·18	—	·02	—	—	—	—	·20	·35	—	29
30	—	✕	·04	—	—	—	—	—	—	·13	·39	·65	30
31	—	✕	—	✕	—	✕	·18	—	✕	·22	✕	·05	31
Total	·80	3·14	4·58	1·67	1·17	1·84	3·15	2·20	1·65	1·83	3·92	7·03	YEAR'S TOTAL 32·98
Rain days.	11	16	27	11	11	7	18	12	9	9	19	23	173

X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
20 FEB 1915

Kept at Chippenham
in the County of Wilts
by Charles Garnett

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Chippenham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·07	–	–	–	·33	–	–	·31	·03	1
2	–	–	·01	·04	–	–	·70	·11	–	–	·98	·52	2
3	·06	–	·05	·19	·24	–	·28	·02	–	–	–	·18	3
4	·22	–	·01	·32	·14	–	·07	·32	–	–	·36	·62	4
5	·05	–	·08	·42	·02	–	·02	–	–	–	·12	·05	5
6	–	·09	·02	·09	·10	–	·03	·07	–	–	·02	·29	6
7	–	·57	·28	·13	·30	·07	·25	·08	–	–	–	·05	7
8	·01	·03	·73	·09	·08	·45	·02	·09	·08	–	–	·13	8
9	·05	–	·35	·14	–	·90	–	·07	·29	–	–	–	9
10	·07	·07	·02	·13	–	·01	–	–	·23	–	·05	–	10
11	·01	·08	·35	·05	·10	·25	·09	–	–	–	·08	·45	11
12	–	·09	·23	–	–	–	·14	–	·30	–	·03	·22	12
13	–	·58	·28	–	–	–	–	–	·25	·12	·05	·33	13
14	–	·30	·32	–	–	–	·04	·02	·30	·39	·22	·01	14
15	–	–	·23	–	–	–	–	·66	·03	–	·03	–	15
16	–	–	–	–	–	–	·04	–	·15	–	–	–	16
17	–	·38	·23	–	–	–	·03	–	·02	–	–	·50	17
18	–	·02	–	–	–	–	·39	–	–	–	–	·55	18
19	–	·10	·33	–	–	·03	·79	–	–	–	·05	·15	19
20	–	·17	·24	–	–	–	–	–	–	–	–	·13	20
21	–	·53	·02	–	–	·13	–	–	–	·15	–	–	21
22	–	·01	·08	–	·02	–	·03	·04	–	–	–	–	22
23	–	–	·14	–	·06	–	–	–	–	–	–	–	23
24	–	·02	·08	–	·09	–	–	–	–	·08	·05	·03	24
25	·03	–	·13	–	–	–	·02	·39	–	39	·04	·35	25
26	–	–	·02	–	–	–	–	–	–	–	·40	·59	26
27	·05	–	·04	–	–	–	·03	–	–	–	·05	·13	27
28	·01	·10	·09	–	–	–	–	–	–	·15	·34	1·02	28
29	·24		·18	–	·02	–	–	–	–	·20	·35	–	29
30	–	✕	·04	–	–	–	–	–	–	·13	·39	·65	30
31	–	✕	–	✕	–	✕	·18	–	✕	·22	✕	·05	31
Total	·80	3·14	4·58	1·67	1·17	1·84	3·15	2·20	1·65	1·83	3·92	7·03	YEAR'S TOTAL 32·98
Rain ys.	11	16	27	11	11	7	18	12	9	9	19	23	143

X. 14.

Exd F.W. cod for M.W.D. 2.v.16

1637

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
23 FEB 1916

Kept at Kington Langley Chippenham
in the County of Wilts.
by Charles Garrett.

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Chippenham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	'17	'13	·02	'08	–	'03	'03	'26	'21	'84	'54	1
2	'69	'22	'22	'20	'06	–	'05	'91	'04	'05	'19	'09	2
3	1'07	'07	'05	'08	–	–	–	'26	–	'02	–	'06	3
4	'04	–	–	'05	–	–	'75	'16	–	'03	–	'42	4
5	'18	·66	–	'03	–	–	–	'21	–	–	–	'47	5
6	'22	'06	–	'18	–	–	'52	'08	–	–	'02	'18	6
7	'44	'44	–	–	–	'15	'21	'04	–	–	'10	'01	7
8	'25	'36	–	–	'31	'13	–	'06	–	–	–	–	8
9	'07	'04	–	'06	–	–	–	'15	–	–	'27	1'31	9
10	'18	–	'05	–	–	–	–	'11	–	–	–	'22	10
11	'02	–	'25	'14	–	–	–	'07	–	–	'87	–	11
12	'10	'23	–	'28	–	–	'03	'57	–	–	'42	–	12
13	'04	'49	–	–	'33	–	–	'08	'13	–	–	'01	13
14	'14	–	–	'01	1'20	–	'11	'89	'06	'07	–	'83	14
15	'25	–	–	–	–	–	'14	'25	'03	'18	'54	'15	15
16	'02	'74	–	'22	–	–	–	'13	–	'02	–	–	16
17	–	'76	–	–	–	–	'06	'02	–	–	'03	'03	17
18	–	'05	–	–	1'50	–	–	'03	–	–	'07	–	18
19	–	–	–	–	'38	–	'03	–	–	–	–	'02	19
20	'06	–	–	–	'05	–	'07	–	–	–	–	+	20
21	'29	–	–	–	–	–	'01	–	–	–	'01	'23	21
22	'08	–	'46	–	–	–	'75	–	'04	–	–	'19	22
23	–	48	'43	–	–	–	'32	–	'54	–	–	'38	23
24	–	–	'04	–	–	–	'23	–	'01	1'36	'04	'42	24
25	–	–	–	'12	–	'80	'11	–	–	'14	–	'02	25
26	–	–	–	–	–	'02	'12	–	–	'54	–	'49	26
27	–	'09	–	–	–	'20	'56	–	'02	–	'19	'03	27
28	–	'08	'05	–	–	'06	'05	–	'85	–	–	'15	28
29	–		'11	–	–	'04	'07	'07	'09	–	'03	'21	29
30	'20	✕	–	–	–	–	'06	'02	–	'19	–	'12	30
31	'03	✕	'03	✕	–	✕	'01	'05	✕	✕	✕	'26	31
Total	5'00	4'94	1'82	1'39.	3'91.	1'40	4'29	4'19	2'10	·84 3·68 ~~2'84.~~	2·78 ~~3'62.~~	6'82.	YEAR'S TOTAL 42'32
Rain Days.	21	16	11	12	8	7	22	21	11	12	13 ~~14~~	25	179.

W. 8,000. X. 15.

1520

LARKHILL

WILTSHIRE

1920 –

Form A. 2. **METEOROL** **GANIZATION.**

R. 0.

1° 56' W. [1°48'W] +

Kept at Bulle's Cr 00

in the County of in Gauge in.

by Meteorolo ove Ground 1 ft. 0 in.

Sea Level 500 ft. 440

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·1	5·4	—	8·8	8·1	—	6·6	0·4	0·8	4·6	8·7	9·8	1
2	1·2	—	0·4	2·2	~~0·0~~	—	1·4	7·6	1·4	1·7	Trace	2·4	2
3	0·1	—	0·6	4·1	Trace	—	26·8	—	Trace	15·6	"	Trace	3
4	Trace	1·5	0·1	Trace	—	—	5·7	6·8	—	6·8	"	—	4
5	—	—	0·6	Trace	2·1	—	15·4	1·0	—	8·2	"	Trace	5
6	Trace	—	1·2	—	4·8	—	4·6	Trace	—	—	—	—	6
7	0·9	—	5·0	5·8	Trace	—	3·6	—	Trace	2·1	—	Trace	7
8	—	—	1·1	5·6	0·6	—	14·9	—	0·1	0·2	—	—	8
9	8·1	—	—	3·3	—	2·5	Trace	0·2	Trace	—	—	—	9
10	8·4	0·4	1·3	1·7	—	5·4	5·4	—	—	—	—	Trace	10
11	9·8	—	—	9·3	6·1	0·3	3·2	Trace	0·2	Trace	Trace	—	11
12	[illegible]	—	2·4	[illegible]	0·8	21·3	0·2	—	—	Trace	2·3	—	12
13	4·7	0·9	—	1·6	—	Trace	—	—	Trace	Trace	0·5	0·2	13
14	Trace	1·2	6·2	10·9	—	Trace	0·1	—	1·9	1·6	11·2	0·6	14
15	Trace	0·8	6·1	6·6	—	1·1	0·9	—	0·2	8·9	1·0	—	15
16	Trace	2·2	1·0	1·4	1·3	—	1·5	—	1·6	0·8	1·9	—	16
17	Trace	0·1	0·1	3·8	4·5	4·7	0·5	Trace	3·9	—	—	0·3	17
18	1·5	—	0·8	0·6	2·2	1·1	—	8·6	1·6	—	Trace	0·2	18
19	1·2	—	—	6·5	1·5	3·2	—	—	—	—	0·8	—	19
20	Trace	—	—	4·1	Trace	19·7	0·2	—	—	—	0·2	1·3	20
21	—	4·4	—	—	—	—	6·8	—	0·2	—	Trace	2·8	21
22	Trace	—	—	2·2	—	—	1·4	1·2	0·3	—	"	6·8	22
23	Trace	—	—	—	—	—	16·4	—	—	Trace	"	10·5	23
24	0·1	—	—	0·1	—	—	Trace	Trace	—	"	1·5	1·8	24
25	—	—	2·6	—	1·8	—	10·8	—	—	"	Trace	0·2	25
26	3·6	1·6	2·0	Trace	48·0	—	0·2	—	—	"	1·0	3·2	26
27	5·8	—	3·6	7·5	—	6·7	0·4	—	—	"	0·2	5·4	27
28	12·6	0·8	1·9	1·6	2·8	0·5	0·6	—	—	"	0·5	1·0	28
29	5·1	—	0·2	—	0·6	Trace	Trace	—	—	"	4·4	5·2	29
30	0·8	╳	4·2	0·1	2·4	2·5	5·8	—	6·9	—	7·8	5·9	30
31	5·4	╳	0·2	╳	—	╳	Trace	—	╳	9·4	╳	2·8	31
Total	2.85 72·2	·76 19·3	1.63 41·6	3.69 93·8	3.46 87·9	2.36 60·0	5.25 133·4	1.02 25·8	·75 19·1	2.26 59·9	1.65 42·0	2.38 60·4	28·16 in Year's Total 715·4
Days with 0·2 mm. or more	15	10	19	20	15	12	23	7	11	11	14	18	175
Days with 1·0 mm. or more	13	6	13	18	12	10	16	5	6	9	9	18	131

(44.284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

+ values of Lat. + Long. and Raingauge ht.) for Larkhill in Red)

FORM ~~A~~ F. 2. METEOROL[redacted]GANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bulle's Cross & Larkhill (after [illegible])
in the County of Wilts
by Meteorological Office

Lat. 51° 11′ N 51° 14·5′ N Long. 1° 56′ W. [1° 48′ W]
Time of Observation 0900
Nearest Railway Station Bulford (L.S.W.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 500 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.1	5.4	—	8.8	8.1	—	6.6	0.4	0.8	4.6	8.7	9.8	1
2	7.2	—	0.4	2.2	~~0.0~~	—	1.4	7.6	1.4	1.7	Trace	2.4	2
3	0.1	—	0.6	4.1	Trace	—	26.8	—	Trace	15.6	"	Trace	3
4	Trace	1.5	0.1	Trace	—	—	5.7	6.8	—	6.8	"	—	4
5	—	—	0.6	Trace	2.1	—	15.4	1.0	—	8.2	"	Trace	5
6	Trace	—	1.2	—	4.8	—	4.6	Trace	—	—	—	—	6
7	0.9	—	5.0	5.8	Trace	—	3.6	—	Trace	2.1	—	Trace	7
8	—	—	1.1	5.6	0.6	—	14.0	—	0.1	0.2	—	—	8
9	8.1	—	—	3.3	—	2.5	Trace	0.2	Trace	—	—	—	9
10	8.4	0.4	1.3	1.7	—	5.4	5.1	—	—	—	—	Trace	10
11	9.8	—	—	9.3	6.4	0.3	3.2	Trace	0.2	Trace	Trace	—	11
12	2.8	—	2.4	6.0	0.8	21.3	0.2	—	—	Trace	2.3	—	12
13	4.7	0.9	—	1.6	—	Trace	—	—	Trace	Trace	0.5	0.2	13
14	Trace	1.2	6.2	10.9	—	Trace	0.1	—	1.9	1.6	11.2	0.6	14
15	Trace	0.8	6.1	6.6	—	1.1	0.9	—	0.2	8.9	1.0	—	15
16	Trace	2.2	1.0	3.4	1.3	—	1.5	—	1.6	0.8	1.9	—	16
17	Trace	0.1	0.1	3.8	4.5	4.7	0.5	Trace	3.9	—	—	0.3	17
18	1.5	—	0.8	0.6	2.2	1.1	—	8.6	1.6	—	Trace	0.2	18
19	1.2	—	—	6.5	1.5	3.2	—	—	—	—	0.8	—	19
20	Trace	—	—	4.1	Trace	19.7	0.2	—	—	—	0.2	1.3	20
21	—	4.4	—	—	—	—	6.8	—	0.2	—	Trace	2.8	21
22	Trace	—	—	2.2	—	—	1.4	1.2	0.3	—	"	6.8	22
23	Trace	—	—	—	—	—	16.4	—	—	Trace	"	10.5	23
24	0.1	—	—	0.1	—	—	Trace	Trace	—	"	1.5	1.8	24
25	—	—	2.6	—	1.8	—	10.8	—	—	"	Trace	0.2	25
26	3.6	1.6	2.0	Trace	48.0	—	0.2	—	—	"	1.0	3.2	26
27	5.8	—	3.6	7.5	—	6.7	0.4	—	—	"	0.2	5.4	27
28	12.6	0.8	1.9	1.6	2.8	0.5	0.6	—	—	"	0.5	1.0	28
29	5.1	—	0.7	—	0.6	Trace	Trace	—	—	"	4.4	5.2	29
30	0.8	╳	4.2	0.1	2.4	2.5	5.8	—	6.9	—	7.8	5.9	30
31	5.4	╳	0.2	╳	—	╳	Trace	—	╳	9.4	╳	2.8	31
TOTAL	2.85 72.2	.76 19.3	1.63 41.6	3.69 93.8	3.46 87.9	2.36 60.0	5.25 133.4	1.02 25.8	.75 19.1	2.36 59.9	1.65 42.0	2.38 60.4	YEAR'S TOTAL 715.4
Days with 0·2 mm. or more	15	10	19	20	15	12	23	7	11	11	14	18	175
Days with 1·0 mm. or more	13	6	13	19	12	10	16	5	6	9	9	13	131

+ values of Lat. + Long. and Rain gauge ht. for Larkhill in Red)

Form O111.
TELEPHONES:—
AIR MINISTRY—
Regent 8000.
SOUTH KENSINGTON—
Kensington 5810.
62, CAMDEN SQUARE—
(British Rainfall)
North 142.
47, VICTORIA STREET—
(Atmospheric Pollution)
Victoria 4158.
KEW OBSERVATORY—
Richmond 229.

METEOROLOGICAL OFFICE.
AIR MINISTRY.

MINUTE SHEET.

To be used for Memoranda to be filed locally.

Memoranda passing to other establishments should be copied.

1.

Mr. Salter.

Judging from the monthly rainfall maps the record at Larkhill is very reasonable. It should be a little drier at Larkhill than at Shrewton. We have no note of the exposure at Larkhill, in fact we have not received any record either for 1921 or 1920.

Other records in this category that we are not receiving monthly are Biggin Hill, Isle of Grain & Calshot. Should any steps be taken to obtain these?

ETEOROLOG
—OFFICE—
11NOV1921

John Glasspoole
9.XI.21.

2.

Mr. Whipple

Please note second part of above mem. Do you know why we do not receive the returns in question?

Carle Salter

M.O.7. 10/11/21

3.

M.O.10. Can you trace the general order issued to Distribution Stations ~~last~~ May 1920

F.J.W. Whipple.

15.XI.21

4.

M.O.3

Pl. see flagged letter herewith file 235/21. It is the only letter that can be traced besides the one in file 70/21 which is with you. Pl. return file quickly as it is reqd. at H.Q.

J Cook

M.O.10.
21/11/21

P.T.O.

5.

M.O.6.

Have the observers at Biggin Hill, Isle of Grain & Calshot received instructions as to sending monthly & annual returns to M.O.7.
Can you give me the reference to the general order.

F J W Whipple

22. XI. 21

6.

R.14 M.O.7 (thro' M.O.3)

All stations were instructed to make the yearly returns on A_2, A_3, B_2, B_3. No instructions were issued regarding monthly returns on Forms C2 but an accidental issue of such forms was I think made to some stations. If you wish to receive them (C2) also from all stations I will issue instructions accordingly.

A. H. R. Goldie

M.O.6
28/11

7

M.O.7. Would not travelling Form A meet your needs & cut out all unnecessary copying?

F J W Whipple

30. XI. 21

METEOROLOGICAL
OFFICE
6 DEC 1921

MO 3
MO 6

8

I think the point has been missed. There is no need for travelling forms A nor for monthly returns direct from these stations. Our present machinery provides for annual returns direct from stations & monthly totals each month through M.O.3. We raised the point that we did not appear to be receiving the annual returns for Larkhill nor the monthly totals for the other three stations. The former concerns M.O.6, the latter M.O.3.

M.O.7 - 5/12/21

Carle Salter

Form 0111.

TELEPHONES:—

AIR MINISTRY—
Regent 8000.

SOUTH KENSINGTON—
Kensington 5810.

62, CAMDEN SQUARE—
(British Rainfall)
North 142.

47, VICTORIA STREET—
(Atmospheric Pollution)
Victoria 4158.

KEW OBSERVATORY—
Richmond 229.

METEOROLOGICAL OFFICE.
AIR MINISTRY.

MINUTE SHEET.

To be used for Memoranda to be filed locally.

Memoranda passing to other establishments should be copied.

FILE

9

Mr. Whipple

In accordance with your instructions I 'phoned M.O.7 to find out exactly what forms they receive from these four stations (Larkhill, Biggin Hill, Isle of Grain and Calshot). Mr. Carter believed they had only form A with the years' figures on for 1920, and will probably get that form alone for 1921.

I added the November totals to the monthly list for sent on the 13th inst.

E. Johnson
14 · XII · '21.

10

~~Mr~~ M.O.6. We will include all your stations in our monthly list. Will you arrange for the annual Form A to be sent direct to M.O.7 from the 4 stations both for 1920 & 1921.

F. J. W. Whipple.
16. 12. 21

11.

M.O.3. Noted. Does this mean that we may discontinue all future returns or only those on B2, B3 retaining A2, A3?

A. H. R. Goldie
M.O.6
2.1.22.

(x) (69201) Wt. 11092/362 10,000 7-20 W & S (W B & L)

P.T.O.

A.M.A.G. Circ. to all local centres - File 1070/21
9/1/22

12

M.O.6.
(Rugby M.O.7?)
✓ cs.

It means that you discontinue B forms & continue A forms.

F J W Whipple.
3 - 1 - 22.

13

M.O. ~~6~~ 5

The only point left is that we seem not to have received Larkhill record for 1920. Kindly have sent at leisure and hereafter act as suggested in (12)

Carle Salter

M.O.7. 6/1/22

14.

M. O. 7.

Form A 2, the only one applicable to Larkhill is attached hereto (for 1920).

Please retain & file these documents.

D Brunt

M. O. 5.
19. 1. 22

METEOROLOGICAL OFFICE
BRITISH RAINFALL ORGANIZATION
Recd.................Ansd.................
A. C. S. M.
Temp. File 2 Perm. File.........
Exd.............................

entered 9.iii.15

FORM A.
BRITISH RAINFALL
6 - JAN 1915

R 4

LITTLE BERWYN VICARAGE

WILTSHIRE

1914

Kept at Little g. 9 am

in the County of Bedwyn in.

by Rev. C. J above Ground ft. in.

„ Sea Level ft.

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pla British Rainfall Organization are give on application to Dr. H. R. Mill, 62,

Jan. 1, following.

Date 1914	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1								·29			·14	·04	1
2				·02			·45	·14			1·08	·14	2
3			·28	·13	·23		·13	·06				·09	3
4	·18		·03	·27			·02	·82			·42	·45	4
5	·03		·05	·29	·05		·20	·27			·16	·04	5
6		·14		·14	·03			·04			·15	·32	6
7		·40	·15	·14	·79	·06	·23	·03				·38	7
8	·09	·09	1·00	·06	·05	·33	·52	·10				·07	8
9	·08		·40	·08	·03	·72		·05	·05			·21	9
10		·14			·19			·02	·20				10
11		·26	·47		·08	·21	·29				·07	·38	11
12		·13	·12				·14		·26	·10		·54	12
13		·34	·25						·20	·19	·10	·43	13
14		·27	·68				·08			·70	·22	·08	14
15	·04		·17				·02	·25	·06	·01	·18		15
16							·02		16				16
17		·48	·25						03			·39	17
18			·04			·03	·06					·65	18
19		·13	·65				1·17				·11	·14	19
20		·44	·15			·07						·18	20
21		·96	·03					·17		·24	·04	·04	21
22					·30	·13	·03	·03		·85			22
23		06	·14		·08	·01	·04			·18			23
24			·11		·11					·18	·08		24
25	·03		·09					·26		·39	·04	·27	25
26							·01	·06		·10	·18	·57	26
27	·04										·04	·24	27
28			·02		·14		·49				·31	·65	28
29	·29· ·29		·10		·07					·25	·23		29
30			·05							·13	·52	·92	30
31	03	·04			·01		·09			·31	——	·04	31
Total	·81	3·85	5·23	1·13	2·16	1·56	3·99	2·59	·96	3·63	4·07	7·47	YEAR'S TOTAL 37·45
Rain Days.	9	14	22	8	14	8	18	15	7	13	18	24	170

W. 7,500, XI. 12

Wilts 9/1/15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 - JAN 1915

Kept at Little Bedwyn Vicarage

in the County of Wiltshire

by Rev. C. J. Ferguson. D.D

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bedwyn

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. 1914	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·29			·14	·04	1
2				·02			·45	·14			1·08	·14	2
3			·28	·13	·23		·13	·06				·09	3
4	·18		·03	·27			·02	·82			·42	·45	4
5	·03		·05	·29	·05		·20	·27			·16	·04	5
6		·14		·14	·03			·04			·15	·32	6
7		·40	·15	·14	·77	·06	·23	·03				·33	7
8	·09	·04	1.00	·06	·05	·33	·52	·10				·07	8
9	·08		·40	·08	·03	·72		·05	·05			·21	9
10		·14			·19			·02	·20				10
11		·26	·47		·08	·21	·29				·07	·38	11
12		·13	·12				·14		·26	·10		·54	12
13		·34	·25						·20	·19	·10	·43	13
14		·17	·68				·08			·70	·22	·08	14
15	·04		·17				·02	·25	·06	·01	·18		15
16							·02		16				16
17		·48	·25						03			39	17
18			·04			·03	·06					·65	18
19		·13	·65				1·17				·11	·14	19
20		·41	·15			·07						·18	20
21		·96	·03					·17		·24	·04	·04	21
22					·30	·13	·03	·03		·85			22
23		06	·14		·08	·01	·04			·18			23
24			·11		·11					·18	·06		24
25	·03		·09					·26		·39	·04	·27	25
26							·01	·06		·10	·18	·57	26
27	·04										·04	·24	27
28			·02		·14		·49				·31	·85	28
29	·29 ·29		·10		·07					·25	·23		29
30			·05							·13	52	·92	30
31	03	·04			·01		·09			·31	—	·04	31
Total	·81	3.85	5·23	1·13	2·16	1·56	3·99	2·59	·96	3·63	4·07	7·47	YEAR'S TOTAL 37·45
Rain Days.	9	14	22	8	14	8	18	15	7	13	18	24	170

W. 7,500, XI. 12

Ent'd 10.XI.13. ✓

LITTLETON PANELL

WILTSHIRE

1911 — 1914

FORM A2.
BRITISH RAINFALL.

20 DEC 1912

11

Kept at Little… 5 in.

…ve Ground 2 ft. - in.

in the County of Wi…

Sea Level ..... ft.

by M. Ale…

…0 AM

Name Lavington

Distance 28 chains fm Ry Direction N.

IMPORTANT NO… …d the result entered to the previous day. If an … …iversal rule, he is earnestly requested to add the … …year in the space provided for it at the end of … …rement of rain, the selection and pla… …British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	-	·02	·15	-	-		-	-	-	-	·02	1
2	·03	-	-	·01	·24	-		·03	-	·24	·21	·22	2
3	-	-	-	-	·22	-		·09	-	-	·10	·08	3
4	·02	-	·09	Snow ·02	-	-		-	·01	·16	·25	·52	4
5	·01	-	-	Snow ·01	·02	-		·34	-	·07	·36	-	5
6	·32	-	·15	-	-	-		-	-	-	Hail ·16	·57	6
7	·07	-	-	·01	-	-		-	-	-	·34	-	7
8	·07	-	·13	-	-	-		-	-	-	·06	·39	8
9	·08	-	·05	-	-	-		-	-	-	·01	·34	9
10	·01	·13	·18	-	·04	-		-	-	-	·02	·31	10
11	·37	·02	·02	-	·32	-		-	-	-	·46	·17	11
12	-	-	·75	-	·03	-		Thunder ·02	·01	-	·33	·17	12
13	-	-	·02	-	-	-		-	·28	-	·01	·43	13
14	-	·03	-	-	-	-		-	-	-	-	·49	14
15	-	·01	·04	-	-	·03		-	-	-	·24	·04	15
16	-	-	-	-	-	·23		-	-	-	·54	·25	16
17	-	-	-	-	-	·07		-	-	-	·07	·37	17
18	-	·23	·09	·05	·01	·69		-	-	·01	-	·32	18
19	-	·02	·01	·01	-	·16		-	·10	Thunder ·45	·05	·14	19
20	·03	·02	·09	·02	-	·02		·02	·13	·09	-	·59	20
21	-	·12	·01	·01	-	-		Thunder ·01	·09	·36	-	·18	21
22	·01	-	Thunder ·44	·01	-	-		·02	-	·12	-	·56	22
23	-	·20	·17	-	-	-		-	·09	·04	Thunder ·02	·22	23
24	-	·12	·02	-	-	·25		·08	-	·31	-	·14	24
25	-	·03	Snow ·01	·10	-	·16		·01	·02	·01	-	·19	25
26	-	·06	-	·23	·12			-	-	·09	Sleet ·02	·27	26
27	-	·22	·17	·09	-	?date ·03		·05	·09	-	-	·12	27
28	-	·40	-	·25	-			·12	-	-	·09	·01	28
29	-		-	·17	-	·20	·01	-	·17	·28	-	-	29
30	-		-	·03	Thunder ·02	·10		Thunder + hail ·22	-	·17	-	·01	30
31	-		-		-			-		12			31
Total	1·07	1·61	2·46	1·17	1·02	1·94	·01	1·01	·99	2·52	3·34	7·12	TOTAL for year 24·26" ✓
No. of Rain Days.	12	14	19	16	9	11	1	12	10	15	19	27	165

The June records were registered by a Deputy.

Drops fell also on July 15th but not enough to measure.

W. 8,000, X. '11.

Entd 10.XI.13.

FORM A2.
BRITISH RAINFALL.

20 DEC 1912

REGISTER OF RAINFALL IN 1911

Kept at Littleton Panell
in the County of Wilts
by W. Alex Wilson

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. - in.
" " " Sea Level ft.

Time of Observation 9·0 AM

Nearest Railway Station: Name Lavington
Distance 28 chains fm Ry Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	-	·02	·15	-	-		-	-	-	-	·02	1
2	·03	-	-	·01	·24	-		·03	-	·24	·21	·22	2
3	-	-	-	-	·22	-		·09	-	-	·10	·08	3
4	·02	-	·09	Snow ·02	-	-		-	·01	·16	·25	·52	4
5	·01	-	-	Snow ·01	·02	-		·34	-	·07	·36	-	5
6	·32	-	·15	-	-	-		-	-	-	Hail ·16	·57	6
7	·07	-	-	·01	-	-		-	-	-	·34	-	7
8	·07	-	·13	-	-	-		-	-	-	·06	·39	8
9	·08	-	·05	-	-	-		-	-	-	·01	·34	9
10	·01	·13	·18	-	·04	-		-	-	-	·02	·31	10
11	·37	·02	·02	-	·32	-		-	-	-	·46	·17	11
12	-	-	·75	-	·03	-		Thunder ·02	·01	-	·33	·17	12
13	-	-	·02	-	-	-		-	·28	-	·01	·43	13
14	-	·03	-	-	-	-		-	-	-	-	·49	14
15	-	·01	·04	-	-	·03		-	-	-	·24	·04	15
16	-	-	-	-	-	·23		-	-	-	·54	·25	16
17	-	-	-	-	-	·07		-	-	-	·07	·37	17
18	-	·23	·09	·05	·01	·69		-	-	·01	-	·32	18
19	-	·02	·01	·01	-	·16		-	·10	Thunder ·45	·05	·14	19
20	·03	·02	·09	·02	-	·02		·02	·13	·09	-	·59	20
21	-	·12	·01	·01	-	-		Thunder ·01	·09	·36	-	·18	21
22	·01	-	Thunder ·44	·01	-	-		·02	-	·12	-	·56	22
23	-	·20	·17	-	-	-		-	·09	·04	Thunder ·02	·22	23
24	-	·12	·02	-	-	·25		·08	-	·31	-	·14	24
25	-	·03	Snow ·01	·10	-	·16		·01	·02	·01	-	·19	25
26	-	·06	-	·23	·12			-	-	·09	Sleet ·02	·27	26
27	-	·22	·17	·09	-	?date ·03		·05	·09	-	-	·12	27
28	-	·40	-	·25	-			·12	-	-	·09	·01	28
29	-		-	·17	-	·20	·01	-	·17	·28	-	-	29
30	-		-	·03	Thunder ·02	·10		Thunder + hail ·22	-	·17	-	·01	30
31	-		-		-			-		·12			31
Total	1·07	1·61	2·46	1·17	1·02	1·94	·01	1·01	·99	2·52	3·34	7·12	TOTAL for year 24·26"
No. of Rain Days.	12	14	19	16	9	11	1	12	10	15	19	27	165

The June records were registered by a Deputy.

Drops fell also on July 15th but not enough to measure.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
2 JAN 1913

Kept at Littleton Panell
in the County of Wilts
by W. Alex. Wilson

Lat. Long.
Time of Observation 9.0 A.M.
Nearest Railway Station Lavington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·09	–	–	·26	·78	–	·06	·63	–	·31	1
2	–	–	·27	·03	–	18	·30	·01	–	–	–	–	2
3	·02	–	·17	–	–	·26	·04	·34	·03	–	·01	·03	3
4	·09	–	·74	–	·22	·36	–	–	–	–	·19	–	4
5	·42	·08	·09	–	·13	·15	–	·47	–	–	·01	·08	5
6	·34	·09	·03	–	·10	—	–	1·45	–	–	–	·12	6
7	–	·17	·08	–	·07	·41	–	·13	–	–	–	·04	7
8	·30	·17	·57	–	–	·10	·05	·02	·02	–	–	·05	8
9	·01	·04	·13	·06	–	·10	·03	·13	–	–	–	·23	9
10	–	·07	·02	–	–	·03	–	·10	·02	–	·12	·15	10
11	·08	·06	·01	–	–	·02	–	–	–	–	–	·33	11
12	·04	·38	·08	·03	much thunder	–	·05	–	–	–	·04	·01	12
13	·01	·08	·01	–	–	–	–	·10	–	–	·01	·01	13
14	·29	—	·23	–	·33	–	–	·08	–	·01	–	·01	14
15	·05	·08	·01	–	·11	·42	–	·02	–	–	·01	·55	15
16	·52	—	·13	–	thunder ·01	–	–	·03	–	·04	·03	·01	16
17	½" Snow 1·05	—	·05	–	–	·05	–	·50	·02	–	·04	·06	17
18	·26	—	·50	–	–	–	–	·08	–	·06	·01	·13	18
19	·05	·15	·20	–	–	·04	·21	·14	–	·05	·01	·02	19
20	·02	–	·41	–	·02	–	·07	·42	–	·41	–	–	20
21	·01	·03	·26	–	·34	–	·05	·06	–	·20	–	–	21
22	·31	·20	·11	–	·02	thunder ·09	·04	·13	–	·05	·01	·08	22
23	·25	·32	·31	–	–	–	·02	·45	–	·06	·19	·26	23
24	·09	·02	–	–	–	·23	–	·14	–	·02	–	·22	24
25	·01	—	—	–	–	·13	–	·40	–	·11	·26	·61	25
26	–	·01	—	–	–	–	·24	·24	–	·44	·46	·17	26
27	–	—	–	–	–	·13	·06	–	–	·75	·01	·29	27
28	–	·10	–	–	–	·02	·01	·23	·09	·42	·46	·51	28
29	–	·07	·04	–	–	·41	·07	·04	·95	·24	–	·01	29
30	–		—	–	–	·05	·03	–	·28	thunder ·51	·	–	30
31	–		·12	–	·01		·52	·03		·05		·05	31
Total	4·22	2·12	4·66	·12	1·36	3·44	2·57	5·74	1·47	4·05	1·87	4·34	YEAR'S TOTAL 35·96
Rain Days.	21	18	25	3	11	20	17	25	8	17	17	26	208

W. 7,500. XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 191

Kept at Littleton Pannell
in the County of Wilts
by W. A. Wilson

Lat. 51·17·12 Long. 2·–·10 W
Time of Observation 9·0 A.M.
Nearest Railway Station Lavington G.W.Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 296·45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·23	·17						·40		·17	·17	1
2		·10	·02	·07						·10	·10	·01	2
3	·05		·05	·03	·41					·30		·22	3
4	·68		·03		·53				1·24	·44	·02	·08	4
5	·02				·02	·18	·10		·25		·02	·08	5
6		·02	·06		·27	·08	·50			·30	·19	·54	6
7	·02	·42			·24	·01	·11			38	·15		7
8		·05			30	·01				·22		·01	8
9		·08			·06		·02	·34	22		·05	·01	9
10	·06		·06	·07	·12			·02		·21	·46		10
11	·78			·18	·22	·03				·25	·43		11
12	·02				·17						·14	·02	12
13	·01		·05					·05	·21		·17		13
14	·10		·11	·11				·03		·06	·14		14
15	·10	·08	·29	·51			·35	·02	·20		·07		15
16	·26		·61	·08		·11		·23					16
17	·05		·04	·01			·04		·02				17
18	·03		·25	·13			·01				·05		18
19	·91		·07		·01		·09		·47				19
20	·08		·11	·04						·19	·09		20
21			·09	·11	·21		·01			·02	·49		21
22	·54		·19	·08			·04	·03	·27				22
23						·13					·03	·36	23
24	·02			·09		·01		·12					24
25		·20		·12								·02	25
26		·02		·42				·29		·07		·17	26
27		·01	·17	·13						·11		·02	27
28	·11		·12	·23						·27			28
29	·04		·43	·52	·04			·05		·25		·03	29
30	·54				·01					·21	·03		30
31	·11		·05		·02			·30		·03			31
Total	4·56	1·21	2·97	2·93	2·63	·56	1·27	1·48	3·28	3·41	2·80	1·74	YEAR'S TOTAL 28·84
Rain Days.	22	10	20	18	15	8	10	11	9	17	18	14	1·72

W.7,000, XI. 13

Exa D 11

FORM A.
BRITISH RAINFALL
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Littleton Panell
in the County of Wilts
by W. A. Wilson

Lat. 51° 17' 12" Long. 2° – 10" (about)
Time of Observation 9.0 A.M.
Nearest Railway Station Lavington G.W. Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 296·45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01					·46				·05	1
2				·04			·83	·04				·16	2
3	·01		·22	·17	·24		·57	·36				·03	3
4	·08		·05	·29	·01		·06	1·03				·36	4
5	·09		·10	·29	·19		·29						5
6		·17	·03	·22	·03	·02		·08				·18	6
7		·41	·07	·17	·39		·25	·06				·12	7
8	·02	·02	·81	·06	·08	·25	·03		·15			·02	8
9	·10		Snow ·44	·20	·03	·68		·05	·52			1·46	9
10	·02	·20	·01	·02	·09	[illegible]		·06	·22				10
11		·15	·27		·03	·21	thunder ·26		·01			·27	11
12		·16	·12						·28			·45	12
13		·29	·29						·15			·36	13
14		·28	·42				·24	·13	·01			·20	14
15			·16					·32	·05			·01	15
16			[illegible]				·04						16
17		·60	·18									·12	17
18		·01	Snow ·07				·10					·38	18
19		·09	snow ·18				1·01					·12	19
20		·33	snow ·37			·13						·15	20
21		·81	·03			·11		·06				·05	21
22		·01			·14	·28	·01	·01					22
23			·12		·22	·04							23
24			·05		·03		·03						24
25	·04		·18				·02	·21				·10	25
26			·03				·06					·50	26
27	·05							·11				·22	27
28		·07	·17		·04							Some Snow 1·36	28
29	·21		·13		·03								29
30		×	·03			·02						·23	30
31	·01	×		×	·01	×	·10		×		×	·02	31
Total	·63	3·60 ~~3·59~~	4·54	1·46	1·56	1·74	3·90	2·98	1·39			6·92	YEAR'S TOTAL ×
Rain Days.	10	15	26	9	15	9	16	14	8			24	

The observations ceased on Octr 1st

The December record is fr "Woodlea", Burnham, Bucks

W. 8,000. X. 14.

LONGLAND CASTLE GDNS.

WILTSHIRE

1911 —— 1920

911

FORM A2. BRITISH RAINFALL 6 JAN 1912

Kept at Longf

in the County of W

by The Ea

gretti Zambra

op 5" in.

above Ground 1 ft.

„ Sea Level 140½ ft.

9 am

ion { Name Salisbury

Distance 3 miles Direction ~~SW~~ NW

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add t… ng year in the space provided for it at the end … surement of rain, the selection and … e British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.15								.11	1
2					.29			.02		.08	.13	.25	2
3					.20						.10	.08	3
4	.03		.05	.02						.02	.15	.42	4
5	.01							.05		.21	.09		5
6	.51		.09							.01		.84	6
7	.04		.01								.35	.02	7
8	.03		.25								.10	.60	8
9	.05		.02	.01							.02	.42	9
10	.04	.10	.33		.12						.01	.54	10
11	.48		.04		.02						1.00	.02	11
12			.81		.02						.19	.45	12
13			.05						.26			.45	13
14												.55	14
15		.01									.22	.01	15
16						.12					.57	.38	16
17						.10					.40	.65	17
18		.15	.08	.04		.15				.02	.07	.58	18
19		.06				.39			.19	.20	.01	.30	19
20	.02	.01	.11					.03	.05	.03		.55	20
21	.01	.18	.10	.02				.30	.19	.70		.10	21
22	.08	.01	.40			.12				.14		.42	22
23		.20	.08			.09			.07	.05	.16	.35	23
24	.01	.11				.38		.11		.50		.18	24
25		.05	.03	.07	.24	.07		.20	.09			.23	25
26		.02		.34	.13	.07		.02		.14		.34	26
27		.40	.16	.13				.01	.04	.03	.03	.18	27
28		.27		.48				.09			.06		28
29				.50	.03	.20	.05		.09	.41	.01		29
30				.03		.02		.03		.21	.01	.02	30
31													31
Total	1.34	1.57	2.61	1.79	1.05	1.71	.05	.86	1.18	2.75	3.68	9.04	TOTAL for year 27.63
No. of Rain Days.	13	13	16	11	8	11	1	10	8	15	20	27	153

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Longford Castle Gardens Salisbury.
in the County of Wilts
by The Earl of Radnor

RAIN GAUGE
Pattern Negretti Zambra
Diameter of top 5" in.
Height of top above Ground 1 ft. = in.
" " " Sea Level 140½ ft.

Time of Observation 9 am

Nearest Railway Station
Name Salisbury
Distance 3 miles Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.15								.11	1
2					.29			.02		.08	.13	.25	2
3					.20						.10	.08	3
4	.03		.05	.02						.02	.15	.42	4
5	.01							.05		.21	.09		5
6	.51		.09							.01		.84	6
7	.04		.01								.35	.02	7
8	.03		.25								.10	.60	8
9	.05		.02	.01							.02	.42	9
10	.04	.10	.33		.12						.01	.54	10
11	.48		.04		.02						1.00	.02	11
12			.81		.02						.19	.45	12
13			.05						.46			.45	13
14												.55	14
15		.01									.22	.01	15
16						.12					.57	.38	16
17						.10					.40	.65	17
18		.15	.08	.04		.15				.02	.07	.58	18
19		.06				.39			.19	.20	.01	.30	19
20	.02	.01	.11					.03	.05	.03		.55	20
21	.01	.18	.10	.02				.30	.19	.70		.10	21
22	.08	.01	.40			.12				.14		.42	22
23		.20	.08			.09			.07	.05	.16	.35	23
24	.01	.11				.38		.11		.50		.18	24
25		.05	.03	.07	.24	.07		.20	.09			.23	25
26		.02		.34	.13	.07		.02		.14		.34	26
27		.40	.16	.13				.01	.04	.03	.03	.18	27
28		.27		.48				.09			.06		28
29				.50	.03	.20	.05		.09	.41	.01		29
30				.03		.02		.03		.21	.01	.02	30
31													31
Total	1.34	1.57	2.61	1.79	1.05	1.71	.05	.86	1.18	2.75	3.68	9.04	TOTAL for year 27.63
No. of Rain Days.	13	13	16	11	8	11	1	10	8	15	20	27	153

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

Kept at Longford Castle Gardens, Salisbury

in the County of Wilts. 3

by The Earl of Radnor.

Lat. 51° 2" Long. 1° 46"

Time of Observation 9 a.m.

Nearest Railway Station Salisbury 3 miles N.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·12		·01	·43	·06		·01	·44		·44	1
2		·01	·20			·07	·43	·04					2
3			·09			·22	·01	·59			·06	·01	3
4	·06	·03	·80		·02	·50		·02			·24		4
5	·47	·09	·11		·05	·03		·80			·01	·12	5
6	·44	·03	·01		·08	·54	·46	·54				·10	6
7	·03	·37	·12		·10			·18				·09	7
8	·43	·26	·54			·09	·07	·16				·05	8
9		·06	·20	·05		·30	·03	·07				·36	9
10		·08	·01			·05	·01	·08	·02		·06	·36	10
11	·07	·16				·25						·31	11
12	·04	·40	·11		·59	·60	·03	·07			·02	·01	12
13		·03	·01				·03	·06				·02	13
14	·18		·21		·03			·03		·06			14
15	·07	·10	·03		·04	·47					·01	·39	15
16	·59		·48		·01	·03		·07		·06	·02		16
17	·68		·25			·03		·75					17
18	·15		·23					·23				·03	18
19	·03	·03	·14			·01	·09	·93					19
20	·02	·01	·51		·03		·19	·07		·35			20
21	·01	·09	·32		·37			·03		·20	·01		21
22	·20	·38	·01		·05		·01	·17		·01		·02	22
23	·22	·34	·25		·01			·39		·08	·16	·17	23
24	·16	·06	·01			·35		·17		·05		·28	24
25	·16	·01				·30		·43		·08	·24	·65	25
26		·04					·15	·15		·38	·61	·28	26
27						·12	·16			·70		·39	27
28		·10				·10	·20	·71	·15	·70	·78	·56	28
29		·12				·59	·27	·15	1·63	·36			29
30			·01			·03	·01		·66	·23			30
31			·35				·23	·02		·03		·02	31
Total	4·01	2·80	5·12	·05	1·39	5·11	2·44	6·91	2·47	3·73	2·22	4·66	YEAR'S TOTAL 40·91
Rain Days.	19	22	25	1	13	21	18	26	5	15	12	21	198

W. 7,500, XI. 12

✓

FORM A.
BRITISH RAINFALL.

-6 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Longford Castle Gardens
in the County of Wilts 3
by The Earl of Radnor.

Lat. 51° 2" Long. 1° 46"
Time of Observation 9 am
Nearest Railway Station Salisbury.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.25	.14	.18	.01	.14			.63		.12	.03	1
2	.01	.13	.02	.01			.01		.01	.05	.21	.03	2
3	.11	.01		.03	.48					.37		.08	3
4	.90		.05		.44		.01		.76	.52	.03	.09	4
5	.27	.03			.01	.04	.05		.23		.02	.12	5
6		.08	.16		.24	.13	.50		.02	.38	.02	.48	6
7		.33	.03		.42	.07	.05	.06		.49	.22	.02	7
8	.01	.04			.31					.12		.05	8
9	.01	.10			.01		.02	.12	.06		.01	.02	9
10	.02	.02		.09	.04		.18	.14		.12	.65		10
11	.84	.01		.27	.05					.37	.58		11
12		.01			.37						.43		12
13	.20		.08					.01	.12		.18		13
14	.26	.01	.10	.03				.01	.10		.12		14
15	.22	.07	.35	.46			.82	.06	.03		.03		15
16	.35		.29	.12					.01				16
17	.02	.02	.02	.04			.01						17
18		.02	.46	.12			.01				.05		18
19	.71		.06	.01	.02		.02		.48				19
20	.13		.05	.09						.52	.03		20
21			.33	.34	.03					.03	.73		21
22	.37		.17					.14	.27				22
23	.01		.01			.02					.02	.82	23
24	.02			.23				.08					24
25		.08		.23								.02	25
26		.01		.58				.21		.28		.20	26
27	.03	.01	.24	.09						.05			27
28	.16		.11	.23						.38			28
29	.08		.43	.54	.16			.03		.58		*.01	29
30	.59			.02	.05					.64			30
31	.16		.04		.04			.61					31
Total	5.50	1.23	3.14	3.71	2.68	.40	1.68	1.47	2.72	4.90	3.45	1.97	YEAR'S TOTAL 32.85
Rain Days.	24	18.	20	20.	16.	5	11	11	12.	15.	17	13	182

* Snow.

W.7,000, XI. 13

Exd JH

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 13 FEB 1915

Kept at Longford Castle Gardens
in the County of Wiltshire 3
by The Earl of Radnor

Lat 51°2" N Long. 1° 46"
Time of Observation 9 a m
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.05				.01	.38			.15	.10	1
2					.02		.19	.03			.85	.15	2
3			.16	.08	.36		.08	.02			.03	.07	3
4	.04		.02	.23	.06		.03	.69			.57	.36	4
5	.08		.12	.38	.31		.31	.63			.79		5
6		.27	.02	.18	.03	.02		.05			.04	.32	6
7		.72	.12	.12	.02	.01	.31	.02				.19	7
8	.04	.12	.42		.10	.06		.33	.10			.01	8
9	.03	.01	.42	.25	.03	.24		.02	.07			.67	9
10	.01	.38	.01	.08	.13				.25				10
11		.32	.62	.01	.03	.01	.38		.03		.11	.52	11
12		.12	.16				.03		.26	.11		.56	1
13		.48	.28						.11		.13	.51	13
14		.21	.28			.13	.16	.27			.30	.29	14
15	.03	.01	.32				.01	.48	.01	.35	.20		15
16			.01				.16		.29	.03			16
17		.77	.26						.03			.62	17
18		.01	.12			.02	.07					.59	18
19		.04	.52				1.21		.01		.11	.15	19
20		.87	×.10			.04						.79	20
21		.82	.03			.06				.27		.02	21
22		.03	.04		.41	.01	.05	.02		.25			22
23		.21	.21		.08	.02	.02			.14			23
24			.05		.05		.06			.04	.15		24
25	.04	.01	.24		.01		.11	.25		.40	.02	.31	25
26			.01				.05	.07		.05	.23	.71	26
27	.06										.24	.24	27
28	.01	.07	.12		.02						.31	.75	28
29	.23		.22		.09					.33	.47		29
30	.01	X	.12			.11				.16	.78	.94	30
31	.12	X		X	.01	X	.05		X	.63	X	.04	31
Total	.70	5.48	5.05	1.33	1.76	.73	3.29	3.26	1.16	2.76	5.48	8.41	YEAR'S TOTAL 39.41
Rain Days.	12	20	28	8	17	12	19	14	10	12	18	23	193

W. 8,000. X. 14.

× Snow

1647

Ewd JW

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
12 FEB 1916

Kept at Longford Castle Gardens
Salisbury
in the County of Wilts
by The Earl of Radnor

Lat. 51° 2" Long. 1° 46"
Time of Observation 9 am
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.54	.12			.01				.12	.23		.20	1
2	.45	.17	.16	.05		.02		.60		.18		.33	2
3	.69	.02	.09	.03	.05			.02		.06		.24	3
4	.02											.35	4
5	.02	.85		.04				.10				.50	5
6	.62	.04		.52			.56	.04				.27	6
7	.26	.55		.04		.03	.21					.19	7
8	.04	.56		.03			.02	.02					8
9				.14							.44	.62	9
10	.17	.10	.01	.01								.14	10
11	.01		.07	.07							.65		11
12	.10	.51		.16	.53					.02	.32		12
13	.01	.56			.98				.12				13
14	.02						.75	.70	.04			.80	14
15	.11				.15		.02	.05			.05	.21	15
16		1.11			.29		1.11	.20				.22	16
17		.53			.73								17
18		.22	*.01		.14								18
19	.13				.10		.15						19
20				.12	.01							.03	20
21	.10	.20			.40		.06		.02	.30		.08	21
22		.27	.44	.03			.94					.29	22
23		*.02	.16				.12		.20	.62		.27	23
24				.02			.38		.66	.75		.47	24
25			.03	.02			.06		.01	.04		.18	25
26		.15				.05	.21					.73	26
27	.36	.05				1.08	.07			.36		.04	27
28		.09				.06			.78				28
29						.15		.04		.09	.24	.06	29
30	.11	X				.01				.45	.65	.41	30
31	.06	X		X		X			X	1.02	X	.50	31
Total	3.82	6.12	.97	1.28	3.39	1.40	4.66	1.77	1.95	4.12	2.35	7.13	YEAR'S TOTAL 38.96
Rain Days.	19	19	8	14	11	7	14	9	8	12	6	23	150

W. 8,000. X. 15. *melted snow

Exd BSE

1621

FORM A.
BRITISH RAINFALL.
15 JUN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Longford Castle Gardens Salisbury
in the County of Wilts
by The Earl of Radnor.

Lat. 51° 2" Long. 1° 46"
Time of Observation 9 am
Nearest Railway Station Salisbury.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15		.06		.21				.46	.50	.39		1
2	.25	.06	.06		.11				.92	.57	.09		2
3		.20							.02	.55	.37		3
4	.16	1.50			.04	.41			.35	.03	.61		4
5		.15	.02		.32	.21				.06	.59		5
6		.06	.02		.09		.56			.13	1.00		6
7	.06	.03	.24		.07	.05	.33			.07	.98	.10	7
8		.05			.21	.25						.19	8
9					.04	.03				.04		.33	9
10		.48	.02	.04	.03	.20	.05						10
11		.03	.03	.01		.18						.07	11
12	.04				.11		.04	.01		.04			12
13		.30	.12					.18					13
14	.04	.50		.04	.04			.12					14
15		.13	.13	.02				.02					15
16	.02	.03	.04	.15			.02	1.36					16
17	.16	.27		.12				.51	.24	.38	.03		17
18	.02	.04	.05	.12				.06	.08	.03	.36	.15	18
19	.07		.33						.03		.26	.04	19
20	.25	.04	.70	.02							.04	1.55	20
21	.02	.02	.17	.02	.03						.02	.35	21
22			.02		.07					.15	.17	.40	22
23	.01	.05		.02		.05		.22			.07	.06	23
24		.07			.13	.27		.03		.40	.09	.32	24
25		1.30	.11					.77	.02	.02			25
26		.17				.17		.04	.02	.67			26
27		.06	.80					.59	.29	.58	.02		27
28		.38	.13					.06	.63	.40	.03		28
29		.43				25		1.67	.28	.28		.21	29
30		X								.47			30
31		X		X		X		.06	X	.38	X	.03	31
Total	1.25	6.35	3.05	.56	1.50	2.07	1.00	5.70	3.34	5.75	5.12	3.80	YEAR'S TOTAL 39.49
Rain Days.	13	24	18	10	14	11	5	15	12	20	17	13	172

W. 8,000, VIII. 16 ☐ Snow-Sleet

☐ Snow

1546

FORM A.
BRITISH RAINFALL.

25 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Longford Castle Gardens
Salisbury.
in the County of Wilts
by The Earl of Radnor.

Lat. 51° 2" N Long. 1° 46'
Time of Observation 9 am
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14	.09		.03		1.04	.04		.03		1
2			.01	×1.11		.03		.04	.06	.01	.12		2
3				×.03			.78	.15		.09	.12		3
4		×.07	×.18				.02	.10		.29		.01	4
5	.08		.06	×.38		.09		.01	.07	.39	.09		5
6	.03		.60			.01				.06	.05		6
7	.24						.70	.04		.15	.01	.03	7
8	.42		×.09	.06			.33	.23	.09	.20	.14	.17	8
9			×.09	×.04	.02		.06	.15	.04	.01	.24		9
10	.17		.32	×.27	.04			.28		.01			10
11	.06		.47	.11				.02		.39	.01		11
12	×.05		.02		.04			.04		.19	.01		12
13			.20	.13				.10	.04	.01			13
14			.01	.13				.28	.02				14
15							.31	.06		.11		.10	15
16		.15		.14	.06		.09			1.10		⊗.82	16
17	×.02	.01		.08	.08	.05	.39	.28	.59	.19			17
18		.02			.01	.45	.15	.01	.42				18
19		.36	.06			.01			.25		.01		19
20		.09	.17		.36			.14	.01				20
21			×.15			.03				.03		.01	21
22			×.10			.15		.06		.04			22
23		.18			.10			.22		.01		.02	23
24		.16				.03	.07	.06		.25	.05		24
25		.02	.02				.03	.01	.02	.12	.01		25
26			×.04		.37			.38	.04	.02	.03		26
27					.88	.11		1.26		.02		.02	27
28			.07		.04	3.09		.24				.03	28
29			.13		.05	.05	.09	.03		.65		.10	29
30		X	.09				.61	.13		.06	.02	.01	30
31		X	.07	X		X	.09	.06	X	.04	X	⊗.02	31
Total	1.07	1.06	3.09	2.57	2.05	4.13	3.72	5.42	1.69	4.44	.94	1.34	YEAR'S TOTAL 31.52
Rain Days.	8	9	22	12	12	13	14	27	13	25	15	12	182

× Melted Snow 2.02 ⊗ Snow and rain

W. 8,000, IX. 17.

31

Copy

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

29. 1. 19

Kept at Longford Castle Gardens
Salisbury.
in the County of Wilts
by The Earl of Radnor.

Lat. 51° 2" Long. 1° 46"
Time of Observation 9 am
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								① .27					
1		.02			.03			② .75	② .01		.60	.03	1
2		.07		.09				③ .20	③ .02	.01	.13	.20	2
3		.10	.01	.34	.35			④ .06	④ .11	.01	.08	.02	3
4		.12	.01	.07				⑤ .14	⑤ .23		1.02	.04	4
5		.08	.05		.11			⑥ .09	⑥ .20	.18		.05	5
6	.23	.17		.25				⑦ .03	⑦ .22	.01		.08	6
7	* .01	.16		.08	.50				⑧ .10	.09	.28	.08	7
8	* .01	.16							⑨ .50	.15		.09	8
9		.05		.26		.12	.26		⑩ .11	.23		.39	9
10	.04			.10		.11	.20		⑪ .09	.27	.02	.34	10
11							.68		⑫ .15	.06	.04	.06	11
12		.07			.28		.48		⑬ .58			.03	12
13	* .41				.09		.53		⑭ .23	.02		.02	13
14	+ .18		.03		.02	.20	.09		⑮ .01	.14		.13	14
15	1.07			.51	.01		.25		⑯ .37			.15	15
16	+ .47		.02	.19		.08	.01		⑰ .06	.01		.10	16
17	.25		.01	.17			.90	.02	⑱ .38	.01		.20	17
18	.94					.48	.05					.27	18
19	.13	.01	.12	* .03			.19	.01	⑳ .19	.05		.13	19
20	.03	.12		.25		.02	.22	.01	㉑ .53	.04			20
21	.23	.04				.02	.05		㉒ .14	.35		.07	21
22	.10	.01			.06		.54		㉓ .02	.01		.16	22
23	.14				.13	.02	.54		㉔ .07		.04	.02	23
24		.26				.02	.05				.10		24
25	.01						.32	.86	㉖ .01	.03	.01		25
26							.54		㉗ .04	.04	.10	.17	26
27		.11	.03	.01			.03	.16		.01	.14	.01	27
28	.01	.02	.23	.04		.01				.01	.24	.02	28
29			.05						1.10			.02	29
30	.01	X	.50					.02	.01	.03	.06	.06	30
31		X	.15	X		X		.01	X	.10	X		31
Total	4.27	1.57	1.21	2.39	1.58	1.08	5.93	2.63	5.48	1.86	2.86	2.94	YEAR'S TOTAL 33.80
Rain Days.	18	17	12	14	10	10	19	14	26	23	14	27	204

* Melted Snow + Snow and rain

W, 6,500, VII. 18. W W C

1454

3 MAR 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Longford Castle Gardens, SALISBURY.

in the County of WILTS

by Mr. S. W. TUCKER.

Lat. 51° 2" Long. 1° 46"

Time of Observation 9 a.m.

Nearest Railway Station SALISBURY.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·01	·12	·03	·05		·13			·08	·10	1·15	1
2	·19		·01		·01		·02		·56	·01	·02	·03	2
3	·78		·46		·01				·29			·20	3
4	·25	·08	·73			·18		·06	·22		·02	·09	4
5	Nil	·39	·39		·04	·01	·27		·06		·10	·11	5
6	·60	·02	·11		·31						·01	·20	6
7	·19		·50	·02	·01							·02	7
8	·39		·22		·01								8
9	·07		·05	·10	·01						·08		9
10	·04		·27	·05	·01						·01	·42	10
11	·12		·10	·22	·13		·27					·03	11
12	·02		·03	·02	·01	·01	·16			·06	·09		12
13	·06		·03	·64			·02					·08	13
14	·57	·06		·42			·03		·32	·03	·01	·14	14
15	·45	·03	·01	·03	·03					·01	·01	·74	15
16	·03	·85						·09			·10		16
17	Nil	·16									·09	·03	17
18	Nil	·08	·40				·03	·01	·01		·10	·01	18
19	·31	·43	1·20			·09	·53	·10	·14		·14	·04	19
20	·53	·03	·03			·45	·01	·15				·02	20
21	·03	·62	·01				·06		·01		·01	·10	21
22	Nil	·02	·01				·12		·20			·14	22
23	Nil									·13	·03	·07	23
24	Nil	·02		·01		·07	·05	·01		·36	·07	·29	24
25	·06	·15		·10		·05		·34				·14	25
26	·05	·19	·10	·18				·11	·05		·07	·50	26
27	·07	·01	·03	·34			·01	·92				·03	27
28	·01		·69	·01				·41			·33	·45	28
29	·01							·08		·10		·06	29
30	Nil		·03	·17		·17		·45		·02	·49	·21	30
31	·01						·01					·88	31
													YEAR'S TOTAL
TOTAL	5·21	3·15	5·73.	2·34	·63	1·03	1·72	2·73	1·86	·80	1·88	6·18	33·26
Days with ·01 in. or more	24	17	23	15	12	8	15	12	10	9	20	24	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 1373

MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Longford Castle Gardens, Salisbury

in the County of Wilts

by The Earl of Radnor

Lat. 51° 2" Long. 1° 46"

Time of Observation 9 a.m.

Nearest Railway Station Salisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 140½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.02	.24	.21		.67		.02	.26	.49	.49	1
2	.17		.01	.09			.02	.51	.06	.40		.14	2
3	.10	.06		.02			1.06			.58		.02	3
4		.07	.01				1.33	.34		.24		.02	4
5			.09	.16	.04		.55	.25		.38			5
6			.18		.28		.38						6
7	.03		.02*	.30	.01		.20			.03			7
8	.02	.06		.19	.02		.71	.01					8
9	.40	.14	.05	.06		.09							9
10	.61	.29	.05	.07		.24	.38						10
11	.33		.10	.37	.14		.17					.02*	11
12	.16	.07		.26		.71	.02				.05		12
13	.11	.04	.37	.03							.02	.04*	13
14	.02	.03	.30†	.49		.12	.04		.15	.39	.50	.01	14
15	.03	.05	.04	.19	.01				.13	.72	.13		15
16		.01	.02	.04			.03		.06	.02			16
17				.05	.29		.05		.36		.01		17
18	.08			.03	.01	.09	.01	.44	.09			.01	18
19	.01			.27		.12			.01		.03		19
20	.02	.13		.31		.44	.01					.09	20
21							.29		.04			.17	21
22	.03			.12			.01		.02			.30	22
23	.01						.44	.03				.43	23
24	.02		.18								.06	.08	24
25		.02	.13		.07		.48				.01	.01	25
26	.14		.34				.15				.05	.11	26
27	.57	.04	.02	.26		.11	.01				.05	.36	27
28	.51	.01	.03	.09	.03		.08				.01	.06	28
29	.38		.09		.01		.01				.32	.28	29
30	.07			.01	.02	.09	.06		.22		.32	.26	30
31	.07		.18				.03			.55		.23	31
TOTAL	3.97	1.02	2.23	3.65	1.14	2.01	7.19	1.58	1.16	3.57	2.05	3.13	YEAR'S TOTAL 32.70
Days with ·01 in. or more	24	14	20	22	13	9	26	6	11	10	14	20	189
Days with ·04 in. or more	15	10	13	18	6	9	17	4	8	8	9	14	131

* Melted Snow.

† Snow and rain

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LUDGERSHALL

CONHOLT PARK

WILTS

1911 - 1920

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

REG

Kept at Conholt P

in the County of Wilts

by E. A. Wag

in.

ound 1 ft. 3 in.

a Level ft.

me Weyhill

stance 5 Direction S.W.

IMPORTANT NOTE. ... e result entered to the previous day. If an Obser ... sal rule, he is earnestly requested to add the readin ... in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in " ... plication to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03								·02	·08	1
2	·04			·44	·20					·16	·26	·30	2
3					·24			·02			·20	·06	3
4	·03		·10						·18	·04	·27	·48	4
5	·02	·04						·18		·31	·24		5
6	·34		·09								·05	·63	6
7										·05	·32	·87	7
8	·19		·19								·16	·45	8
9	·10			·07								·50	9
10	·05	·12	·26		·45						·02	·40	10
11	·44				·67						·91	·04	11
12			·77								·54	·15	12
13									·35	·02		·60	13
14		·04			·04							·60	14
15											·37	·05	15
16						·12					·50	·25	16
17		·04	·16			·08					·19	·40	17
18		·27		·02		·22				·07		·60	18
19		·01				·60			·16	·22	·05	·26	19
20		·03	·10			·06			·17	·06		·60	20
21		·10						3·50		·78		·34	21
22	·06		·11	·02		·18				·05		·78	22
23		·24							·18		·03	·31	23
24	·01	·20						·17		·35		·10	24
25	·04			·14	·21	·30			·04	·02		·02	25
26		·40		·24	·45					·16		·38	26
27			·26	·16					·06	·22	·09	·22	27
28		·60		·26							·05		28
29				·26		·31	·08		·18	·40			29
30					·08	·10				·22			30
31										·11			31
Total	1·32	2·09	2·07	1·61	2·34	1·97	·08	3·87	1·32	3·24	4·27	8·67	TOTAL for year 32·85 ✓
No. of Rain Days.	11	12	10	9	8	9	1	4	8	17	18	26	133 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Conholt Park

in the County of Wilts 4

by E. A. Wigan Esq.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name Weyhill
Distance 5 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03								·02	·08	1
2	·04			·44	·20					·16	·26	·30	2
3					·24			·02			·20	·06	3
4	·03		·10						·18	·04	·27	·48	4
5	·02	·04						·18		·31	·24		5
6	·34		·09								·05	·63	6
7										·05	·32	·87	7
8	·19		·19								·16	·45	8
9	·10			·07								·50	9
10	·05	·12	·26		·45						·02	·40	10
11	·44				·67						·91	·04	11
12			·77								·54	·15	12
13									·35	·02		·60	13
14		·04			·04							·60	14
15											·37	·05	15
16						·12					·50	·25	16
17		·04	·16			·08					·19	·40	17
18		·27		·02		·22				·07		·60	18
19		·01				·60			·16	·22	·05	·26	19
20		·03	·10			·06			·17	·06		·60	20
21		·10						3·50		·78		·34	21
22	·06		·11	·02		·18				·05		·78	22
23		·24							·18		·03	·31	23
24	·01	·20						·17		·35		·10	24
25	·04			·14	·21	·30			·04	·02		·02	25
26		·40		·24	·45					·16		·38	26
27			·26	·16					·06	·22	·09	·22	27
28		·60		·26							·05		28
29				·26		·31	·08		·18	·40			29
30					·08	·10				·22			30
31										·11			31
Total	1·32	2·09	2·07	1·61	2·34	1·97	·08	3·87	1·32	3·24	4·27	8·67	TOTAL for year 32·85 ✓
No. of Rain Days.	11	12	10	9	8	9	1	4	8	17	18	26	133 ✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Conholt Park.
in the County of Wilts 4
by E. A. Wigan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weyhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08			·60	·09		·03	·60		·22	1
2						·10	·34	·03		·02			2
3	·03		·13		·15	·20	·04	·36	·05		·04	·12	3
4	·16		·73			·37	·05	·09			·23		4
5	·32		·08			·03	·56	·02	03		·02	·15	5
6	·64	·15	·03				·80	·03				·08	6
7		·33			·16	·73		·06				·10	7
8	·47	·29	·45			·09						·04	8
9		·15	·15	·07		·39		·06				·32	9
10	~~·77~~	·11				·08		·30			·15	·30	10
11	·08	·04	·03			·02					·05	·34	11
12	·09	·45	·14		·05	·32	·07				·04	·02	12
13		·03				·02	·06	·06			·03	·02	13
14	·15		·20		·20			·03		·08		·10	14
15	·04	·15	·04		·13	·50				·06		·55	15
16	·37		·34		·08	·13		·20			·03		16
17	·63		·25					·75			~~[illegible]~~	·04	17
18	·80		·52					·30		·05	·03	·12	18
19	·05		·14			·03	·11	·62			·03	·02	19
20		·14	·42		·02		·22	·28		·35	·01		20
21	·03	·10	·30		·49		·02	·06		·18			21
22	·26	·30	·08		·24			·20		·05	·04	·07	22
23	·16	·58	·50		·02			·60		·03		·32	23
24	·16	·05				·24		·14			·25		24
25	·15					·31		·57			·30	·85	25
26		·03					·10	·27		·48	·55	·33	26
27						·12				·70		·45	27
28		·18				·05	·38	·60	·50	·53	·65	·30	28
29		·08				·32	·20	·12	1·25	·43		·02	29
30						·09	·09		·60	·17			30
31			·22		·22		·38	·10		·04		·09	31
Total	4·59	3·16	4·83	·07	1·76	4·74	3·51	5·85	2·46	3·77	2·35	4·97	YEAR'S TOTAL 42·06
Rain Days.	18	17	20	1	11	21	16	24	6	15	16	24	189

W. 7,500, XI. 12

✓ Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Conholt Park
in the County of Wilts 4
by E. A. Wigan Esqr

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weyhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·23	·15	·06	·14	·02			·77		·19	·26	1
2	·03	·09	·05						·03	·04	·16		2
3	·07		·09		·67					·03		·26	3
4	·57		·04	·10	·25	~~·25~~	·04		1·75	·54	·09		4
5	·10	·03	·03			·16	·10		·29		·03	·26	5
6	·02	·07	·09		·20	·11	·58		·02	·56		·51	6
7		·34			·28	·12	·26			·77	·21	·02	7
8	·01	·09			·22	·05		·05		·10		·06	8
9		·16		·02	·03	·01	·07	·16	·14		·05		9
10	·04		·12	·15	·05		·10	·06			·70		10
11	·84			·45	·10					·18	·80		11
12					·45						·16	·01	12
13	·14		·13					·06	·20		·30		13
14	·18		·12	·07			·07	·05	·20	·09	·06		14
15	·13	·06	·26	·57			·21	·10	·17				15
16	·21		·52	·13									16
17	·04	·06	·06	·06		·17	·10					·01	17
18	·82		·25	·22			·05						18
19			·07	·01	·03		·25		·64	1·01			19
20	·17		·08	·10									20
21			·24	·13	·07					·02	·74		21
22	·50		·28	·13	·02				·30	·02			22
23			·03			·07			·01			·44	23
24	·04			·25									24
25		·04		·18								·03	25
26		·05		·38				·19		·30	·01	·17	26
27			·26	·15						·09			27
28	·24		·08	·10						·25			28
29	·05		·36	·58	·11			·03		·60		·01	29
30	·56				·03					·34			30
31	·07		·07					·48					31
Total	4·86	1·22	3·38	3·84	2·65	·71	1·83	1·78	4·52	4·94	3·50	2·04	YEAR'S TOTAL 34·67
Rain Days.	22	11	22	20	15	8	11	9	12	16	13	12	171

W.7,000, XI. 13

9. APR. 1915

Conholt Park
Andover
Hants
April 8th 1915.

Dear Sir.

Re Rainfall 1914.

On investigating the dates of 11th to 15 December. I found the man that takes the measurements was away on those dates. and I quite expect it might have been entered wrong as regard dates. I find on these hills around Conholt we get more rain than in neighbouring districts, and especially heavy storms which accounts for the extra rainfalls.

~~I am~~

Yours Truly.
E. A. Wigan
J.P.

H R Mill Esq.
Director
62 Camden Sq.
London. N.W.

Copy

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 APR 1915

Kept at Conholt Park, Andover

in the County of Wilts

by E. A. Wigan, Esq.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	July				October				December				Date.
	~~Jan.~~	~~Feb.~~	~~March.~~	~~April.~~	~~May.~~	~~June.~~	~~July.~~	~~Aug.~~	~~Sept.~~	~~Oct.~~	~~Nov.~~	~~Dec.~~	
	Andover	Fosbury	Collingbourne	Faccombe Manor	Andover	Fosbury	Collingbourne	Faccombe Manor	Andover	Fosbury	Collingbourne	Faccombe Manor	
1	-	-	-	·01					-	·03	·15	·05	1
2	·35	50	·17	·78					·12	-	·06	·09	2
3	·22	-	·11	·20					·03	·23	-	·06	3
4	·03	·02	-	·03					·45	·42	·45	·35	4
5	1·23?	·17	·20	·20					·60 (7.06)	·09	·26	·17	5
6	·38	·05	·05	·09					·80?	·27	·27	·32	6
7	·40	·16	·15	·20					·29	·22	·45	·43	7
8	-	·15	·10	·28					·05	·03	·05	·06	8
9	-	-	-	-					·64	·57	-	·91	9
10									·02	-	·07	·20	10
11		For comparison							-	·42	·41	·18	11
12									·52	·59	·50	·70	12
13									1·35?	-	·42	·44	13
14									1·48?	-	·71	·17	14
15									·80 (7.08)	-	-	·01	15
16									-	-	-	-	16
17									·50	·43	·50	·55	17
18									·25	·65	·50	·30	18
19									·10	-	·26	·22	19
20									·60?	-	·28	-	20
21					·17	·20	·33	·15	·02	-	-	-	21
22					·90	·75	·91	·83					22
23					·25	·18	·30	·17					23
24					·15	·13	·12	·06		For comparison			24
25					1·48?	·45	·41	·57					25
26					-	·07	·09	-					26
27					-	-	-	-					27
28													28
29													29
30		✕				For comparison							30
31		✕		✕		✕			✕		✕		31
Total													YEAR'S TOTAL
Rain Days.													

These four entries are possibly put down one day too late, but in any case look very large ?

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Conholt Park Andover
in the County of Wilts 4
by E. A. Wigan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weyhill
Diameter of Rain Gauge 8 in. Square gauge
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level about 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·58			·22		1
2							·35	·38			1·40	·12	2
3	·01		·30	·10	·35		·22	·07				·03	3
4	·12		·13	·25	·29		·03	·76			·58	·45	4
5	·01		·15	·25	·15		1·23?	·18			1·12	·60?	5
6		·25		·22	·04		·38	·07				·80?	6
7	·01	·44	·16	·27	·78	·27	·40	·03				·29	7
8	·12	·10	·78			·12		·20				·05	8
9	·18		·36	·12	·10	·54		·04	·08			·64	9
10		·18		·06	·26				·38		·03	·02	10
11			·50		·04	·12					·17		11
12		·36	·20				·35		·58	·13		·52	12
13		·10	·33						·60	·03	·08	1·35	13
14		·34	·33				·15		·02	·59	·24	1·48	14
15	·09	·28	·25					·43	·24	·02	·20	·80?	15
16		·02					·02		·22				16
17		·65	·32						·02			·50	17
18		·16	·09				·07					·25	18
19			·27				1·76				·20	·10	19
20		·52	·50			·11						·60?	20
21	·04	1·02	·05			·09				·17		·02	21
22		·06	·04		·20	·16		·05		·90			22
23		·30	·15		·05	·03	·08			·25			23
24			·08		·10		·02			·15	·24		24
25	·04		·14					·37		1·48?	·02		25
26			·02					·08			·35		26
27	·06										·06	·99	27
28		·28	·04		·10		·01				·38	·25	28
29	·23		·08		·01					·36	·34	·86	29
30	·01	X	·05			·02				·19	·65	·20	30
31	·03	X		X	·02	X	·08		X	·30	X	·99	31
Total	·95	5·06	5·34	1·27	2·49	1·46	5·15?	3·24	2·14	4·57?	6·28	11·91?	YEAR'S TOTAL 49·86?
Rain Days.	13	16	25	7	14	9	15	13	8	12	17	23	172

W. 8,000. X. 14.

Exd L.N.

1673

FORM A.
BRITISH RAINFALL.

4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Conholt Park

in the County of Wilts

4

by E. A. Wigan Esqr.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Weyhill

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1915

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·18	·1		·8				·9	·22	·12	·23	1
2	·30	·22	·25			·4		1·17	·10	·40		·38	2
3	1·33		·20	·20	·17		·5	·6		·1		·36	3
4	·57						·2					·35	4
5	·7	·65		·2		·1		·15				·40	5
6	·50	·15		·30			·56	·11				·9	6
7	·32	·54	·2				·35	·1				·30	7
8	·8	·43						·6			·4		8
9	·8	·2		·12				·2			·56	·73	9
10	·17		·3					·6		·1		·15	10
11	·6			·6			·8	·15			·85	·2	11
12	·12			·31	·50			·78	·10		·53		12
13	·4	1·05			1·10			·1	·7				13
14	·6						·24	·28	·1			1·00	14
15	·14				·10		·3	·2			·16	·19	15
16	·8	·73			·48		1·23	·8		·6	·15	·14	16
17		·48			2·00			·10	·1				17
18		·15			·8								18
19					·7		·16						19
20	·22			·4	·2							·14	20
21		·4			·7		·18			·7		·5	21
22	·32	·5	·55				1·01		·1			·24	22
23	·14	·72	·26			·3	·40		·12	·68		·25	23
24		·3	·2	·3		·1	·30		·98	·53		·23	24
25				·4		·24	·28			·5		·8	25
26		·8				·5	·22		·1			·66	26
27		·4				·27	·5			·46		·3	27
28		·8				·17			·72				28
29						·12		·15	·31		·35	·5	29
30		X				·40				·44	·53	·35	30
31	·19	X		X		X			X	1·34	X	·43	31
Total	5·39	5·64	1·34	1·12	4·67	1·34	5·16	3·21	2·53	4·27	3·29	6·85	YEAR'S TOTAL 44·81
Rain Days.	20	18	8	9	11	10	16	16	12	12	9	24	165

W. 8,000. X. 15.

1648

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Conholt Park.

in the County of Wilts

by E. A. Wigan Esq.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Weyhill

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12		·02		·27				·24		·39		1
2	·35	·20	·01		·28				·10	1·20	·10		2
3	·03	1·45	·15						·09	·50	·40		3
4	·13	·09				·20			·41	·12	1·70		4
5	·04	·02			·28	·16				·08	·51		5
6		·13			·06	·09				·12	·95		6
7	·09	·01	·30				·92			·26			7
8		·01	·33		·18	·06	·48			·02		·06	8
9					·04	·30				·15		·26	9
10		·56	·06	·05		·40							10
11	·14	·03	·10	·06		·19						·46	11
12	·11	·06		·06	·25		·02			·07			12
13		·29					·25	·20	·11				13
14		·32			·04			1·20					14
15		·34	·22				·24	·15					15
16	·03	·05	·25	·25				1·43		·04			16
17	·17	·34						·42	·48	·53			17
18		·07		·09				·10	·18	·20		·23	18
19	·13		·10	·29					·05		·25		19
20	·15	·01	·50								·67	1·47	20
21			·55		·04								21
22	·03							·05		·22		1·00	22
23	·01	·02				·10		·05			·16	·20	23
24		·29		·05	·15	·34		·19		1·13	·03	·05	24
25		·05	·11		~~[illegible]~~	·19		·54		·20	·16		25
26		·33	·10			·21		·03	·10	·47			26
27	·05	·52	1·13			·06		·53		·28			27
28		·50	·25			·58		·10		·25	·06	1·30	28
29		·37	·07					1·50	·11	·47	·06	·45	29
30		✕	·02		·04	·02				·57			30
31		✕		✕		✕		·09	✕	·20	✕	·12	31
Total	1·58	6·06	4·27	·85	1·63	2·90	1·91	6·58	1·87	7·08	5·44	5·60	YEAR'S TOTAL 45·77
Rain Days.	15	24	18	7	11	14	5	15	10	21	13	11	164

W. 8,000, VIII. 16

1572

FORM A.
BRITISH RAINFALL.

8. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Conholt Park
in the County of Wilts
by E. A. Wigan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Collingbourne [illegible]
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15	·15				1·91	·09		·07		1
2				·50				·06			·06		2
3	·06			·06			·94	·21		·57	·04		3
4				·03			·16	·20	·14	·28			4
5	·60		·15	·22		·10				·30	·20		5
6			·17			·48		·01			·10		6
7		·03					·15	·02		·47	··		7
8	·25			·05			·49	·15	·05	·25	·15	·30	8
9	·30		·23		·25		·08	·40	·10		·10		9
10	·10		·32	·24				·29		·14	·02		10
11	·25		·57	·09				·02		·30			11
12								·01		·54		·02	12
13	·07		·23					·32				·01	13
14		·24						·14	·20				14
15		·10		·29			·20	·11	·04	·12			15
16		·15		·10			·02			1·98		·55	16
17					·25		·38	·28	·83	·17			17
18							·36	·15	·77	·05		·26	18
19	·05	·50	·26			·10			·16			·17	19
20		·05			·95						·05	·02	20
21			·35			·35		·01		·12	·04		21
22			·20					·19		·05			22
23		·26						·54		·07			23
24		·14			·06	·08		·24		·37			24
25		·06	·09				·25	·02	·07	·16			25
26								·69	·21	·07			26
27					·45			1·14		·03			27
28						2·30		·67				·04	28
29			·15		·50	·08	·45			·63		·18	29
30		X	·09				1·15	·10		·11			30
31		X	·05	X		X	·32		X	·03	X		31
Total	1·68	1·53	3·01	1·73	2·46	3·49	4·95	7·88	2·66	6·81	·83	1·55	YEAR'S TOTAL 38·58
Rain Days.	8	9	14	10	6	7	13	25	11	22	10	9	144

W. 8,000, IX. 17.

4.10

54

FORM A.
BRITISH RAINFALL
6. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Conholt-Park
in the County of Wilts
by E. A. Wigan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weyhill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 500. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								~~·40~~					
1								·10			·64	·12	1
2		·19		·15				·42		·02	·15	·36	2
3		·05	·02	X·20	·51			·44	·05	·03	·12		3
4		·06						04	·03		·83	·03	4
5		·06			·25			·16	·70	·15		·04	5
6	·21	·03		·40				~~·40~~	·15				6
7		·20		·20	·41			·03	·28	·32	·20		7
8		·06							·31	·20		·01	8
9				·30		·24			·63	·35		·18	9
10				X·10			·24		·22	·28		·29	10
11							·44		·10	·03		·40	11
12		·11			·50		·54					·10	12
13	·20				·25		·24		·27	·24		·03	13
14				·02			·58		·45			·21	14
15	1,01			·14			·09			·02		·11	15
16				1·02			·14					·25	16
17	1,00			·26			·95					·22	17
18	·90		·13			·49	·20		·24			·10	18
19	·10						·32			·04		·08	19
20		·18		·42		·02	·68	·05	·24	·20		·02	20
21	·18	·08		·12		·02	·02		·60	·32			21
22	·10	·03			·22		·65		·06			·30	22
23	·18				·12		·68					·05	23
24		·39					·60		·15		·46		24
25							·72	·48		·04			25
26							·27	·28		·03	·26	·20	26
27			·02					·05	·15			·10	27
28		·02	·36	·04							·31	·15	28
29			·08						1·43				29
30		X	·50									·05	30
31		X		X		X			X	·14	X		31
Total	3·88	1·46	1·11	3 ~~2~~·37	2·26	·77	7·36	2·07	6·06	2·41	2·97	3·50	YEAR'S TOTAL 37·22 39·22.
Rain Days.	9	13	6	13	7	4	17	10	18	16	8	23	144

1479

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Conholt Park.

in the County of Wilts

by Edward A. Wigan

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Wey hill

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50		·05		·09		·05				·09	1·20	1
2	·24		·10		·10				·70		·10	·19	2
3	·60				·09	·20	·05		·25			·35	3
4	·10		·60				·10	·09	·17		·03	·10	4
5	·15		·99				·03		·05		·06	·15	5
6	·14	·20			·30							·07	6
7	·10	·28	·80	·02									7
8	·29												8
9			·15	·06	·10						·07		9
10			·51									·28	10
11			·10	·20	·09		·48						11
12	·03		·08	·02		·05	·05			·19			12
13				·30								·05	13
14	·60			·60					·40	·03			14
15	·34			·02								·56	15
16	·05	100								·18			16
17		·40									·50	·03	17
18		·30	·35		·10						·05	·05	18
19	·40	·10	·99			·16	·35	·23			·25	·03	19
20	·30	·19	·55			·20		·25			·05	·06	20
21		·50	·05				·19					·18	21
22		·05					·18		·05			·32	22
23									·80	·20	·10	·08	23
24				·06		·03				·30	·05	·33	24
25	·15			·05				·65				·05	25
26	·10	·20	·17	·10				·10				·46	26
27				·40				·52				·03	27
28			·30	·10			·12	1·01			·08	·42	28
29				·05				·10		·20	·05	·03	29
30	·05	×		·20		·20		·45			·60	·80	30
31		×		×		×			×		×	·12	31
TOTAL	4·14	3·22	5·79	2·18	·87	·84	1·60	3·40	2·42	1·10	2·08	5·94	YEAR'S TOTAL 33·58
Days with ·01 in. or more	17	10	15	14	7	6	10	9	7	6	14	24	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1395

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Conholt Park
in the County of Wilts
by E. Allrigan

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Weyhill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·70	·23		·25			·20	·03	·48	1
2	·04		·03	·25			·45	·65	·13	·07		·14	2
3	·03			·13			·50			·55		·07	3
4		·12	·01				·07	·36		·27			4
5			·03	·10			·99	·07		·63			5
6			·20		·31		·60						6
7	·05			·45	·06		·31			·10			7
8		·10		·30	·15		·45	·05					8
9	·45			·10		·11							9
10	·46	·17	·14	·03			·50				·03		10
11	·35		·10	·45	·20	·25	·10						11
12	·05			·47		·65	·02				·05		12
13	·17	·07	·10	·30						·21	·08	·08	13
14		·01	·40	·50			·08		·21	·20	·62		14
15	·09	·05	·15	·26					·03	·32			15
16				·41	·02		·10						16
17			·10	·10	·25	·48			·42				17
18	·15			·10		·04		·45	·03				18
19	·10			·30		·10					·03	·05	19
20		·20		·35		·65						·20	20
21				·22			·52					·03	21
22	·04								·20			·35	22
23							1·27		·03			·50	23
24	·04		·20									·10	24
25		·09	·10				·67						25
26	·10		·11	·02			·07					·07	26
27	·50	·04		·26		·25					·05	·40	27
28	·55			·02	·17	·05	·12				·15	·05	28
29	·26		·18		·10							·30	29
30	·12	×	·02	·03	·12	·24	·28		·27		·16	·25	30
31	·10	×		×		×	·05		×	·83	×	·15	31
Total	3·66	·85	1·87	5·85	1·61	2·82	7·40	1·58	1·32	3·38	1·20	3·22	Year's Total 34·76 ✓
Days with ·01 in. or more	20	9	15	23	10	10	20	5	8	10	9	16	155 ✓
Days with ·04 in. or more	18	8	11	19	9	10	19	5	5	10	6	15	135 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LUDWELL
CHARLTON HOUSE
WILTSHIRE
1911 — 1918

8·II·12

19 11

13 JAN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Cha

in the County of

by The Daw

of top 5 in.

top above Ground ft. 7 in.

" " Sea Level 515 ft.

n 8-o'clock

ation Name Semley
Distance 5 miles Direction

IMPORTAN ., and the result entered to the previous day. I t universal rule, he is earnestly requested to add ng year in the space provided for it at the en surement of rain, the selection and the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	·07	·04	—	—	—	—	—	—	·07	·07	1
2	·02	—	·02	·28	·28	—	—	—	—	—	·21	·24	2
3	—	—	·01	—	·18	—	—	—	—	—	·07	·13	3
4	·02	—	·13	·03	—	—	—	—	—	·06	·27	·59	4
5	·04	—	—	·02	—	—	—	—	—	·19	·15	·95	5
6	·35	—	·15	—	—	—	—	·09	—	·12	·02	·01	6
7	·04	—	·01	·03	—	—	—	—	—	—	·35	—	7
8	·08	—	·22	—	—	—	—	—	—	—	·13	·75	8
9	·15	—	—	—	—	—	—	—	—	—	·03	·59	9
10	·14	·06	·29	—	1·12	—	—	—	—	—	·04	·76	10
11	·43	—	—	—	—	—	—	—	—	—	·71	·06	11
12	—	—	1·01	—	·01	—	—	—	—	—	·07	·42	12
13	—	—	·01	—	—	·03	—	—	·41	—	—	·37	13
14	—	·06	—	—	—	·43	—	—	—	—	—	·91	14
15	—	·04	·05	—	—	·16	—	—	—	—	·24	·08	15
16	—	—	—	—	—	·17	—	·13	—	—	·45	·36	16
17	—	·03	·03	—	·09	·18	—	·34	—	—	·29	·60	17
18	—	·20	·10	·11	09	·23	—	—	—	·06	·04	·61	18
19	—	·30	—	—	—	—	—	·39	·31	·24	—	·60	19
20	·06	·03	·14	·03	—	·01	—	·02	·14	·08	—	1·03	20
21	·01	·30	·04	·04	—	·16	—	·05	·02	·81	—	·26	21
22	·15	·02	·33	—	—	·08	—	·13	—	·21	—	·48	22
23	—	·14	·11	—	—	·61	—	—	·17	·09	·12	·19	23
24	·02	·22	—	—	—	·16	—	—	—	·31	—	·17	24
25	·01	·09	—	·17	—	·36	—	—	·07	·04	—	·26	25
26	—	·04	—	·34	04	·21	—	—	—	·14	—	·50	26
27	—	·51	·16	·14	—	—	—	—	·11	·13	—	·17	27
28	—	·27	—	·29	—	—	—	—	—	—	·10	·02	28
29	—		—	·70	—	—	—	—	·19	·42	—	—	29
30	—		—		—	—	·12	—	—	·24	—	·02	30
31	—		—		—		—	—		·03		—	31
Total	1.63	2.31	~~3.15~~ 2.88	2.22	(1.81)	2.79	·12	1.15	1.42	3.17	3.36 3·36	11.20	TOTAL for Year ~~34.36~~
No. of Rain Days	15	~~16~~ 15	18	13	7	13	1	7	8	16	18	28	170

9,000, IX. '10.

159

8·II·12

REGISTER OF RAINFALL IN 1911

13 JAN 1912

FORM A2. BRITISH RAINFALL.

Kept at Charlton House

in the County of Wilts

by The Dowager Lady Wynford

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 515 ft.

Time of Observation 8-o'clock

Nearest Railway Station
Name Semley
Distance 5 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	·07	·04	—	—	—	—	—	—	·07	·07	1
2	·02	—	·02	·28	·28	—	—	—	—	—	·21	·24	2
3	—	—	·01	—	·18	—	—	—	—	—	·07	·13	3
4	·02	—	·13	·03	—	—	—	—	—	·06	·27	·59	4
5	·04	—	—	·02	—	—	—	—	—	·19	·15	·95	5
6	·35	—	·15	—	—	—	—	·09	—	·12	·02	·01	6
7	·04	—	·01	·03	—	—	—	—	—	—	·35	—	7
8	·08	—	·22	—	—	—	—	—	—	—	·13	·75	8
9	·15	—	—	—	—	—	—	—	—	—	·03	·59	9
10	·14	·06	·29	—	1·12	—	—	—	—	—	·04	·76	10
11	·43	—	—	—	—	—	—	—	—	—	·71	·06	11
12	—	—	1·01	—	·01	—	—	—	—	—	·07	·42	12
13	—	—	·01	—	—	·03	—	—	·41	—	—	·37	13
14	—	·06	—	—	—	·43	—	—	—	—	—	·91	14
15	—	·04	·05	—	—	·16	—	—	—	—	·24	·08	15
16	—	—	—	—	—	·17	—	·13	—	—	·45	·36	16
17	—	·03	·03	—	·09	·18	—	·34	—	—	·29	·60	17
18	—	·20	·10	·11	09	·23	—	—	—	·06	·04	·61	18
19	—	·30	—	—	—	—	—	·39	·31	·24	—	·60	19
20	·06	·03	·14	·03	—	·01	—	·02	·14	·08	—	1·03	20
21	·01	·30	·04	·04	—	·16	—	·05	·02	·81	—	·26	21
22	·15	·02	·33	—	—	·08	—	·13	—	·21	—	·48	22
23	—	·14	·11	—	—	·61	—	—	·17	·09	·12	·19	23
24	·02	·22	—	—	—	·16	—	—	—	·31	—	·17	24
25	·01	·09	—	·17	—	·36	—	—	·07	·04	—	·26	25
26	—	·04	—	·34	04	·21	—	—	—	·14	—	·50	26
27	—	·51	·16	·14	—	—	—	—	·11	·13	—	·17	27
28	—	·27	—	·29	—	—	—	—	—	—	·10	·02	28
29	—		—	·70	—	—	—	—	·19	·42	—	—	29
30	—		—		—	—	·12	—	—	·24	—	·02	30
31	—		—		—		—	—	—	·03		—	31
Total	1.63	2.31	~~3.15~~ 2.88	2.22	(1.81)	2.79	·12	1.15	1.42	3.17	3.36 3·36	11.20	(34·06) Total for year ~~34·36~~
No. of Rain Days	15	~~16~~ 15	18	13	7	13	1	7	8	16	18	28	170

9,000, IX. '10.

159

FORM A.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Charlton House

in the County of Ludwell - Wilts 3

by Dowager The Lady Wynford

Lat. Long.

Time of Observation 9 - o'clock

Nearest Railway Station Semley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·15	—	—	·28	·23	—	·02	·67	—	·48	1
2	—	—	·32	·03	—	·12	·38	·04	—	·03	·04	—	2
3	·02	—	·27	—	—	·61	·01	·60	·03	—	—	·10	3
4	·23	—	·70	—	·09	·65	—	·06	—	—	·25	—	4
5	·59	—	·17	—	·02	·02	—	·76	—	—	—	·28	5
6	·69	·20	·04	—	·11	—	·10	·61	—	—	—	·07	6
7	·03	·44	·08	—	·34	·55	·04	·25	—	—	—	·11	7
8	·43	·38	·78	—	—	·06	·05	·06	—	—	—	·04	8
9	·02	·05	·17	·07	—	·41	·01	·05	—	—	—	·55	9
10	—	·12	·03	—	—	—	—	·12	—	—	·10	·40	10
11	·06	·21	—	—	—	·05	—	·03	—	—	—	·34	11
12	·07	·60	·12	—	·03	—	·03	·09	—	—	—	—	12
13	—	·05	·03	—	—	·06	·02	·04	—	—	·05	·08	13
14	·26	—	·30	—	—	—	—	·30	—	—	—	·02	14
15	·25	·14	·04	—	·11	·79	—	·03	—	—	—	·38	15
16	·92	·02	·40	—	·14	—	—	·13	—	·11	·03	·03	16
17	·61	—	·24	—	—	·05	—	·75	—	—	—	·10	17
18	·09	—	·33	—	—	—	—	·55	—	·05	—	·09	18
19	·64	·20	·12	—	—	·03	·13	·37	—	—	·04	·01	19
20	—	·04	·50	—	—	—	·17	·24	—	·37	·05	—	20
21	·05	·12	·13	—	·45	—	—	·14	—	·31	—	—	21
22	·37	·32	·14	—	·05	·05	·04	·27	—	·04	·03	·03	22
23	·15	·46	·33	—	·02	·02	—	·92	—	·05	·25	·19	23
24	·13	·04	·03	—	—	·86	·03	·12	—	·14	—	·24	24
25	·16	·02	—	—	—	·36	—	·31	—	·09	·25	·70	25
26	—	·05	—	—	—	—	·55	·40	—	·40	·50	·27	26
27	—	—	—	—	—	·20	1·12	—	—	·70	—	·43	27
28	—	·05	—	—	—	·13	·15	·56	·20	·82	·48	·48	28
29	—	·20	·05	—	—	·18	·11	·24	1·49	·77	·02	—	29
30	—		·04	—	—	·48	·06	—	·63	·29	—	—	30
31	—		·68		—		·33	·03		·02		·10	31
Total	5.77	3.71	6.19	·10	1.36	5.96	3.56	8.07	2.37	4.86	2.09	5.52	YEAR'S TOTAL 49.56
Rain Days.	20	20	26	2	10	21	19	28	5	16	13	24	204

W. 7,500, XI. ·12

✓ Cnd for with 16·11·14

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Charlton House
in the County of Wilts 3
by Down for The Lady Wynford

Lat. .... Long. ....
Time of Observation 9 o'clock
Nearest Railway Station Semley
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground .... ft. 7 in.
" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·20	·09	·06	—	—	—	—	·36	—	·18	·32	1
2	·02	·08	·02	·07	·05	—	—	—	·08	—	·26	·05	2
3	·17	—	·03	·06	·53	—	—	—	1·04	—	—	·16	3
4	1·01	—	·04	—	·59	—	—	—	·95	·52	·11	·09	4
5	·11	·03	—	—	·03	·12	·02	—	·01	—	·08	·26	5
6	·06	—	·15	—	·30	·20	·16	—	—	·83	·09	·70	6
7	·05	·23	·03	—	·41	·08	·10	·47	—	·33	·30	—	7
8	·02	·05	—	—	·40	·04	·03	—	—	·10	—	·05	8
9	—	·08	—	—	·10	·05	·06	·25	·06	—	·20	—	9
10	·16	—	·07	·02	·07	—	·03	·04	—	·48	·51	—	10
11	1·08	—	—	·23	·10	—	—	—	—	·06	·47	—	11
12	—	—	—	—	·81	—	—	—	·01	—	·44	—	12
13	·11	—	·08	—	—	·04	—	—	·16	—	·17	—	13
14	·41	—	·19	·02	—	—	—	—	·07	—	·29	—	14
15	·28	·10	·31	·50	—	—	·11	·04	·27	—	·06	—	15
16	·23	—	·37	·11	—	·06	—	—	·02	—	—	—	16
17	·04	·02	·06	·10	—	—	·05	—	—	—	·01	—	17
18	·06	—	·30	·12	·05	·03	—	—	—	—	·06	—	18
19	1·27	—	·11	—	·08	·10	·02	—	·55	—	—	—	19
20	·07	—	·10	·14		—	—	—	—	·36	·13	—	20
21	—	—	·31	·27		—	·07	—	—	·03	1·02	—	21
22	·73	—	·23	—		—	—	·09	·32	—	—	·05	22
23	·03	—	·02	—		·06	—	—	—	—	·04	·89	23
24	—	·40	—	·16		—	—	·11	—	—	·05	—	24
25	—	·20	—	·18		—	—	—	—	—	—	·04	25
26	—	·20	—	·48		—	—	—	—	·06	—	·37	26
27	·07	—	·27	·12		—	—	—	—	·01	—	—	281 27
28	·13	—	·13	·29		—	—	—	—	·29	—	·02	28
29	·12		·64	·57	·07	—	—	—	—	·62	—	·06	29
30	·54		·05	—		—	—	—	—	·57	—	—	30
31	·21		—			—	—	·78		—		—	31
Total	7·04	1.59	3·60	3·50	4·59	·78	·65	1·78	3·90	4·26	4·47	3·06	YEAR'S TOTAL 38·22
Rain Days.	25	11	22	18	14	10	10	7	13	13	19	13	175

W.7,000, XI. 13 1·59 3·59 3·06

W D cord for auth 8.111.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Charlton House - Ludwell
in the County of Wilts 3
by ~~Dowager~~ The Lady Wynford

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Semley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 7 in.
" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	—	—	—	—	·64	—	—	·18	·11	1
2	—	—	—	—	—	—	·73	·12	—	—	1·99	·43	2
3	—	—	·21	·17	·48	—	·13	—	—	—	—	·05	3
4	·09	—	·08	·21	·02	—	·14	·94	—	—	·70	·36	4
5	·13	—	·25	·37	·18	—	·44	·37	—	—	·66	—	5
6	—	·41	·09	·33	—	·03	—	·07	—	—	—	·32	6
7	·02	·95	·07	·06	·04	—	·30	·08	—	—	—	·21	7
8	·07	·09	·79	—	·18	·21	·02	·34	·09	—	—	·07	8
9	·17	—	·40	·32	·02	·48	—	·05	·57	—	—	·15	9
10	·06	·47	·04	·11	·09	—	—	—	·38	—	·04	·04	10
11	—	·39	·72	—	·18	·08	·29	—	·34	—	—	·70	11
12	—	·10	·19	—	—	·06	—	—	·39	·04	—	·42	12
13	—	·38	·43	—	—	—	—	—	·08	·20	·37	·65	13
14	—	·37	·26	—	—	·57	·35	·45	—	·47	·30	·32	14
15	—	—	·24	—	—	—	·65	·35	—	·11	·20	—	15
16	—	—	—	—	—	—	·11	—	·24	—	—	—	16
17	—	·56	·32	—	—	—	—	—	—	—	—	·34	17
18	—	—	·19	—	—	·40	·13	—	—	—	—	·50	18
19	—	·12	·37	—	—	—	1·32	—	·04	—	·12	·20	19
20	—	·59	·62	—	—	·11	—	—	—	—	—	·62	20
21	—	1·31	·05	—	—	·06	—	—	—	·27	—	—	21
22	—	·10	·03	—	·30	·02	·07	·03	—	·62	—	—	22
23	—	·20	·32	—	·02	·10	·05	—	—	·14	—	·10	23
24	—	·15	·15	—	·04	—	·34	—	—	·20	·13	—	24
25	·15	—	·38	—	—	—	·09	·28	—	·25	·09	·39	25
26	—	—	—	—	—	—	·08	·03	—	·09	·24	·77	26
27	·11	—	·36	—	—	—	—	—	—	·02	·10	·21	27
28	—	—	·29	—	·03	—	·13	—	—	—	·26	·34	28
29	·26		·21	—	·10	—	—	—	—	·40	·40	·02	29
30	·03	╳	·07	—	—	—	—	—	—	·22	·50	1·09	30
31	·08	╳	—	╳	—	╳	·08	—	╳	1·20	╳	·20	31
Total	1·17	6.19	6.91	1.57	1.68	2·12	5.45	3.75	2·13	4·23	6·28	8·67	YEAR'S TOTAL 50·15 ~~49·95~~
Rain Days.	11	15	27	7	13	11	19	13	8	14	16	25	179

8·67

W. 8,000. X. 14.

cnd for auth 2.V.16

1646

FORM A2.
BRITISH RAINFALL
7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Charlton House - Ludwell
in the County of Wilts 3
by Dowager The Lady Wyndford

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 7 in.
" " " Sea Level 515 ft.

Time of Observation 9 - a.m.

Nearest Railway Station
Name Semley
Distance 5 mls Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·93	·25	—	—	—	—	—	·20	·46	·32	·10	·30	1
2	·53	—	·30	·12	·03	·08	—	·70	·07	·25	—	·53	2
3	·56	·05	·18	·05	—	—	—	·02		·05	—	·37	3
4	—	—	—	—	·10	—	—	—		—	—	·25	4
5	·13	1·57	—	·06	—	—	—	·16		—	—	·57	5
6	·80	·16	—	·56	—	—	·48	·10		—	—	·17	6
7	·37	·55	—	·06	·07	—	·19	—		—	—	·37	7
8	·08	·61	—	—	—	—	—	·06		—	—	—	8
9	—	·10	—	·38	—	—	—	—		—	·48	·69	9
10	·56	·07	·05	·03	—	—	—	—		—	·88	·19	10
11	·05	—	·04	·13	—	—	—	·05		—	·38	—	11
12	·09	·85	—	·14	—	—	—	·08		·10		—	12
13	·02	·67	—	—	·70	—	—	—	·16	—		—	13
14	—	·05	—	—	1·02	—	·30	·70	·12	—		1·17	14
15	·14	·05	—	—	—	—	·07	·22	·02	—		·40	15
16	—	1·36	—	—	·23	—	1·02	·10	—	—		·16	16
17	—	·32	—	—	·25	—	—	·09	—	—		—	17
18	—	·22	—	—	1·15	—	—	—	—	—		—	18
19	—	—	—	—	·15	—	·17	—	—	—		—	19
20	·32	—	—	·13	·13	—	—	—	—	·92		·07	20
21	·02	·25	—	—	·14	—	·07	—	—	—		·17	21
22	·19	·26	·45	·06	—	—	—	—	·06	·04		·26	22
23	—	·08	·17	—	—	—	1·08	—	·17	1·17		·40	23
24	—	—	—	·09	—	—	·17	—	·54	1·65		·53	24
25	—	—	—	·05	—	—	·41	—	—	·03		·25	25
26	—	·12	—	—	—	·03	·08	—	—	—		·84	26
27	—	·11	—	—	—	·20	·22	—	—	·43		—	27
28	—	·40	—	—	—	·10	·07	·05	·80	—		—	28
29	·18		—	—	—	·21	—	—	—	—	·33	·07	29
30	·06		—	—	—	·07	—	—	—	·96	·59	·52	30
31	·22		—	—	—	—	·72	~~[illegible]~~	~~2·4~~	1·57	—	·40	31
Total	5·25	7·80	1·29 1·19	1·86	3·97	·69	5·05	2·53	2·40	7·49	2·76	8·68	TOTAL for year 49·77 49·67
No. of Rain Days	18	21	6	13	11	6	14	13	9	12	6	22	151

9,000, IX. '10.

W D L cnd for auth

1620

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Charlton House - Ludwell

in the County of Wilts

by Dowager The Lady Wynford

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Semley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	—	·14	—	—	—	·02	—	·45	·32	·53	—	1
2	·15	—	·07	—	·56	—	—	—	·01	·34	·05	—	2
3	·49	·27	—	—	·10	·07	—	—	·05	·60	·68	—	3
4	—	1·49	·06	—	·03	·50	·13	—	·32	·05	2·42	—	4
5	·25	·37	—	—	·10	—	—	—	—	·07	1·00	—	5
6	·18	·02	·05	—	·33	·38	·91	—	—	·10	·99	—	6
7	·02	·18	·04	—	·07	·10	·23	—	—	—	1·06	·30	7
8	—	·02	·30	—	·20	·11	—	—	—	—	·08	·20	8
9	—	·17	·07	—	·30	·26	·07	—	—	—	·05	·11	9
10	—	—	—	—	·15	·10	·05	—	—	·11	·02	·32	10
11	·12	·70	—	—	·08	·20	—	—	—	—	—	·05	11
12	—	—	·06	·36	·11	—	·18	—	—	—	—	—	12
13	·10	·02	—	—	—	—	—	—	—	·25	—	—	13
14	—	·38	·20	·05	—	—	—	·25	—	·08	—	—	14
15	·05	·66	—	·06	·14	—	—	·08	—	—	—	—	15
16	·02	·15	·17	—	—	—	—	·09	—	—	—	—	16
17	·04	·10	—	·25	—	—	—	·51	·40	·74	·26	—	17
18	·21	·25	—	·17	·07	—	—	·07	·15	·09	·35	·35	18
19	·05	·24	·72	·20	—	—	—	—	·02	—	·20	·12	19
20	·07	—	·41	·18	—	—	—	—	—	—	·07	1·70	20
21	·21	—	·20	—	—	—	—	—	—	—	·02	·95	21
22	·04	·17	—	—	—	—	—	—	—	·58	—	·79	22
23	—	—	—	—	—	—	—	·14	—	—	—	·20	23
24	—	—	—	—	·37	·13	—	·02	—	·47	·10	·31	24
25	—	·20	—	·09	—	·12	·26	·61	—	—	·08	—	25
26	—	·93	·11	—	—	·27	—	·07	—	1·44	·15	—	26
27	—	·13	—	—	—	·10	—	1·42	·28	·39	—	—	27
28	—	·06	1·40	—	—	—	—	—	·65	·40	·07	·37	28
29	—	·43	·10	—	—	·34	—	4·38	·52	·28	·02	·25	29
30	—	X	·04	—	—	—	—	·06	·70	·58	—	·05	30
31	—	X	—	X	—	X	—	·10	X	·10	X	·04	31
Total	2·40	6·94	3·14	1·36	2·61	2·68	1·95	7·80	3·55	6·97	8·25	6·11	YEAR'S TOTAL 53·64
Rain Days.	16	6·94 21	4·14 17	8	14	13	1·85 8	13	3·55 11	6·99 19	8·20 20	16	54·63 176

W. 8,000. X. 15.

Dates not dependable ~~10~~ 1545

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19 JAN 1918

Kept at Charlton House
in the County of Wilts
by Dowager The Lady Wyeford

Lat. Long.
Time of Observation 9 - A.M.
Nearest Railway Station Semley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·12	·26	~~·09~~	·09	–	1·03	·11	–	·13	–	1
2	–	–	–	·37	–	–	–	·10	–	·14	–	–	2
3	–	·37	–	·02	–	–	–	·03	·02	–	–	–	3
4	·25		·21	–	–	–	·63	–	–	·36	–	–	4
5	–		·10	–	–	–	–	–	·30	·25	·26	–	5
6	–		·47	·47	~~·40~~	·10	–	–	–	·34	–	–	6
7	·44		–	–	·	–	–	·16	–	·30	–	·08	7
8	·72		·21	·13		–	·10	·76	·10	·09	·24	·18	8
9	–		·11	–		–	·67	·09	·05	·29	–	–	9
10	·18		·32	·22		–	–	·16	–	·31	–	–	10
11	·08		·40	·25	·10	–	–	–	–	–	–	–	11
12			·05	·23	–	(12)	–	·02	–	–	–	–	12
13			·17	·10	·31	–	–	·10	·07	–	–	–	13
14			–	–	–	–	–	·05	–	–	–	–	14
15			–	–	–	–	–	·06	–	·14	–	·34	15
16		·06	–	·09	–	–	·36	·04	–	·60	–	·54	16
17		–	–	·17	–	–	–	·18	·80	·32	·15	–	17
18		–	–		–	–	·25	–	·37	–	–	–	18
19		·44	·18		·16	–	·14	–		–	·25	–	19
20		·04	·10		–	–	–	·21		·10	–	–	20
21		–	–		·30	–	–	–		·09	–	–	21
22		–	–		–	·27	–	·11		–	–	–	22
23		·27	·03		–	–	–	·26		–	–	–	23
24		·11	–		·13	–	–	·03		·25	–	–	24
25		·05	–		–	·03	·05	·69		–	–	–	25
26			–		–	·02	·01	1·00		–	–	–	26
27			·18		·39	–	–	·35		–	–	–	27
28			–		1·13	·09	–	–		–	–	–	28
29			·19		–	2·57	·11	–		·75	–	·18	29
30		X	·30		·08	·10	·81	·11		–	–	–	30
31		X	·11	X	–	X		–	X	·25	X	–	31
Total	1·67	1·34	3·25	2·31	2·60	3·39	3·13	5·54	1·82	4·58	1·03	1·32	YEAR'S TOTAL 31·98
Rain Days.	5	7	17	11	8	9	10	21	8	16	5	5	122

W. 8,000, VIII. 16

2·08

30

FORM A.
BRITISH RAINFALL
8.3.19

REGISTER OF card for auth RAINFALL ~~XX~~ 121 IN 1918

Kept at Charlton House, Ludwell

in the County of Wilts

by The Dowager Lady Dynford

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station Semley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				[illegible]	15			42			1.05	04	1
2				14	—			16	08		09	10	2
3				13	21			11	—	10	03	03	3
4		14		—	—			34	13	04	90	06	4
5		07	04	—	06			03	75	15	—	10	5
6		—	—	23	—			04	07	04	32	10	6
7	15	03	06	07	47				19	06	—	09	7
8	—	17		17	—				15	33	—	40	8
9	—	18		09	—		54		45	19	—	65	9
10	05	16		—	—	17	15		13	36	03	10	10
11	—	05		—	—	—	50		16	—	10	8	11
12	—	—		—	49	—	59		14	—		03	12
13	—	10		—	18	—	16		08	06		01	13
14	34			48	03	—	07		13	15		12	14
15	10			18		42	21		—	—		20	15
16	93			22					25	—		08	16
17	—						34		13	—		09	17
18	65						04		33	—		32	18
19	60		20				17		27	07		14	19
20	15					73	04	10	32	08		—	20
21	—					T	08		24	13		34	21
22	04					07	45		05	09		26	22
23	05				24		83		13	—	12	07	23
24	15				18		03		09	—	24	—	24
25	—						28	1.20	—	04	02	—	25
26	—	43					05		09	—	16	36	26
27	—							22	15	28	17	08	27
28	—		16	06				—	—		29	12	28
29	—		06					—	1.05	07		06	29
30	—	✗	59					03	04		·08		30
31		✗	13	✗		✗		05	✗	05	✗		31
Total	3.21	1.13	1.24	1.77	2.01	1.39	4.53	2.70 ~~3.40~~	5.60 ~~5.61~~	3.29 ~~2.09~~	3.60	4.03 ~~4.04~~	YEAR'S TOTAL 33·50
Rain Days.	11 ✓	9	7	10	9	4	17	11	25	18	14	26	161

W. 8,000, IX. 17.

LYNEHAM

WILTSHIRE

1914 — 1915

R

Kept at Lyne

in the County of

by Geo. E. Wi

1°59' W

9 a.m.

Dauntsey

5 in.

bove Ground 1 ft. 3 in.

, Sea Level 425 ft.

FORM A.
BRITISH RAINFALL.
27 JAN 1915

IMPORTANT

nd the result entered to the previous day. If at … niversal rule, he is earnestly requested to add the … ear in the space provided for it at the end of … rement of rain, the selection and pla… British Rainfall Organization are give… n application to Dr. H. R. Mill, 62, ~~Camden Square~~, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·15	·00	·00	·06	·19	·00	·00	·19	·02	1
2	·00	·00	·00	·05	·00	·00	·84	·35	·00	·00	1·~~15~~ 51	·49	2
3	·00	·00	·03	·09	·26	·00	·09	·21	·00	·00	·11	·17	3
4	·12	·00	·02	·21	·15	·00	·00	·65	·00	·00	·32	·13	4
5	·10	·00	·05	·41	·01	·00	·38	·23	·00	·00	·33	·12	5
6	·02	·00	·00	·06	·07	·00	·06	·15	·00	·00	·00	·69	6
7	·00	·09	·23	·22	·35	·00	·11	·00	·00	·00	·00	·14	7
8	·04	·51	1·04	·02	·00	·08	·14	·04	·00	·00	·07	·00	8
9	·00	·00	·41	·04	·00	·48	·00	·03	·38	·00	·00	·00	9
10	·00	·12	·00	·06	·23	·72	·00	·00	·25	·00	·00	·01	10
11	·00	·13	·35	·05	·04	·22	·09	·00	·00	·00	·00	·36	11
12	·00	·11	·12	·00	·00	·00	·21	·00	·39	·00	·07	·28	12
13	·00	·21	·05	·00	·00	·00	·00	·00	·07	·06	·13	·32	13
14	·00	·18	·87	·00	·00	·00	·11	·00	·00	·78	·00	·00	14
15	·00	·38	·15	·00	·00	·00	·00	~~·00~~ ·75	·00	·02	·26	·00	15
16	·00	·00	·00	·00	·00	·00	·11	·00	·18	·00	·00	·00	16
17	·00	·43	·00	·00	·00	·00	·00	·00	·00	·00	·00	·49	17
18	·00	·02	·24	·00	·00	·05	·00	·00	·00	·00	·00	·46	18
19	·00	·13	·12	·00	·00	·00	·33	·00	·00	·00	·18	·26	19
20	·00	·75	·47	·00	·00	·11	·72	·00	·00	·00	·00	·13	20
21	·00	·00	·02	·00	·00	·04	·10	·00	·00	·10	·00	·02	21
22	·00	·00	·09	·01	·19	·22	·00	·06	·00	·07	·00	·00	22
23	·00	·00	·10	·00	·02	·00	·00	·00	·00	·29	·00	·00	23
24	·00	·00	·09	·00	·00	·00	·02	·00	·00	·54	·10	·00	24
25	·03	·00	·19	·00	·00	·00	·01	·30	·00	·16	·01	·32	25
26	·00	·00	·11	·00	·00	·00	·05	·00	·00	·06	·25	·44	26
27	·08	·00	·00	·00	·00	·00	·00	·00	·00	·00	·18	·14	27
28	·00	·11	·04	·00	·03	·00	·00	·00	·00	·00	·51	·78	28
29	·21	X	·16	·00	·00	·00	·00	·00	·00	·29	·12	1·00	29
30	·00	X	·05	·00	·00	·09	·00	·00	·00	·11	·50	1·54	? 30
31	·00	X	·00	X	·00	X	·08	·00	X	·13	X	·04	31
Total	·60	3·17	5·00	1·37	1·35	2·01	3·51	2·96	1·27	2·61	4·94	6·35	YEAR'S TOTAL 35·14
Rain Days.	7	13	23	12	10	9	18	11	5	12	17	22	159

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

27 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Lyneham
in the County of Wilts
by Geo. E. Willoughby.

Lat. 51°39'N Long. 1°59'W
Time of Observation 9 a.m.
Nearest Railway Station Dauntsey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·15	·00	·00	·06	·19	·00	·00	·19	·02	1
2	·00	·00	·00	·05	·00	·00	·84	·35	·00	·00	1·~~15~~51	·49	2
3	·00	·00	·03	·09	·26	·00	·09	·21	·00	·00	·11	·17	3
4	·12	·00	·02	·21	·15	·00	·00	·65	·00	·00	·32	·13	4
5	·10	·00	·05	·41	·01	·00	·38	·23	·00	·00	·33	·12	5
6	·02	·00	·00	·06	·07	·00	·06	·15	·00	·00	·00	·69	6
7	·00	·09	·23	·22	·35	·00	·11	·00	·00	·00	·00	·14	7
8	·04	·51	1·04	·02	·00	·08	·14	·04	·00	·00	·07	·00	8
9	·00	·00	·41	·04	·00	·48	·00	·03	·38	·00	·00	·00	9
10	·00	·12	·00	·06	·23	·72	·00	·00	·25	·00	·00	·01	10
11	·00	·13	·35	·05	·04	·22	·09	·00	·00	·00	·00	·36	11
12	·00	·11	·12	·00	·00	·00	·21	·00	·39	·00	·17	·28	12
13	·00	·21	·05	·00	·00	·00	·00	·00	·07	·06	·13	·32	13
14	·00	·18	·87	·00	·00	·00	·11	·00	·00	·78	·00	·00	14
15	·00	·38	·15	·00	·00	·00	·00	·75	·00	·02	·26	·00	15
16	·00	·00	·00	·00	·00	·00	·11	·00	·18	·00	·00	·00	16
17	·00	·43	·00	·00	·00	·00	·00	·00	·00	·00	·00	·49	17
18	·00	·02	·24	·00	·00	·05	·00	·00	·00	·00	·00	·46	18
19	·00	·13	·12	·00	·00	·00	·33	·00	·00	·00	·18	·26	19
20	·00	·75	·47	·00	·00	·11	·72	·00	·00	·00	·00	·13	20
21	·00	·00	·02	·00	·00	·04	·10	·00	·00	·10	·00	·02	21
22	·00	·00	·09	·01	·19	·22	·00	·06	·00	·07	·00	·00	22
23	·00	·00	·10	·00	·02	·00	·00	·00	·00	·29	·00	·00	23
24	·00	·00	·09	·00	·00	·00	·02	·00	·00	·54	·10	·00	24
25	·03	·00	·19	·00	·00	·00	·01	·30	·00	·16	·01	·32	25
26	·00	·00	·11	·00	·00	·00	·05	·00	·00	·06	·25	·44	26
27	·08	·00	·00	·00	·00	·00	·00	·00	·00	·00	·18	·14	27
28	·00	·11	·04	·00	·03	·00	·00	·00	·00	·00	·51	·78	28
29	·21	×	·16	·00	·00	·00	·00	·00	·00	·29	·12	1·00	29
30	·00	×	·05	·00	·00	·09	·00	·00	·00	·11	·50	1·54	? 30
31	·00	×	·00	×	·00	×	·08	·00	×	·13	×	·54	31
Total	·60	3·17	5·00	1·37	1·35	2·01	3·51	2·96	1·27	2·61	4·94	6·35	YEAR'S TOTAL 35·14
Rain Days.	7	13	23	12	10	9	18	11	5	12	17	22	159

W. 8,000. X. 14.

1638

FORM A.
BRITISH RAINFALL.

15 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lyneham
in the County of Wilts
by Geo. E. Willoughby

Lat. 51° 39' N Long. 1° 59' W.
Time of Observation 9 a.m.
Nearest Railway Station Dauntsey G.W.R.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·04	·00	·00	·12	·00	·00	·18	·17	·75	·00	·29	1
2	·41	·39	·23	·00	·00	·00	·00	·57	·07	·00	·00	·00	2
3	1·15	·02	·04	·00	·02	·00	·00	·17	·00	·00	·00	·34	3
4	·00	·00	·00	·00	·00	·00	·05	·03	·00	·00	·00	·39	4
5	·06	·61	·00	·23	·00	·00	·50	·08	·00	·00	·00	·18	5
6	·25	·04	·00	·00	·00	·02	·00	·03	·00	·00	·00	·13	6
7	·27	·39	·00	·00	·00	·00	·08	·04	·00	·00	·00	·25	7
8	·31	·28	·00	·09	·00	·00	·00	·03	·00	·00	·00	·00	8
9	·08	·03	·00	·00	·00	·00	·00	·05	·00	·00	·21	·87	9
10	·12	·00	·03	·06	·00	·00	·00	·06	·00	·00	·00	·05	10
11	·04	·00	·07	·09	·00	·00	·00	·15	·00	·00	·82	·03	11
12	·05	·13	·00	·20	·39	·00	·00	·07	·00	·00	·44	·00	12
13	·03	·57	·00	·00	1·15	·00	·00	·00	·00	·00	·06	·00	13
14	·14	·00	·00	·00	·00	·00	·33	·52	·14	·00	·00	·75	14
15	·21	·00	·00	·00	·04	·00	·00	·37	·03	·12	·09	·05	15
16	·15	·73	·00	·00	·33	·00	·81	·05	·00	·00	·00	·00	16
17	·00	·57	·00	·00	1·16	·00	·00	·00	·00	·00	·00	·00	17
18	·00	·03	·19	·00	·09	·00	·00	·00	·00	·00	·00	·00	18
19	·00	·00	·06	·00	·06	·00	·00	·00	·00	·00	·00	·00	19
20	·19	·00	·00	·07	·00	·00	·00	·00	·00	·00	·00	·08	20
21	·15	·04	·00	·00	·00	·00	·07	·00	·00	·20	·00	·12	21
22	·00	·48	·13	·00	·00	·00	·80	·00	·00	·00	·00	·11	22
23	·00	·05	·77	·04	·00	·06	·38	·00	·00	·62	·00	·44	23
24	·00	·00	·03	·12	·00	·00	·20	·00	·00	·36	·00	·26	24
25	·00	·00	·00	·00	·00	·62	·12	·00	·00	·00	·00	·37	25
26	·00	·07	·00	·00	·00	·00	·16	·00	·00	·00	·00	·01	26
27	·00	·03	·00	·00	·00	·12	·00	·00	·00	·52	·00	·15	27
28	·00	·08	·00	·00	·00	·00	·29	·00	1·03	·00	·00	·00	28
29	·00		·00	·00	·00	·04	·18	·17	·00	·15	·10	·03	29
30	·00		·00	·00	·00	·09	·00	·00	·00	·08	·32	·06	30
31	·14		·00		·00		·03	·00	·00	·79		·34	31
Total	4·15	4·58	1·55	·90	3·36	·95	4·00	2·51	1·44	3·59	2·04	5·30	YEAR'S TOTAL 34·37
Rain Days.	18	19	9	8	9	6	14	16	5	9	7	22	142

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1516

MAIDEN BRADLEY

WILTS

1911 - 1920

R 11.

FORM A2. BRITISH RAINFALL.

11 JAN 1912

Kept at Maiden …… netti + Zam… 8 in.

…Ground 1 ft. 6 in.

in the County of W… …Sea Level 626 ft.

by His Grace The… …am

…Name Frome

…Distance 6 miles Direction N.W.

IMPORTANT NOTE… the result entered to the previous day. If an Ob… …ersal rule, he is earnestly requested to add the read… …r in the space provided for it at the end of this … …nt of rain, the selection and placing … …sh Rainfall Organization are given in "… …application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07		.10	0.8	01			10		10		9	1
2	02		02	0.8	46			13			32	43	2
3			03		40			19		17	40	7	3
4	02	01	17	07				01	.2	15	32	84	4
5	07	01	02	01				47	.2		26	8	5
6	.86		24								13	94	6
7	03		01								45	1	7
8	.15		29								9	57	8
9	20		03								15	34	9
10	19	09	58		1.04						3	86	10
11	74	—									72	26	11
12		01	1.02		01				.2		40	40	12
13			01						.37		3	75	13
14.		06								2		91	14
15		10	02								51	27	15
16	01	01				30					68	70	16
17		04				20 ~~50~~				07	11	69	17
18		47	11	18	.08	12				35	4	82	18
19		21		04		44			18	13	1	13	19
20	05	02	10	19		15		1	25	65		1.01	20
21	01	40	01	05		01		2	5	85		46	21
22	13	~~40~~	42	07		02		2	1	11		76	22
23		34	12			01			23	48	2	51	23
24	01	39				01		21	2	02		21	24
25	06	22	02	40		64				20		35	25
26		05		52		14		1	20		3	70	26
27		88	24	25				8				24	27
28		64		45		53		15	15	90	10	1	28
29		X		49		20	07	1		38			29
30		X		02						11	7		30
31		X											31
Total	2.62	3.95	3.56	2.90	2.00	2.77 3.07	.07	1.41	1.50	4.69	4.66	13.73	TOTAL for year 44.88
No. of Rain Days	16	18	20	15	6	12	1	13	12	16	21	27	177

44 38

9,000, IX. '10.

FORM A2. BRITISH RAINFALL 11 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Maiden Bradley

in the County of Wilts 3

by His Grace The Duke of Somerset

RAIN GAUGE: Pattern Negretti + Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 626 ft.

Time of Observation 9 am

Nearest Railway Station: Name Frome
Distance 6 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07		·10	08	01			10		10		9	1
2	12		02	08	46			13			32	43	2
3			03		40			19		17	40	7	3
4	02	01	17	07				01	2	15	32	84	4
5	07	01	02	01				47	2		26	8	5
6	86		24								13	94	6
7	03		01								48	1	7
8	15		29								9	57	8
9	20		03								13	34	9
10	19	09	58		1.04						3	86	10
11	74	~~[illegible]~~									72	26	11
12		01	1.02		01				2		40	40	12
13			01						37		3	78	13
14		06								2		61	14
15		10	02								51	[illegible]	15
16	01	01				30					68	70	16
17		04				20 ~~50~~				07	11	68	17
18		47	11	18	08	12				33	4	88	18
19		21		04		44			18	13	1	43	19
20	05	02	10	19		15		1	25	65		1.81	20
21	01	40	01	05		01		2	5	85		46	21
22	13	~~40~~	42	07		02		2	1	11		76	22
23		34	12			01			23	48	2	57	23
24	01	39				01		21	2	02		21	24
25	06	22	02	40		64				20		35	25
26		05		52		14		1	20		3	20	26
27		88	24	25				8				24	27
28		64		45		53		15	15	90	10	1	28
29		~~[illegible]~~		49		20	07	1		38			29
30				02						11	7		30
31													31
Total	2.62	3.95	3.56	2.90	2.00	2.77 ~~3.07~~	·07	1.41	1.50	4.69	4.86	13.73	TOTAL for year 44.88
No. of Rain Days	16	18	20	15	6 11	12	1	13	12	16	21	27	177

44.38

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 4 JAN 1913

Kept at MAIDEN BRADLEY.

in the County of Wilts. 3

by HIS GRACE THE DUKE OF SOMERSET.

RAIN GAUGE Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 626 ft.

Time of Observation 9·0 am

Nearest Railway Station Name Frome
Distance 6 miles Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24			21	14		2	65		65	1
2			·57			13	30	50			2		2
3	··1		·8			49	13	95	13		3	14	3
4	·28		1·14		4	52		87			22		4
5	·76	··7	·31		·2	2		44			6	12	5
6	1·17	·23	·1		·10		59	46				57	6
7	·6	·30	·16		·28	47	10	10				20	7
8	60	·34	·55	7		12	18	22	5		2	17	8
9	··1	·5	·35	·16		·18		··1			2	·88	9
10		·10				4		··4			10	33	10
11	·22	·15	·1			1	3	27				68	11
12	··9	·79	·12	·4				13			1	4	12
13		64	··2			19		20				18	13
14	·31		·63		·8	1		1.20		3		1	14
15	·10	·15	··1		·37	71		32				1·25	15
16	1·17		·78		·13			29		·21	4	12	16
17	1·41		·18			7		× 54			5	8	17
18	·30		·75							·10	2	11	18
19	··4	·31	·11			15	24	13		·5	1	3	19
20	··5	·2	·52		·6	11	7	53		·53	4		20
21	··2	·25	·37		·95		4	·1		37	3		21
22	·57	·57	·3		·24		10	39		·9	3	17	22
23	·32	·65	·42		·1	1	3	95		·14	33	46	23
24	··8	·6	·7			45	4	23		·3		37	24
25	··7	··1				37		41		·18	57	94	25
26		·2					14	31		·63	14	27	26
27		·1				31	1·35			1·38		16	27
28		·7				10	5	48	23	·72	87	74	28
29		·14				38	11	12	1·27	·54	~~28~~	13	29
30						23	25		38	·65			30
31			·56		1		58	5		·3		42	31
Total	7·64	4·31	7·92	·29	2·27	5·26	5·09	10·19	2·08	6·50	3·12	10·57	TOTAL for year 64·16
No. of Rain Days.	21	21	24	3	12	23	19	27	6	17	19	25	217

W. 8,000, X. '11.

13 2 06 10 12 17·35 10 19 2 08 6·50 3·08 9 51 3

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Maiden Bradley	Lat. Long.
in the County of Wilts 3	Time of Observation 9-0 am
by His Grace The Duke of Somerset	Nearest Railway Station Frome
	Diameter of Rain Gauge 5 in.
	Height of top of Gauge above Ground ft. in.
	" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.31	28						39	11	32	23	1
2	4	.10	3	19	.1				11	2	23	2	2
3	13	.1	8	1	52					4		16	3
4	1·12		4	.1	54				83	33	4	18	4
5	4	3	1		5	33			34		4	19	5
6	8	5	6		36	26	20			63	8	64	6
7	2	36	4		25	2	2			29	25	2	7
8		8			32	4	2			18		5	8
9		5	3		10	10	4	19	8	2	10	6	9
10	14		5		12	2		2		15	36		10
11	78		1	23	23					5	30	3	11
12		.1			38		3		1	1	17		12
13	4		14					1	20		18		13
14	14	.1	19	6					1	1	35	4	14
15	25	8	56	64			6	5	4		11	2[illegible]	15
16	26		73	16		3			1				16
17	2	3		2		2	5		2		2		17
18	5		37	19							11		18
19	74		17	6	11	20	6		59				19
20	8		11	10	3				1	25	25		20
21			10	23	26					1	82		21
22	86		30	10	3			4	25				22
23	2		4	18		8					3	53	23
24	13	4		13				22			5		24
25	3	18		49					2		2	7	25
26		2		26				22		2[illegible]	2	35	26
27	2		19	35						4		3	27
28	15		21	71						18		6	28
29	7		49		5			6		58	1	1	29
30	74									53	6		30
31	18		5					57		4			31
Total	6.49	1.36	4.01	4.02	3.36	1.10	.48	1.38	3.10	3.52	3.92	2.71	YEAR'S TOTAL 35·12
Rain Days.	24	15	24	19	16	10	8	9	14	20	23	18	200

W. 7,500, XI. 12

4. 8. 13

35.08

Cnd 8.111.15 W DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
8 - JAN 1915 A

Kept at Maiden Bradley

in the County of Wilts 3

by His Grace The Duke of Somerset

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Frome

Diameter of Rain Gauge 5 in. 2·0

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·02				·04	·50			·12	·08	1
2				·04			1·00	·40			1·01	·39	2
3			·27	·15	·37		·03	·35			·21	·06	3
4	·07		·26	·28	·08		·28	·65			·60	·54	4
5	·20		·32	·00	·75		·42				·25	·05	5
6		·24	·04	·29	·08	·03	·11	·15			·10	·44	6
7	·02	·59	·09	·18	·08	·04	·27	·14				·37	7
8	·21	·05	1·00		·27	·21	·09	·49	·23			·11	8
9	·25		·42	·38	·02	·85		·12	·25				9
10	·03	·19	·02	·04	·12	·02			·35		·02	·01	10
11		·22	·82	·02	·06	·25	·10		·04		·12	·34	11
12		·16	·26				·05		·33		·02	·25	12
13		·40	·29						·15	·27	·24	·50	13
14		·20	·25			·04	·09	·25	·04	·58	·35	·09	14
15	·03	·02	·30				·13	·86	·11	·04	·21		15
16							·08		·24				16
17		·69	·26						·03			1·01	17
18		·02	·03				·30		·02			·91	18
19		·09	·67				·76				·18	·22	19
20		·39	·15			·02				·15		·40	20
21		·77					·03			·84		·02	21
22			·02		·17	·13	·02	·05		·12			22
23		·13	·24		·10	·03	·02			·15		·02	23
24		·02	·13		·07		·17				·27	·02	24
25	·07	·02	·24				·06	·34		·46	·07	·40	25
26							·02	·06		·05	·37	·71	26
27	·07									·06	·07	1·21	27
28	·02	·18	·24		·10					·04	·38	1·05	28
29	·42		·13		·09					·29	·37		29
30		╳	·07							·25	·43	1·03	30
31	·08	╳		╳	·02	╳	·15		╳	·76	╳	·13	31
Total	1·47	4·38	6·55	1·98	2·98	1·62	4·22	4·36	1·79	4·06	5·49	9·36	YEAR'S TOTAL 48·26
Rain Days.	12.	18.	20	9	15.	10.	22.	13.	11	14	20	26	195

W. 8,000. X. 14.

~~H~~ and 2.V.16 & days

1660

REGISTER OF RAIN[illegible]L IN 1915

FORM A.
BRITISH RAINFALL.

6 - JAN 1916

3

Kept at Maiden Bradley
in the County of Wilts
by His Grace The Duke of Somerset

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Frome
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.96	39			4			28	.30	30	3	28	1
2	62	26	25	14		3		83	9	25		61	2
3	.52	10	19	8	14	4	8	3		11	1	40	3
4	1	4	2		2			1		1		40	4
5	7	95	2	6				8			1	40	5
6	65	8		57			50	15				11	6
7	31	70		4			32	2			1	55	7
8	25	71		6				10			1	2	8
9		12	5	14				2			49	65	9
10	35		13	5			3	3		1	9	8	10
11	10	47		13			4	15			83	8	11
12	16	97		15	60			17		11	53	2	12
13	4	15			99			5	15		3	1	13
14	8	9					24	54	10	1		1.60	14
15	43	95			19		7	48	4	4	10	20	15
16		55			44		1.19	6	2	1		7	16
17		49			1.11			15		1		3	17
18			2	9	13			1		2	1	8	18
19					15		25						19
20	40	2			4					3		8	20
21	6	55					19			15		28	21
22	10	5	48	2			76		3	4		40	22
23			20				67		21	1.86	2	47	23
24				7			43		48	1.05		61	24
25		14	2	2		8	85		2	2		22	25
26		5	~~4~~			8	12					85	26
27		11	1			5	23			42		1	27
28						3		2	80	2	1		28
29						18		4	3		19	5	29
30	17	✕				10				65	55	28	30
31	4	✕		✕		✕	4		✕	1.26	✕	40	31
Total	5.42	7.83	1.38	1.56	3.85	.59	6.01	3.22	2.27	6.55	2.85	9.44	YEAR'S TOTAL ~~52.01~~ 50.9[illegible]
Rain Days.	19	22	10	14	11	8	17	20	12	21	16	29	199

W. 8,000. X. 14.

~~W B~~ cnd for auth

1624

FORM
BRITISH RAI

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Maiden Bradley
in the County of Wilts
by His Grace The Duke of Somerset

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	15	3	2		41	6	3		16	70	95		1
2	36	13	5		13		6		2	82	10		2
3	5	1.04			5	3			9	47	25		3
4	21	13			13	48	25		43	22	1·7		4
5	8	3	6		29	55			2	10	80		5
6	6	21	3		6	2	92			14	50		6
7	14	7	33		8	3	35				8		7
8	2	26	8		26	3					9	35	8
9					12	29	2				10	8	9
10		55	3	6	3	4	5			25	2	14	10
11	2		4	7	3	13	3		3	13	10		11
12	16	11	6	29	8	1	36			12	2		12
13	1	34	21				2	75					13
14	2	41	5	11	16			61		8			14
15	2	30	13	3	2			15					15
16	6	8	1	31	3		8	18	50			32	16
17	31	16		6				11	10	50		20	17
18	1	13	9	17					3	13	37	1.10	18
19	46		44	18							12		19
20	4	9	46					1			10		20
21	1	8	27		6		7					45	21
22	3		3	1	3	6				72	23		22
23		16		1		6		16		27		17	23
24		13	2	8	52	36		6		43	24	18	24
25		67	13		6	36		55	50	13			25
26	2	6	10			22	6	15	62	80			26
27	3	11	1.41			9		70	70	43		50	27
28	1	40	8					9	16	25		35	28
29		55	7			42		2.64		97			29
30		X	1					2		50		2	30
31		X		X		X		13	X	18	X	7	31
Total	2.28 2.18	6.23	4.23	1.38	2.57	3.34	2.30	6.31	3.36	8.34	4.24	3.93	YEAR'S TOTAL 48.51
Rain Days.	23	25	25	12	19	17	13	15	13	22	17	13	214

W. 8,000. X. 15.

June 28 corr by own stats

1559

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
JAN 1918

Kept at Maiden Bradley
in the County of Wilts
by His Grace the Duke of Somerset

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnest requested to add the reading at 9 a.m. on 1st January of the following year in the space provide for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·20	·19		·15		·95	·28		·07		1
2	·06		·04	·32		·09		·20	·03		·02		2
3				·30			1·0	·05		·45	·10		3
4	·32		·18				·11	12		·30			4
5		·25		·40		·08		·02	·40	·50	·16		5
6			·70							·10			6
7	·40						·17	·03		·17	·64		7
8							·40	·85	·07	·46	·30	18	8
9	·16		·27		·03		·02	·60	·10	·26	·25		9
10			·40	·41				·41					10
11			·50	·40				·05		·38	·02		11
12					·43					·65	·03		12
13						·02		·41	·20	·05			13
14				·15			·09	·17	·02				14
15			·27				·10	·02		·25		·20	15
16		·08			·03		·09			·60		·50	16
17				·46	·08		·60		·62	·15			17
18	·08				·02		·22		·45				18
19		·47	·28						·16		·07		19
20		·18	·14		·30	·31		·11					20
21			·27			·09				·10			21
22			·15					·06		·09			22
23		·17			·15			·38					23
24		·11				·12	·04	·09		·31		·4	24
25		·08						·06		·25			25
26					·30			·90	·38		·17		26
27					·65	·15		1·30		·16	·03		27
28			·27		·03	(4·00)	·13	·68				·3	28
29						·40	·60	·23		·60		·19	29
30		×	·10				·02	·17		·10	·02		30
31		×	·27	×		×		·03	×	·11	×		31
													YEAR'S TOTAL
Total	1·10	1·34	4·04	2·63	2·02	(5·41)	3·59	7·89	2·71	6·04	1·28	1·14	(39·19)
Rain Days.	6	7	15	8	10	10	14	24	11	21	13	6	145

W. 8,000, IX. 17.

Ex M.D.S.

44

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

8. 1. 19

Kept at Maiden Bradley
in the County of Wilts
by His Grace the Duke of Somerset

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				2	25			35			82	22	1
2				5				52	7	4	3	[illegible]	2
3		18		40	16			12	2	6	4	10	3
4		8						12	2	2	80	10	4
5				30	10			25	54	35		20	5
6	27	34		10				4		15		5	6
7		26			65				24	23		9	7
8		15		48					23	17		30	8
9	2			10		25	50		65	20	2	54	9
10	12			2			45		13	26	2	22	10
11		5					97		28	3		10	11
12		15			43		10		8			16	12
13	5				35		45		1.00	8		13	13
14	12		20	54		15	10		25	16		20	14
15	1.31			42	3	2	28		2	3		36	15
16	45		3	50			4	10	25			15	16
17	35						31					35	17
18	8			5		68	20		15			25	18
19							5	4	7	3			19
20	14	23				8	24		30	2			20
21	4	8				9	64		52	20		15	21
22	30	2				2	52		22	5		36	22
23	2				25	2	25		2		3	6	23
24						3	48		15	2	22		24
25							50	46			2		25
26		4					38		7	2	25	39	26
27		30					13	17	20			13	27
28			35						5		15	25	28
29									1.43	2		6	29
30		X	52						3		30	10	30
31		X	38	X		X			X	2	X	× × ×	31
Total	3.27	2.38	1.48	2.92	2.22	1.34	6.49	2.47	7.09	2.16	2.41	4.96	YEAR'S TOTAL 39.55
Rain Days.	13	12	5	12	8	9	19	10	26	21	12	25	172

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1468

FORM A.
BRITISH RAINFALL.

9 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Maiden Bradley
in the County of Wiltshire
by His Grace the Duke of Somerset

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	83		15		22		45			10		1·40	1
2	12				15		3		53		12	14	2
3	45		15		2	2			21		6	55	3
4	15		60				7	9	48			14	4
5	11	78	40		2		10		28		13	46	5
6	60		25		28						3	22	6
7	22		60										7
8	25		12	10									8
9	3		15		2						8	38	9
10	20		30	12						8		32	10
11	3		25	12	30		30					5	11
12	3		18	15		18					9	17	12
13	5		5				7			16		6	13
14	85	11		48			7			4		12	14
15	18	10		88						6		38	15
16	15	53		8				3			20	3	16
17	5	50									50	3	17
18		5	69				20				25	3	18
19	60	30	98			2	56	45	26		27	8	19
20	48	6	22			37	20	20				27	20
21		92					25	3	35		2	30	21
22		21							4		3	86	22
23										24	4	26	23
24						15			8	1·10	8	50	24
25	16					6		48	30		2	46	25
26			17	8		2		48				50	26
27				7				1.00				7	27
28	3		53	40				76			52	55	28
29				2				11		7		5	29
30		X		10		14		61			50	54	30
31		X		X		X			X		X	45	31
Total	5.57	3.56	6.09	2.60	1.01	0.99	2.30	4.24	2.53	1.85	2·94	9.37	YEAR'S TOTAL 43·05
Rain Days	21	10	17	12	7	8	11	11	9	8	17	29	160

W, 6,500. VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

17 JAN 1921

Kept at Maiden Bradley
in the County of Wiltshire
by His Grace the Duke of Somerset

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Frome, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 626 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	April	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·05	·25	·47		·50	·05	·05	·20	·44	·55	1
2	·11		·03	·16			·14	·52	·09	·15		·17	2
3	·10	·09		·09	·02		1·32		·02	·87		·03	3
4			·05	·10			·48	·53		·28			4
5			·10	·02	·22		·60	·13		·20		·02	5
6			·24	·03	·25		·45			·11			6
7	·11		·03	·68			·23			·04	·01		7
8	·05	·10		·40	·06		·35			·03			8
9	·85	·18	·04	·13		·38		·03					9
10	·76	·78	·15	·11		·35	·40						10
11	·53	·02	·12	·59	·30	·03	·25						11
12	·29	·09	·02	·32	·05	·64	·08				·17		12
13	·24	·12	·56	·17							·05		13
14	·18	·02	·28	·79			·02		·18	·23	·47		14
15	·05	·11	·03	·54	·04				·06	·63	·07		15
16	·02	·02	·08	·19		·28	·20		·10	·06	·08		16
17	·06		·06	·18	·32		·02		·48	·01	·01		17
18	·05			·05	·18	·06		·34	·15		·01		18
19	·04			·38	·17	·10							19
20	·06	·26		·20		·53	·01					·30	20
21							·17		·03	·02		·29	21
22	·02			·26			·05	·08				·36	22
23	·02						1·16					·45	23
24	·06		·25	·10							·22	·06	24
25	·02	·07	·10				·45						25
26	·33		·16		·04		·10				·10	·10	26
27	·37	·04	·05	·43	·17	·45	·04					·23	27
28	1·15		·05		·08	·04	·11					·04	28
29	·30		·12				·02				·28	·34	29
30	·10	×	·	·05		·48	·25		·38		·48	·34	30
31	·16	×	·16	×		×	·06		×	·43	×	·26	31
TOTAL	6·10	1·90	2·73	6·22	2·37	3·34	7·46	1·68	1·54	3·26	2·39	3·54	YEAR'S TOTAL 42·53
Days with ·01 in. or more	27	13	22	24	14	11	25	7	10	14	13	15	195
Days with ·04 in. or more	23	10	18	22	13	10	21	6	8	11	10	13	165

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MALMESBURY

COWBRIDGE HOUSE

WILTSHIRE

1911, 1920.

✓

11

FORM A2.
BRITISH RAINFALL.

-2 MAY 1912

Kept at Cowbr
~~in the County of~~ J
county of
by C. C. de
in.
ve Ground 1 ft. in.
Sea Level 235.4 ft.
a.m.
Name Malmesbury
Distance Direction

IMPORTANT NO … the result entered to the previous day. If an … versal rule, he is earnestly requested to add the re… ar in the space provided for it at the end of t… ent of rain, the selection and plac… tish Rainfall Organization are given i… sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·02	·16							·07	·05	1
2	·04		·01	·04	·31			·20		·03	·17	·22	2
3	-		·02		·25				—	·01	·12	·06	3
4	-		·09	·03	·	·08				·04	·18	·50	4
5	·05		·04	·03				·41		·03	·24		5
6	·37		·13	·02				·02		—	·08	·54	6
7	·02		·01	·01							·36		7
8	·10		·15								-	·23	8
9	·15		·05								·03	·28	9
10	·06	·12	·18								-	·22	10
11	·12	—	·03		·29						·74	·07	11
12			·60								·64	·09	12
13					·08				·53			·23	13
14		·05	·03									·53	14
15		·02	·09			·02				·01	·21	·14	15
16		·03	·01			·25					·42	·28	16
17		·02	-			·06					·04	·27	17
18		·57	·05	·12	·02	·11				·12		·45	18
19		·03	-	·06		·35			·25	·28	·09	·15	19
20	·02	·06	·11	·04					·14	·10		·51	20
21	·01	·13	·02			·03		·12	·02	·72		·16	21
22		·13	·15	·02		·07				·10		·65	22
23		·20	·22			·05			·04	·08		·21	23
24		·10	-			·30		·06		·43		·10	24
25	·02	·13	·01	·06		·04			·03	·04		·03	25
26	·01	·11	·01	·19		·05				·17	·09	·18	26
27		·26	·29	·04				·16	·17		·14	·24	27
28		·35		·35				·12			·05	·01	28
29						·41	·16		·33	·28	·02		29
30					·14	·01				·19	·03		30
31										·04			31
Total	1·02	2.21	2·32	1·17	1·09	1·83	·16 ~~1·83~~	1·09	1·51	2·67	3·72	6·30	TOTAL for year 25·09
No. of Rain Days	13	16	23	14	6	14	1	7	8	17	19	26	164

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

2 MAY 19

Kept at Cowbridge House

~~in the County of~~ Malmesbury
county of Wilts

by C. C. de Bertodano.

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground 1 ft. .... in.
" " " Sea Level 235.4 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Malmesbury
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.02	.16							.07	.05	1
2	.04		.01	.04	.31			.20		.03	.17	.22	2
3	-		.02		.25					.01	.12	.06	3
4	-		.09	.03		.08				.04	.18	.50	4
5	.05		.04	.03				.41		.03	.24		5
6	.37		.13	.02				.02			.08	.54	6
7	.02		.01	.01							.36		7
8	.10		.15								-	.23	8
9	.15		.05								.03	.28	9
10	.06	.12	.18								-	.22	10
11	.12		.03		.29						.74	.07	11
12			.60								.64	.09	12
13					.08				.53			.23	13
14		.05	.03									.53	14
15		.02	.09			.02				.01	.21	.14	15
16		.03	.01			.25					.42	.28	16
17		.02	-			.06					.04	.27	17
18		.57	.05	.12	.02	.11				.12		.45	18
19		.03	-	.06		.35			.25	.28	.09	.15	19
20	.02	.06	.11	.04					.14	.10		.51	20
21	.01	.13	.02			.03		.12	.02	.72		.16	21
22		.13	.15	.02		.07				.10		.65	22
23		.20	.22			.05			.04	.08		.21	23
24		.10	-			.30		.06		.43		.10	24
25	.02	.13	.01	.06		.04			.03	.04		.03	25
26	.01	.11	.01	.19		.05				.17	.09	.18	26
27		.26	.29	.04				.16	.17		.14	.14	27
28		.35		.35				.12			.05	.01	28
29						.41	.16		.33	.28	.02		29
30					.14	.01				.19	.03		30
31										.04			31
Total	1.02	2.21	2.32	1.17	1.09	1.83	.16 ~~1.83~~	1.09	1.51	2.67	3.72	6.30	TOTAL for year 25.09
No. of Rain Days	13	16	23	14	6	14	1	7	8	17	19	26	164

9,000, IX. '10.

1368

FORM A.2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Stn. No

Kept at Malmesbury (COWBRIDGE HO)
in the County of Wiltshire
by C. E. de Bertodano

Lat. 51° 35′ N Long. 2° 5′ W
Time of Observation 9 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	9.1	11.2	-	9.1	0.5	0.8	3.8	0.5	8.9	1
2	20.3	-	1.0	4.3	0.5	-	2.5	6.4	1.3	5.6	-	3.6	2
3	0.8	1.3	-	7.9	-	0.3	10.7	-	1.3	0.8	-	0.5	3
4	-	-	1.0	1.3	-	-	1.3	14.7	-	9.4	-	-	4
5	-	-	1.5	2.0	0.3	-	14.0	1.8	-	8.4	-	-	5
6	-	-	6.9	0.8	6.4	-	3.0	-	-	-	-	-	6
7	1.3	-	0.5	0.8	3.6	-	2.8	-	-	-	-	1.0	7
8	-	1.5	-	12.2	0.8	-	18.3	-	-	-	-	-	8
9	7.4	17.0	-	23.4	-	0.5	0.3	0.9	-	-	-	-	9
10	24.9	4.6	1.3	2.3	-	3.0	5.8	-	-	-	0.5	-	10
11	5.1	0.8	2.8	5.1	11.4	0.8	1.8	-	-	-	-	-	11
12	3;3	1.0	2.5	7.4	0.5	13.2	1.3	-	-	-	1.0	-	12
13	0.8	1.8	9.7	3.8	-	-	-	-	-	-	-	-	13
14	1.0	0.8	12.4	9.7	-	15.2	1.5	-	1.5	5.1	12.4	1.3	14
15	0.3	3.8	0.5	7.1	-	2.0	0.3	-	2.5	3.0	2.5	-	15
16	-	-	-	2.3	-	3.8	2.8	-	7.1	2.3	3.8	-	16
17	0.8	-	-	1.3	5.6	1.3	-	-	15.7	0.5	0.3	0.5	17
18	2.8	-	-	3.3	3.3	0.5	-	5.1	8.6	-	-	1.3	18
19	1.5	2.5	-	11.9	2.5	0.8	-	0.3	-	-	-	-	19
20	1.3	5.3	-	5.6	-	7.6	-	-	-	-	-	6.1	20
21	-	-	-	2.3	-	-	0.3	-	0.8	-	-	2.5	21
22	-	-	-	3.0	-	0.3	1.5	1.3	0.8	-	-	8.4	22
23	-	-	-	-	-	-	13.7	-	-	-	-	10.7	23
24	3.0	-	4.6	-	-	-	-	-	-	-	2.3	4.3	24
25	0.3	2.8	1.5	0.8	-	-	11.4	-	-	-	-	0.3	25
26	5.8	-	5.1	-	-	-	1.3	-	-	-	0.8	1.8	26
27	9.7	0.8	1.3	4.3	-	13.5	4.8	-	-	-	0.3	4.8	27
28	17.0	-	1.8	0.5	6.1	0.3	1.0	-	-	-	-	-	28
29	4.6	-	1.3	2.3	1.5	2.3	3.0	-	-	-	5.3	8.9	29
30	0.8	✕	-	0.8	-	3.3	2.8	-	8.4	-	8.4	10.2	30
31	1.8	✕	7.4	✕	-	✕	0.3	-	✕	6.1	✕	7.4	31
TOTAL	~~96~~ 114.6	44.0	63.1	135.6	53.7	68.7	115.6	31.0	48.8	45.0	38.1	82.5	YEAR'S TOTAL 840.7
Days with 0.2 mm. or more	22	13	18	27	13	17	25	8	11	10	12	18	194
	16	10	16	22	7	10	21	5	8	8	7	15	147

(44,284). W. [illegible]58—[illegible]. 500. 1/19. Gp.132. A.&E.W.

Copied from 19 3202.

B. made

1448

FORM A. 2. METE

ORGANIZATION.

1919.

-9 MA 20

MALMESBURY (M.O)

WILTSHIRE

—— 1919

Kept at Ma

in the County of

by b. E.

ong 2° 5' W

9h G.M.T.

ion

f Rain Gauge 5 in.

ge above Ground 1 ft. 0 in.

„ Sea Level 235 ft.

IMPORTANT

ult entered to the previous day.

If an Observer prefe
the reading at 9 a.m.
this paragraph. Full
and particulars as to
sent post-free on app
Square, London, N.W.

requested to add
r it at the end of
ng of rain gauges,
ainfall Observers,"
tion, 62, Camden

Jan. 1, following.

Records taken in inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1	·05	-	-	1·5	-	2·8	-	6·4	1·8	3·0	24·7	1
2	2·5	-	-	-	0·5	-	3·0	-	6·1	-	0·8	7·6	2
3	45·0	-	3·8	-	1·0	0·5	0·5	-	7·4	-	-	13·0	3
4	4·1	2·0	11·7	-	0·5	2·5	-	0·5	7·9	-	-	7·4	4
5	-	10·2	12·7	-	2·3	-	-	-	-	-	1·3	6·1	5
6	2·3	1·0	2·5	-	11·4	-	-	-	-	-	-	2·8	6
7	5·6	-	9·1	2·0	-	-	-	-	-	-	1·3	1·0	7
8	3·8	-	2·5	0·5	-	-	-	-	-	-	-	-	8
9	2·3	-	1·3	3·8	-	-	-	-	-	-	2·0	-	9
10	0·5	-	9·4	1·3	-	-	-	-	-	-	-	4·1	10
11	0·8	-	4·6	1·8	2·8	-	18·5	-	-	0·8	-	0·8	11
12	-	-	3·0	-	-	19·1	-	-	-	2·0	2·0	6·9	12
13	3·0	-	-	8·9	-	-	0·3	-	-	-	-	1·0	13
14	15·2	0·3	-	10·7	-	-	-	-	-	-	-	0·8	14
15	7·4	1·0	-	0·8	1·3	-	1·8	-	-	0·8	-	10·2	15
16	3·6	22·9	-	-	-	-	-	-	-	-	3·0	0·3	16
17	-	10·2	-	-	-	-	-	-	-	-	1·8	-	17
18	-	0·3	13·0	-	0·5	-	2·0	4·8	0·5	-	-	1·3	18
19	6·4	9·1	23·1	-	-	2·5	41·4	14·5	1·8	-	1·3	0·8	19
20	8·9	3·0	6·9	-	-	3·8	-	4·6	0·3	-	0·3	2·5	20
21	3·8	13·2	0·3	-	-	-	3·0	-	0·5	-	0·5	3·3	21
22	-	1·8	-	-	-	-	2·5	-	7·6	-	-	2·0	22
23	-	-	-	-	-	-	-	-	-	6·9	1·3	0·5	23
24	-	-	-	-	-	1·0	2·3	-	0·5	20·3	1·8	8·1	24
25	2·5	-	-	-	0·5	-	-	11·4	-	-	-	-	25
26	4·6	-	2·5	-	-	0·8	-	1·0	3·6	-	-	10·7	26
27	1·8	-	-	12·2	-	-	-	19·1	-	-	-	0·5	27
28	0·5	-	7·4	0·5	-	-	-	10·9	-	-	7·9	8·1	28
29	-		-	-	-	-	-	0·5	-	2·8	0·3	5·8	29
30	0·3		-	7·4	-	4·3	-	5·1	-	1·5	6·4	10·7	30
31	0·5		-		-		-	-		-		11·4	31
TOTAL	133·5	75·05	113·8	49·9	22·3	34·5	78·1	72·4	42·6	36·9	35·0	152·4	YEAR'S TOTAL 846·45
Days with 0·2 mm. or more	23	13	16	11	10	8	11	10	11	8	16	27	164

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

1448

9 MAR 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Malmesbury [M.O.]
in the County of Wiltshire
by C. E. Bertodano Esq.

Lat. 51°35′ Long. 2°5′W.
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1	·05	-	-	1·5	-	2·8	-	6·4	1·8	3·0	24·7	1
2	2·5	-	-	-	0·5	-	3·0	-	6·1	-	0·8	7·6	2
3	45·0	-	3·8	-	1·0	0·5	0·5	-	7·4	-	-	13·0	3
4	4·1	2·0	11·7	-	0·5	2·5	-	0·5	7·9	-	-	7·4	4
5	-	10·2	12·7	-	2·3	-	-	-	-	-	1·3	6·1	5
6	2·3	1·0	2·5	-	11·4	-	-	-	-	-	-	2·8	6
7	5·6	-	9·1	2·0	-	-	-	-	-	-	1·3	1·0	7
8	3·8	-	2·5	0·5	-	-	-	-	-	-	-	-	8
9	2·3	-	1·3	3·8	-	-	-	-	-	-	2·0	-	9
10	0·5	-	9·4	1·3	-	-	-	-	-	-	-	4·1	10
11	0·8	-	4·6	1·8	2·8	-	18·5	-	-	0·8	-	0·8	11
12	-	-	3·0	-	-	19·1	-	-	-	2·0	2·0	6·9	12
13	3·0	-	-	8·9	-	-	0·3	-	-	-	-	1·0	13
14	15·2	0·3	-	10·7	-	-	-	-	-	-	-	0·8	14
15	7·4	1·0	-	0·8	1·3	-	1·8	-	-	0·8	-	10·2	15
16	3·6	22·9	-	-	-	-	-	-	-	-	3·0	0·3	16
17	-	10·2	-	-	-	-	-	-	-	-	1·8	-	17
18	-	0·3	13·0	-	0·5	-	2·0	4·8	0·5	-	-	1·3	18
19	6·4	9·1	23·1	-	-	2·5	41·4	14·5	1·8	-	1·3	0·8	19
20	8·9	3·0	6·9	-	-	3·8	-	4·6	0·3	-	0·3	2·5	20
21	3·8	13·2	0·3	-	-	-	3·0	-	0·5	-	0·5	3·3	21
22	-	1·8	-	-	-	-	2·5	-	7·6	-	-	2·0	22
23	-	-	-	-	-	-	-	-	-	6·9	1·3	0·5	23
24	-	-	-	-	-	1·0	2·3	-	0·5	20·3	1·8	8·1	24
25	2·5	-	-	-	0·5	-	-	11·4	-	-	-	-	25
26	4·6	-	2·5	-	-	0·8	-	1·0	3·6	-	-	10·7	26
27	1·8	-	-	12·2	-	-	-	19·1	-	-	-	0·5	27
28	0·5	-	7·4	0·5	-	-	-	10·9	-	-	7·9	8·1	28
29	-		-	-	-	-	-	0·5	-	2·8	0·3	5·8	29
30	0·3	╳	-	7·4	-	4·3	-	5·1	-	1·5	6·4	10·7	30
31	0·5	╳	-	╳	-	╳	-	-	╳	-	╳	11·4	31
TOTAL	133·5	75·05	113·8	49·9	22·3	34·5	78·1	72·4	42·6	36·9	35·0	152·4	YEAR'S TOTAL 846·45
Days with 0·2 mm. or more	23	13	16	11	10	8	11	10	11	8	16	27	164

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

139

FORM A. 2. **METEOROLOG** … **ANIZATION.**

REG …

Stn No 1530

MARLBOROUGH

WILTS

1920

Kept at Marlboro … 1° 44' W

In the County of Wil …

by A. Robson a …

Gauge .... in.

… e Ground .... ft. .... in.

Sea Level 424 ft.

IMPORTANT NOTE.— … tered to the previous day.

If an Observer prefers not to … sted to add the reading at 9 a.m. on 1st … the end of this paragraph. Full instructi… rain gauges, and particulars as to the Bri… Observers," sent post-free on application … 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.1	-	0.2	6.1	9.0	-	12.1	0.1	0.1	6.8	-	10.7	1
2	1.2	-	1.4	2.8	-	-	1.1	5.5	0.2	-	-	2.0	2
3	0.2	0.6	0.1	4.3	-	-	28.7	-	0.2	10.6	-	1.0	3
4	-	0.3	1.1	1.1	-	0.1	1.7	12.1	-	4.1	-	-	4
5	-	0.4	1.0	4.9	0.1	0.1	14.7	0.4	-	7.8	-	0.1	5
6	-	-	7.8	0.2	7.3	-	8.5	-	-	1.3	0.1	0.2	6
7	2.3	0.1	1.0	3.0	3.9	-	7.9	-	-	-	0.1	0.1	7
8	0.2	1.4	0.1	6.7	1.3	-	9.5	-	-	-	-	0.2	8
9	13.9	1.2	-	3.2	-	0.9	0.2	-	0.5	-	-	-	9
10	23.9	4.4	3.0	0.7	-	4.1	6.9	-	-	-	-	-	10
11	4.1	0.6	4.0	10.5	6.4	0.2	3.1	-	-	-	-	0.7	11
12	2.8	1.5	0.3	5.3	1.2	12.6	1.2	0.1	-	-	1.4	-	12
13	1.2	2.0	8.2	1.9	-	0.1	0.2	-	-	-	0.3	0.7	13
14	1.6	0.5	7.1	9.2	-	4.9	1.7	-	2.1	0.4	10.2	0.2	14
15	0.1	2.4	1.8	7.2	0.2	1.4	2.1	-	2.7	2.9	1.3	-	15
16	-	0.2	0.1	1.0	0.1	0.1	~~1~~2.0	-	6.5	0.4	4.2	-	16
17	-	-	0.3	8.8	7.7	1.3	0.2	0.7	5.0	-	-	0.1	17
18	1.7	-	0.1	1.2	5.2	0.2	-	9.5	4.7	-	-	0.2	18
19	1.5	0.5	-	10.2	-	2.3	-	-	-	-	0.2	-	19
20	1.1	6.0	-	7.9	0.1	12.6	-	-	-	-	0.1	7.4	20
21	0.1	0.2	-	1.1	-	0.1	5.4	0.1	1.6	-	-	1.7	21
22	0.5	0.1	-	4.5	-	0.1	3.1	0.1	0.3	-	-	8.6	22
23	0.2	0.2	-	-	-	-	22.1	0.8	-	0.2	-	11.5	23
24	0.5	-	4.2	0.5	0.1	-	0.1	0.2	-	0.1	1.7	4.5	24
25	0.4	-	2.7	0.2	0.2	0.1	8.4	-	-	-	-	-	25
26	4.4	-	4.1	0.1	24.3	0.1	4.0	0.2	-	-	0.5	1.8	26
27	9.3	1.4	1.2	3.4	0.1	11.9	0.2	-	0.1	-	0.1	4.6	27
28	15.6	0.2	1.0	0.3	5.2	0.2	1.7	-	-	0.1	0.1	0.8	28
29	4.6	0.1	2.0	0.1	2.5	0,8	2.2	-	-	-	6.1	6.8	29
30	2.4		0.6	0.2	-	4.5	5.0	-	4.5	-	9.1	10.9	30
31	0.7		8.0		0.2		4.4	-		14.3		4.5	8.012 31
TOTAL	94.6	24.3	61.4 ~~53.6~~ ~~[illegible]~~	106.6	75.1	58.7	158.4	29.8	28.5	490 ~~[illegible]~~	35.5	79.3 ~~73.3~~	803.2 YEAR'S TOTAL ~~789.4~~
Days with 0·2 mm. or more	23	18	~~2120~~	27	14	14	27	8	11	11	10	20	~~203~~ 204
Days with 1·0 mm. or more	16	8	17 ~~16~~	21	11	9	23	3	7	8	7	13	~~142~~ 143

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from MO 3110.

1309

FORM A. 2. **METEOROLOG**[redacted]**ANIZATION.**

REG[redacted]

Stn No 1530

Kept at Marlborough (M.D.)

in the County of Wilts.

by A. Robson and Meddows Taylor

Lat. 51° 25' Long. 1° 44' W

Time of Observation 9h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level 424 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·1	-	0·2	6·1	9·0	-	12·1	0·1	0·1	6·8	-	10·7	1
2	1·2	-	1·4	2·8	-	-	1·1	5·5	0·2	-	-	2·0	2
3	0·2	0·6	0·1	4·3	-	-	28·7	-	0·2	10·6	-	1·0	3
4	-	0·3	1·1	1·1	-	0·1	1·7	12·1	-	4·1	-	-	4
5	-	0·4	1·0	4·9	0·1	0·1	14·7	0·4	-	7·8	-	0·1	5
6	-	-	7·8	0·2	7·3	-	8·5	-	-	1·3	0·1	0·2	6
7	2·3	0·1	1·0	3·0	3·9	-	7·9	-	-	-	0·1	0·1	7
8	0·2	1·4	0·1	6·7	1·3	-	9·5	-	-	-	-	0·2	8
9	13·9	1·2	-	3·2	-	0·9	0·2	-	0·5	-	-	-	9
10	23·9	4·4	3·0	0·7	-	4·1	6·9	-	-	-	-	-	10
11	4·1	0·6	4·0	10·5	6·4	0·2	3·1	-	-	-	-	0·7	11
12	2·8	1·5	0·3	5·3	1·2	12·6	1·2	0·1	-	-	1·4	-	12
13	1·2	2·0	8·2	1·9	-	0·1	0·2	-	-	-	0·3	0·7	13
14	1·6	0·5	7·1	9·2	-	4·9	1·7	-	2·1	0·4	10·2	0·2	14
15	0·1	2·4	1·8	7·2	0·2	1·4	2·1	-	2·7	2·9	1·3	-	15
16	-	0·2	0·1	1·0	0·1	0·1	~~1~~2·0	-	6·5	0·4	4·2	-	16
17	-	-	0·3	8·8	7·7	1·3	0·2	0·7	5·0	-	-	0·1	17
18	1·7	-	0·1	1·2	5·2	0·2	-	9·5	4·7	-	-	0·2	18
19	1·5	0·5	-	10·2	-	2·3	-	-	-	-	0·2	-	19
20	1·1	6·0	-	7·9	0·1	12·6	-	-	-	-	0·1	7·4	20
21	0·1	0·2	-	1·1	-	0·1	5·4	0·1	1·6	-	-	1·7	21
22	0·5	0·1	-	4·5	-	0·1	3·1	0·1	0·3	-	-	8·6	22
23	0·2	0·2	-	-	-	-	22·1	0·8	-	0·2	-	11·5	23
24	0·5	-	4·2	0·5	0·1	-	0·1	0·2	-	0·1	1·7	4·5	24
25	0·4	-	2·7	0·2	0·2	0·1	8·4	-	-	-	-	-	25
26	4·4	-	4·1	0·1	24·3	0·1	4·0	0·2	-	-	0·5	1·8	26
27	9·3	1·4	1·2	3·4	0·1	11·9	0·2	-	0·1	-	0·1	4·6	27
28	15·6	0·2	1·0	0·3	5·2	0·2	1·7	-	-	0·1	0·1	0·8	28
29	4·6	0·1	2·0	0·1	2·5	0·8	2·2	-	-	-	6·1	6·8	29
30	2·4	╳	0·6	0·2	-	4·5	5·0	-	4·5	-	9·1	10·9	30 8012
31	0·7	╳	8·0	╳	0·2	╳	4·4	-	╳	14·3	╳	4·5	31
TOTAL	94·6	24·3	61·4 ~~53·6~~ ~~[illegible]~~	106·6	75·1	58·7	158·4	29·8	28·5	490 ~~[illegible]~~	35·5	79·3 ~~73·3~~	803·2 YEAR'S TOTAL ~~789·4~~
Days with 0·2 mm. or more	23	18	21 ~~20~~	27	14	14	27	8	11	11	10	20	~~203~~ 204
Days with 1·0 mm. or more	16	8	17 ~~16~~	21	11	9	23	3	7	8	7	13	~~142~~ 143

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from MO 3110.

MARLBOROUGH

MILDENHALL

WILTSHIRE

1911 — 1920

1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Mil

in the County of

by Rev.

of top in.

top above Ground ft. in.

" " Sea Level ft.

on

Station { Name
Distance Direction

IMPORTA ... m., and the result entered to the previous day. ... ost universal rule, he is earnestly requested to add ... ing year in the space provided for it at the en ... easurement of rain, the selection a ... the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·02	·27									1
2	·03			·03	·24			·04		·04	·24	·26	2
3	·05	·03	·02		·23			·02			·16	·06	3
4	·04		·11	·02						·27	·12	·35	4
5	·03			·02				·28		·06	·42		5
6	·40		·09					·04			·05	·52	6
7										·05	·45		7
8	·08		·16								·05	·39	8
9	·06		·03									·34	9
10	·07	·19	·22		·06						·05	·47	10
11	·40		·03								·75	·10	11
12			·58		·03				·01		·42	·08	12
13			·02						·28			·58	13
14												·54	14
15		·06	·02								·28	·04	15
16		·01				·11					·61	·17	16
17						·15					·14	·42	17
18		·20	·03	·06		·70				·03		·48	18
19						·41			·09	·13		·14	19
20		·04		·07					·21	·04		·59	20
21		·21				·05		·16		·52		·18	21
22			·47	·02		·03				·07		·71	22
23	·04	·21	·15			·05			·07			·16	23
24	·01	·13				·28		·12		·26		·24	24
25		·04		·11	·14	·05			·04	·03		·03	25
26		·09		·21	·12	·04				·14		·28	26
27		·41	·32	·03				·05	·09		·04	·14	27
28		·61		·33				·13			·10		28
29				·11		·21	·01		·08	·29	·01		29
30				·01	·09				·01	·15			30
31										·22			31
Total	1·26	2·23	2·27	1·29	·91	2·08	·01	·84	·88	2·30	3·89	7·27	TOTAL for year 25·23
No. of Rain Days	12	13	15	13	7	11	1	8	9	15	16	24	144

9,000, IX. '10.

296

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

1911

Kept at Mildenhall

in the County of Wilts 5

by Rev. G. Soames

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·02	·27									1
2	·03			·03	·24			·04		·04	·24	·26	2
3	·05	·03	·02		·23			·02			·16	·06	3
4	·04		·11	·02						·27	·12	·35	4
5	·03			·02				·28		·06	·42		5
6	·40		·09					·04			·05	·52	6
7										·05	·45		7
8	·08		·16								·05	·39	8
9	·06		·03									·34	9
10	·07	·19	·22		·06						·05	·47	10
11	·40		·03								·75	·10	11
12			·58		·03				·01		·42	·08	12
13			·02						·28			·58	13
14												·54	14
15		·06	·02								·28	·04	15
16		·01				·11					·61	·17	16
17						·15					·14	·42	17
18		·20	·03	·06		·70				·03		·48	18
19						·41			·09	·13		·14	19
20		·04		·07					·21	·04		·59	20
21		·21				·05		·16		·52		·18	21
22			·47	·02		·03				·07		·71	22
23	·04	·21	·15			·05			·07			·16	23
24	·01	·13				·28		·12		·26		·24	24
25		·04		·11	·14	·05			·04	·03		·03	25
26		·09		·21	·12	·04				·14		·28	26
27		·41	·32	·03				·05	·09		·04	·14	27
28		·61		·33				·13			·10		28
29				·11		·21	·01		·08	·29	·01		29
30				·01	·09				·01	·15			30
31										·22			31
Total	1·26	2·23	2·27	1·29	·91	2·08	·01	·84	·88	2·30	3·89	7·27	TOTAL for year 25·23
No. of Rain Days	12	13	15	13	7	11	1	8	9	15	16	24	144

9,000, IX. '10.

82 Exd 294

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Mildenhall

in the County of Wiltshire 5

by Rev. Gordon Soames

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·35	·20		·04	·66		·23	1
2		·02	·29			·11	·35			·02			2
3			·03			·22	·01	·40			·03	·04	3
4	·12	·02	·97		·10	·41		·10			·21		4
5	·39	·02	·20			·18		·44			·02	·10	5
6	·33	·20	·04		·05		·02	·45	·03			·29	6
7	·02	·23	·01		·09	·73		·03	·03			·03	7
8	·50	·23	·50			·03		·13				·02	8
9	·01	·12	·29	·04		·33		·03				·33	9
10		·13	·05			·15		·19			·11	·19	10
11	·05	·03									·04	·25	11
12	·10	·31	·20			·01	·04				·02	·02	12
13		·12					·08	·08				·02	13
14	·11		·27		·27	·01		·05		·01		·07	14
15	·05	·14	·04		·13	·43					·02	·28	15
16	·24		·25					·10		·12			16
17	1·39		·20					·65					17
18	·38		·47					·14		·05		·20	18
19	·08	·13	·13				·20	·70		·04	·01	·03	19
20	·05		·37		·03		·31	·30		·30			20
21	·01	·07	·38		·54			·14		·14			21
22	·63	·32	·13		·09			·22		·05		·11	22
23	·24	·37	·41				·33	·28		·02	·22	·47	23
24	·10	·06	·02			·17		·09		·02		·17	24
25						·14		·44			·32	·63	25
26		·08					·28	·17		·53	·50	·18	26
27		·01				·12	·07			·81		·35	27
28		·07				·05		·36	·16	·44	·38	·57	28
29		·08				·48	·32	·02	·70	·47		·03	29
30						·13	·09		·15	·34			30
31			·24		·50		·34	·06		·03		·17	31
Total	4·80	2·76	5·58	·04	1·80	4·05	2·64	5·57	1·11	4·05	1·88	4·78	TOTAL for year 39·06
No. of Rain Days.	19	21	23	1	9	18	14	24	6	17	12	24	188

W. 8,000, X. '11.

88

FORM A.
BRITISH RAINFALL.

302

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Got $15

5

Kept at Mildenhall

in the County of Wiltshire

by Rev. G. Soames

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.18	.16	.14	.15		.02		.58		.23	.20	1
2	.01	.17									.15		2
3	.01		.06	.09	.65							.21	3
4	.54	.01	.06		.37	.03			1.19	.27		.14	4
5	.03				.22	.05	.11		.18		.05	.06	5
6		.03			.23	.08	.56			.35	.01	.46	6
7		.31			.16		.57			.20	.12		7
8		.07								.42			8
9		.17					.06	.20	.13		.05	.08	9
10	.09		.03	.08	.18		.02				.61		10
11	.74			.27	.14			.06		.15	.45		11
12					.22						.22		12
13	.08		.03						.30		.21		13
14	.11		.14	.07			.18	.05	.04	.07			14
15	.17	.16	.34	.82			.35		.25		.05		15
16	.14		.58	.16		.07							16
17	.06	.02	.12	.03			.04				.06		17
18	.04		.21	.19			.04				.08	.04	18
19	.92		.07				.19		.45				19
20	.08		.03	.02						.31	.06		20
21				.06	.09					.02	.48		21
22	.41		.21	.03				.06	.25				22
23						.07		.02				.22	23
24	.02			.21				.01			.03		24
25		.09		.07									25
26		.02		.43				.12		.21			26
27		.02	.22	.16								.27	27
28	.29		.22	.16						.68	.01	.02	28
29			.49	.51				.04		.23		.04	29
30	.53									.41			30
31	.04		.05		.04			.26					31
													YEAR'S TOTAL
Total	4.37	1.25	3.02	3.50	2.45	.30	2.14	.82	3.37	3.32	2.87	1.74	29.15
Rain Days.	20	12	17	18	11	5	11	9	9	12	17	11	152

W. 7,500, XI. ·12

DL ~~written~~ 9.XI.15

and for with 8.III.15 to DM

290

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Mildenhall

in the County of Wiltshire 5

by Rev Gordon Soames

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·02	·47			·13	·04	1
2				·03			·38				1·94	·25	2
3			·25	·17	·25		·26	·20				·10	3
4	·16		·03	·24	·04		·01	·96			·41	·52	4
5			·08	·34			·27	·03			·35	·03	5
6		·17	·04	·14	·07	·02	·09				·18	·30	6
7		·39	·14	·12	·78	·08		·06				·60	7
8	·07	·07	·74	·07	·08	·30	·20	·15				·01	8
9		·14	·55	·20	·04	·63		·05	·07				9
10		·21		·02	·16		·21		·23			·04	10
11	·07	·08	·51		·14	·34	·20		·01		·15	·43	11
12		·07	·12						·31	·03		·39	12
13		·37	·21				·23		·16	·15	·06	·44	13
14	·04	·25	·30							·61	·21		14
15	·04	·02	·20				·02	·32		·03	·07		15
16							·04		·25				16
17		·59	·17						·02			1·15	17
18			·06			·05	·11					·50	18
19		·10	·25				·75				·14	·11	19
20		·33	·62			·07						·17	20
21		·85	·03							·16		·07	21
22		·02	·02		·23	·17	·02			·22			22
23		·07	·12		·07	·01	·02			·80			23
24			·05		·14		·02			·23	·11		24
25			·16					·32		·47	·03	·42	25
26			·03							·07	·19	·60	26
27	·06										·03	·22	27
28		·09	·04		·08						·35	·84	28
29	·30		·14		·12					·26	·25		29
30			·06							·15	·45	·79	30
31	·01						·15			·28		·03	31
Total	·75	3·82	4·92 4·96	1·33	2·20	1·67	3·00	2·56	1·05	3·46	5·05	8·05	YEAR'S TOTAL 37·86
Rain Days.	8	17	25	9	13	9	18	9	7	13	17	23	168

W.7,000, XI. 13

82

corr pr auth 3.V.16

1679
~~286~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Mildenhall N. 82

in the County of Wiltshire 4

by G. Soames

Lat.____ Long.____
Time of Observation____
Nearest Railway Station____
Diameter of Rain Gauge____in.
Height of top of Gauge above Ground____ft.____in.
" " " " Sea Level____ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·78	17			·04			·62	·10	·23	·07	·26	1
2	·37	·29	·32	·10						·28		·24	2
3	2·30	·03	·09	·07	·07		·05	·04				·28	3
4								·10				·59	4
5	·18	·58		·07				·06				·34	5
6	·36	·13		·22			·47	·05				·08	6
7	·12	·48	·01				·30	·02				·37	7
8	·16	·33		·07			·05	·07			·01		8
9	·09	·08		·11				·03			·31	·89	9
10	·20			·02				·01				·10	10
11			·20	·07							·87	·05	11
12	·08	·22		·27	·43			·29			·51	·01	12
13	·04	·86			·98				·07	·02	·02		13
14	·02						·32	·27	·05			1·01	14
15	·28				·08		·03	·03		·02		·16	15
16		·60			·33		·98				·08	·09	16
17		·45	·01		1·49			·42					17
18		·42	·03		·07								18
19					·03		·20						19
20	·21			·15								·14	20
21	·11	·14			·10		·11			·21		·08	21
22	·12	1·16	·59				·46					·25	22
23		·08	·26			·11	·10		·14	·54		·27	23
24			·04	·05			·13		·60	·52		·29	24
25				·02		·32	·08					·24	25
26		·07				·04	·11					·57	26
27		·03				·08	·38			·47			27
28									·90				28
29								·09		·03	·16	·03	29
30	·10	×								·17	·50	·20	30
31	·05	×		×	·01	×		·03	×	1·03	×	·41	31
Total	5·57	6·12	1·55	1·22	3·63	·55	3·77	2·13	1·86	3·52	2·53	6·95 ~~7·06~~	YEAR'S TOTAL 39·40 39·40
Rain Days.	18	18	9	12	11	4	15	15	6	11	9	24	152

W. 8,000. X. 14.

Jl ✓ ~~# Dt~~ cnd by college.

1651
~~255~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Mildenhall Rectory

in the County of Wiltshire

by Rev. Gordon Soames

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05				·19	·05	·01		·14	·11	·47		1
2	·45	·05	·06		·25	·01				·68	·03		2
3	·06	·68	·04		·01				·07	·35	·24		3
4	·16	·13			·07	·53			·27	·13	·60		4
5	·06	·02	·02			·14				·05	·34		5
6	·01	·07	·03		·02	·06	·61			·02	·75		6
7	·03	·02			·05		·04			·05	·28	·21	7
8					·16						·03	·18	8
9			·06		·22	·28	·02					·13	9
10		·50	·01	·07	·02	·12							10
11	·10	·03	·06	·05		·23						·34	11
12		·04		·02	·18		·08	·48	·01	·02			12
13		·31	·11	·08				·60					13
14		·40			·05			·17	·07				14
15	·01	·29	·20	·02				·48					15
16		·09	·11	·12			·26	·24					16
17	·04	·24		·03					·33	·43			17
18	·19	·03	·02	·06				·07	·13	·03	·47	·24	18
19	·10		·06	·22					·04		·17		19
20	·15		·46	·03							·01	·89	20
21	·02		·54		·05							·62	21
22					·03	·01				·15	·01	·55	22
23	·04	·30				·02		·09			·11	·06	23
24		·17		·02	·11	·08		·02		·22	·05	·31	24
25		·72						·35	·04	·03	·17		25
26		·03	·10			·12		·62	·01	·29			26
27	·09		·06		·20	·11		·43	·06	·34			27
28		1·14	1·22					·07	·10	·22		·22	28
29		·27	·12			·36		2·14	·05	·54		·38	29
30		X								·12		·01	30
31		X		X		X		·04	X	·03	X	·03	31
Total	1·56	5·53	3·28	·72	1·61	2·12	1·02	5·80 ✓	1·32	3·81	3·73	4·17	YEAR'S TOTAL 34·67 ✓
Rain Days.	16	21	18	11	15	14	6	14 ✓	13	19	15	14	170

W. 8,000. X. 15.

1575
~~240~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Mildenhall Rectory
in the County of Wiltshire
by G. Soames

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

26 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·19	·12		·05		·85	·07				1
2			·02	·33		·02		·03					2
3	·04			·04			1·00	·33		·55	·13		3
4	·31	·17	·03				·06	·17		·48			4
5			·10	·13		·04		·72	·04	·90	·11		5
6			·24			·59				·11	·10		6
7							·24	·11		·18	·01	·04	7
8	·41		·07	·07			·61	·11	·05	·29	·07	·22	8
9			·04	·01	·08		·02	·42	·03		·09		9
10	·17		·19	·18				·16		·07			10
11	·07		·01	·39						·27	·01		11
12	·02		·02	·04				·02		·58			12
13			·12					·16	·06	·02			13
14				·15				·02					14
15							·60	·11		·11		·03	15
16	·02	·09		·15	·05		·03			·71		·68	16
17		·01		·11	·32		·38	·11	·40	·18			17
18							·28		·50	·03			18
19		·38	·06						·17		·01		19
20		·12	·12		·62	·06					·03		20
21			·18			·05				·05	·05		21
22			·14			·02		·09		·05			22
23		·14	·02		·04			·39		·02		·05	23
24		·13				13	·09	·09		·26			24
25		·07	·05						·05	·15			25
26			·01		·13			·56		·08	·09		26
27					·80	·03		1·03					27
28			·06			1·65		·45					28
29			·09		·16	·15	·09	·04		·38		·24	29
30	·02	X	·08				·91	·15		·02			30
31		X	·09	X		X	·01	·05	X	·02	X		31
Total	1·06	1·11	1·93	1·72	2·20	2·79	4·32	6·17	1·37	5·51	·70	1·26	YEAR'S TOTAL 30·14
Rain Days.	8	8	22	12	8	11	13	23	9	23	11	6	154

2·22

W. 8,000, VIII. 16

8L

57 ~~229~~

REGISTER ~~17~~ 18 OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30.1.19

Kept at Mildenhall

in the County of Wiltshire

by G. Soames

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02			·06			·15		·03	·56	·01	1
2		·04		·22				·37		·03	·13	·22	2
3		·05	·03	·27	·35			·13	·03		·04	·01	3
4		·04	·01					·04	·05		·78	·05	4
5		·11			·26			·12	·48	·15		·02	5
6	·15	·04		·55		·01			·03			·10	6
7		·19		·11	·49				·12	·20		·05	7
8									·54	·05		·06	8
9		·18		·26		·21	·61		·47	·40		·20	9
10				·11		·01	·47		·12	·28		·30	10
11	·04	·01					·71		·39	·11	·08	·09	11
12		·14			·32		·07					·01	12
13	·06						·43		·63			·13	13
14	·26		·02		·03	·07	·22		·41	·28		·17	14
15	1·15			·74	·01	·07	·10		·12			·20	15
16	·24			·45			·01		·18	·02		·10	16
17	·23		·02	·22			·48	·06				·20	17
18	1·01					·47	·21		·25			·08	18
19				·07		·01	·16		·06	·08		(·04)	19
20		·19		·30			·86		·25	·08		·02	20
21	·07	·01				·01	·01		·81	·11		·06	21
22					·17		·50		·19	·03		·22	22
23	·27				·23		·31	·05			·06		23
24		·20				·02			·06		·18		24
25							·13	·56		·01			25
26							·34		·02	·05	·14	·21	26
27		·03	·06				·01	·21	·07		·15	·02	27
28		·02	·28								·18	·06	28
29			·08						1·43			·02	29
30		X	·28							·03	·06	·08	30
31		X	·20	X		X			X	·03	X		31
Total	3·48	1·27	·98	3·30	1·92	·88	5·63	1·69	6·71	1·97	2·36	2·74 ~~2·76~~	YEAR'S TOTAL 32·95 ~~32·95~~
Rain Days.	10	15	9	11	9	9	18	9	22	18	11	27	168

W. 8,000, IX. 17.

81

1422
214

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Mildenhall

in the County of Wiltshire

by G. Soames

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54		·08		·12		·18		·01	·15		1·36	1
2	·14		·01		·03		·21		·33		·09	·15	2
3	1·00		·07		·02		·14		·29			·36	3
4	·16	·04	·68			·21			·27		·04	·30	4
5		·34	·51		·67		·03					·17	5
6	·21		·07									·04	6
7	·09		·52	·02									7
8	·18		·11	·05									8
9	·02		·04	·09							·15	·07	9
10	·02		·40	·08	·13							·02	10
11			·11	·14			·53					·03	11
12	·02		·21	·03		·46	·01			·05			12
13	·05			·40									13
14	·60			·64			·06		·21				14
15	·27	·08		·04	·01					·06	·02	·60	15
16	·02	·69									·10		16
17		·31		·01							·30	·03	17
18			·36				·01	·10	·02		·08	·02	18
19	·28	·16	1·09			·10	·47	·16	·03		·21		19
20	·38	·07	·25			·34	·01	·40	·03			·09	20
21		·47	·01			·02	·07					·12	21
22		·13					·20		·16		·02	·14	22
23						·03		·01	·09	·11	·15		23
24						·05			·01	·60	·15	·35	24
25	·06							·41					25
26	·19	·04	·20	·06			·21	·09	·08			·47	26
27	·07			·59				·42					27
28			·28					·76				·33	28
29				·02				·10		·09	·16		29
30		X		·22				·44		·03	·31	·58	30
31		X		X		X			X		X	·19	31
Total	4·30	2·33	4·99	2·39	·98	1·21	2·13	2·89	1·53	1·09	1·78	5·42	YEAR'S TOTAL 31·04
Rain Days.	19	10	18	14	6	7	13	10	12	7	13	20	149

W. 6,500. VII. 18. w w c

266 ~~AR~~ [illegible] 1398

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Marlborough, Mildenhall
in the County of Wiltshire
by G. Soames

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·46

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				(·23)	·36		·44			·37		·37	1
2				·16			·05	·22	·03	·11		·05	2
3	·05	·02		·17			1·92			·39		·03	3
4		·01	·11	·03			·08	·46		·17			4
5			·05	·13	·01		·72	·01		·35			5
6			·25	·02	·21		·22			·08			6
7	·07		·04	·10	·16		·29						7
8		·05		·27	·04		·36						8
9	(·45)	·05		·11		·04							9
10	·80	·10	·08	·02		·16	·26						10
11	·30		·12	·38	·28	·07	·11						11
12	·09	·07	·02	·20		·43	·03						12
13	·06	·04	·32	·07					·02		·05	·05	13
14	·02		·28	·40		·47			·07	·02	·33		14
15				·30		·03	·04		·13	·10	·03		15
16				·03	·02		·06		·25	·02	·13		16
17				·21	·32	·28	·01		·22				17
18	·09			·06	·14			·35	·19			·03	18
19	·03			·35	·15	·05							19
20		·28		·27		·50						·29	20
21				·02			·23		·08			·05	21
22	·01			·15			·15	·03	·04			·30	22
23	·04						·78					·37	23
24			·15								·11	·15	24
25			·09	·01			·32						25
26	·20	·05	·13		·23		·10				·02	·08	26
27	·29	·05	·05	·10		·39						·15	27
28	·60		·06	·02	·11		·05					·12	28
29	·11		·14		·11	·02					·30	·15	29
30	·07	✕		·01		·18	·34		·18		·20	·44	30
31	·04	✕	·20	✕		✕	·10		✕	·47	✕	·18	31
TOTAL	3·32	·72	2·09	3·82	2·14	2·62	6·66	1·07	1·21	2·08	1·17	2·81	YEAR'S TOTAL 29·71
Days with ·01 in. or more	18	10	16	26	13	12	22	5	10	10	8	16	166
·04	15	8	15	18	11	10	20	3	8	8	6	14	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

MALMESBURY

CHARLTON COTTAGE

1911 — 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Charlton

in the County of W

by Eleanor Com

in.

ve Ground ft. 9 in.

Sea Level 400 ft.

a N Name Malmesbury

Distance 2 mls Direction

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … ement of rain, the selection and pla … British Rainfall Organization are given … sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	8			16							6	3	1
2	4			4	32			23			17	10	2
3			4		24						12	13	3
4	2		8			21					18	54	4
5	5		3	3				42		12	17	X	5
6	30		12	2				2			9	49	6
7	3										34		7
8	7		16								4	22	8
9	20		7								5	27	9
10	6	14	17								3	18	10
11	13	x3			29						70	13	11
12			64			2					71	11	12
13			2		5				60	15	2	20	13
14		5	1								2	51	14
15			6			1					18	11	15
16		6				24				3	45	30	16
17		2									6	29	17
18		42	6	14		6			30			47	18
19						22			30	30	13	18	19
20		7	9			53			11	15		54	20
21		13		2		2		127	2	60		14	21
22			17	2		19				12		69	22
23		21	23			5			4			20	23
24		9				32		5		50		10	24
25				9		5			2	6		4	25
26		16		19		4				17	13	17	26
27		26	30	6				15	21	2	15	16	27
28				40				24				2	28
29						46	5		29	30			29
30					24	3			3	18		2	30
31										6			31
Total	98	1~~0~~4 164	225	117	114	236	05	238	162 1·62	276	380	634	TOTAL for Year [illegible]49
No. of Rain Days.	10	12	16	11	5	15	1	7	9	14	20	27	147

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Charlton Cottage Malmesbury

in the County of Wilts

by Eleanor Countess of Suffolk

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. 9 in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Malmesbury
Distance 2 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	8			16							6	3	1
2	4			4	32			23			17	10	2
3			4		24						12	13	3
4	2		8			21					18	54	4
5	5		3	3				42		12	17	X	5
6	30		12	2				2			9	49	6
7	3										34		7
8	7		16								4	22	8
9	20		7								5	27	9
10	6	14	17								3	18	10
11	13	x3			29						70	13	11
12			64			2					71	11	12
13			2		5				60	15	2	20	13
14		5	1								2	51	14
15			6			1					18	11	15
16		6				24				3	45	30	16
17		2									6	29	17
18		42	6	14		6			30			47	18
19						22			30	30	13	18	19
20		7	9			53			11	15		54	20
21		13		2		2		127	2	60		14	21
22			17	2		19				12		69	22
23		21	23			5			4			20	23
24		9				32		5		50		10	24
25				9		5			2	6		4	25
26		16		19		4				17	13	17	26
27		26	30	6				15	21	2	15	16	27
28				40				24				2	28
29						46	5		29	30			29
30					24	3			3	18		2	30
31										6			31
Total	98	104 164	225	117	114	236	05	238	262 1·62	276	380	634	TOTAL for Year 2649
No. of Rain Days.	10	12	16	11	5	15	1	7	9	14	20	27	147

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 JAN 191

C. 20.11.13

REGISTER OF RAINFALL IN 1912

Kept at Charlton Cottage Malmesbury
in the County of Wilts
by Eleanor Countess of Suffolk

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Malmesbury Wilts
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			16			42	37		4	50		18	1
2	m		23	8		33	12	4		8		3	2
3	5		20			21	6	45	8		3	2	3
4	18		86		9	42		17			29		4
5	30	2	15		10	4		42	2		2	18	5
6	34	20			12			76				14	6
7	3	15	7		9	40		7				4	7
8	42	13	34			05	21	12	10			9	8
9	7		32	9		06		4				19	9
10	5	6	3			2		15			18	8	10
11	12	11						5			4	36	11
12	5	26	10	3	9	01					8	3	12
13	4							11			5	4	13
14	9	4	43		30			9	~~5~~	5		7	14
15	7	14			33	40		10				32	15
16	98		20					4	~~17~~	17	4	2	16
17	101		5			7		52			2	27	17
18	32		74		3		29	10	~~6~~	6		6	18
19	6	12					11	21	~~5~~	5	2	2	19
20	2		38		5			32	~~43~~	43	3		20
21		7	30		70		21	26	~~20~~	20			21
22	60	25	3		40	8		20	~~14~~	14	3	18	22
23	31	60	50			23	3	32	~~12~~	12	10	32	23
24	4		12			12		12	~~2~~	2	11	14	24
25			2			20	47	45	~~4~~	4	29	39	25
26		4					33	50		58	72	26	26
27		1				18	40			66		40	27
28		9				3	53	70	18	44	52	70	28
29		7				56	16		52	27		3	29
30					5	5	62		11	40			30
31					15			11				12	31
Total	515 5·15	236	523	20	250	388 3·88	391	702	105	422 4·21	257	468 468	YEAR'S TOTAL 42·76
Rain Days.	21	17	20	3	13	20	14	26	7	17	17	27	202

4·86

W. 7,500, XI. 12

✓ cndly c 16·III·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 3 JAN 1914

Kept at Charlton Cottage Malmesbury

in the County of Wilts

by Eleanor Countess Of Suffolk

Lat. Long.

Time of Observation 9 A. M

Nearest Railway Station Malmesbury

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	m	m	m	m	m	m	m						
1		19	16	3	10				95		11	5	1
2	2	14	3	13					16	50	7		2
3	3		12	3	75					29		22	3
4	70	3	10		39				146	60	4	16	4
5	2	3				~~16~~ 9	16		4	2	5	9	5
6		4	22		26	~~47~~6	47			18	19	55	6
7		24			17	26	6			22	29	2	7
8		9			15	5				24		2	8
9		14	2		8	3	3	30	15	9	12		9
10	15		3	6	3	x		16		.01 1	25	1	10
11	80			42	15					7	36	4	11
12		3			22						17		12
13	4 s		4						20		32		13
14	6	2	24							13		14	14
15	9	9	30	81					26		11	2	15
16	15		34	4		10			4		2		16
17	2	2	19	13		2	5		4		2		17
18	11		12	20	2	~~5~~					2		18
19	44		7	2		x 5	15		24			3	19
20	28		16	3	30					16	15		20
21	2		23	2	4		9	4	30	2	32		21
22	50		37	10				2					22
23	3		~~2~~2			10					6	13	23
24	8			8							2		24
25	3	9		14								5	25
26		6		35						7		10	26
27			9	21	9			28		3			27
28	33		25	42						20		8 s	28
29	3		4~~2~~ 42	49	1					20		10	29
30	27		2	5						30	5		30
31	3		7		7								31
Total	423 ✓	121 ✓	351 3.57	376 ✓	283 ✓	96 ✓	101 ✓	80 ✓	384 ✓	33~~9~~ 3.33	274 ✓	181 ✓	YEAR'S TOTAL 29.89
Rain Days.	23	14	23	20	16	9	7	5	11	18	20	17	183

W.7,000, XI. 13

[illegible] C-6-III-15 WLMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Charlton Cottage Malmesbury

in the County of Wilts

by Eleanor Countess Of Suffolk

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Malmesbury 2 miles

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	m												
1				9				25			19	3	1
2				3			42	17			90	27	2
3			4	16	49		20	3			7	22	3
4	21			34	16		5	2			34	80	4
5			16	25			25	4			12	15	5
6		9	8	4	12			20			6	26	6
7		51	32	18	30	15	45	6				18	7
8		4	75	2	6	45	5	7				3	8
9	11	2	35	9	7	89		3	24				9
10	4	20			10	37			25				10
11		9	29		5				3		11	47	11
12		10	16				37		19		8	16	12
13		43	31						27	3	7	36	13
14		26	33				6	3	8	60	33	3	14
15			14					52	11	8	16		15
16		4					11		14				16
17		28	16						2			62	17
18		2	2				30		2			50	18
19		9	4				48				6	4	19
20		34	46			8						22	20
21		44								15		6	21
22		2	9	2	9	11				21			22
23		3	8		4		3	10		16			23
24		3	7		5		2			21	9		24
25			27				4			34		22	25
26		1	5				5	27		7	20	53	26
27							2				20	27	27
28	14	11								3	62	115	28
29	2		21		16					16	27	64	29
30	·12	X	11		6					15	64	2	30
31		X		X	3	X	27		X	18	X		31
Total	~~52~~ ·64 ✓	351 3·15	449 4·49	122 1·22	178 ✓	205 2·05	~~372~~ 3·47	179 ✓	135 ✓	237 ✓	451 ✓	723 ✓	YEAR'S TOTAL 34·05
Rain Days.	5 6	20	22	10	14	6	17	13	10	13	18	23	172

W. 8,000. X. 14.

[illegible] 2.V.16

1642

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
4. 1916

Kept at Challon Cottage
in the County of Wiltshire
by Eleanor Countess Of Suffolk

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station Malmesbury
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground .... ft. 9 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	marks										m		
1	29	12			11			5	17	28		24	1
2	47 s	27	28	8				82		49		11	2
3	166	4	8	16	7		8	6		5		15	3
4	5				2		94	7				71	4
5	6	65						14				36	5
6	23	3		25			56	3				24	6
7	25	40		7	7	70	8	6				21	7
8	27	41		8			32	4			8		8
9	5	2						6			20	95	9
10	17		3	6				8		6			10
11	3		7	10				7		2	101	9	11
12	10	13		20	50			24			42	4	12
13	3	60			99				6				13
14	22	2					15	14	14	6		81	14
15	17				20		10	26		10	14	7	15
16	2	85			40		69	3				4	16
17		82	6		116			7				7	17
18		45	14		3								18
19		2			10		30						19
20	22			21						5		16	20
21	20	4 s					2			10		17	21
22	9	35	50	7		9	58					29	22
23		14 s	46				54		63	89		44	23
24			5	11			34		36	70		31	24
25				3		125	5					17	25
26		13				2	10					42	26
27		3				10	13			48		2	27
28		20					2		82			4	28
29						3	3	10	2		9	6	29
30	9	X				27	4			20	40	20	30
31		X		X		X	4		X	97	X	29	31
Total	467 4·67	572	167	142	365	246	511	232	220	445	234	666 6·66	YEAR'S TOTAL 42·67
Rain Days.	20	21	9	12	11	7	20	17	7	14	7	26	42·67 171

W. 8,000. X. 15.

made

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Charlton Cottage

in the County of Wiltshire

by Eleanor Countess of Suffolk

Lat. .... Long. ....

Time of Observation 9, a. M.

Nearest Railway Station Malmesbury

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	6				20	10	24		2	18	35		1
2	101	6	12		19	6	1		3	86	4		2
3		100			9		2		12	60	18		3
4	32				26	37			17	11	68		4
5	4	16	5		15	5				5	13		5
6	19	15	5		25	7	51			7	48		6
7	13		14		7					22	52	27	7
8			4		30	15					1	19	8
9	4		6		16	12	4				2		9
10	2	51	4	14	4	17	6			9	1	3	10
11	8	9	9	14	5	26	13			1	2	17	11
12	4	11	4	4	33			4		11			12
13		40	7	24				10	4	2			13
14		51	4	3	13			33		5			14
15		15	13	7				30	3	3			15
16	10	7	2	23	4		62	16					16
17	19	19		29				11	51	50	2		17
18	2	6	4	6				4	10	6	56 s	22 s	18
19	20		26	17					9	1	14	2 s	19
20	22		63								5	73 s	20
21	23	8	103		12							77 s	21
22				2	9	5				31	3	60 s	22
23		32 s		2				5		16	16	11 s	23
24		20		3	20	27		4		30	3	23	24
25		47	26					47		2	20		25
26	4	14	6			22		4	12	19	4		26
27	8	9	104		4		17		27	40			27
28		51	19						19	14		37	28
29		29				29		210	3	10		64	29
30		X						8		20			30
31		X		X		X		3	X	11	X	4	31
Total	301	556	440	148	271	218	180	389	172	490	367	439	YEAR'S TOTAL
Rain Days.	18	21	21	13	18	13	9	14	13	26	20	14	3971 200

W. 8,000, VIII. 16

I. made

1541

FORM A. BRITISH RAINFALL.

JAN. 1918

cnd fr auth

REGISTER OF RAINFALL IN 1917

Kept at Charlton Cottage Malmesbury

in the County of Wiltshire

by Eleanor Countess of Suffolk.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Malmesbury

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		9	15	20		13		65	12		7		1
2	3		4	12		17		9			3		2
3							22	8		100			3
4		15	11				11	7		30	2	5	4
5	39		8	22		9		7	7	47	18		5
6			14			38			4	20	24		6
7							24	6		10	3		7
8	26		7	17			90	79		43	6	16	8
9	84		15	6				39	15	2	9		9
10	17		41	15	16			32		4		3	10
11	6		3	40				27	22	16			11
12			23	5	4	30		13		42			12
13				4		10		27		9			13
14	1			6				22	7	10			14
15							5	6		9			15
16		10		13	10		8			20		47	16
17	1			15	40		32		32	19			17
18		6				5	31		61	12			18
19	2	38	32			4	1		11				19
20		12	20		60	16	2		1		10		20
21			21			39		4					21
22			14			32		4		8			22
23		20	1			2	1	58		6	4		23
24		12					1	29		25			24
25		9	7					3		15			25
26			2		18			40	14		16		26
27			1		91	3	2	93					27
28						170	1	29					28
29			29		12	78	11	8		40		22	29
30		X	6				20	18		6			30
31		X	13	X		X		6	X	4	X	5	31
Total	179	131	287	175	251	466	262	639 6.39	186	487	102	98 .98	YEAR'S TOTAL 3254 32.63
Rain Days.	9	9	21	12	8	15	16	25	11	23	11	6	166

W. 8,000, IX. 17.

1.13

end of month. by C Heydon

REGISTER OF RAINFALL IN 19[illegible]

26

FORM A.
BRITISH RAINFALL
4.1.19

Kept at Charlton Cottage
in the County of Wilts
by Eleanor Countess of Suffolk.

Lat. Long.
Time of Observation
Nearest Railway Station Malmesbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		3		11	10			15			33	4	1
2		9		8				30		4	7	15	2
3		6		26	20			25	15	4	4	4	3
4		10		6				7	5		88	2	4
5		10			14					19	4	6	5
6	13	21		24		7			9	15		8	6
7	3	13		6	65				10	19	20	3	7
8		28							15	18		4	8
9	2	1		12		18	29		60	21	9	16	9
10	2	3		20			45		30	6		25	10
11	4			5			4		96		8	15	11
12		16	14		27				5			14	12
13	5	2	2		5		25		45	2		40	13
14	48				2		51		29	6		14	14
15	1·26			26	1	5	29					25	15
16	29			75		*7	6		20			5	16
17	19		5	17	12		20	9	10	4		11	17
18	64					52	15		29	5		15	18
19	3		11	7			8		10			5	19
20	4	21		25		7	75		35			3	20
21	9	2		3		3	2		75	2		10	21
22	4	2			2		20		14	5		20	22
23	12				10		35	7	2	4		5	23
24	3	7				3	6		4		16		24
25							21	49	2	3			25
26							90		9	6	17	25	26
27		12	7					23	20		17	4	27
28		9	20	3							15	10	28
29			10								4	9	29
30			29					3	102	4	10	11	30
31			32					2		3		·10	31
Total	~~245~~ 3·50	173	130	274	173	102	~~481~~ 4·81	170	~~551~~ 6·51	150	252	~~329~~ 3·38	YEAR'S TOTAL 32·44
Rain Days.	17	17	9	16	11	8	17	10	24	19	14	29	191

W. 8,000, IX. 17.

~~W~~ M L cndforantt 1449

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Charlton Cottage
in the County of Wiltshire
by Eleanor Countess of Suffolk

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Malmesbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25		5		4		15			10		104	1
2	10		6		2		14		26		6	27	2
3	160		10		1		4		24		11	51	3
4	20	5	53		2	12	5		25		2	32	4
5		45	65		10				32		3	27	5
6	9		15		46						5	13	6
7	25		25	9		2						3	7
8	14		11	7									8
9	6		5	14							10		9
10	2		43	7								15	10
11	6		16	9	11		57			2		4	11
12			29			78	10			10	7	29	12
13	10			28					6			6	13
14	53	11		39			4		4			5	14
15	35		6	5			6			10	4	39	15
16	15	84									13		16
17									3			4	17
18		46	45		10			20	8		6	7	18
19	25	39	87			9	150	5	12		10	4	19
20	25	12	27			16		30	5			12	20
21	45	50	3			4	11		3		5	13	21
22		10					14		18			10	22
23										25	6	9	23
24				2		3				80	14	30	24
25	14				2			20	2				25
26	8		12						19			40	26
27	9			50				50	1			8	27
28	2		35					57			32	29	28
29	1							2		13	3	7	29
30	2	×		20		17		23			27	40	30
31	6	×	7	×		×			×	7	×		31
TOTAL	~~517~~ 5.27	302	505	190	88	141	290	252	188	157	~~174~~ 1.64	~~558~~ 5.68	YEAR'S TOTAL 33.72
Days with ·01 in. or more	24	9	20	11	9	8	11	8	15	8	17	26	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1369

FORM A2.
BRITISH RAINFALL.

6 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Charlton Cottage Malmesbury

in the County of Wilts

by Eleanor [illegible] of Suffolk

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Malmesbury
Distance 2 m Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				38	40		35	0.03	0.02	0.20	[illegible]	32	1
2	9		6	16	4		8	0.15	0.06	0.20	0	16	2
3	3	7		28			32		0.02	.26	0	4	3
4				5			10	.54		0.36	0	0	4
5			5	30	5		32	0.06		0.26	0	0	5
6			20	2	20		23			0.10	0	0	6
7	9		10	5	5		14				0	2	7
8		9		45	6		62	0.03			0	1	8
9	29	7		106 T			2				0	2	9
10	95	14	6	5		4	20				1	0	10
11	26	4	11	27	41	10	9				0	0	11
12	13	6	4	25	6	47	3	~~0.01~~	0.01		6	0	12
13	8	11	31 s	15								28	13
14			68 s	32		47	8		0.07	0.26	43	58	14
15		17		25	4	6		~~0.07~~	0.18 ~~0.07~~	0.16	17	0	15
16	2			8	3	21 T	12		0.30	0.10	7	0	16
17	4			4	19	9 T			0.52	0.03	7	.01	17
18	13			10	20	2			0.35		0	0	18
19	6	11		41	5	10		0.20			0	2	19
20		23		22		26	0.3	0.03			0	0	20
21				[illegible]5					0.05		0	27	21
22	2			12		1	0.16	0.14	0.03		0	2	22
23	2										0	32	23
24	4		19				0				11	49	24
25		13	6	6			0.7				0	0	25
26	22		17	1		10	0.42				0	0	26
27	34	4	5	17		50	[illegible]				0	0	27
28	70		7	5	30 T		0.05				0	44	28
29	16		7	10	7	10	0.03				18	2	29
30	4			5		11	0.25		0.30		50	33	30
31	5		28				0.01			21		38	31
Total	3.76	1.26	2.50	5.50 ~~6.00~~	2.15	2.64	3.75 ~~3.41~~	1.10	1.91 ~~1.00~~	~~2.84~~ 2.14	1.54	2.9[illegible]	TOTAL for year ~~31.45~~ 31.22
No. of Rain Days	21 17	12 12	16 16	28 26	15 14	15 13	23 17	9 5	12 8	11 10	16 8	18 10	190 15[illegible]

0,000, IX. '10.

8L

1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at New

in the County of

by H. J.

—

NEW SWINDON.

WILTSHIRE

1911 — 1920

of top .... in.
top above Ground .... ft. .... in.
„ Sea Level .... ft.

ation { Name
Distance .... Direction

IMPORTANT ..., and the result entered to the previous day. If ... universal rule, he is earnestly requested to add ... ng year in the space provided for it at the end ... surement of rain, the selection and ... e British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·21							·03		1
2	·04			·04	·25			·09		·02	·28	·14	2
3	·01	·01	·01	·02	·24						·05	·06	3
4	·01	·01	·16	·03					·02	·12	·17	·38	4
5	·02		·01	·02				·25		·12	·23		5
6	·34		·05					·01			·08	·48	6
7	·01									·13	·45	·03	7
8	·12		·13								·06	·32	8
9	·13										·03	·20	9
10	·04	·14	·17								·03	·33	10
11	·16		·03		·22						·62	·05	11
12		·01	·57		·02				·04		·52	·14	12
13			·06		·01				·39			·61	13
14		·06	·01									·50	14
15		·02	·02			·01				·01	·22	·03	15
16	·01	·01	·02			·13					·40	·14	16
17		·01				·06					·07	·34	17
18		·45	·03	·04	·01	·07				·01		·28	18
19		·02		·01		·77			·43	·14	·03	·10	19
20	·01	·05	·10	·01					·15	·08		·59	20
21	·01	·17	·01			·01		·12		·32		·12	21
22		·03	·22	·02		·09		·03		·12		·54	22
23		·20	·21	·01		·79			·04	·04		·12	23
24	·02	·07	·01			·30		·02		·70		·10	24
25		·12	·06	·07	·09	·06				·02		·01	25
26		·10		·14	·01	·02		·01		·12	·08	·18	26
27		·24	·25	·05				·05	·15		·06	·13	27
28		·40		·50				·12			·06		28
29				·05		·18			·30	·18	·01		29
30				·01	·15	·01		·27	·03	·13			30
31										·03			31
Total	·97	2·12	2·13	1·23	1·00	2·50	[illegible]	·97	1·55	2·29	3·48	5·92	TOTAL for year 24·16
No. of Rain Days	15	19	20	16	9	13	0	10	9	17	20	25	173

9,000, IX. '10.

84

301

REGISTER OF RAINFALL 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at New Swindon
in the County of Wilts 6
by H. J. Southwell

Rain Gauge: Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·21							·03		1
2	·04			·04	·25			·09		·02	·28	·14	2
3	·01	·01	·01	·02	·24						·05	·06	3
4	·01	·01	·16	·03					·02	·12	·17	·38	4
5	·02		·01	·02				·25		·12	·23		5
6	·34		·05					·01			·08	·48	6
7	·01									·13	·45	·03	7
8	·12		·13								·06	·32	8
9	·13										·03	·20	9
10	·04	·14	·17								·03	·33	10
11	·16		·03		·22						·62	·05	11
12		·01	·57		·02				·04		·52	·14	12
13			·06		·01				·39			·61	13
14		·06	·01									·50	14
15		·02	·02			·01				·01	·22	·03	15
16	·01	·01	·02			·13					·40	·14	16
17		·01				·06					·07	·34	17
18		·45	·03	·04	·01	·07				·01		·28	18
19		·02		·01		·77			·43	·14	·03	·10	19
20	·01	·05	·10	·01					·15	·08		·59	20
21	·01	·17	·01			·01		·12		·32		·12	21
22		·03	·22	·02		·09		·03		·12		·54	22
23		·20	·21	·01		·79			·04	·04		·12	23
24	·02	·07	·01			·30		·02		·70		·10	24
25		·12	·06	·07	·09	·06				·02		·01	25
26		·10		·14	·01	·02		·01		·12	·08	·18	26
27		·24	·25	·05				·05	·15		·06	·13	27
28		·40		·50				·12			·06		28
29				·05		·18			·30	·18	·01		29
30				·01	·15	·01		·27	·03	·13			30
31										·03			31
Total	·97	2·12	2·13	1·23	1·00	2·50	·00	·97	1·55	2·29	3·48	5·92	TOTAL for year 24·16
No. of Rain Days	15	19	20	16	9	13	0	10	9	17	20	25	173

9,000, IX. '10.

82

cwd for auth

296

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at New Swindon

in the County of Wiltshire 6

by H. J. Southwell

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09			·67	·27		·03	·37		·24	1
2			·29	·01		·28	·34						2
3	·02		·11			·17	·16	·31	·04		·03	·02	3
4	·17	·01	·61		·07	·29		·03			·21		4
5	·20	·05	·28		·04	·04		·36	·03			·04	5
6	·36	·12	·02		·04		·13	·26	·02			·08	6
7		·18	·02		·07	·50		·01				·04	7
8	·27	·15	·33	·01		·02	·03	·10		·01		·07	8
9	·06	·07	·34	·05		·13	·01					·19	9
10	·01	·07	·03			·09		·38			·14	·13	10
11	·09	·05	·01								·07	·27	11
12	·05	·21	·12		·02	·01	·02				·02		12
13		·06					·06	·07			·01	·01	13
14	·10		·25		·46			·01		·01		·04	14
15	·05	·07	·02		·17	·35		·08				·28	15
16	·30		·13		·03	·03		·07		·09	·02	·01	16
17	1·02		·08		·01	·07		·39			·01	·07	17
18	·22		·51		·01			·02		·04		·08	18
19	·05	·08	·02			·03	·17	·54		·02	·01	·01	19
20	·02		·25				·11	·18		·37	·01		20
21	·02	·03	·47		·49			·25		·24			21
22	·50	·19			·19	·11	·13	·16		·06	·01	·07	22
23	·31	·39	·40			·01	·06	·35		·12	·18	·32	23
24	·07	·02	·03			·10	·07	·19				·13	24
25						·14		·45			·43	·50	25
26		·04					·30	·43		·39	·75	·16	26
27			·03			·09	·23			·55		·30	27
28		·05					·12	·32	·24	·35	·39	·75	28
29		·10				·25	·25	·01	·76	·28		·08	29
30						·23	·11	·02	·17	·34			30
31			·07		·23		·39	·04		·02		·04	31
Total	3·89	1·94	4·51	·07	1·83 1·83	3·61	2·96	5·03	1·29	3·26	2·29	3·93	TOTAL for year 34·61
No. of Rain Days.	20	19	24	3	13	21	19	25	7	16	15	25	207

W. 8,000, X. '11.

88 ✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

304

27 JAN 1914

Kept at New Swindon

in the County of Wiltshire

by H. J. Southwell

6

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·33	·14	·03	·07				·68		·23	·08	1
2	·01	·12	·01	·04			·01		·06	·66	·12		2
3	·01		·09	·03	·30					·18		·21	3
4	·56	·03	·06		·31	·04			·40	·27	·02	·11	4
5	·01	·02				·05	·06		·03	·01	·11	·06	5
6	·01	·05	·12		·16	·06	·70			·30	·02	·55	6
7		·25			·19	·03	·03			·30	·12	·01	7
8		·09			·18	·24				·29	·01	·01	8
9		·16	·01			·01	·18	·21	·17		·02	·02	9
10	·11		·03	·07	·01			·05		·02	·53		10
11	·76	·01		·35	·04			·06		·09	·67	·02	11
12					·11				·02	·01	·10	·01	12
13	·05	·01	·01		·07				·15		·18		13
14	·06	·02	·17	·12			·08	·05	·01	·11	·03	·01	14
15	·09	·17	·40	·89			·29		·06		·10	·01	15
16	·25		·45	·11		·03			·02				16
17	·02	·01	·12	·04		·13			·01		·01	·01	17
18	·07		·09	·15			·04				·13		18
19	·66		·02	·01		·06	·11		·27				19
20	·04		·15	·03						·17	·05		20
21			·02	·05	·21						·36		21
22	·40		·27	·10				·01	·20				22
23	·02		·01			·09		·04			·02	·14	23
24	·03			·10						·01	·01		24
25		·10		·14						·03		·03	25
26		·05		·31				·20		·19		·20	26
27		·02	·14	·14						·07			27
28	·25		·14	·23						·23	·01	·02	28
29			·48	·67	·04			·02		·13	·01	·03	29
30	·33									·24	·05		30
31	·05		·04					·10					31
Total	3·83	1·44	2·97	3·61	1·69	·74	1·50	·74	2·08	3·31	2·91	1·53	YEAR'S TOTAL 26·35
Rain Days.	22	16	22	20	12	10	9	9	13	19	23	18	193

W. 7,500, XI. ·12

81 291

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at New Swindon
in the County of Wiltshire 6
by H. J. Southwell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.09			.02	.37			.14	.01	1
2	.01			.06			.88	.04			1.25	.45	2
3	.01		.06	.18	.22		.14	.21			.01	.14	3
4	.23		.01	.19	.14		.04	.99			.39	.60	4
5	.02		.11	.27	.06	.01	.45	.02			.27	.05	5
6	.02	.07	.07	.04	.04		.04	.07			.18	.32	6
7	.01	.25	.17	.22	.35	.01	.13	.05			.01	.23	7
8	.04	.05	.84	.01	.02	.51	.22	.07					8
9	.06	.01	.46	.09	.04	.63		.10	.02				9
10	.01	.17	.02	.01	.12				.32		.01		10
11		.12	.27	.02	.08	.25	.04				.11	.45	11
12		.12	.10			.01	.33		.28	.01	.05	.23	12
13		.36	.35						.23	.10	.07	.24	13
14		.19	.38				.19	.02	.03	.97	.14	.09	14
15	.04	.01	.14				.05	.54	.02	.02	.12	.01	15
16			.01				.02		.10				16
17		.34	.13						.01			.41	17
18			.07			.68	.22					.49	18
19		.07	.26				.79				.08	.08	19
20		.21	.34			.09						.18	20
21		.76	.03							.16		.08	21
22		.01	.02	.03	.09	.39	.01	.04		.27		.03	22
23		.16	.08		.08		.03			.10		.14	23
24	.01	.02	.10		.09			.02		.28	.09		24
25	.05		.14		.01			.21		.27	.02	.21	25
26		.02	.03				.08			.06	.17	.38	26
27	.04										.05	.21	27
28	.01	.03	.06		.10						.45	.88	28
29	.12		.06		.04					.31	.31		29
30	.01		.07		.01	.12				.13	.50	.53	30
31	.01						.15			.14		.02	31
Total	.70	2.97	4.38	1.21	1.49	2.70	3.83	2.75	1.01	2.82	4.42	6.46	YEAR'S TOTAL 3474
Rain Days.	17	19	27	12	16	10	19	14	8	13	21	25	201

W.7,000, XI. 13

82

cnd by Ovr - 6.V.16

1684
~~288~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Swindon

in the County of Wiltshire

by H. J. Southwell

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·55	·09			·10			·09	·16	·25	·06	·20	1
2	·40	·29	·19	·09				1·12	·01	·16		·11	2
3	1·33	·03	·03	·10	·12		·02	·04		·01		·18	3
4	·02				·01		·06	·01				·54	4
5	·03	·63		·01				·07				·18	5
6	·26	·06		·25			·40	·04			·01	·13	6
7	·27	·43			·05	·04	·05	·04				·21	7
8	·35	·24		·03			·12	·08			·02		8
9	·12	·02		·17				·06			·23	·82	9
10	·17	·01	·04	·02				·01			·01	·04	10
11			·06	·08	·01			·16			·80	·02	11
12	·08	·10	·01	·19	·41			·23			·52	·04	12
13	·03	·56			1·05				·05		·02		13
14	·09	·04					·12	·17	·05	·05		·63	14
15	·17			·02	·04		·06	·13	·01	·03	·06	·06	15
16		·76		·01	·20		·62	·31				·04	16
17		·66	·03		1·56							·01	17
18		·26	·05		·03						·04		18
19		·05	·01		·05		·35						19
20	·20			·10	·01							·16	20
21	·10	·03								·14		·10	21
22	·08	·64	·62	·04			·33		·01			·16	22
23		·10	·47			·14	·23		·07	·51	·01	·37	23
24			·04	·10		·02	·14		·48	·48		·20	24
25				·03		·47	·03			·01		·23	25
26		·07					·04					·42	26
27		·04				·08	·40			·31		·03	27
28		·09	·01						·81	·11			28
29								·17	·01		·06	·02	29
30	·08	✕		·01						·09	·24	·10	30
31	·05	✕		✕		✕	·01	·01	✕	·96	✕	·40	31
Total	4·38	5·20	1·56	1·25	3·64	·75	2·98	2·74	1·66	3·11	2·08	5·40	YEAR'S TOTAL 34·75
Rain Days.	19	22	12	16	13	5	16	17	10	13	13	26	182

W. 8,000. X. 14.

8L   Exc 8L   1534
357

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Swindon

in the County of Wiltshire

by H. J. Southwell

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·01		·16	·04	·15			·07	·58	·01	1
2	·60	·03	·06		·42					·75	·03	·01	2
3	·02	·71			·03		·01		·11	·22	·15	·01	3
4	·18	·20			·09	·22			·14	·33	·58	·01	4
5	·03	·01	·03		·22	·11				·03	·28	·01	5
6	·08	·10	·06		·03	·04	1·02			·08	·74	·01	6
7	·07	·02	·15		·06		·01			·20	·22	·24	7
8		·01	·03		·17					·01	·01	·18	8
9	·01				·16	·17				·01	·01	·01	9
10	·01	·42	·02	·07		·12				·03	·01	·01	10
11	·07	·04	·08	·10	·02	·15				·01	·01	·24	11
12	·01	·06		·04	·20	·02	·31			·03	·01	·01	12
13		·35	·08	·13			·04	·16		·01	·01	·01	13
14		·44	·04		·08			·10		·07	·01	·01	14
15		·24	·21	·02			·02	·29		·01	·01	·04	15
16	·04	·02	·08	·11	·04		·35	·32		·07	·01	·04	16
17	·10	·22		·16				·20	·39	·39	·01	·06	17
18	·01	·01	·04	·04			·01	·17	·11	·07	·50	·37	18
19	·10		·06	·57						·01	·27		19
20	·17		·59							·01	·03	·45	20
21	·09		1·00		·05					·01	·06	·34	21
22	·03	·01	·01		·06	·02				·24	·01	·47	22
23	·01	·22				·01	·01	·07		·10	·09	·12	23
24		·14		·03	·12	·04		·04		·22	·03	·01	24
25		·47	·12			·01		·33	·04	·03	·16	·01	25
26	·01	·10	·03			·14		·14		·23	·01	·01	26
27	·08	·08	1·46		·08	·03		·43	·10	·26	·01	·02	27
28		·52	·10			·01		1·07	·35	·18	·01	·25	28
29		·23				·23		1·54	·03	·19	·01	·38	29
30		X								·53	·01	·01	30
31		X		X		X			X	·12	X	·02	31
Total	1·79	4·65	4·26	1·27	1·99	1·36	1·93	4·86	1·27	4·52	3·88	3·37	YEAR'S TOTAL 35·15
Rain Days.	21	24	21	10	17	16	10	13	8	31	30	30	231

W. 8,000. X. 15.

1579

FORM A.
BRITISH RAINFALL.

26. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Swindon

in the County of Wiltshire

by H. J. Southwell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	·15				1·15					1
2								·04					2
3	·05						·58	·27		·60			3
4										·30			4
5	·35		·15	·23		·04				·46	·19		5
6			·15			·30				·26	·20		6
7	·30						·15			·28		·08	7
8	·38			·12	·05		·92	·27				·27	8
9			·13		·26		·06	·13			·10		9
10	·11		·21	·20				·14	·11	·10	·03		10
11	·05		·47	·40						·16			11
12				·03				·17		·44			12
13			·10		·50			·12	·08	·10			13
14				·03									14
15		·15		·08				·06					15
16		·17		·06						·65		·67	16
17							·33	·12	·71	·10			17
18							·54		·42				18
19	·05		·43										19
20			·03		·50				·08		·10		20
21											·06		21
22			·15			·25		·09		·10			22
23								·39					23
24		·05	·10			·23		·10		·40		·10	24
25		·09								·12			25
26					·40			·39			·14		26
27		·06			1·00			·50	·15				27
28			·12			}·80		·86					28
29			·03			}1·20	·10	·04		·40		·24	29
30		×					·62	·18		·04			30
31		×	·10	×		×	·04	·16	×		×		31
Total	1·29	·52	2·27	1·30	2·71	2·82	3·34	5·18	1·55	4·51	·82	1·36	YEAR'S TOTAL 27·67
Rain Days.	7	5	14	9	6	6	9	19	6	16	7	5	~~109~~

W. 8,000, VIII. 16

2.52

61 ~~230~~

FORM A.
BRITISH RAINFALL.
30 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Swindon
in the County of Wiltshire
by H. J. Southwell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			–	.17			–	.06			.42	.07	1
2				.38				.42		.07	.08	.11	2
3		.10			.12			.26	.18		.05		3
4								.15	.10	.11	.62		4
5					.09				.44			.10	5
6	.17			.21					.07	.30			6
7				.12	.58				.20		.22		7
8		.09							.43	.30			8
9		.28				.20	.36		.32			.10	9
10	.08			.30			.44		1.00			.38	10
11		.29					.15		.20	.08	.10		11
12									.75			.09	12
13		.15			.28	.06			.51		.08	.22	13
14	.30		.12				.68			.08			14
15	.68			.55			.15		.12			.20	15
16	.28			.80					.03				16
17	.19			.18			.39		.32			.20	17
18	.52					.35	.21		.10				18
19			.10	.13			.21		.73	.28		.22	19
20	.03	.16		.36			.43		.29				20
21	.07					.08			.11				21
22							.26					.21	22
23	.14				.25		.50		.03				23
24		.16					.04						24
25				.12				.82			.03		25
26		.03					.61		.13			.24	26
27								.23					27
28			.28						1.24		.36	.15	28
29													29
30		X	.28							.08		.15	30
31		X	.05	X		X			X		X		31
Total	2.46	1.26	.83	3.32	1.32	.69	4.43	1.94	7.30	1.30	1.96	2.44	YEAR'S TOTAL 29.25
Rain Days.	10	8	5	11	5	4	13	6	21	8	9	14	114

W. 8,000, IX. 17.

6 X 4

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

3 FEB 20

Kept at Swindon
in the County of Wilts
by H J Southwell

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station G.W.R. Swindon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 378 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	-	-	-	-	-	-	-	-	·11	-	1·07	1
2	·50	-	-	-	-	-	-	-	·15	-	·17	·15	2
3	·76	-	-	-	·16	-	-	-	·42	-	-	·50	3
4	-	·10	·80	-	-	-	-	-	·24	-	·05	·15	4
5	-	·32	·63	-	-	-	-	-	·38	-	-	·21	5
6	·20	-	-	-	-	-	-	-	-	-	·11	·17	6
7	·10	-	·30	-	·04	-	-	-	-	-	-	-	7
8	·15	-	-	·20	-	-	-	-	-	-	-	-	8
9	·04	-	-	-	-	-	-	-	-	-	·10	-	9
10	-	-	·28	·40	-	-	-	-	-	-	-	·12	10
11	-	-	·06	-	-	-	·40	-	-	-	-	-	11
12	-	-	·20	-	-	·56	·10	-	-	·09	-	-	12
13	-	-	-	·33	-	-	-	-	-	-	-	·06	13
14	·60	-	-	·44	-	-	-	-	-	-	-	-	14
15	·18	-	-	-	-	-	-	-	-	·13	-	·50	15
16	-	·78	-	-	-	-	-	-	-	-	·14	-	16
17	-	·32	-	-	-	-	-	-	-	-	·22	-	17
18	-	-	·30	-	-	-	-	·22	-	-	-	·03	18
19	·31	·12	·75	-	-	·12	1·12	·16	·11	-	·15	·04	19
20	·30	-	·62	-	-	-	-	·40	-	-	-	·12	20
21	-	·47	-	-	-	-	·40	-	-	-	-	·20	21
22	-	·06	-	-	-	-	-	-	-	-	-	·11	22
23	-	-	-	-	-	-	-	-	·22	·20	·05	-	23
24	-	-	-	-	-	·06	-	-	·06	-	·10	·42	24
25	·32	-	-	-	-	-	·22	·43	-	·74	-	-	25
26	-	-	·17	-	-	-	·12	-	·21	-	-	·32	26
27	-	-	-	-	-	-	-	·33	-	-	·17	·05	27
28	-	-	-	·53	-	-	-	·47	-	-	-	·19	28
29	-		-	-	-	-	-	·20	-	·11	-	-	29
30	-	X	-	·20	-	·24	-	·54	-	·05	·30	·43	30
31		X	-	X		X	-	-	X		X	-	31
TOTAL	3·80	2·17	4·11	2·10	·20	·98	2·36	2·75	1·79	1·43	1·56	4·84	YEAR'S TOTAL 28·09
Days with ·01 in. or more	12	7	10	6	2	4	6	8	8	7	11	19	TOO

Ent RL

1402

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Swindon
in the County of Wilts
by H J Southwell

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station G.W.R. Co Swindon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 11 in.
" " " " Sea Level 378 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	-	·33	-	·30	-	-	·50	-	·48	1
2	-	-	-	·32	-	-	-	·33	-	·10	·03	·11	2
3	-	·08	·10	·10	-	-	·46	-	-	·31	-	-	3
4	-	-	-	·13	-	-	-	·42	-	·15	-	-	4
5	-	-	·06	·20	-	-	·60	-	-	·20	-	-	5
6	-	-	·19	-	·12	-	-	-	-	·14	-	-	6
7	·11	-	-	·10	·13	-	·42	-	-	-	-	-	7
8	-	-	-	·30	-	-	·26	-	-	-	-	-	8
9	·23	·08	-	1·70	-	-	-	-	-	-	-	-	9
10	·64	·10	-	·10	-	·15	·52	-	-	-	-	-	10
11	·15	-	·26	·26	·30	-	·11	-	-	-	·02	-	11
12	·10	-	-	·20	-	·45	·06	·20	-	-	-	-	12
13	·09	·10	·33	·10	-	-	-	-	-	-	·03	-	13
14	-	·15	-	·34	-	·26	-	-	-	·11	-	-	14
15	-	-	·50	·29	·10	·12	·06	-	·10	·20	·40	-	15
16	-	-	-	·20	-	·32	-	-	-	·03	·10	-	16
17	-	-	-	·23	·30	·02	-	-	·26	-	·12	·07	17
18	·13	-	-	·03	·22	-	·03	·26	·28	-	-	-	18
19	·04	-	-	·29 ~~83~~	-	·40	-	-	·23	-	-	-	19
20	-	·29	-	·20	-	-	-	-	-	-	-	·24	20
21	-	-	-	·05 ~~20~~	-	-	·15	-	-	-	-	·06	21
22	-	-	-	·05	-	-	·02	-	·10	-	-	·28	22
23	-	-	-	~~85~~	-	-	·81	·04	-	-	-	·26	23
24	·11	-	·15	-	-	-	-	-	-	-	-	·12	24
25	-	·11	·10	-	-	-	·26	-	-	-	·10	·05	25
26	·25	·04	·15	-	·65	-	·13	-	-	-	-	-	26
27	·32	-	-	·20	-	·50	-	-	-	-	-	-	27
28	·43	-	·10	·03 ~~20~~	·57	-	-	-	-	-	-	·08	28
29	·12	-	·10	-	-	·04	-	-	-	-	-	·40	29
30	-	X	-	-	-	·15	·26	-	·30	-	·10	·20	30
31	·03	X	·23	X	-	X	-	-	X	·49	X	·21	31
TOTAL	2·79	·95	2·27	5·42	2·72	2·41	4·45	1·25	1·27	2·23	·90	2·56	YEAR'S TOTAL 29·22
Days with ·01 in. or more	15	8	12	22	9	10	16	5	6	10	8	13	~~134~~
Days with ·04 in. or more	14	8	12	20	9	9	14	5	6	9	5	13	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MARLBOROUGH
COLLEGE
WILTS
1911 - 1920

Cnd by Rms. Rmg

REC

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Marlborou
in the County of Wilts
by G. G. Becher

in.
round ft. in.
Sea Level 430 ft.
M.
Name G.W.R. : M.S.W.J. Rail
Distance 1 Mile Direction S.E.

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ear in the space provided for it at the end of this ment of rain, the selection and placin British Rainfall Organization are given in "Rules for Rainfall Observers," n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	—	·03	·22	—	—	—	—	—	—	—	·02	1
2	—	—	—	·01	·28	—	—	·06	—	03 ~~05~~	·25	·27	2
3	·02	—	·01	—	·23	—	—	·04	—	—	·16	·05	3
4	·02	·02	·10	·04	—	—	—	—	·01	·26	·13	·37	4
5	05 ~~08~~	—	—	—	·01	—	—	·25	—	·05	·39	—	5
6	·46	—	·08	—	—	—	—	·03	—	—	·05	·37	6
7	03	—	—	—	—	—	—	—	—	·06	31 ~~37~~	·04	7
8	·09	—	·18	—	—	—	—	—	—	—	·05	·35	8
9	·09	—	·04	·02	—	—	—	—	—	—	·02	·35	9
10	·08	·16	·25	—	—	—	—	—	—	—	·03	48	10
11	·41	—	·03	—	·03	—	—	—	—	—	·65	·11	11
12	—	—	·66	—	·07	—	—	—	·02	—	·50	·13	12
13	—	—	·04	—	—	—	—	—	·26	—	—	54	13
14	—	·02	—	—	—	—	—	—	—	—	·01	53	14
15	—	·07	·02	—	—	·01	—	—	—	—	·33	·03	15
16	—	03 ~~02~~	—	—	—	·14	—	—	—	—	·53	·24	16
17	·01	·02	—	—	—	·17	—	—	—	—	·13	·39	17
18	—	·33	·04	·06	—	·68	—	—	—	·04	—	·47	18
19	—	—	—	·02	—	·41	—	—	·09	·14	·03	·09	19
20	·01	·04	·09	·07	—	—	—	—	·21	·05	—	·64	20
21	·01	·29	—	·02	—	·06	—	·09	—	·43	—	·11	21
22	—	—	·48	·01	—	·06	—	—	—	·07	—	·68	22
23	—	·22	·10	—	—	·03	—	—	·09	—	·01	34	23
24	·01	·17	—	—	—	·25	—	·13	—	·30	—	·13	24
25	·02	·06	·02	·15	·23	·08	—	—	·04	·10	—	·01	25
26	—	·10	—	·23	·05	·03	—	·03	—	·17	·02	·30	26
27	—	·46	·27	·03	—	—	—	·06	·11	—	·01	·14	27
28	—	60	—	·33	—	—	·01	·13	—	—	·09	—	28
29	—		—	·12	—	25	·15	—	12	·35	—	—	29
30	—		—	·01	·08	·02	—	—	·02	·10	—	—	30
31	—		—		—		—	—		·20		—	31
Total	1·35	2·59	2·44	1·34	·98	2·19	·16	·82	·97	2·35	~~4·26~~ 3·76	7·78	TOTAL ~~[illegible]~~ 26·13
No. of Rain Days.	15	15	17	15	8	13	2	9	10	15	20	26	165

W. 8,000, X. '11.

Cnd by Rmls [illegible]

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
10 JAN 1912

Kept at Marlborough College

in the County of Wilts 5

by G. G. Becher, Esq.

RAIN GAUGE
Pattern —
Diameter of top 4 in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level 430 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name G.W.R. M.&S.W.J. Rail
Distance 1 Mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·03	·22	—	—	—	—	—	—	—	·02	1
2	—	—	—	·01	·28	—	—	·06	—	03 ~~05~~	·25	·27	2
3	·02	—	·01	—	·23	—	—	·04	—	—	·16	·05	3
4	·02	·02	·10	·04	—	—	—	—	·01	·26	·13	·37	4
5	05 ~~08~~	—	—	—	·01	—	—	·25	—	·05	·39	—	5
6	·46	—	·08	—	—	—	—	·03	—	—	·05	·37	6
7	03	—	—	—	—	—	—	—	—	·06	·37	·04	7
8	·09	—	·18	—	—	—	—	—	—	—	·05	·35	8
9	·09	—	·04	·02	—	—	—	—	—	—	·02	·35	9
10	·08	·16	·25	—	—	—	—	—	—	—	·03	48	10
11	·41	—	·03	—	·03	—	—	—	—	—	·65	·11	11
12	—	—	·66	—	·07	—	—	—	·02	—	·50	·13	12
13	—	—	·04	—	—	—	—	—	·26	—	—	54	13
14	—	·02	—	—	—	—	—	—	—	—	·01	53	14
15	—	·07	·02	—	—	·01	—	—	—	—	·33	·03	15
16	—	03 ~~02~~	—	—	—	·14	—	—	—	—	·53	·24	16
17	·01	·02	—	—	—	·17	—	—	—	—	·13	·39	17
18	—	·33	·04	·06	—	·68	—	—	—	·04	—	·47	18
19	—	—	—	·02	—	·41	—	—	·09	·14	·03	·09	19
20	·01	·04	·09	·07	—	—	—	—	·21	·05	—	·64	20
21	·01	·29	—	·02	—	·06	—	·09	—	·43	—	·11	21
22	—	—	·48	·01	—	·06	—	—	—	·07	—	·68	22
23	—	·22	·10	—	—	·03	—	—	·09	—	·01	34 ~~[illegible]~~	23
24	·01	·17	—	—	—	·25	—	·13	—	·30	—	·13	24
25	·02	·06	·02	·15	·23	·08	—	—	·04	·10	—	·01	25
26	—	·10	—	·23	·05	·03	—	·03	—	·17	·02	·30	26
27	—	·46	·27	·03	—	—	—	·06	·11	—	·01	·14	27
28	—	60	—	·33	—	—	·01	·13	—	—	·09	—	28
29	—		—	·12	—	25	·15	—	12	·35	—	—	29
30	—		—	·01	·08	·02	—	—	·02	·10	—	—	30
31	—		—		—		—	—		·20		—	31
Total	1·35	2·59	2·44	1·34	·98	2·19	·16	·82	·97	2·35	~~4·26~~ 3·76	7·18	TOTAL
No. of Rain Days.	15	15	17	15	8	13	2	9	10	15	20	26	165

26·13

W. 8,000, X. '11.

Cor'd fr. authr 20.1.13

W 83

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
4 - JAN 1913

Kept at Marlborough College
in the County of Wilts 5
by Meddows Taylor

Lat. 51. 26 N Long. 1.45 W
Time of Observation 9 A.M.
Nearest Railway Station 1 Mile
Diameter of Rain Gauge 4. in.
Height of top of Gauge above Ground ft. 15 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·12	—	—	·35	·26	—	·04	·69	—	·22	1
2	—	—	·29	·01	—	·11	·32	—	—	·01	—	—	2
3	·02	—	·04	—	—	·20	·01	39	·04	—	·04	·07	3
4	·12	—	·89	—	·10	·43	—	·16	—	—	·22	—	4
5	·44	·02	·21	—	·02	·23	—	·52	·01	—	·01	·13	5
6	35	·23	·01	—	·07	—	—	·35	—	—	—	·23	6
7	·02	·20	·02	—	·06	·69	—	·05	—	—	—	·05	7
8	·55	·20	·47	·02	—	04	—	·22	·05	—	—	·02	8
9	·02	·07	30	·06	—	32	·02	·03	—	—	—	·44	9
10	—	·25	—	—	—	·10	—	·09	—	—	·16	·17	10
11	·05	·03	·03	—	—	·01	—	—	—	—	·03	·26	11
12	·11	·36	·17	—	—	—	·03	—	—	—	—	·02	12
13	·02	·09	—	—	—	—	·06	·19	—	—	—	·08	13
14	·13	—	27	—	·29	·02	—	·09	—	·03	—	·10	14
15	·04	·20	·03	—	·13	·41	—	—	—	—	—	·40	15
16	·44	—	29	—	·02	—	—	18	—	·12	·02	—	16
17	1·05	—	·09	—	—	·06	—	·69	—	—	—	·07	17
18	·20	—	·49	—	—	—	—	10	—	·06	—	·13	18
19	·06	·16	·15	—	—	·01	·18	·57	—	·04	·02	·03	19
20	·02	—	39	—	·02	—	·25	·34	—	·29	—	—	20
21	·01	·07	·44	—	·54	—	—	·22	—	·14	—	—	21
22	·60	·30	09	—	·07	—	·09	·19	—	·04	·01	·13	22
23	·20	·39	44	—	—	—	·06	·42	—	·02	·22	4.7	23
24	·09	·06	·04	—	—	·17	·03	·08	—	·03	—	19	24
25	—	—	—	—	—	·20	—	46	—		·34	·81	25
26	—	·08	—	—	—	—	·36	·18	—	·57	·63	·17	26
27	—	·01	—	—	—	·13	·11	—	—	·74	—	·36	27
28	—	·07	·01	—	—	·05	·03	·39	·14	·41	39	·55	28
29	—	·10	—	—	—	·52	·37	·02	1·06	·44	—	·03	29
30	—		—	—	—	·07	·12	—	·35	·33	—	—	30
31	—		·24		·21		28	·07		0.3		·28	31
Total	4.44 ~~4.44~~	2.89	5.52	·09	1.53	4.12	2.58	6.00	1.69	3.99 ~~[illegible]~~ ~~3.99~~	2.09	5.41	YEAR'S TOTAL ~~40.35~~ 40·35
Rain Days.	21	19	~~23~~ 24	3	11	20	17	24	7	17	12	25	~~199~~ 201

W. 7,500, XI. 12

82 ✓

REGISTER OF RAINFALL IN 1913

Ger DSS

5

302

27 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Marlborough

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·19										1
2													2
3			·08										3
4			·07										4
5													5
6			·08										6
7													7
8													8
9			·02										9
10			·03										10
11													11
12													12
13			·03										13
14			·21										14
15			·45										15
16			·68										16
17			·11										17
18			·26										18
19			·02										19
20			·07										20
21			·10										21
22			·31										22
23													23
24													24
25													25
26													26
27			·19										27
28			·24										28
29			·47										29
30													30
31			·06										31
Total			3·67										YEAR'S TOTAL
Rain Days.			20 ~~19~~										

W. 7,500, XI. ·12

[illegible] } 23.III.15

1530

FORM A.
BRITISH RAINFALL.

4 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Marlborough College

in the County of Wilts 5

by Meddows Taylor

Lat. 51° 25' N. Long. 1° 43'
Time of Observation 9. A. M.
Nearest Railway Station G. W. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~430~~ ft. 15 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	—	—	—	·08	·49	—	—	·13	·05	1
2	—	—	—	·04	·02	—	·58	—	—	—	1·99	·26	2
3	—	—	·26	·18	·21	—	·25	·24	—	—	·01	·09	3
4	21	—	·05	·30	·05	—	·01	·88	—	—	·41	·61	4
5	·01	—	·09	·36	·01	—	·27	·03	—	—	·43	·05	5
6	—	·17	·04	·15	·09	~~·01~~	·05	·08	—	—	·10	34	6
7	·09	57	·15	·12	·75	·19	26	·04	—	—	—	·51	7
8	·09	·09	·89	·11	·10	·28	·17	·16	—	—	·01	·05	8
9	·06	—	33	·20	·06	·63	—	·07	·10	—	—	·10	9
10	—	·20	—	·05	·16	—	—	—	·28	—	·01	·01	10
11	—	·24	·56	—	·15	·27	·04	—	—	—	—	·44	11
12	—	·10	·14	—	—	—	·36	—	·35	·03	·04	·34	12
13	·01	·41	·23	—	—	—	—	—	·18	16	·07	·44	13
14	—	·31	·31	—	—	—	·24	·04	—	·59	·24	·05	14
15	·03	·02	·25	—	—	—	·01	·25	·01	·03	·08	·01	15
16	—	—	—	—	—	—	·01	—	·21	—	—	—	16
17	—	·65	·20	—	—	—	—	—	·09	—	—	·44	17
18	—	—	·07	—	—	·25	·15	—	—	—	—	·50	18
19	—	·13	·22	—	—	—	·59	—	—	—	·15	·10	19
20	—	·45	·58	—	—	·07	—	—	—	—	—	·30	20
21	—	1·06	—	—	—	—	—	—	—	·24	·04	·08	21
22	—	·02	·10	—	·26	·21	·03	·02	—	·89	·01	—	22
23	—	·06	·16	—	·10	·01	·01	—	—	·27	—	·01	23
24	—	—	·05	—	·11	—	—	—	—	·26	—	·06	24
25	—	—	·17	—	—	—	—	·33	—	·50 ~~·55~~	·11	·32	25
26	—	—	·06	—	—	—	·06	—	—	·09	·23	77	26
27	·06	—	—	—	—	—	—	—	—	—	·05	22	27
28	—	·11	·10	—	·11	—	—	—	—	—	·41	87	28
29	·36	✕	·14	—	·11	—	—	—	—	·27	·28	·01	29
30	—	✕	·05	—	—	—	—	—	—	·12	·53	·68	30
31	·03	✕	—	✕	·02	✕	·14	—	✕	·23	✕	·17	31
Total	·96	4.59	5.20	1·51	2.31	1·92	3·31	2.63	1·22	3·68	5·33	~~7·88~~ 7·88	YEAR'S TOTAL ~~40·64~~
Rain Days.	11	16	24	9	16	9	·19	12	7	13	21	29	186

40·54

W. 8,000. X. 14.

Cod for autts Hy M.O. 3.V.16 78

1550 1678

FORM A. BRITISH RAINFALL.

8-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Marlborough College

in the County of Wilts

by A. Robson Esq & Meddow Taylor

Lat. 51. N. Long. 1. W

Time of Observation 9. A.M.

Nearest Railway Station half a mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~420~~ ft. 6 in.

" " " " Sea Level 420. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20.6 ·81	5.8 ·23	0	—	1.3 ·05	—	—	0·8	3·2	4·9	1·6	9·6	1
2	9.4 ·37	7.6 ·30	8.1 ·32	—	—	·8	—	16·5	0·2	8·0	0·1	5·3	2
3	51.6 2·03	1.0 ·04	2.8 ·11	2.3 ·09	1.0 ·04	—	1·0	2·0	—	0·3	0·1	7·3	3
4	0.5 ·02	.3 ·01	—	—	—	—	—	0·4	—	—	—	9·8	4
5	3.6 ·14	15.7 ·62	—	1.5 ·06	—	—	—	1·6	—	—	0·1	8·5	5
6	9.9 ·39	3.3 ·13	—	7.1 ·28	—	—	14·1	0·8	—	0·1	—	2·4	6
7	4.1 ·16	15.5 ·61	—	.5 ·02	—	—	8·1	0·4	—	—	0·1	10·4	7
8	4.1 ·16	9.4 ·37	—	.5 ·02	—	—	·9	2·1	—	—	0·1	0·1	8
9	1.5 ·06	2.8 ·11	—	3.5 ·14	—	·1	—	0·4	—	—	7·8	23·9	9
10	5.3 ·21	—	.3 ·01	.3 ·01	—	—	—	0·5	—	0·1	0·1	2·2	10
11	.3 ·01	—	3.5 ·14	2.0 ·08	—	—	—	—	—	—	23·5	—	11
12	2.5 ·10	3.8 ·15	—	5.1 ·20	11.2 ·44	—	—	7·7	—	0·8	11·4	2·7	12
13	1.0 ·04	26.7 1·05	—	—	24.4 ·96	—	—	0·2	2·1	—	0·5	—	13
14	2.8 ·11	.3 ·01	—	—	—	—	8·4	6·1	1·5	0·1	—	25·6	14
15	7.1 ·28	—	—	.3 ·01	2.3 ·09	—	1·5	0·4	0·2	0·2	2·3	4·3	15
16	1.5 ·06	18.5 ·73	—	.3 ·01	8.9 ·35	—	27·1	1·8	—	—	—	3·7	16
17	—	12.9 ·51	.3 ·01	—	33.8 1·33	—	—	9·2	—	—	—	0·1	17
18	—	10.7 ·42	1.5 ·06	—	1.5 ·06	—	—	—	—	—	—	—	18
19	—	.3 ·01	—	—	.8 ·03	—	5·4	—	—	0·1	0·1	—	19
20	6.1 ·24	—	—	2.5 ·10	—	—	—	—	—	—	0·1	4·1	20
21	3.1 ·12	3.8 ·15	—	—	2.0 ·08	—	1·3	—	—	5·4	—	2·5	21
22	3.1 ·12	1·01	14.7 ·58	.5 ·02	—	—	14·6	—	0·1	0·1	—	6·0	22
23	—	25.7 ·04	5.1 ·20	—	—	1·4	2·7	—	3·4	18·1	—	7·1	23
24	—	—	.5 ·02	1.8 ·07	—	0·3	3·7	—	14·0	13·5	—	13·1	24
25	—	—	.3 ·01	.3 ·01	—	13·8	2·2	—	—	0·1	—	4·0	25
26	.3 ·01	2.3 ·09	—	—	—	1·0	3·2	—	—	—	—	15·1	26
27	—	.3 ·01	—	—	—	5·9	7·9	—	0·1	13·3	—	0·3	27
28	—	3.3 ·13	—	—	—	0·1	—	—	22·1	0·6	—	—	28
29	—	✕	—	—	—	0·4	—	2·1	0·1	0·1	4·6	1·2	29
30	4.6 ·18	✕	—	—	—	—	—	—	—	3·2	12·6	11·5	30
31	—	✕	—	✕	—	✕	—	1·0	✕	32·6	✕	7·4	31
Total	5·62	~~5·43~~ 6·73	~~1·28~~ 1·46	~~1·22~~ 1·12	~~3·38~~ 3·43	23·8	102·1	~~52·0~~ 54·0	~~46·8~~ 47·0	101·6	65·1	188·2	YEAR'S TOTAL 16·93 in. 579·[illegible]
Rain Days.	21	22	10	15	10	7	15	18	~~11~~ 8	~~18~~ 12	~~16~~ 8	~~26~~ 24	~~191~~ 170
						·94	4·02	2·13	1·85	4·00	2·56	7·41	41·27

Now measured in millimetres

W. 8,000. X. 15.

Section **A** for the entry of Daily Observations

Station No. 1530

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~15

COPY

Kept at MARLBOROUGH COLLEGE

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	20.6	5.8			1.3			0.8	3.2	4.9	1.6	9.6		1
2	9.4	7.6	8.1			0.8		16.5	0.2	8.0	0.1	5.3		2
3	51.6	1.0	2.8	2.3	1.0		1.0	2.0		0.3	0.1	7.3		3
4	0.5	0.3						0.4				9.8		4
5	3.6	15.7		1.5				1.6			0.1	8.5		5
6	9.9	3.3		7.1			14.1	0.8		0.1		2.4		6
7	4.1	15.5		0.5			8.1	0.4			0.1	10.4		7
8	4.1	9.4		0.5			0.9	2.1			0.1	0.1		8
9	1.5	2.8		3.5		0.1		0.4			7.8	23.9		9
10	5.3		0.3	0.3				0.5		0.1	0.1	2.2		10
11	0.3		3.5	2.0							23.5			11
12	2.5	3.8		5.1	11.2			7.7		0.8	11.4	2.7		12
13	1.0	26.7			24.4			0.2	2.1		0.5			13
14	2.8	0.3					8.4	6.1	1.5	0.1		25.6		14
15	7.1			0.3	2.3		1.5	0.4	0.2	0.2	2.3	4.3		15
16	1.5	18.5		0.3	8.9		27.1	1.8				3.7		16
17		12.9	0.3		33.8			9.2				0.1		17
18		10.7	1.5		1.5									18
19		0.3			0.8		5.4			0.1	0.1			19
20	6.1			2.5							0.1	4.1		20
21	3.1	3.8			2.0		1.3			5.4		2.5		21
22	3.1	25.7	14.7	0.5			14.6		0.1	0.1		6.0		22
23		1.0	5.1			1.4	2.7		3.4	18.1		7.1		23
24			0.5	1.8		0.3	3.7		14.0	13.5		13.1		24
25			0.3	0.3		13.8	2.2			0.1		4.0		25
26	0.3	2.3				1.0	3.2					15.1		26
27		0.3				5.9	7.9		0.1	13.3		0.3		27
28		3.3				0.1			22.1	0.6				28
29		X				0.4		2.1	0.1	0.1	4.6	1.2		29
30	4.6	X								3.2	12.6	11.5		30
31		X		X		X		1.0	X	32.6	X	7.4		31
TOTAL	143.0	171.0	37.1	28.5	87.2	23.8	102.1	54.0	47.0	101.6	65.1	188.2	Year's Total 1048.6	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)

(P.T.O.)

ent'd by A

K30 650

FORM A. BRITISH RAINFALL.

27. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Marlborough College

in the County of Wilts

by A. Robson & Meddows Taylor

Lat. 51. 24 N. Long. 1. 43 W.
Time of Observation 9. A.M
Nearest Railway Station half a mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 424 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.7	~~2~~	0.1	—	5.4	1.3	0.4	—	3.3	2.8	13.7	1.8	1
2	15.6	1.9	1.3	—	5.6	0.6	0.2	—	0.6	20.8	2.9	—	2
3	0.2	19.6	0.4	—	0.4	0.1	—	—	2.5	10.2	7.5	—	3
4	5.0	5.2	0.1	—	2.1	12.4	—	—	8.7	3.9	15.5	—	4
5	0.9	1.4	0.8	—	6.5	3.4	—	—	0.2	1.7	9.2	0.1	5
6	3.1	3.6	1.4	—	1.8	0.8	17.8	—	—	1.2	22.5	—	6
7	0.2	1.7	8.4	—	0.8	—	1.2	—	—	1.5	1.0	5.1	7
8	—	0.1	—	—	4.3	—	—	—	—	0.4	0.1	4.6	8
9	—	0.1	—	—	6.1	8.7	0.2	—	—	1.8	0.1	3.1	9
10	0.2	12.8	0.4	1.2	0.2	6.0	1.0	—	—	0.2	0.1	0.2	10
11	2.8	3.5	1.1	1.3	0.1	4.9	—	—	0.5	0.1	0.1	8.1	11
12	0.8	—	0.1	0.8	4.9	0.8	3.0	17.1	0.1	0.3	0.1	—	12
13	—	9.1	2.6	3.2	—	—	0.1	5.5	3.0	0.1	0.1	—	13
14	0.1	12.8	0.1	0.9	2.0	—	—	9.7	—	0.2	0.1	—	14
15	0.2	11.1	4.5	0.9	—	—	—	8.3	0.1	0.1	0.1	—	15
16	5.6	3.9	2.4	4.4	0.3	—	7.8	7.0	0.4	—	0.1	—	16
17	0.2	4.8	0.1	1.0	—	—	0.2	1.9	9.3	14.3	0.1	—	17
18	0.2	2.4	0.4	2.0	—	—	0.1	—	4.2	0.3	9.8	6.0	18
19	2.9	0.1	2.9	4.8	—	—	—	—	1.3	0.1	6.2	2.2	19
20	5.8	0.1	12.4	0.4	—	—	—	—	—	—	0.7	30.6	20
21	1.0	0.1	11.3	—	1.0	—	—	—	—	0.1	—	9.6	21
22	0.1	0.2	0.2	0.2	1.2	0.6	—	—	—	5.4	0.2	14.0	22
23	1.4	8.4	0.1	0.8	—	0.5	—	2.5	—	0.1	4.9	1.8	23
24	—	1.2	—	0.9	3.7	2.2	—	0.7	—	6.5	1.5	7.8	24
25	—	8.4	3.4	—	0.1	—	—	8.3	0.1	0.2	5.5	—	25
26	0.4	5.6	4.2	—	—	2.0	—	19.8	2.6	6.7	—	—	26
27	1.8	0.2	31.9	—	0.1	4.1	—	8.5	2.6	7.6	—	0.3	27
28	0.1	7.2	7.9	—	—	0.2	—	2.0	2.6	6.9	0.2	6.8	28
29	—	10.9	0.1	—	0.1	10.7	—	50.5	1.3	13.0	0.2	9.7	29
30	—	✗	0.1	—	—	0.1	—	—	0.1	11.6	0.1	—	30
31	—	✗	—	✗	—	✗	—	1.4	✗	3.2	✗	1.2	31
Total	50.3	136.4	98.7	22.8	46.7 ~~46.7~~	59.4	32.0	143.2	43.5	121.0 ~~120.9~~	102.6	113.0	YEAR'S TOTAL 969.6
Rain Days.	~~23~~ 20	~~27~~ 22	~~27~~ 19	14	46.7 ~~20~~ 17	~~18~~ 16	~~11~~ 9	14	~~19~~ 15	~~29~~ 22	~~27~~ 16	~~18~~ 17	~~247~~ 201

W. 8,000, VIII. 16

cnd/pr auth

WCTG

1574

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18 JAN.

Kept at Marlborough College

in the County of Wilts

by A. Robson Esq. & Meddows Taylor

Lat. 51.26 N Long. 1.45 W.

Time of Observation 9 A.M.

Nearest Railway Station 3/4 Mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 424 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	5 0	2.2	—	0.9	—	20.6	3.0	—	0.8	—	1
2	—	—	0.8	8.6	—	1.8	—	0.5	—	0.1	3.1	—	2
3	1.5	—	0.1	1.5	—	0.1	22.4	7.8	0.1	16.9	0.4	—	3
4	—	8.0	1.9	—	—	—	2.5	6.2	0.1	12.0	—	0.4	4
5	10.2	—	2.2	4.9	—	0.8	0.1	15.7	0.7	9.8	3.2	—	5
6	—	—	0.3	—	—	16.6	—	—	0.7	3.6	2.7	2.0	6
7	7.2	—	0.2	—	—	0.1	3.1	3.0	—	4.8	0.4	1.5	7
8	12.2	—	2.2	2.3	—	—	16.8	2.0	1.5	8.3	1.9	6.1	8
9	0.3	—	7.9	0.7	1.7	—	2.9	12.5	1.3	0.2	3.0	0.1	9
10	5.8	—	5.2	7.0	0.2	—	0.1	4.1	—	1.0	0.1	0.1	10
11	1.9	—	23 2.4	8.2	0.1	—	0.1	0.2	—	7.2	0.5	—	11
12	0 9	—	0.6	1.3	0.1	—	—	0.6	—	15.8	0.1	0.2	12
13	0.1	—	2.9	0 3	—	0.7	0.1	4.5	2.2	1.8	—	0.2	13
14	—	—	0.2	4.5	—	—	—	0.6	—	0.3	—	—	14
15	—	—	0.1	—	—	—	18.7	3.7	0.2	2.1	0.1	3.6	15
16	0.8	6.0	0.1	2.7	1.3	—	1.9	0.1	—	20.1	0.2	16.1	16
17	—	0.2	—	8.1	8.2	0.1	9.7	3.0	12.9	4.8	—	—	17
18	0.4	1.2	—	0.3	0.1	0.3	7.5	0.2	12.5	1.9	—	—	18
19	0.2	11.2	2.1	—	—	0.1	0.2	—	3.2	0.2	—	—	19
20	0.1	3.0	8.6	—	20.7	2.6	—	0.1	0 2	—	0.9	—	20
21	—	0 1	3.5	—	0.2	0.7	0.1	0.2	—	1.5	0.8	0.4	21
22	—	—	4.4	—	—	0.9	—	3.2	—	0.4	0.2	—	22
23	0.3	4.3	0.2	—	0.9	0.1	—	7.7	0.1	0.8	—	0.8	23
24	0.1	4.1	0.6	—	0.1	3.6	2.5	2.6	—	8.9	0.6	—	24
25	—	2.3	0.3	—	—	—	0.1	0.2	1 2	5.5	—	—	25
26	—	0.1	1.8	—	6.3	0.1	0.1	12.6	5.1	2.0	2.9	—	26
27	—	0.1	0.1	—	21.9	0.7	—	27.2	0 1	—	0.1	0.2	27
28	—	—	2.1	—	0.2	40.8	—	9.0	—	0.1	0.1	0.9	28
29	—		29	—	6.6	5.5	3.5	1.4	—	11.8	—	4.4	29
30	0.2		2.3	—	0.1	0.1	22.6	4.2	—	0.6	—	0.2	30
31	—		1.5		—		0.6	0.4		0.3		0.6	31
Total	42.2	40.6 ~~40.6~~	83.3	52.6	68.7	76.6	115.6	154.1	45.1 ~~45.1~~	142.8	22.1	37.8 ~~37.8~~	881.5 YEAR'S TOTAL ~~874.6~~
Rain Days.	~~16~~ 13	~~12~~ 9	~~29~~ 25	14	~~15~~ 11	~~20~~ 13	~~21~~ 14	~~29~~ 27	~~17~~ 13	~~28~~ 26	~~20~~ 15	~~17~~ 15	~~228~~ 195

W. 8,000, IX. 17.

end franite Hypno ~~[illegible]~~ 56

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 23. 1 19

Kept at Marlborough College
in the County of Wilts
by Meddows Taylor

Lat. 51. 24 N. Long. 1. 43 W
Time of Observation 9 A.M.
Nearest Railway Station G.W. Railway
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.3	0.4	1.3	1.4	—	—	2.4	—	1.1	16.4	0.8	1
2	—	1.3	—	5.5	0.1	—	—	9.8	—	0.6	3.3	6.3	2
3	—	1.0	1.1	8.2	9.6	—	—	3.0	1.2	0.5	1.2	0.3	3
4	0.2	18	0.4	0.4	0.1	—	—	1.5	1.0	0.2	23.7	1.7	4
5	—	3.1	—	—	6.4	—	—	3.6	16.5	4.4	0.4	0.8	5
6	3.2	2.1	—	10.8	0.1	—	—	—	1.4	0.5	—	3.3	6
7	0.2	2.9	—	2.7	11.5	0.2	—	0.2	4.0	5.8	5.4	1.3	7
8	—	0.2	—	—	0.2	0.2	—	—	14.3	4.1	0.3	1.5	8
9	—	3.1	—	6.1	—	5.5	15.5	—	14.0	8.2	0.2	5.7	9
10	0.3	0.2	—	2.9	—	0.3	17.4	—	3.4	7.7	0.1	7.2	10
11	0.9	0.1	—	0.1	0.1	—	17.1	—	10.4	2.0	2.0	2.3	11
12	0.2	41	0.1	—	7.7	—	2.0	—	0.2	—	—	1.2	12
13	0.6	0.1	—	0.2	2.0	—	10.6	—	16.7	0.5	—	3.1	13
14	5.2	0.1	0.3	0.3	0.2	1.7	5.1	—	9.7	5.0	0.2	5.0	14
15	29.7	—	0.1	20.4	0.2	2.7	2.3	—	—	—	0.2	6.1	15
16	6.7 8	—	0.2	14.3	0.1	—	0.1	—	4.7	0.6	0.2	2.3	16
17	6.2	—	0.1	5.8	—	—	12.9	1.8	0.6	0.2	—	4.8	17
18	26.8	—	0.1	—	—	13.7	6.4	—	7.3	—	—	2.2	18
19	1.3	0.3	2.0	1.5	0.1	0.1	4.4	0.2	2.3	2.2	—	1.8	19
20	0.4	5.8	0.1	7.5	—	0.3	18.1	—	5.8	2.1	0.3	1.5	20
21	2.3	0.3	—	0.4	—	0.3	0.5	—	21.5	2.9	0.2	1.4	21
22	1.1	0.1	—	—	3.5	—	11.0	—	5.2	1.4	0.2	7.0	22
23	4.2	0.1	—	0.1	6.9	—	9.4	1.4	0.3	—	0.8	0.6	23
24	0.2	6.6	—	—	0.1	1.3	—	—	2.1	—	4.9	0.2	24
25	0.1	0.1	—	—	—	—	3.2	13.6	—	0.5	0.2	—	25
26	—	—	—	0.3	—	—	9.7	0.2	08	1.3	4.6	5.3	26
27	—	0.2	0.8	0.1	—	—	1.0	6.2	2.4	—	3.8	0.3	27
28	—	2.0	7.4	0.2	—	—	—	0.2	—	—	4.3	2.1	28
29	—		1.4	—	—	—	—	—	~~36.2~~	—	0.2	0.7	29
30	—		8.7	—	—	—	—	0.2	0.2	1.1	1.4	2.2	30
31	0.1		6.5		—		—	—		0.7		0.1	31
Total	~~62.7~~ 89.9	35.9	29.7	~~89.3~~ 89.1	50.3	26.3	146.7	44.3	~~182.1~~ 181.9	53.6	74.5	78.1	YEAR'S TOTAL 900.3
Rain Days.	~~20~~	23	~~16~~	~~21~~	~~18~~	~~11~~	~~18~~	14	25	23	~~24~~	~~30~~	216
	18	17	11	18	11	10	17				23	29	9013

W, 6,500, VII. 18. w w c

1481

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Marlborough College
in the County of Wilts
by Meddows Taylor

Lat. ~~2 W~~ 51.26 N. Long. ~~51 N~~ 1.45 W
Time of Observation 9 A.M.
Nearest Railway Station Great Western
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	13.6	0.2	3.0	—	4.6	—	5.5	—	3.0	0.2	0.1	28.3	1
2	3.8	0.0	0.2	—	1.0	—	0.9	—	11.4	0.2	2.2	4.2	2
3	23.5	0.0	4.5	—	0.5	1.7	4.6	—	4.7	—	0.2	12.0	3
4	3.3	1.3	13.8	—	—	3.2	0.3	—	7.5	—	0.9	4.3	4
5	0.2	8.8	11.3	—	0.7	—	2.0	—	3.0	0.2	1.1	3.8	5
6	6.3	0.5	2.0	—	15.6	—	0.2	—	—	—	0.4	1.0	6
7	2.7	0.0	11.4	1.2	0.2	—	—	—	—	0.2	0.2	0.2	7
8	5.2	0.0	3.0	0.6	—	0.2	—	—	—	—	0.1	0.1	8
9	0.9	0.0	1.0	3.3	—	0.1	—	—	0.3	0.2	2.9	0.1	9
10	0.8	0.1	8.7	1.0	0.2	—	—	—	—	0.3	0.2	3.0	10
11	0.9	0.0	3.2	3.6	3.4	—	11.7	—	—	6.3	—	0.4	11
12	0.5	0.1	3.4	0.6	0.2	11.5	1.5	—	—	1.2	0.3	0.3	12
13	0.4	0.3	0.2	13.8	—	—	—	—	0.2	—	0.1	0.9	13
14	15.4	0.2	0.0	15.3	—	—	1.5	—	4.2	0.4	—	1.6	14
15	6.6	0.3	1.0	1.0	0.4	—	—	—	—	1.7	0.3	16.1	15
16	0.8	20.5	0.3	—	—	—	—	—	—	0.2	3.2	0.4	16
17	0.1	8.3	0.2	0.4	—	—	0.1	—	—	—	7.1	1.0	17
18	0.3	0.3	9.9	—	0.6	—	0.5	3.0	0.6	0.1	2.7	1.1	18
19	8.0	5.0	31.3	—	0.2	2.4	11.2	5.5	1.0	—	5.3	0.5	19
20	10.0	2.0	6.5	—	—	7.7	0.1	9.3	1.0	0.1	0.3	2.0	20
21	0.3	12.3	0.4	—	—	2.2	3.0	—	0.4	—	0.3	3.4	21
22	0.0	3.6	0.0	—	—	0.2	4.2	0.2	4.7	0.1	—	3.8	22
23	0.1	0.0	0.0	—	—	0.3	—	0.2	2.7	3.3	1.3	1.5	23
24	0.1	0.0	0.0	0.2	—	1.5	—	—	0.7	15.9	6.2	—	24
25	1.9	0.0	0.0	—	0.2	0.5	0.2	11.1	0.3	0.2	0.1	7.2	25
26	4.4	0.6	5.0	2.2	—	—	4.7	2.5	2.9	—	0.1	9.9	26
27	2.7	0.0	0.5	16.5	—	—	0.2	12.3	0.1	0.1	0.2	1.1	27
28	0.2	0.2	6.2	0.1	—	—	—	19.8	—	—	4.1	9.3	28
29	0.4		0.3	0.7	—	0.2	—	2.7	0.2	2.6	0.1	0.5	29
30	0.1		0.0	5.9	—	4.8	—	11.2	3.9	0.8	10.0	11.9	30
31	0.3		0.4		—		0.5	—		0.2		4.3	31
Total	~~92.6~~ 113.8	64.6	126.7 127.7	66.4	27.8	36.5	52.9	77.8	52.3	28.5	50.0	134.2	Year's Total ~~810.3~~ 831.5
Days with 0·2 mm. or more	26	16	25	15	13	13	17	11	19	17	21	28	~~221~~

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

112

8325

FORM A. 2. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Marlborough

in the County of Wiltshire

by F. C. Luff

Lat 51·26 N Long. 1·56 W

Time of Observation 9 a.m.

Nearest Railway Station G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 12·8

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·1	0·0	0·2	6·1	9·0	0·0	12·1	0·1	0·1	6·8	0·0	10·7	1
2	1·2	0·0	1·4	2·8	0·0	0·0	1·1	5·5	0·2	2·0	0·0	2·0	2
3	0·2	0·6	0·1	4·3	0·0	0·0	28·7	0·0	0·2	10·6	0·0	1·0	3
4	0·0	0·3	1·1	1·1	0·0	0·1	1·7	12·1	0·0	4·1	0·0	0·0	4
5	0·0	0·4	1·0	4·9	0·1	0·1	14·7	0·4	0·0	7·8	0·0	0·1	5
6	0·0	0·0	7·8	0·2	7·3	0·0	8·5	0·0	0·0	1·3	0·1	0·2	6
7	2·3	0·1	1·0	3·0	3·9	0·0	7·9	0·0	0·0	0·0	0·1	0·1	7
8	0·2	1·4	~~0·0~~	6·7	1·3	0·0	9·5	0·0	0·0	0·01	0·0	0·2	8
9	13·9	1·2	3·0	3·2	0·0	0·9	0·2	0·0	0·5	0·0	0·0	0·0	9
10	23·9	4·4	4·0	0·7	0·0	4·1	6·9	0·0	0·0	0·0	0·0	0·0	10
11	4·1	0·6	0·3	10·5	6·4	0·2	3·1	0·0	0·0	0·0	0·0	0·7	11
12	2·8	1·5	8·2	5·3	1·2	12·6	1·2	0·1	0·0	0·0	1·4	0·0	12
13	1·2	2·0	7·1	1·9	0·0	0·1	0·2	0·0	0·0	0·0	0·3	0·7	13
14	1·6	0·5	1·8	9·2	0·0	4·9	1·7	0·0	2·1	0·4	10·2	0·2	14
15	0·1	2·4	0·1	7·2	0·2	1·4	2·1	0·0	2·7	2·9	0·0	0·0	15
16	0·0	0·2	0·1	1·0	0·1	0·1	(2·0)	0·0	6·5	0·4	0·0	0·0	16
17	0·0	0·0	0·3	8·8	7·7	1·3	0·2	0·7	5·1	0·0	0·2	0·1	17
18	1·7	0·0	0·1	1·2	5·2	0·2	0·0	9·5	4·7	0·0	0·1	0·2	18
19	1·5	0·5	0·0	10·2	0·0	2·3	0·0	0·0	0·0	0·0	0·0	~~0·2~~	19
20	1·1	6·0	0·0	7·9	0·1	12·6	0·0	0·0	0·0	0·0	0·0	0·0	20
21	0·1	0·2	0·0	1·1	0·0	0·1	5·4	0·1	1·6	0·0	0·0	7·4	21
22	0·5	0·1	0·0	4·5	0·0	0·1	3·1	0·8	0·3	0·0	1·7	1·7	22
23	0·2	0·2	0·0	0·0	0·0	0·0	22·1	0·2	0·0	0·2	0·0	8·6	23
24	0·5	0·0	4·2	0·5	0·1	0·0	0·1	0·0	0·0	0·1	0·5	11·5	24
25	0·4	0·0	2·7	0·2	0·2	0·1	8·4	0·2	0·0	0·0	0·1	4·5	25
26	4·4	0·0	4·1	0·1	24·3	0·1	4·0	0·0	0·0	0·0	0·1	0·0	26
27	9·3	1·4	1·2	3·4	0·1	11·9	0·2	0·0	0·1	0·0	1·3	1·8	27
28	15·6	0·2	1·0	0·3	5·2	0·2	1·7	0·0	0·0	0·1	4·2	4·6	28
29	4·6	0·1	2·0	0·1	0·0	0·8	2·2	0·0	0·0	0·0	6·1	0·8	29
30	2·4		0·6	0·2	2·5	4·5	5·0	0·0	4·5	0·0	9·1	6·8	30
31	0·7		8·0		0·2		4·4	0·0		14·3		10·9	31
TOTAL	94·6 ~~94·4~~	24·3 ~~24·1~~	61·4	106·6 ~~94·6~~	75·1	58·4	158·4 ~~136·4~~	29·7	28·6	51·0 ~~42·0~~	35·5	4·5 ~~45·0~~ 79·3	YEAR TOTAL 803·2 ~~758·5~~
Days with 0·2 mm. or more	23	16	21	24	14	14	20	8	11	11	10	20	204
Days with 1·0 mm. or more	16	8	17	21	11	9	23	3	7	8	7	13	143

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

1502

MERE.
CHARNAGE
WILTSHIRE
1911 — 1920

FORM A2.
BRITISH RAINFALL.
28 JAN 1912

1

Kept at Charn
etti ~~Dr~~ Zamb
5 in.
e Ground 1 ft. — in.
in the County of W
Sea Level 426 ft.
a.m.
by A. R
Name Gillingham
Distance 4½ m. Direction S.

IMPORTANT N
the result entered to the previous day. If an
ersal rule, he is earnestly requested to add the r
ear in the space provided for it at the end of
nent of rain, the selection and pla
itish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·10	·04	·01			·03			·02	03	1
2	·03		·05	·11	·37			·05		·06	·27	·15	2
3	·01				·82			·02			·13	·09	3
4		·01	·07	·03		·03		·01		·04	·26	·53	4
5	·10		·03					·30		·08	·13	·	5
6	·52		·19							·03	·09	·63	6
7	·05										·42	·02	7
8	·11		·18								·09	·39	8
9	·15										·05	·46	9
10	·14	·10	·28		·64						·03	·30	10
11	·40	·05	·03		·04						·65	·16	11
12			·73		·03				·02		·13	·32	12
13									·21		·02	·71	13
14		·08									·01	·54	14
15		·06	·03			·02					·34	·18	15
16	·02		·03			·22					·56	·36	16
17	·01	·03	·02		·10	·10					·21	·38	17
18		·43	·06	·10	·09	·08				·06	·05	·43	18
19		·18	·07	·03		·26	·02		·20	·25	·02	·39	19
20	·03	·03	·06	15 ~~·05~~		·05		·10	·27	·10	·03	·66	20
21	·03	·65	·02	05 ~~·15~~		·05		·10	·06	·62		·21	21
22	·10	·10	·27	·04		·04				·80		·44	22
23	·02	·18	·06			·06			·13	·06	·03	·21	23
24		·40				12 ~~·43~~		·11		·25		·19	24
25	·01	·17	·02	·23		43 ~~·12~~		— ~~·06~~	·03	·05		·33	25
26		·11		·28	·04	·02		06 ~~·04~~		·11	·01	37	26
27		1·10	·10	·24				04 ~~·24~~	·12		·02	·22	27
28		·48		·35				24			·09	·02	28
29		X		·70		·32	·06		·15	·56	·01	·01	29
30		X		·03		·10	·03			·37	·01	·02	30
31		X		X		X			X	·05	X		31
Total	1·82	4·16	2·40	2·38	1·64	1·90	·11	1·06	1·19	3·49	3·68	8·75	32·58
No. of Rain Days.	17	17	20	14	9	15	3	11	9	15	26	29	185

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
28 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Charnage
in the County of Wiltshire 2
by A. R. White

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 426 ft.

Time of Observation 9 a.m.
Nearest Railway Station
Name Gillingham
Distance 4½ m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·10	·04	·01			·03			·02	·03	1
2	·03		·05	·11	·37			·05		·06	·27	·15	2
3	·01				·82			·02			·13	·09	3
4		·01	·07	·03		·03		·01		·04	·26	·53	4
5	·10		·03					·30		·08	·13		5
6	·52		·19							·03	·09	·63	6
7	·05										·42	·02	7
8	·11		·18								·09	·39	8
9	·15										·05	·46	9
10	·14	·10	·28		·64						·03	·30	10
11	·40	·05	·03		·04						·65	·16	11
12			·73		·03				·02		·13	·32	12
13									·21		·02	·71	13
14		·08									·01	·54	14
15		·06	·03			·02					·34	·18	15
16	·02		·03			·22					·56	·36	16
17	·01	·03	·02		·10	·10					·21	·38	17
18		·43	·06	·10	·09	·06				·06	·05	·43	18
19		·18	·07	·03		·26	·02		·20	·25	·02	·39	19
20	·03	·03	·06	15 ~~·05~~		·05		·16	·27	·10	·03	·66	20
21	·03	·65	·02	05 ~~·15~~		·05		·10	·06	·62		·21	21
22	·10	·10	·27	·04		·04				·80		·44	22
23	·02	·18	·06			·06			·13	·06	·03	·21	23
24		·40				12 ~~·43~~		·11		25		·19	24
25	·01	·17	·02	·23		43 ~~·12~~		— ~~·06~~	·03	·05		·33	25
26		·11		·28	·04	·02		06 ~~·04~~		·11	·01	·37	26
27		1·10	·10	·24				04 ~~·24~~	·12		·02	·22	27
28		·48		·35				24			·09	·02	28
29		X		·70		·32	·06		·15	·56	·01	·01	29
30		X		·03		·10	·63			·37	·01	·02	30
31		X		X		X			X	·05	X		31
Total	1·82	4·16	2·40	2·38	1·64	1·90	·11	1·06	1·19	3·49	3·68	8·75	32·58
No. of Rain Days.	~~17~~	~~17~~	~~20~~	~~14~~	~~9~~	~~15~~	~~3~~	~~11~~	~~9~~	~~16~~	~~26~~	~~29~~	185

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at Charnage
in the County of Wiltshire 2
by A. R. White

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·11			·19	·15		·03	·72		·45	1
2			·38	·01		·13	·45	·02		·01	·05	·02	2
3	·01		·05			·41	·06	·40	·03		·03	·08	3
4	·10	·01	·74		·05	·57		·02			·20	·01	4
5	·65	·15	·17		·04	·06		·60	·02		·03	·15	5
6	·80	·08	·05		·10	·01	·30	·66			[illegible]	·14	6
7	·03	·25	·10	·02	·20	·44	·02	·08			·01	·09	7
8	·48	·24	·33	·02		·10	·02	·30	·02		[illegible]	·08	8
9	·02	·07	·20	·16		·41	·01	·21			·01	·52	9
10	·03	·09	·01					·04			·06	·29	10
11	·09	·10	·01			·03					·01		11
12	·02	·34	·10	·04				·05			·02	·01	12
13		·07	·02			·08	·04	·08		·02	·02	·08	13
14	·19		·36		·03			·06		·01			14
15	·10	·14	·04		·08	·62		·04		~~·12~~	·01	·60	15
16	·60	·01	·40		·20	·01		·03		·12	·04	·07	16
17	·95		·06		·02	·05		·70			·02	·02	17
18	·12		·36				·1	·15		·06	·01	·14	18
19	·05	·20	·11			·08	·12	·20		·02		·03	19
20		·04	·42		·03	·01	·06	·46		·34	·05		20
21		·11	·25		·62		·01	·16		·43	·01	·01	21
22	·25	·37	·03		·10	·32	·10	·26		·06	·02	·09	22
23	·17	·46	·30			·02	·03	·81		·10	·27	·29	23
24	·14	·02	·03			·60	·02	·17		·14	·01	·29	24
25	·10	·02				·25	·01	·29		·11	·30	·58	25
26		·06					·30	·24		·39	·55	·31	26
27		·02				·12	1·10			·68		·41	27
28		·07				·15	·08	·25	·28	·55	·50	·56	28
29		·11	·01			·06	·15	·05	·98	·27			29
30		X	·01		·02	·87	·15		·34	·42			30
31	·01	X	·41	X	·01	X	·28	·05	X	·06	X	·10	31
Total	4·91	3·03	5·06	·25	1·50	5·59	3·46	6·38	1·70	4·51	2·23	5·42	YEAR'S TOTAL 44·04
Rainy Days.	~~21~~	~~23~~	~~24~~	~~5~~	~~13~~	~~24~~	~~21~~	~~27~~	[illegible]	~~19~~	~~22~~	~~26~~	[illegible]

W. 7,500, XI. 12

cod for arith 16 III·14 DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 191

Kept at Charnage Mere 2
in the County of Wiltshire
by A. R. White.

Lat. 51° 4′ Long. 2° 14′
Time of Observation 9 a.m.
Nearest Railway Station Gillingham - 4½ m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·22	·14		·01	·08			·31		·33	·24	1
2	·03	·11	·03	·12	·02	·01			·09	·02	·22	·05	2
3	·10		·05	·04	·48					·30		·20	3
4	·79		·03	·	·57				·83 ~~·83~~	·23	·03	·19	4
5	·11	·04	·02		·05	·15			·38		·04	·22	5
6	·06	·04	·10		·35	·17	·16		·02	·66	·05	·63	6
7	·01	·25	·04		·29	·03	·01			·26	·20	·02	7
8	·	·07	·01		·36	·01	·05			·16	·01	·04	8
9		·04			·07	·08	·02	·27	·05	·02	·06	·01	9
10	·08		·04	·02	·04			·02		·23	·45		10
11	·67		·02	·28	·07	·01				·02	·58		11
12		·04			·27	·02			·01	·03	·30		12
13	·04	·01	·18			·01			·20		·18		13
14	·13	·02	·12	·03	·10				·03		·34	·02	14
15	·19	·10	·32	·73			·03	·07	·13		·14		15
16	·27	·01	·46	·09		·03	·01		·02		·01		16
17	·03		·03	·02		·02	·04				·02		17
18	·06		·16	·15			·01				·06		18
19	·71		·12		·10	·08	·07		·52				19
20	·05		·08	·15	·01					·25	·21		20
21			·30	·20	·05	·01	·06	·01		·08	·68		21
22	·85		·03					·03	·25	·01	·02		22
23	·03					·08			·02		- ·03	·62	23
24	·06	·03		·15				·12			·07		24
25		·20		·19						·02	·01	·06	25
26				·29				·28		·01		·30	26
27	·03		·21	·08						·10			27
28	·04		·14	·36						·18		·03	28
29	·09	X	·51	·58				·15		·28		·01	29
30	·64	X			·13			·01	·01	·29	·04		30
31	·20	X	·06	X	·05	X		·70	X	·03	X		31
Total	5·31	1·18	3·20	3·48	3·02	·79	·46	1·66	2·87	3·18	4·08	2·64	YEAR'S TOTAL ~~31·85~~ 31·87
Rain Days.	~~25~~	~~14~~	~~24~~	~~17~~	~~18~~	~~15~~	~~10~~	~~10~~	~~15~~	~~20~~	~~24~~	~~15~~	207

W.7,000, XI. 13

Ex LMcE

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL.

15 FEB 1915

Kept at Chamage Mere

in the County of Wiltshire 2

by A. R. White

Lat. 57·1 Long. 2·3

Time of Observation 9 a.m.

Nearest Railway Station Gillingham

Diameter of Rain Gauge 1~~7~~ 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	02				43			10	05	1
2				02			82	16			1·05	24	2
3			30	13	36		05	05			10	07	3
4	05		13	17	06		17	86			55	40	4
5	18		29	51	23		38	03			28	04	5
6		28	05	20	03	03	15	11			05	38	6
7	01	46	10	14	44	12	20	11				24	7
8	19	03	56		31	15		47	25		02	04	8
9	30		35	15	03	82		08	30				9
10	06	20	~~68~~	05	10			02	40			03	10
11		14	68		05	13	20		05		25	43	11
12		14	26			02			32		03	24	12
13		30	19						10	25	33	36	13
14		20	29				13	40	02	30	28	23	14
15	04	04	24				26	70		04	11		15
16	01		02				07		19			02	16
17		65	20				03		03			50	17
18		01	09				07					54	18
19		08	29				80				11	33	19
20		38	16			06						27	20
21		83	01			05				20		03	21
22					34	06	03	04		73			22
23		10	25		04	04	01			23			23
24			15		07		20			14	20	02	24
25	06		35		02		07	26		30	11	35	25
26			02				06	06		06	29	58	26
27	10									05	10	13	27
28	03	07	22		04		01			03	34	94	28
29	49	X	09		10					21	35	03	29
30	08	X	05		01	03				18	38	70	30
31	01	X		X	01	X	11		X	79	X	14	31
Total	1·61	3·91	5·39	1·39	2·24	1·51	3·82	3·78	1·66	3·51	5·03	7·33	YEAR'S TOTAL 41·18
Rain Days.	~~14~~	~~16~~	~~26~~	~~9~~	~~17~~	~~11~~	~~20~~	~~15~~	~~9~~	~~14~~	~~20~~	~~27~~	~~41·18~~ 198

W. 8,000. X. 14.

cwly Bap thyB 2.v.16 TW. LK.

1643

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Charnage. Mere
in the County of Wiltshire 2
by A. R. White

Lat. 51·1 Long. 2·3
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	87	41	01	—	04	—	—	15	12	29	06	28	1
2	60	29	25	11	—	03	—	72	08	19	—	49	2
3	39	06	22	07	09	02	03	03		09		36	3
4	08	09	—	—	—	—	—	02	—	—	—	33	4
5	—	80	02	06	—	—	—	08	—	—	—	30	5
6	58	07	—	47	—	—	42	—	—	—	—	29	6
7	26	38	—	09	—	—	22	18	—	—	—	35	7
8	18	49	—	04	—	—	—	01	—	—	05	01	8
9	01	06	—	15	—	—	—	03	—	—	42	65	9
10	33	03	06	05	—	—	—	07	—	01	—	09	10
11	06	—	13	03	—	—	02	33	—	02	68	08	11
12	22	47	—	08	50	—	—	13	—	05	18	03	12
13	04	82	—	—	69	—	—	41	14	—	04	—	13
14	08	04	—	—	—	—	20	36	07	—	—	88	14
15	21	08	—	—	18	—	03	22	02	—	12	15	15
16	—	55	—	—	30	—	1·22	10	—	—	—	10	16
17	—	48	—	—	1·26	—	—	16	—	—	—	—	17
18	—	20	—	—	06	—	—	—	—	—	—	—	18
19	—	04	—	—	18	—	16	—	—	—	—	—	19
20	41	—	—	05	08	—	—	—	—	—	—	06	20
21	07	03	—	—	03	—	07	—	—	55	—	46	21
22	09	28	45	09	—	—	68	—	01	04	—	25	22
23	—	03	20	—	—	—	66	—	21	2·08	—	32	23
24	—	—	—	09	—	—	34	—	55	84	—	36	24
25	—	—	03	05	—	07	54	—	—	01	—	24	25
26	—	08	—	—	—	07	24	—	02	32	—	71	26
27	—	12	—	—	—	20	25	—	—	—	—	05	27
28	—	13	—	—	—	07	—	04	69	03	03	—	28
29	—	X	—	—	—	28	05	03	03	—	17	05	29
30	11	X	—	—	—	06	05	—	—	60	33	16	30
31	03	X	—	X	—	X	01	—	X	81	X	32	31
Total	4·62	6·03	1·37	1·43	3·41	·80	5·19	3·07	1·94	5·93	2·88 2·08	7·37	YEAR'S TOTAL 43·24
Rain Days.	19	24	9	14	11	8	18	18	11	15	10	26	183

W. 8,000. X. 15.

1617

FORM A.
BRITISH RAINFALL.

15 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Charnage Mere
in the County of Wiltshire
by A. K. White

Lat. 51·1 Long. 2·2
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	30	–	04	–	38	04	02	–	30	54	40	–	1
2	29	09	–	–	14	–	–	–	03	65	05	–	2
3	01	86	–	–	03	–	–	–	06	47	24	–	3
4	20	35	–	–	12	47	19	–	26	06	62	–	4
5	15	03	03	–	29	42	–	–	–	05	64	–	5
6	03	17	03	–	04	01	82	–	–	11	56	–	6
7	10	05	08	–	12	–	28	–	–	06	50	18	7
8	01	15	–	–	34	07	–	–	–	–	05	10	8
9	–	–	–	–	08	25	03	–	–	14	07	20	9
10	03	55	01	13	14	02	06	–	–	04	03	08	10
11	03	01	02	09	–	21	–	–	–	–	05	01	11
12	15	08	02	24	12	–	–	–	–	18	01	–	12
13	–	31	14	–	–	–	21	60	–	01	01	–	13
14	05	37	04	09	13	–	–	06	–	12	–	–	14
15	–	25	12	05	01	–	–	41	–	01	–	–	15
16	03	–	–	24	01	–	05	61	–	03	–	–	16
17	20	08	–	15	–	–	–	11	37	52	07	–	17
18	03	18	11	26	–	–	–	–	14	15	20	20	18
19	09	–	39	24	–	–	–	02	02	–	12	13	19
20	28	10	16	–	–	–	–	–	–	–	05	1·26	20
21	03	08	20	–	08	–	–	–	–	–	03	20	21
22	02	–	03	01	–	04	–	–	–	42	07	39	22
23	01	08	–	02	–	07	–	11	–	23	15	25	23
24	–	03	04	06	38	29	–	03	–	38	10	17	24
25	01	29	10	–	–	27	–	59	–	02	15	–	25
26	–	02	05	–	–	10	–	12	35	60	03	–	26
27	04	–	88	–	–	–	07	2·33	72	33	–	–	27
28	–	19	10	–	–	40	–	07	70	19	–	25	28
29	–	38	04	–	–	–	–	1·20	74	38	02	27	29
30	–	☒	–	–	–	–	–	01	–	56	–	02	30
31	–	☒	–	☒	–	☒	–	06	☒	07	☒	04	31
Total	2·09	4·70	2·63	1·58	2·41	2·66	1·73	6·33	3·69	6·32	4·22	3·75	YEAR'S TOTAL ~~[illegible]~~ 42·11
Rain Days.	~~22~~	~~23~~	~~21~~	~~12~~	~~16~~	~~14~~	~~9~~	~~15~~	~~11~~	~~26~~	~~24~~	~~16~~	~~209~~

W. 8,000, VIII. 16

1542

FORM A.
BRITISH RAINFALL
18. JAN 191

REGISTER OF RAINFALL IN 1917

cnd'ly Brp

Kept at* Charnage Mere
in the County of Wiltshire
by A. R. White

Lat. ~~2 2~~ 51
Long. ~~51~~ 2 2
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·12	·12	–	·13	–	·52	·10	–	·10	·01	1
2	·02	–	·02	·20	–	·04	–	·08	·05	–	·04	–	2
3	–	–	–	·06	–	–	·92	·03	–	·15	·07	–	3
4	–	·19	·12	·02	–	–	·05	·03	–	·42	·01	–	4
5	·35	–	·15	·22	–	·14	–	·06	·30	·25	·15	–	5
6	–	–	·40	–	–	·01	–	–	–	·36	·10	·02	6
7	·33	–	–	·02	–	–	·19	·12	–	·31	–	·06	7
8	–	–	·13	·20	–	–	·50	·72	·08	·42	·20	·15	8
9	·39	–	·05	–	·03	–	·02	·22	·08	·10	·25	·01	9
10	–	–	·41	·22	·03	–	–	·11	–	·02	·04	–	10
11	·13	–	·22	·32	·17 ~~[illegible]~~	–	–	·03	–	·40	·01	–	11
12	·05	–	·02	–	–	–	–	–	–	·54	·01	–	12
13	·03	–	·11	·15	–	·02	–	·12	·10	·04	–	·01	13
14	–	–	·15	·20	–	–	–	·05	·01 ~~[illegible]~~	–	–	–	14
15	–	·01	–	–	–	–	·79	·16	·02	·15	·01	·35	15
16	·03	·12	·01	·14	–	–	·07	·01	·01	·54	–	·30 s	16
17	·01	·04	–	·15	·09	–	·42	·07	·76	·25	·02	–	17
18	–	·02	–	·02	·01	·13	·26	·02	·32	–	·02	–	18
19	·02	·41	·20	–	–	–	–	·01	·18	–	·05	–	19
20	–	·09	·05	–	·27	·10	–	·19	–	–	·10	–	20
21	–	·01	·15	–	–	–	–	–	–	·12	·01	–	21
22	–	–	·02	–	–	–	–	·05	–	·04	–	–	22
23	–	·15	–	–	·17	–	–	·20	–	–	–	·05	23
24	–	·08	·04	–	–	–	–	·11	–	·25	·07	–	24
25	–	·06	·03	–	–	–	·03	·05	·05	·02	·09	–	25
26	–	–	·04	–	·17	·64	·15	·62	·18	·05	·02	·01	26
27	–	–	–	–	1·10	·12	–	·78	·02	·05	·01	·02	27
28	–	·01	·17	–	–	5·69	–	·78	–	–	–	·13	28
29	–	X	·08	–	·03	·08	·06	·16	–	·64	–	–	29
30	–	X	·18	–	–	·01	·68	·03	–	·10	–	·02	30
31	–	X	·05	X	–	X	·03	·02	X	·10	X	·02	31
Total	1·37	1·19	2·92	2·04	2·07	6·51	4·17	5·35	2·26	~~5·39~~ 5·32	1·32	1·16	YEAR'S TOTAL 35·68
Rain Days.	~~11~~	~~12~~	~~24~~	~~14~~	~~10~~	~~12~~	~~14~~	~~28~~	~~15~~	~~23~~	~~21~~	~~14~~	~~205~~ 198

W. 8,000, IX. 17.

1·40

27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 2. 19

Kept at Charnage Mere
in the County of Wiltshire
by A. R. Colvik

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~4~~ 1 ft. in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	–	–											
1	–	–	–	–	08	–	–	47	08	04	64	02	1
2	–	05	–	33	–	–	–	52	05	03	–	15	2
3	–	04	–	13	13	–	–	09	03	05	10	06	3
4	–	04	·01	–	–	–	–	07	05	03	64	13	4
5		03	01	03	10	–	–	22	28	23	05	02	5
6	20	43	03	19	–	–	–	10	06	03	–	05	6
7	–	18	–	03	30	–	–	02	24	12	38	03	7
8	–	13	–	10	–	–	–	–	44	18	05	05	8
9	04	12	–	30	–	30	40	–	48	13	01	23	9
10	14	–	–	–	–	–	25	–	19	20	05	45	10
11	02	01	–	–	–	–	91	–	17	05	02	10	11
12	–	13	–	–	40	–	22	–	22	01	01	05	12
13	30	01	–	–	23	–	76	–	84	05	–	06	13
14	10	–	05	–	02	03	06	–	24	18	–	23	14
15	1·00	–	–	26	–	02	32	–	02	01	–	06	15
16	44	–	05	14	–	18	02	–	20	04	–	23	16
17	33	–	02	09	–	–	28	03	09	–	–	13	17
18	79	06	–	04	–	52	12	03	15	–	–	33	18
19	15	06	15	19	–	–	19	–	04	02	–	15	19
20	01	03	–	–	–	03	07	–	15	04	–	01	20
21	07	–	–	–	–	05	06	–	35	05	–	13	21
22	03	–	–	–	03	–	35	–	07	09	02	25	22
23	30	–	–	–	18	03	65	01	12	02	05	05	23
24	02	20	–	–	–	02	25	–	25	–	06	–	24
25	–	–	–	03	–	–	24	58	05	–	03	–	25
26	01	06	–	–	–	–	1·12	–	10	01	14	25	26
27	–	25	03	–	–	–	15	10	~~03~~	02	–	08	27
28	02	03	13	–	–	–	–	02	03	03	28	15	28
29	–	✕	03	–	–	–	–	–	1·01	03	02	03	29
30	–	✕	53	–	–	–	–	09	03	02	06	13	30
31	–	✕	03	✕	–	✕	–	05	✕	03	✕	–	31
Total	3·97	1·86	1·07	1·86	1·47	1·18	6·42	2·40	6·03	1·74	2·61	~~3·62~~ 3·61	YEAR'S TOTAL 34·22
Rain Days.	~~18~~	~~18~~	~~12~~	~~13~~	~~9~~	~~9~~	~~19~~	~~15~~	~~29~~	~~27~~	~~18~~	~~28~~	~~215~~

W, 6,500, VII. 18. w w c

[illegible] 1450

15 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Chamage Mere
in the County of Wiltshire
by A. R. White

Lat. 51·3 Long. 2·4
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48	–	06	07	10	–	36	–	03	–	–	1·40	1
2	13	–	03	–	12	–	–	–	30	09	05	06	2
3	68	–	12	–	07	–	–	–	20	–	–	42	3
4	02	–	71	–	04	02	02	16	21	–	02	10	4
5	03	10	33	–	04	–	04	–	38	–	–	48	5
6	40	43	23	07	04	–	–	–	01	–	07	24	6
7	23	–	48	–	–	–	–	–	01	–	–	02	7
8	24	–	23	–	–	–	–	–	–	–	–	–	8
9	03	–	05	15	03	–	–	–	–	–	08	–	9
10	23	–	28	06	–	–	–	–	–	05	02	11	10
11	03	–	18	22	12	–	19	–	–	01	–	02	11
12	02	03	04	07	–	02	06	–	–	12	11	01	12
13	05	03	02	47	–	–	01	–	–	01	–	05	13
14	51	05	–	63	03	–	10	–	–	02	–	05	14
15	15	03	–	–	–	–	–	–	–	07	01	23	15
16	06	73	–	–	–	–	–	15	–	–	15	02	16
17	–	07	–	–	–	–	–	–	–	–	38	03	17
18	03	05	55	–	–	–	07	02	01	–	20	04	18
19	37	23	76	–	–	02	55	18	17	–	20	06	19
20	32	14	06	–	–	31	–	16	–	–	10	16	20
21	–	64	03	–	–	–	32	–	02	–	02	08	21
22	–	11	02	–	–	–	11	–	45	–	02	75	22
23	–	–	–	–	–	–	–	–	02	20	03	20	23
24	–	–	–	–	–	13	02	–	–	1·00	05	42	24
25	10	06	–	15	–	05	–	28	02	–	–	20	25
26	15	01	12	08	–	–	–	27	07	–	–	30	26
27	05	–	–	32	–	01	–	62	–	–	–	03	27
28	–	–	42	–	–	–	–	56	–	–	55	42	28
29	–		–	04	–	–	–	06	–	09	–	03	29
30	–		05	20	–	15	–	60	–	–	35	39	30
31	–		03		–		01	01		03		52	31
TOTAL	4·31	2·71	4·80	2·53	·59	·71	~~1·85~~ 1·86	3·07	1·90	1·69	2·41	6·84	YEAR'S TOTAL 33·42 ~~33·4[illegible]~~
Days with ·01 in. or more	~~22~~	~~15~~	~~22~~	~~13~~	~~9~~	~~8~~	~~13~~	~~12~~	~~14~~	~~11~~	~~18~~	~~29~~	~~186~~

[illegible] 1370

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Charnage Mere
in the County of Wiltshire
by A. R. White

Lat. 51·1 Long. 2·2
Time of Observation 9 a.m.
Nearest Railway Station Gillingham L.S.W. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	·05	·21	·27	–	·49	·03	·05	·20	·37	·38	1
2	–	–	·02	·15	·12	–	·73	·55	·07	·13	–	·10	2
3	·10	–	–	·10	·04	–	1·26	–	·01	·50	–	·02	3
4	·06	–	·05	·04	–	–	·40	·29	–	·23	–	–	4
5	–	·05	·06	·25	·05	–	·38	·19	–	·23	–	·24	5
6	–	–	·15	–	·12	–	·46	·01	–	·07	–	·02	6
7	·07	–	–	·37	–	–	·24	–	–	·02	–	–	7
8	·07	–	–	·27	·05	–	·24	–	–	–	–	–	8
9	·68	·30	·05	·09	–	·10	·01	–	–	–	–	–	9
10	·71	·30	·15	·12	–	·30	·26	–	–	–	–	·01	10
11	·25	·03	·09	·18	·26	·01	·27	–	–	–	·07	–	11
12	·29	·03	·09	1·27	·06	·69	·01	–	–	·01	–	·02	12
13	·18	·07	·39	·17	–	–	–	–	–	·12	·30	·12	13
14	·12	·03	·20	·22	–	–	–	–	·10	·32	–	–	14
15	·16	·07	·05	·30	·01	·03	·03	–	·04	–	·05	–	15
16	·01	·01	·06	·14	–	·28	·10	–	·07	–	·01	[illegible]	16
17	·05	–	·02	·25	·25	–	·03	·35	·21	–	·01	–	17
18	·06	–	·05	·03	·18	·05	–	·01	·16	–	–	·01	18
19	·05	–	–	·22	·17	·12	–	–	–	–	·01	·11	19
20	·07	·09	–	·13	–	·46	–	–	–	·06	–	·05	20
21	·06	–	–	·01	–	–	·24	·05	–	–	–	·10	21
22	·04	–	–	·06	–	–	·04	–	–	–	–	·25	22
23	·01	–	–	–	–	–	·56	–	–	–	–	·32	23
24	·07	·01	·11	–	·08	–	–	–	–	–	·30	·06	24
25		·05	·09	–	·05	–	·28	–	–	–	·01	–	25
26	·18	–	·17	–	–	·02	·15	–	–	–	·08	·10	26
27	·35	·02	·05	·34	–	·25	·22	–	–	–	·01	·17	27
28	·51	·01	·04	·03	·20	·02	·06	–	–	–	–	·05	28
29	·32	·01	·13	·18	·03	·02	·01	–	·01	–	–	·17	29
30	·18	✕		–	·05	·27	·15	–	·25	·02	·20	·19	30
31	·09	✕	·16	✕	–	✕	·03	–	✕	·38	✕	·15	31
TOTAL	4·73	1·08	2·23	4·13	1·99	2·62	6·65	1·48	·97	2·29	1·42	2·64	32·23 YEAR'S TOTAL ~~32·21~~
Days with ·01 in. or more	~~27~~	~~15~~	~~22~~	~~24~~	~~17~~	~~14~~	~~25~~	~~8~~	~~10~~	~~13~~	~~12~~	~~21~~	~~208~~
Days with ·04 in. or more	~~24~~	~~8~~	~~20~~	~~21~~	~~15~~	~~8~~ 9	~~19~~	~~5~~	~~8~~	~~10~~	~~7~~	~~17~~ 16	~~162~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

MERE

WILTSHIRE

1911 — 1913

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at mere

in the County of W

by W W F

5 in.

e Ground 2 ft. 6 in.

Sea Level 340ft ft.

am

Name Gillingham Dorset

Distance 5 mile Direction South

IMPORTANT N the result entered to the previous day. If an ersal rule, he is earnestly requested to add the r ear in the space provided for it at the end of t ment of rain, the selection and plac itish Rainfall Organization are given sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·15	·07				·03			·02	·07	1
2	·05		·02	·06	·48			·07		·08	·29	·17	2
3			·01	·02	·27			·06			·10	·11	3
4	·02		·08	·04						·05	·18	·58	4
5	·05			··				·17		·04	·17	·02	5
6	·54			··						·09	·13	·67	6
7	·04		·12								·35	·02	7
8	·13		·17								·10	·37	8
9	·16		·18								·07	·44	9
10					·91						·02	·28	10
11	·58	·13	·31		·02						·69	·20	11
12			·90		·03						·07	·28	12
13			·03						·26		·02	·54	13
14		·07									··	·74	14
15		·11	·02			·02					·34	·11	15
16						·35				·01	·48	·35	16
17	·02	·06				·09					·18	·36	17
18		·40	·05	·11	·13	·12		··		·05	·05	·44	18
19		·21		·03		·16		··	·18	·14	·02	·64	19
20	·04	·05	·09	·18		·03		··	·46	·11		·45	20
21		·34	·02			·03		··	·05	·50		·23	21
22	·12	·09	·23	·04		·02			·01	·59		·44	22
23		·13	·07			·05			·14	·06	·02	·20	23
24		·28				·57		·14		·38		·17	24
25	·02	·11	·02	·22		·12		·04	·03	·15		·30	25
26		·07		·39	·05			·02		·08		·36	26
27		·75	·14	·24				·01	·13		·02	·22	27
28		·38		·28				·18			·07	·01	28
29				·72		·30	·05		·14	·55	·02		29
30				·04		·09	·04			·28		·02	30
31										·05			31
Total	1·84	3·18	2·61	2·44	1·89	1·95	·09	·72	1·40	3·21	3·41	8·79	TOTAL for year 31·53
No. of Rain Days.	13	15	18	14	7	13	2	9	9	17	22	29	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Mere

in the County of Wilts 2

by W W Farnfield

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 340ft ft.

Time of Observation 9 am

Nearest Railway Station
Name Gillingham Dorset
Distance 5 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·15	·07				·03			·02	·07	1
2	·05		·02	·06	·48			·07		·08	·29	·17	2
3			·01	·02	·27			·06			·10	·11	3
4	·02		·08	·04						·05	·18	·58	4
5	·05			..				·17		·04	·17	·02	5
6	·54			..						·09	·13	·67	6
7	·04		·12								·35	·02	7
8	·13		·17								·10	·37	8
9	·16		·18								·07	·44	9
10					·91						·02	·28	10
11	·58	·13	·31		·02						·69	·20	11
12			·90		·03						·07	·28	12
13			·03						·26		·02	·54	13
14		·07									..	·74	14
15		·11	·02			·02					·34	·11	15
16						·35				·01	·48	·35	16
17	·02	·06				·09					·18	·36	17
18		·40	·05	·11	·13	·12		..		·05	·05	·44	18
19		·21		·03		·16		..	·18	·14	·02	·64	19
20	·04	·05	·09	·18		·03		..	·46	·11		·45	20
21		·34	·02			·03		..	·05	·50		·23	21
22	·12	·09	·23	·04		·02			·01	·59		·44	22
23		·13	·07			·05			·14	·06	·02	·20	23
24		·28				·57		·14		·38		·17	24
25	·02	·11	·02	·22		·12		·04	·03	·15		·30	25
26		·07		·39	·05			·02		·08		·36	26
27		·75	·14	·24				·01	·13		·02	·22	27
28		·38		·28				·18			·07	·01	28
29				·72		·30	·05		·14	·55	·02		29
30				·04		·09	·04			·28		·02	30
31										·05			31
Total	1·84	3·18	2·61	2·44	1·89	1·95	·09	·72	1·40	3·21	3·41	8·79	TOTAL for year 31·53
No. of Rain Days.	13	15	18	14	7	13	2	9	9	17	22	29	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913 R

Kept at Townsend Mere
in the County of Wilts 2
by W W Farnfield

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Gillingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·23	·18	·03	·02	·68		·47	1
2			·34	·01		·14	·35	·45		·02	·05		2
3	·01		·10			·47	·10		·04		·03	·08	3
4	·23		·69		·02	·55		·02			·23		4
5	·74	·14	·22			·06		·51				·15	5
6	·65	·07	·09		·17		·52	·79			·02	·13	6
7	·03	·25	·12	·02	·21	·45	·01	·07			·01	·14	7
8	·49	·20	·27	·02	·01	·09	·10	·38	·05			·08	8
9	·02	·06	·18	·15		·11	·04	·13				·52	9
10		·14	·01			·01		·06			·08	·27	10
11	·14	·19	·01			·01		·05				·37	11
12	·09	·32	·11	·03			·04				·03	·01	12
13		·05	·02			·16	·01	·10			·03	·08	13
14	·21		·36		·04	·02		·09		·02			14
15	·09	·15	·04		·08	·64		·05				·65	15
16	·84	·01	·33		·21	·01		·13		·12	·03	·07	16
17	·89		·13		·02	·05		·53			·02	·11	17
18	·19	·19	·36					·10		·07		·08	18
19	·07	·04	·10			·11	·13	·22		·02	·03	·02	19
20	·04	·22	·42		·08	·02	·05	·53		·33	·07		20
21	·01	·25	·24		·74		·02	·18		·58			21
22	·32	·46	·04		·07	·05	·06	·28		·06	·02	·08	22
23	·18	·03	·28			·05	·10	·78		·06		·26	23
24	·08	·03	·03			·71	·03	·17		·04	·23	·22	24
25	·08	·05				·11		·28		·15	·27	·58	25
26		·06				·01	·31	·27		·37	·57	·20	26
27						·14	·96	·01		·66	·02	·37	27
28						·13	·10	·23	·06	·46	·47	·59	28
29		·11	·02			·15	·12	·05	·98	·29	·02		29
30			·04			·95	·24		·34	·42			30
31			·49		·01		·36	·05		·06		·11	31
Total	5·40	3·02	5·13	·23	1·66	5·43	3·83	6·54	1·49	4·41	2·23	5·64	YEAR'S TOTAL 45·01
Rain Days.	21	21	27	5	12	26	21	28	6	18	19	24	228

W. 7,500, XI. 12

~~From~~

REGISTER OF RAINFALL IN 1913.

Rec. Wg

FORM A.
BRITISH RAINFALL.

8 APR 1914

Mid. Wessex.
Kept at ~~Mere~~

in the County of Wilts 2

by W. W. Farnfield
Rev. H A. Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·22	·13	-	·02	·08	-	-					1
2	·63	·12	·03	·12	·03	·01	-	-					2
3	·19	-	·06	·06	·58	-	-	-					3
4	·71	-	·02	-	·57	-	-	-					4
5	·09	·05	-	-	·15	·15	-	-					5
6	·05	·04	·12	-	·24	·17	·15	-					6
7	·02	·20	·05	-	·29	·03	-	-					7
8	-	·06	-	-	·24	·01	·03	-					8
9	-	·07	-	-	·06	·08	·03	·26					9
10	·17	·01	·03	-	·05	-	-	·03					10
11	·60	-	-	·29	·09	·03	-	-					11
12	-	·03	·01	·01	·19	·02	-	-					12
13	·04	·02	·15	-	-	-	-	·02					13
14	·12	·01	·15	·04	·03	·03	-	-					14
15	·26	·08	·30	·66	-	-	·11	·06					15
16	·18	-	·45	-	-	-	·02	-					16
17	·02	·02	·04	·02	-	·01	·05	-					17
18	·12	-	·21	·16	-	-	-	-					18
19	·72	-	·05	·01	·10	·11	·08	-					19
20	·02	-	·13	·06	·01	-	-	-					20
21	-	-	·14	·21	·07	-	·02	-					21
22	·92	-	·23	·01	-	-	-	·02					22
23	·03	-	·02	-	-	·11	-	·01					23
24	·07	·02	-	·14	-	-	-	·11					24
25	-	·20	-	·19	-	-	-	-					25
26	-	·02	-	·25	-	-	-	·25					26
27	·05	-	·18	·11	-	-	-	-					27
28	·15	-	·09	·30	-	-	-	-					28
29	·09		·46	·61	·19	-	-	·19					29
30	·62		·01	·01	·02	-	-	-					30
31	·15		·05		·03			·73					31
Total	5·43	1·17	3·11	3·26	2·96	·84	·49	1·68 ✓					YEAR'S TOTAL
Rain Days.	25	16	24	19	19	13	8	10					

W.7,000, XI. 13

Df

295

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS

PEWSEY
(WILCOT)
WILTSHIRE

1911 - 1916

Kept at Wilcot,
in the County of Wilts
by W. R. Wilbraham

ft. in.
vel ft.
Direction

IMPORTANT NOTE.—Ra
esult entered to the
previous day. If an Observer
rule, he is earnestly
requested to add the reading at
the space provided
for it at the end of this parag
rain,
the selection and placing of
infall
Organization are given in "*Rules*
sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·03	·22								·02	1
2	·04			·02	·23			·04		·05	·23	·20	2
3	·03			·01	·19			·06			·11	·08	3
4	·02	·01	·13	·05					·01	·16	·15	·36	4
5	·01							·17		·06	·36		5
6	·23		·12								·07	·48	6
7	·04										·33	·02	7
8	·13		·16								·06	·42	8
9	·10		·03	·01								·32	9
10	·03	·17	·20								·02	·34	10
11	·39		·04		·04						·62	·09	11
12			·73		·03						·46	·18	12
13			·10						·26		·01	·50	13
14		·02	·02									·46	14
15		·05	·02							·01	·25	·02	15
16		·02	·01			·02					·42	·17	16
17		·01				·13					·14	·36	17
18		·33	·10	·03		·09				·01		·33	18
19		·04		·03		·30			·07	·17	·04	·21	19
20	·03	·03	·08	·01		·36		·01	·27	·05		·49	20
21	·02	·24	·02	·01		·04		·21	·01	·61		·13	21
22	·01	·01	·50	·02		·01		·01		·28		·56	22
23		·28	·05			·02			·07	·04	·02	·16	23
24		·12				·03		·14		·26		·15	24
25	·10	·08		·16	·03	·29			·02			·07	25
26		·08		·11	·09	·11				·09	·03	·28	26
27		·28	·31	·09	·19	·09		·08	·13		·01	·17	27
28		·46		·24	·02			·16			·08	·01	28
29				·11					·12	·24	·01		29
30					·06	·24	·01	·02		·12		·02	30
31										·21			31
Total	1·23	2·23	2·65	1·12	·88	1·73	·01	·90	·96	2·36	3·42	6·60	TOTAL for year 24·09
No. of Rain Days	15	17	18	15	9	13	1	10	9	15	20	28	170

9,000, IX. '10.

Df

295

REGIS

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Wilcot, Pewsey
in the County of Wilts 3
by W. R. Wilbraham, W. Hooper

RAIN GAUGE
Diameter of top............in.
Height of top above Ground............ft. ....in.
" " " Sea Level............ft.

Time of Observation............

Nearest Railway Station
Name............
Distance............ Direction............

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.03	.22								.02	1
2	.04			.02	.23			.04		.05	.23	.20	2
3	.03			.01	.19			.06			.11	.08	3
4	.02	.01	.13	.05					.01	.16	.15	.36	4
5	.01							.17		.06	.36		5
6	.23		.12								.07	.48	6
7	.04										.33	.02	7
8	.13		.16								.06	.42	8
9	.10		.03	.01								.32	9
10	.03	.17	.20								.02	.34	10
11	.39		.04		.04						.62	.09	11
12			.73		.03						.46	.18	12
13			.10						.26		.01	.50	13
14		.02	.02									.46	14
15		.05	.02							.01	.25	.02	15
16		.02	.01			.02					.42	.17	16
17		.01				.13					.14	.36	17
18		.33	.10	.03		.09				.01		.33	18
19		.04		.03		.30			.07	.17	.04	.21	19
20	.03	.03	.08	.01		.36		.01	.27	.05		.49	20
21	.02	.24	.02	.01		.04		.21	.01	.61		.13	21
22	.01	.01	.50	.02		.01		.01		.28		.56	22
23		.28	.05			.02			.07	.04	.02	.16	23
24		.12				.03		.14		.26		.15	24
25	.10	.08		.16	.03	.29			.02			.07	25
26		.08		.11	.09	.11				.09	.03	.28	26
27		.28	.31	.09	.19	.09		.08	.13		.01	.17	27
28		.46		.24	.02			.16			.08	.01	28
29				.11					.12	.24	.01		29
30					.06	.24	.01	.02		.12		.02	30
31										.21			31
Total	1.23	2.23	2.65	1.12	.88	1.73	.01	.90	.96	2.36	3.42	6.60	TOTAL for year 24.09
No. of Rain Days	15	17	18	15	9	13	1	10	9	15	20	28	170

9,000, IX. '10.

82

Exd A11

291

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Wilcot. Pewsey

in the County of Wiltshire 3

by W. R. Wilbraham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09		·01	·54	·13		·04	·63		·24	1
2			·36	·03		·13	·29	·04		·02			2
3	·01		·11			·28	·12	·37	·03		·03	·15	3
4	·14		·83		·14	·35		·05			·25		4
5	·31	·07	·16		·05	·47		·37			·02	·18	5
6	·46	·14			·09		·06	·44				·04	6
7		·20	·03		·09	·54		·12				·19	7
8	·26	·18	·49	·01		·02	·03		·01			·03	8
9	·03	·10	·22	·05		·18	·03	·08				·38	9
10		·11		·11		·07		·21	·01		·14	·20	10
11	·05	·05	·01	·12		·03					·04	·24	11
12	·11	·30	·10			·01	·05				·02	·02	12
13		·06	·03				·04	·15			·01	·04	13
14			·23		·31			·11		·06		·03	14
15	·04	·11	·02		·09	·42						·50	15
16	·50	·01	·20		·03			·06		·04	·04	·01	16
17	·94		·07			·10		·48				·08	17
18	·27		·41					·14		·07	·01	·14	18
19	·04	·13	·18			·06	·21	·36		·04	·02	·01	19
20	·02		·39		·03		·22	·29		·35	·02		20
21	·01	·06	·32		·57			·05		·19			21
22	·48	·24	·02		·06	·03	·05	·16		·05	·03	·11	22
23	·17	·44	·42					·49		·04	·24	·28	23
24	·10	·03	·04			·16	·16	·14		·04		·18	24
25	·02					·10		·47		·08	·34	·56	25
26		·02					·35	·29		·37	·46	·14	26
27			·02			·10	·10			·68		·31	27
28		·17				·04		·30	·08	·36	·36	·54	28
29		·07	·02			·44	·13	·03	·53	·44		·04	29
30			·01			·08	·13		·41	·39			30
31			·10		·15		·22	·07		·05		·05	31
Total	3·96	2·49	4·88	·32	1·62	4·15	2·32	5·27	1·11	3·90	2·03	4·69	TOTAL for year 36·74
No. of Rain Days.	19	19	26	5	12	21	17	24	7	18	16	26	210

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 300

27 JAN 1914

Kept at Wilcot [illegible]

in the County of Wiltshire 3

by W. R. Wilbraham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·23	·12	·04	·19	·02			·54		·13	·23	1
2	·02	·08	·01	·04			·02		·02	·12	·11	·01	2
3	·01		·09	·14	·54					·02		·20	3
4	·46		·03		·51		·02		1·39	·48	·03	·14	4
5	·04	·02				·17	·04		·24		·02	·12	5
6	·01	·02	·05		·23	·11	·49	·11		·25	·14	·64	6
7	·02	·26			·20		·20			·34	·16	·01	7
8		·05			·16	·01		·01		·12		·02	8
9		·18	·01	·01			·01		·22		·02	·10	9
10	·04		·13	·05	·22	·03		·01		·05	·53		10
11	·72			·37	·22					·16	·40	·02	11
12	·01	·03			·17				·01	·02	·15		12
13	·06		·07					·09	·13		·29		13
14	·10	·01	·11	·09			·05	·01	·04	·07	·08	·01	14
15	·11	·21	·31	·46			·31	·01	·10		·13	·02	15
16	·23		·61	·12		·01			·02				16
17	·03	·02	·07	·12			·07				·01		17
18	·03		·18	·06		·01	·02				·04		18
19	·75		·02		·03	·01	·20		·42			·01	19
20	·09		·20	·05						·22	·07		20
21			·12	·11	·11		·01			·02	·40		21
22	·44		·19	·04	·02			·06	·36				22
23	·01					·12		·01			·05	·31	23
24	·05			·18				·02			·03		24
25		·21		·09						·02	·02	·04	25
26		·03		·37				·20		·22		·20	26
27		·03	·19	·11						·06			27
28	·18		·11	·18	·02					·40		·01	28
29	·04		·35	·77				·05		·16	·02	·05	29
30	·43				·03					·24	·01		30
31	·05		·06					·36					31
Total	3·99	1·38	3·03	3·40	2·65	·49	1·44	·94	3·49	2·97	2·84	2·14	YEAR'S TOTAL 28·76
Rain Days.	25	14	21	20	14	9	12	12	12	18	22	18	197

W. 7,500, XI. 12

DL ~~written~~ 9. III. 15

Sent

288

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wilcot

in the County of Wiltshire 3

by W. R. Wilbraham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	–			·02	·35			·19	·02	1
2				·04	·01		·51	·01			1·68	·21	2
3			·33	·18	·20		·22	·39			·03	·09	3
4	·12		·12	·24	·03		·02	·91			·41	·39	4
5	·07		·15	·30	·12		·20				·47	·08	5
6		·13	·04	·20	·05	·03	·05	·06			·09	·27	6
7		·34	·12	·17	·93	·05	·27	·04			·01	·39	7
8	·09	·07	·95		·09	·22	·33	·08				·06	8
9	·14		·41	·39	·08	·73		·06	·32			·09	9
10	·01	·14		·02	·19	·19		·01	·26		·01	·01	10
11		·18	·32		·05		·16				·15	·42	11
12		·09	·19				·15		·32	·02	·01	·23	12
13	·01	·24	·18						·16	·08	·07	·37	13
14	·06	·27	·48				·25	·03	·04	·74	·29	·04	14
15		·03	·16					·25	·03	·07	·10		15
16			·02						·12				16
17		·40	·18						·01			·43	17
18			·04				·07					·55	18
19		·13	·43				·77		·02		·12		19
20		·35	·42			·10						·28	20
21		·82	·07		·19			·08		·20	·03		21
22		·03	·23		·11	·16		·04		·66			22
23		·07	·12		·05		·07			·27			23
24		·01	·08				·03			·21	·10		24
25	·03		·13				·07	·16		·30	·03	·28	25
26			·05				·02	·01		·11	·21	·41	26
27	·05						·05				·04	·18	27
28		·05	·09		·05		·02			·01	·34	·87	28
29	·17		·11		·08					·26	·19		29
30	·01		·04							·17	·38	·62	30
31	·01				·02		·09			·24		·03	31
													YEAR'S TOTAL
Total	·77	3·35	5·48	1·54	2·25	1·48	3·37	2·48	1·28	3·34	4·95	6·32	36·61
Rain Days.	12	17	27	8	16	7	20	15	9	14	22	23	190

W.7,000, XI. 13

81 ✓

1660
~~284~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Wilcot [illegible]

in the County of Wiltshire 3

by W. R. Wilbraham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·72	·15			·06		·02	·06	·31	·23	·09	·21	1
2	·38	·25	·21	·14		·05		·56	·10	·43		·32	2
3	1·02	·03	·11	·06	·07		·07	·08		·05		·39	3
4	·28							·01				·31	4
5	·04	61		·07				·07				·29	5
6	·42	·08		·39			·48	·12				·10	6
7	·23	·39		·02			32	·02				·30	7
8	·17	·26		·04			·04	·11			·03		8
9	·06	·05		·20		·01		·02			·32	·75	9
10	·09		·04	·01						·01		·11	10
11	·10		·21	·05	·02		·04	07			·83	·03	11
12	·11	·21		·15	·62			·28		·01	·39	·02	12
13	·04	·64			·56				·14		·02		13
14	·05			·			·32	·31	·06			·59	14
15	·18			·01	·09		·10	·03	·01	·01	·17	·12	15
16	·01	·52		·01	·27		·73	·05				·10	16
17		·38	·02		1·37			·01				·01	17
18		·27	·03		·03								18
19		·01			·06		24						19
20	·20			·06	·02					·05		·14	20
21	·17	·12			·15		·15			·28		·13	21
22	·10	·62	·50	05			·45		02			·23	22
23		·08	·31				·33		10	67		·28	23
24			·02	09		·01	·17		·62	·46		·57	24
25				·02		46	·15			·01		·17	25
26		·05				·13	·10		·01	·27		·53	26
27		·08				·22	·15		·01			·01	27
28		·11				·06			·91	·01			28
29						·08		·05			·17	·05	29
30	·09	×								·17	·48	·26	30
31	·04	×		×		×		·02	×	1·06	×	·27	31
Total	4·50	4·91	1·45	1·37	3·32	1·02	3·86	1·87	2·29	3·72	2·50	6·29	YEAR'S TOTAL 37·10
Rain Days.	21	20	9	16	12	8	17	17	11	15	9	26	181

W. 8,000. X. 14.

8h

1643
~~25·3~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Wilcot

in the County of Wiltshire

by W. R. Wilbraham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·01		·12	·06	·02		·15	·17	·35		1
2	·29	·05	·05		·21		·01		·04	1·08	·12		2
3	·02	·63	·03		·03				·13	·30	·17		3
4	·12	·21			·09	·32			·28	·14	·40		4
5	·04	·01	·03		·17	·13				·04	·31		5
6	·04	·17	·02		·03	·09	·52			·09	·61		6
7	·08	·05	·31		·01		·27			·10	·37	·23	7
8		·01			·13	·02					·01	·15	8
9			·04		·32	·08	·02			·07		·26	9
10		·46	·03	·13	·03	·30	·05			·01	·01		10
11	·15	·01	·02	·06	·02	·30			·02			·33	11
12	·05	·07	·02	·04	·17	·02	·14			·03	·01	·01	12
13		·24	·15					·67					13
14		·27		·02	·10			·28		·03			14
15	·02	·28	·12					·20		·01			15
16	·02	·07	·07	·20	·03		·28	·68					16
17	·10	·22		·01				·19	·36	·41			17
18		·03	·04	·12				·02	·17	·04	·51	·22	18
19	·11		·19	·16					·02		·19		19
20	·21		·58	·03							·05	1·15	20
21	·03		·57		·04		·02				·01	·44	21
22	·01		·01		·04					·24	·01	·47	22
23	·03	·24		·07		·02		·12			·14	·10	23
24		·15	·02	·03	·17	·26		·03		·19	·07	·23	24
25	·02	·75	·10				·05	·31	·01	·03	·16	·11	25
26	·03	·03	·24			·15		·19	·07	·29			26
27	·07	·05	·94				·02	·42	·08	·21	·02		27
28		·46	·22			·11		·05	·11	·14		·28	28
29		·34				·27		1·57	·04	·43	·02	·36	29
30		X	·02					·03		·44		·01	30
31		X		X		X		·05	X	·11	X	·12	31
Total	1·50	4·80	3·83	·87	1·71	2·13	1·40	4·81	1·48	4·60	3.54 3·54	4·47	YEAR'S TOTAL 35.14 35·14
Rain Days.	20	23 ~~24~~	24	11	17	14	11	15	13	23	20	16	207

W. 8,000. X. 15.

—

PEWSEY

STOWELL PARK.

WILTSHIRE

1911 — 1913

1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Stow

in the County of

by J. H. S

of top 5 in.
top above Ground ft. 10 in.
" " Sea Level 470 ft.
on Morning
Station Name Pewsey
Distance 1½ m. Direction SE

IMPORTAN … n., and the result entered to the previous day. … st universal rule, he is earnestly requested to add … wing year in the space provided for it at the en … neasurement of rain, the selection an … the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	·06			·19	·28		·02					·03	2
3					·18						·24		3
4			·15					·04	·01			·30	4
5												·39	5
6								·25		·24	·63	·08	6
7	·47		·11								·05	·53	7
8	·04										·33		8
9			·22									·41	9
10	·48										·11	·60	10
11		·18	·18										11
12			·22								·69	·22	12
13			·86		·08				·01		·39		13
14									·24			·74	14
15												·60	15
16		·11				·02					·32		16
17						·13						·48	17
18		·35	·09			·15					·53	·60	18
19						·34							19
20						·32				·22		·53	20
21	·13	·24		·12		·02		·37	·28	·19		·24	21
22						·01				·49			22
23			·58							·20		·66	23
24		·32				·06		·22		·25		·20	24
25						·32						·13	25
26				·16	·03	·03							26
27		·88		·20	·11	·05			·11	·12		·34	27
28		·18	·28		·48			·20	·11		·16	·16	28
29				·26				·02					29
30					·11	·05		·03	·12	·28			30
31										·10		·02	31
Total	118	226	269	·93	127	1·50 ~~149~~	·02	113	·88	209	345	726	TOTAL 24.66 24.65
No. of Rain Days.	5	7	9	5	7	12	1	7	7	9	10	20	~~99~~

Average for 15 years 27.45 inches

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Stowell Park, Pewsey

in the County of Wilts: 3

by J. H. Smith-Barry

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 470 ft.

Time of Observation Morning

Nearest Railway Station
Name Pewsey
Distance 1½ m. Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·06			·19	·28		·02					·03	2
3					·18						·24		3
4			·15					·04	·01			·30	4
5												·39	5
6								·25		·24	·63	·08	6
7	·47		·11								·05	·53	7
8	·04										·33		8
9			·22									·41	9
10	·48										·11	·60	10
11		·18	·18										11
12			·22								·69	·22	12
13			·86		·08				·01		·39		13
14									·24			·74	14
15												·60	15
16		·11				·02					·32		16
17						·13						·48	17
18		·35	·09			·15					·53	·60	18
19						·34							19
20						·32				·22		·53	20
21	·13	·24		·12		·02		·37	·28	·19		·24	21
22						·01				·49			22
23			·58							·20		·66	23
24		·32				·06		·22		·25		·20	24
25						·32						·13	25
26				·16	·03	·03							26
27		·88		·20	·11	·05			·11	·12		·34	27
28		·18	·28		·48			·20	·11		·16	·16	28
29				·26				·02					29
30					·11	·05		·03	·12	·28			30
31										·10		·02	31
~~Total~~	118	226	269	·93	127	~~149~~ 1·50	·02	113	·88	209	345	726	TOTAL 2466
No. of Rain Days.	5	7	9	5	7	12	1	7	7	9	10	20	24.66 ~~99~~

Average for 15 years 27.45 inches

W. 8,000, X. '11.

made

}20.11.13

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stowell Park, Pewsey

in the County of Wilts: 3

by J H Smith Barry

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 450 ft.

Time of Observation morning

Nearest Railway Station
Name Pewsey
Distance 1½ mi Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									8	40			1
2			10			65			4	68			2
3			35					8					3
4	2		55			37	53	37	4		4		4
5			34		15	46		5					5
6	68		19				5	46				27	6
7	30	50			17			30			26		7
8			33	15	5	48							8
9	30		28				5	8				19	9
10			15			3		19					10
11		28	2					6			12		11
12	8	16											12
13		24									6	95	13
14									1	6	4	5	14
15	26		36		31					5			15
16		13			9	13		6				56	16
17	84		23			48		18			4		17
18	71		30					57				21	18
19			21			5	2	44					19
20		15					20	~~20~~				13	20
21	16		62		3	13	21	29		64			21
22			22		54								22
23	50 50	33	30			2	2	24		13			23
24	17	37	5				22	64			29	44	24
25	9	4				26				3		50	25
26						2	33	45		34	33	28	26
27								24			42	5	27
28		2	17			11	5			85			28
29		18				38	19	39	19	39	35	85	29
30						8	4	2	56	65			30
31					14		32					5	31
Total	4.41 4·11	2.40	4.77	·15	1.48	3.65	2.23	·08 ~~5.11~~	·40 ~~·92~~	4.22	1.95	4.53	TOTAL for year 35.52
No. of Rain Days.	12	11	18	1	8	15	13	20	6	11	10	13	25.82

W. 8,000, X. '11.

5·19 1·24 3·82

~~138~~

Simade

WA

cnd for arith 16.III.14 + for WD. 2.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at Stowell Park Pewsey ~~#~~ RL

in the County of Wilts 3

by J H Smith Barry

Lat. Long.
Time of Observation 10 AM
Nearest Railway Station Pewsey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1									31			14	1
2	10	25	13	10	20		1		25		29	22	2
3	2	8							22	7		4	3
4												21	4
5	57		10		115	17			174	32		7	5
6							6		6	6	6		6
7					24		63			29	10	65	7
8		31	7		41	11		5			15		8
9									16			3	9
10		23				2	4						10
11	76									49	57	53	11
12	8			56						6	45		12
13								9	15		29	4	13
14			23	6	75						25		14
15	15		13				36			9	10		15
16	11	22	31	57							12		16
17				3					3				17
18	20		54				5						18
19	30						15		15				19
20	63		32		65								20
21										23	56		21
22	46		35					5	34				22
23					13	10					4		23
24	3							2				47	24
25				43									25
26	3	24								23			26
27		3		59				20				4	27
28			34	34						53	5		28
29	19			55									29
30			41	14	2								30
31	49				3			9		47			31
Total	~~412~~	~~136~~	~~293~~	~~337~~	~~358~~	~~40~~	~~130~~	.31 ~~50~~	~~344~~ 3.41	~~284~~	.14 ~~303~~	~~244~~	YEAR'S TOTAL ~~29.34~~ 28
Rain Days.	15	7	11	10	9	4	7	~~6~~ 7	+09	11	14	10	114
	4.12	1.36	2.93	3.37	3.58	.40	1.30	.81	3.10	2.84	3.17	2.30	29.28

W. 7,500, XI. 12

M.O &

FORM 2. METEORO ANIZATION.

RA 9.

1514

PORTON

WILTSHIRE

1919 – 20

Kept at Porto °42' W

G.M.T

in the County of

by

Gauge 5 in.

ve Ground 1 ft. 0 in.

Sea Level 340 ft.

IMPORTANT NOTE ntered to the previous day.

If an Observer prefers not sted to add the reading at 9 a.m. on 1st January t the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·0	-	2·3	0·6	1·6	-	4·5	-	-	2·1	0·8	27·0	1
2	4·5	-	-	-	-	-	1·2	-	19·0	-	0·7	1·1	2
3	18·3	-	8·5	-	0·7	1·8	-	-	3·2	-	-	6·1	3
4	5·3	1·5	13·0	-	-	3·2	-	2·5	4·0	-	0·8	1·4	4
5	-	9·7	-	-	3·8	-	9·3	-	1·0	-	2·2	3·0	5
6	9·6	-	2·5	-	6·8	-	-	-	-	0·2	-	5·0	6
7	3·5	-	11·5	0·3	-	-	-	-	-	-	-	-	7
8	6·9	-	4·6	-	-	-	-	-	-	-	-	-	8
9	-	-	0·5	3·2	0·3	-	-	-	-	-	3·5	-	9
10	-	-	7·1	1·0	-	-	-	-	-	0·3	0·3	7·0	10
11	1·7	-	2·3	6·7	1·7	-	9·2	-	-	-	-	0·3	11
12	-	-	1·4	-	-	-	0·9	-	-	3·4	0·6	-	12
13	0·7	-	-	12·0	-	-	-	-	-	-	-	1·6	13
14	10·7	0·9	-	7·0	-	-	0·5	-	7·3	-	-	2·7	14
15	7·7	1·0	-	0·6	-	-	-	-	-	-	-	20·0	15
16	1·2	17·5	-	-	-	-	-	0·~~2~~3	-	-	2·3	-	16
17	-	2·5	-	-	-	-	-	-	-	-	3·5	0·3	17
18	-	0·5	9·1	-	-	-	0·9	0·~~2~~3	0·2	-	1·6	0·6	18
19	6·2	7·2	25·7	-	-	3·3	10·5	3·0	1·7	-	3·5	0·9	19
20	9·9	1·7	1·5	-	-	11·2	-	5·~~4~~3	-	-	-	1·6	20
21	1·0	13·0	-	-	-	-	1·4	-	0·3	-	0·3	1·0	21
22	-	0·5	-	-	-	-	3·8	-	4·2	-	0·2	5·2	22
23	-	-	-	-	-	-	-	-	-	3·6	0·5	2·5	23
24	-	-	-	-	-	1·1	1·0	-	-	9·2	3·2	5·2	24
25	1·3	2·4	-	-	-	0·2	-	8·9	-	-	0·2	1·9	25
26	1·9	3·7	2·7	2·4	-	-	-	2·0	0·7	-	0·5	9·8	26
27	2·5	-	-	9·2	-	-	-	22·~~2~~6	-	-	-	0·5	27
28	-	-	7·5	-	-	-	-	11·~~4~~7	-	-	8·2	10·8	28
29	0·5		-	-	-	-	-	1·8	-	3·0	-	1·4	29
30	-		-	4·7	-	4·8	-	15·2	-	0·3	12·4	19·3	30
31	-		-		-		-	-		-		5·6	31
TOTAL	102·4	62·1	100·2 102·2	47·7	14·9	25·6	43·2	93·6 ~~71·8~~	41·6	22·1	45·3	141·8	YEAR'S TOTAL 720·5 ~~718·9~~
Days with 0·2 mm. or more	19	13	15	11	6	7	11	11	10	8	19	26	156

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3201

M.O
correct

FORM . 2. METEOROL ANIZATION.

REGISTER OF RAINFALL IN 1919.

9 MAR 20

Kept at Porton [M.O.]

in the County of Wiltshire

by

Lat. 51°7′ Long. 1°42′W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, ,, ,, ,, Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·0	-	2·3	0·6	1·6	-	4·5	-	-	2·1	0·8	27·0	1
2	4·5	-	-	-	-	-	1·2	-	19·0	-	0·7	1·1	2
3	18·3	-	8·5	-	0·7	1·8	-	-	3·2	-	-	6·1	3
4	5·3	1·5	13·0	-	-	3·2	-	2·5	4·0	-	0·8	1·4	4
5	-	9·7	-	-	3·8	-	9·3	-	1·0	-	2·2	3·0	5
6	9·6	-	2·5	-	6·8	-	-	-	-	0·2	-	5·0	6
7	3·5	-	11·5	0·3	-	-	-	-	-	-	-	-	7
8	6·9	-	4·6	-	-	-	-	-	-	-	-	-	8
9	-	-	0·5	3·2	0·3	-	-	-	-	-	3·5	-	9
10	-	-	7·1	1·0	-	-	-	-	-	0·3	0·3	7·0	10
11	1·7	-	2·3	6·7	1·7	-	9·2	-	-	-	-	0·3	11
12	-	-	1·4	-	-	-	0·9	-	-	3·4	0·6	-	12
13	0·7	-	-	12·0	-	-	-	-	-	-	-	1·6	13
14	10·7	0·9	-	7·0	-	-	0·5	-	7·3	-	-	2·7	14
15	7·7	1·0	-	0·6	-	-	-	-	-	-	-	20·0	15
16	1·2	17·5	-	-	-	-	-	0·~~2~~3	-	-	2·3	-	16
17	-	2·5	-	-	-	-	-	-	-	-	3·5	0·3	17
18	-	0·5	9·1	-	-	-	0·9	0·~~2~~3	0·2	-	1·6	0·6	18
19	6·2	7·2	25·7	-	-	3·3	10·5	3·0	1·7	-	3·5	0·9	19
20	9·9	1·7	1·5	-	-	11·2	-	5·~~2~~3	-	-	-	1·6	20
21	1·0	13·0	-	-	-	-	1·4	-	0·3	-	0·3	1·0	21
22	-	0·5	-	-	-	-	3·8	-	4·2	-	0·2	5·2	22
23	-	-	-	-	-	-	-	-	-	3·6	0·5	2·5	23
24	-	-	-	-	-	1·1	1·0	-	-	9·2	3·2	5·2	24
25	1·3	2·4	-	-	-	0·2	-	8·9	-	-	0·2	1·9	25
26	1·9	3·7	2·7	2·4	-	-	-	2·0	0·7	-	0·5	9·8	26
27	2·5	-	-	9·2	-	-	-	22·~~2~~6	-	-	-	0·5	27
28	-	-	7·5	-	-	-	-	11·~~4~~7	-	-	8·2	10·8	28
29	0·5		-	-	-	-	-	1·8	-	3·0	-	1·4	29
30	-		-	4·7	-	4·8	-	15·2	-	0·3	12·4	19·3	30
31	-		-		-		-	-		-		5·6	31
TOTAL	102·4	62·1	~~102·2~~ 100·2	47·7	14·9	25·6	43·2	~~71·8~~ 73·6	41·6	22·1	45·3	141·8	YEAR'S TOTAL ~~718·9~~ 720·5
Days with 0·2 mm. or more	19	13	15	11	6	7	11	11	10	8	19	26	156

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3201

1384

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Porton, R. E. Experimental Stn
in the County of Wiltshire
by Superintendent of Experiments.

Lat. 51° 7′ N Long. 1° 42′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·0	-	0·4	10·~~0~~2	5·5								1
2	2·2	-	-	2·3	-								2
3	1·5	2·5	-	0·~~4~~5	-								3
4	-	0·4	0·4	0·~~2~~3	-								4
5	-	-	1·7	0·3	1·2								5
6	-	0·2	4·6	0·~~2~~3	5·0								6
7	0·8	-	0·8	5·8	-								7
8	0·7	1·1	-	6·6	1·0								8
9	8·2	1·4	0·8	2·~~6~~5	-								9
10	13·0	5·5	1·2	0·~~2~~3	-								10
11	7·5	-	2·2	8·~~0~~1	3·2								11
12	2·3	0·9	-	5·~~2~~3	-								12
13	1·6	0·4	11·4	1·5	-								13
14	-	0·3	6·1	16·3	-								14
15	0·5	0·8	1·0	4·~~7~~8	1·0								15
16	-	0·2	0·9	2·~~2~~3	-								16
17	0·2	-	-	4·~~0~~1	7·4								17
18	0·7	-	-	~~1·9~~ 2·0	(0·6)								18
19	0 3	-	-	6·~~2~~4	-								19
20	0·5	3·3	-	5·~~4~~6	-								20
21	-	-	-	-	-								21
22	0·8	-	-	3·~~4~~6	-								22
23	0·2	-	-	-	-								23
24	0·6	-	3·9	-	-								24
25	0·2	1·5	2·3	-	1·4								25
26	3·0	-	6·7	0·~~6~~5	-								26
27	14·0	1·2	1·0	5·~~5~~6	0·3								27
28	13·8	-	-	-	(3·6)								28
29	11·5	-	3·8	0·~~2~~3	-								29
30	1·8	✕	-	0·~~4~~5	0·8								30
31	3·4	✕	9·6	✕	-	✕			✕		✕		31
TOTAL	90·3 ✓	19·7 ✓	58·8 ✓	9~~3·9~~ 6·0 ✓	31·0 ✓								YEAR'S TOTAL
Days with 0·2 mm. or more	25	14	18	25	12								

Inches from June

A (44,284). Wt. 15,958—218. 500. 10/19. Gp.132. A.&E.W.
Copied from P 3201.3

~~W~~ A.N.
Mddy B (38

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

Kept at Porton R. E. Experimental Stn.

[MO]

in the County of Wiltshire

by Superintendent of Experiments

Lat. 51° 7' N Long. 1° 42' W

Time of Observation 9 h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ~~[illegible]~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
						IN.	IN.	IN		0·23	0·41	0·43	
1						-	0·50	0·02	-	0·08	-	0·12	1
2						-	0·09	0·48	0·10	0·52	-	-	2
3						-	0·45	-	-	0·18	-	-	3
4						-	0·53	0·27	-	0·52	-	0·01	4
5						-	0·75	0·14	-	0·01	-	-	5
6						-	0·24	-	-	0·01	-	-	6
7						-	0·31	-	-	0·005	-	-	7
8						-	0·39	0·02	-	-	-	-	8
9						0·07	0·01	-	-	-	-	-	9
10						0·29	0·33	-	-	-	-	-	10
11						0·07	0·20	-	-	-	-	-	11
12						0·93	-	-	-	-	0·10	-	12
13						-	-	-	-	-	0·03	0·05	13
14						0·005	0·07	-	0·21	0·40	0·59	0·02	14
15						-	0·05	-	0·03	0·35	-	-	15
16						-	-	-	0·09	0·005	-	-	16
17						0·38	0·005	-	0·40	-	-	0·02	17
18						0·04	0·005	0·50	0·04	-	-	0·02	18
19						0·14	-	-	0·005	-	0·03	-	19
20						0·42	-	-	-	-	0·01	0·10	20
21						-	0·39	-	0·06	-	-	0·08	21
22						-	0·03	0·05	-	-	-	0·28	22
23						-	0·47	-	-	-	-	0·32	23
24						-	-	-	-	-	0·14	0·09	24
25						-	0·41	-	-	-	-	0·01	25
26						-	0·02	-	-	-	0·05	0·12	26
27						0·13	0·05	-	-	-	-	0·43	27
28						0·01	0·06	-	-	-	0·01	0·06	28
29						-	-	-	0·005	-	0·24	0·24	29
30						0·14	0·14	-	0·27	-	0·27	0·25	30
31							-	-		0·72		0·15	31
Total	3·56	0·78	2·31	3·77	1·22	2·225	5·50 ~~[illegible]~~	1·48	1·21	3·03	1·88	2·89	YEAR'S TOTAL 30·17
Rain Days.	25	14	18	25	12	~~12~~ 11	~~23~~ 22	7	~~10~~ 9	~~12~~ 11	11	19	~~188~~ 184
	15	7	13	17	9	9	17	5	7	8	7	14	128

Millimetres till May 31st

Copied from 193201.

W. 6,500, VIII 18. W W C

RAMSBURY.
EASTRIDGE
WILTSHIRE
1912 — 1914

…FALL IN 1912

BRITISH RAINFALL.
8 - JAN 1913

Kept at Ea…
…n
…eter of top .... in.
…ght of top above Ground 1 ft. or 13 in.
in the County…
„ „ „ Sea Level 600 ft. approx
…servation
by C. S…
…ailway Station { Name Hungerford
Distance 5½ Direction

IMP… …t 9 a.m., and the result entered to the previous … …is almost universal rule, he is earnestly requested … …he following year in the space provided for it at … …r the measurement of rain, the selection and pla… …s as to the British Rainfall Organization are given in "*Rules for…* …nt post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.…

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		08			29	21		05	55		23	1
2			20			17	28	85		07			2
3			25			17	06	30	03		03	05	3
4	·15		90		14	47		13			20		4
5	·20		22			23		50			01	02	5
6	·55	·18	02		06		26	34				24	6
7	·2	·22			09	61		15				03	7
8	·43	·16	43			28	03	22	07	02		04	8
9	·01	·05	15	03		37		02			·01	28	9
10		·09	05			06		17			13	18	10
11	04	·08	01			02					03	23	11
12	·05	·28	17		02	03	19			01	04	02	12
13		·07	02				14	05			01	02	13
14		~~·09~~	10		12			02		02	01	05	14
15	·06	·09	08		11	34		05			02	32	15
16	·03		10		07			06		12			16
17	·21		09			06		64				04	17
18	·65		44					25		06	01	15	18
19	·32	·09	18				09	50		02	01	02	19
20	·02		20				25	59		29	06		20
21	·01	·09	43		19			22		14			21
22	·36	·28	04		46		02	15		11	02	11	22
23	·31	50	45		24			30		03	26	46	23
24	·08	03	02			06		20		01		22	24
25		02				19		48		03	34	66	25
26		05						29		53	70	21	26
27							16			79		34	27
28		06				05	18	23	10	53	48	57	28
29		06				03	19	10	89	71	66	02	29
30						56	01	01	48	26			30
31			12		29	04	34	05		03		04	31
Total	351	241	475	3	199	383	221	607	162	433	243	460	TOTAL for year 3777
No. of Rain Days.	19	18	24	1	11	19	15	27	6	20	19	25	204

W. 8,000, X. '11.

652 18.43 24.80 26.45 30.15 33.48

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL.
8 - JAN 1913

Kept at Eastridge, Ramsbury

in the County of Wiltshire 5

by C Staniford
C Staniford

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	7 0 ft. or 13 in.
	„ „ „ Sea Level	500 ft. approx
Time of Observation		
Nearest Railway Station	Name	Hungerford
	Distance	5½
	Direction	

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		08			29	21		05	55		23	1
2			20			17	38	05		07			2
3			25			17	06	30	03		03	05	3
4	·15		90		14	47		13			20		4
5	·20		22			23		50			01	02	5
6	·55	·18	02		06		26	34				24	6
7	·12	·23			09	61		15				03	7
8	·43	·16	43			08	03	22	07	02		04	8
9	·01	·05	15	03		37		02			·01	28	9
10		·09	05			06		17			13	18	10
11	04	·08	01			02					03	28	11
12	·05	·28	17		02	03	09			01	04	02	12
13		·07	02				04	05			01	02	13
14		~~[illegible]~~	10		12			02		02	01	05	14
15	·06	·09	08		11	34		05			02	32	15
16	·03		10		07			06		12			16
17	·21		09			06		64				04	17
18	·65		44					25		06	01	15	18
19	·32	·09	18				09	50		02	01	02	19
20	·02		20				25	59		29	06		20
21	·01	·09	43		19			22		14			21
22	·56	·28	04		46		02	15		11	02	11	22
23	·31	50	45		24			30		03	26	46	23
24	·08	03	02			06		20		01		22	24
25		02				19		48		03	34	66	25
26		05						29		53	10	21	26
27							16			79		34	27
28		06				05	18	23	10	53	48	57	28
29		06				03	19	10	89	11	66	02	29
30						56	01	01	48	26			30
31			12		29	04	34	05		03		04	31
Total	351	241	475	3	199	383	221	607	162	433	243	460	TOTAL for year 377
No. of Rain Days.	19	18	24	1	11	19	15	27	6	20	19	25	204

W. 8,000, X. '11.

652 8.43 24.80 2643 3075 3518

FORM A
BRITISH RAI

end. 16.III.14

REGISTER OF RAINFALL IN 1913.

Eastridge . Ramsbury
in the County of Wiltshire
by C Stainford

5

Lat. 30 Long. 20
Time of Observation Between 8 & 9 a.m
Nearest Railway Station Hungerford
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 700 ft.

JAN 5 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05	22	15	04	07				55		30	12	1
2	08	10	01	01			02		04	09	15	01	2
3	01	01	07	12	36							23	3
4	41		08	7	59				10	32	04	10	4
5	01	01				16	99		11	02		01	5
6	01	02			23	10	110			44	03	42	6
7		41	04		18		40			73	08	01	7
8		05		01	21	02				15	04		8
9		15			07		02	36	13	01	02	01	9
10	03		04	20	09		11	03			62		10
11	70			39	29			13		09	57	02	11
12		01			28					01	23	01	12
13	07		01						19	08	16		13
14	11	01	16	08			41	07	1		05		14
15	21	13	33	76			40		19		04	01	15
16	17		54	27					02	01			16
17	06	01	10	05		06	01		01		02	02	17
18	02	01	16	15									18
19	82		04	01		01	16		48		04	01	19
20	11		13	04						30	01		20
21	04		29	08	18						58	1	21
22	41		22	11				09	27	03			22
23	01					13		06		01	02	18	23
24	01		01	16						01			24
25		03		24								02	25
26		15		36				14		25			26
27		02	01	10						06		15	27
28	31		35	16	03					17	01		28
29	24		40	77				01		40		06	29
30	49									45	02		30
31	01		05					27					31
Total	422	120	318	411	233	42	264	116	210	383	303	152	YEAR'S TOTAL ~~29·73~~ 29·74
Rain Days.	24	16	21	21	12	6	10	9	12	20	20	17	188

B 12

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Eastridge Ramsbury
in the County of Wilts. 5
by A. Staniford.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Hungerford
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							2	31			23	.2	1
2				.3			7	10			83	14	2
3	1		15	5	24		59	28			6	.4	3
4	12		.5	29	.9		5	84			33	46	4
5	.7		.7	28	.7		37	18			30	.2	5
6		10.		10	.6		.6	.5			18	31	6
7		34	22	12	87	0.1	25	1			1	43	7
8	.5	13	74		.4	.3	21.	5				.4	8
9			52	23		46		1	13			19	9
10	12	12	.1	11	20	63		3	24			.1	10
11	.1.	25	42	0.2	10	39			11		5	47	11
12		18	13			.1.	34		31	3	1	50	12
13		38	21						15	5	7	46	13
14		35	20				11	1	1	2	10	.3	14
15	.2	.3	15				0.1	21	1	5	20		15
16	.8	.2					.2		1		0.1		16
17		40	21				1		24.			44	17
18		.1.	.4			29	8					60	18
19		.7	10.				73				11	14	19
20		39	73			8	0.2					18	20
21		76	.4							12	.5	.5	21
22		.2	21.		30		0.5	03		73			22
23		77	11		09	0.8	0.5			9			23
24	.1		0.8		.4	01				22	.7		24
25	.2.	.1	45					12		34	.5	26	25
26			.4				0.2	10		6	16	56	26
27	5										.7	27	27
28		.7.	.1.		0.6						35	92	28
29	19		10.		0.7.					30	17		29
30			10.							14	49	90	30
31	.3.						8			25		.4.	31
Total	.78	3.75	4.68	1.13	2.23	1.99	3.14	2.33	1.15	3.20	3.90	7.58	YEAR'S TOTAL 35.89.
Rain Days.	13.	19	25	9	13	10	20	15.	9	13	22	25.	193.

26
194
35.89

7,500, XI. 12

From orig. ret to obsr.

SALISBURY

CHITTENE HOUSE

WILTSHIRE

1911—1913, 1916—1920

19 11

FORM A2. BRITISH RAINFALL.

10 JUL 1912

Kept at Ch

in the County of

by Ric

er of top in.

of top above Ground ft. in.

" " Sea Level ft.

tion

y Station { Name
Distance Direction

IMPORTAN .m., and the result entered to the previous day. ost universal rule, he is earnestly requested to add owing year in the space provided for it at the en measurement of rain, the selection an the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·15							·01	·02	1
2	·02			·06	·23			·03		·21	·17	·20	2
3					·25			·04			·11	·08	3
4			·10						·02	·06	·16	·43	4
5	·02							·17		·10	·20		5
6	·39		·13					·01			·09	·43	6
7	·01										·31		7
8	·06		·09								·06	·47	8
9	·06		·02								·03	·39	9
10	·02	·06	·22		·30							·39	10
11					·27						·64	·06	11
12			·62								·13	·25	12
13			·08		·04				·22		·01	·37	13
14		·05	·07							·01	·26	·63	14
15			·02			·03						·07	15
16		·01				·25					·48	·36	16
17					·07	·15					·08	·45	17
18		·26	·06	·05	·04	·18					·03	·39	18
19	·02	·02		·01		·20			·10	·23		·18	19
20	·02	·01	·14	·02		·05	·02	·02	·25	·04		·73	20
21	·03	·07	·02			·01		·13	·06	·48		·18	21
22			·34			·02				·12		·54	22
23		·17	·24			·01			·11	·08		·24	23
24		·03				·40		·11		·21		·19	24
25	·01	·07		·11		·05			·01			·30	25
26		·04		·29	·02	·11				·11	·02	·31	26
27		·23	·21	·25		-		·03	·10		·07	·18	27
28		·37		·20		-		·14			·07		28
29				·42		·23	·03		·07	·35	·01		29
30				·03		·05		·02		·25			30
31										·10			31
Total	·71	1·39	2·36	1·59	1·22	1·74	·05	~~·50~~ ·70	·94	2·35	2·94	7·84	TOTAL for Year 23·83
No. of Rain Days.	12	13	15	11	8	14	2	10	9	14	20	25	153

W. 8,000, X. '11.

From orig. ret to obsr.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
10 JUL 1912

Kept at Chitterne House

in the County of Wilts 3

by Richard Hayward (per Miss Prangle servant)

RAIN GAUGE: Pattern ……
Diameter of top …… in.
Height of top above Ground …… ft. …… in.
" " " Sea Level …… ft.

Time of Observation ……

Nearest Railway Station: Name ……
Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·15							·01	·02	1
2	·02			·06	·23			·03		·21	·17	·20	2
3					·25			·04			·11	·08	3
4			·10						·02	·06	·16	·43	4
5	·02							·17		·10	·20		5
6	·39		·13					·01			·09	·43	6
7	·01										·31		7
8	·06		·09								·06	·47	8
9	·06		·02								·03	·39	9
10	·02	·06	·22		·30							·39	10
11					·27						·64	·06	11
12			·62								·13	·25	12
13			·08		·04				·22		·01	·37	13
14		·05	·07							·01	·26	·63	14
15			·02			·03						·07	15
16		·01				·25					·48	·36	16
17					·07	·15					·08	·45	17
18		·26	·06	·05	·04	·18					·03	·39	18
19	·02	·02		·01		·20			·10	·23		·18	19
20	·02	·01	·14	·02		·05	·02	·02	·25	·04		·73	20
21	·03	·07	·02			·01		·13	·06	·48		·18	21
22			·34			·02				·12		·54	22
23		·17	·24			·01			·11	·08		·24	23
24		·03				·40		·11		·21		·19	24
25	·01	·07		·11		·05			·01			·30	25
26		·04		·29	·02	·11				·11	·02	·31	26
27		·23	·21	·25		-		·03	·10		·07	·18	27
28		·37		·20		-		·14			·07		28
29				·42		·23	·03		·07	·35	·01		29
30				·03		·05		·02		·25			30
31										·10			31
Total	·71	1·39	2·36	1·59	1·22	1·74	·05	~~1·50~~ ·70	·94	2·35	2·94	7·84	TOTAL 23·83
No. of Rain Days.	12	13	15	11	8	14	2	10	9	14	20	25	153

W. 8,000, X. '11.

[illegible] 20.11.13

REGISTER OF RAINFALL IN 19 12

FORM A2.
BRITISH RAINFALL.
21 JAN 1913

Kept at [illegible]

in the County of Wiltshire 3

by Richard Hayward

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12			21			04	71	01	41	1
2			49			14	24						2
3			09	01		39	04		01		02		3
4	12		73		06	34					29		4
5	36		7		14			37			36	25	5
6	63	19	02		08		25				01	07	6
7		21	01		34	34		74				02	7
8	35	21	46			12	06	01				17	8
9	02	02	14	02		10	02	15				22	9
10		97	01								06	37	10
11	06	09	10			24 09		14			01		11
12	04	36	06	02		01	05				03	02	12
13		10											13
14		01	19		19			19				42	14
15	15	04			02			02				06	15
16	07		10		02	47		01		06			16
17	35		06		01			60				07	17
18	46					04		15		03			18
19	22	06	24					41		09	02		19
20	05	01	11		02	02	42	15		37			20
21	01	24	36		39			02		92			21
22	27	25	24		03	19		23		07	01	03	22
23	14	22	21					30		07	19	32	23
24	10	02	01			13		13			22		24
25	03	01				19		30		17	66	82	25
26		~~01~~						12		25		21	26
27		06				15				82			27
28		08				04	26	40	10	44	50	86	28
29		06				33		03		36		02	29
30						03	15		128	57			30
31			14		01			04		03		05	31
Total	4.25	2.26	4.26	6	35	3.54	1.59	5.51	1.43	[illegible]	1.88 1.88	[illegible]	TOTAL for year 34.26
No. of Rain Days.	20	39	49	02	39	47	42	74	5	[illegible]		86	177

W. 8,000, X. '11.

4.15 1.35 1.59

Total [illegible]

P. made

copy of original ret. to Obser.

REGISTER OF RAINFALL IN 1913

~~20X. [illegible]~~

3

FORM A.
BRITISH RAINFALL.

16 JAN 1914

Kept at Chitterne House

in the County of Wiltshire

by Miss S. Prangle

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·11	-	·44	-	-	-	·63	-	·19	·19	1
2	·02	·27	-	-	-	-	-	-	·08	·05	·15	-	2
3	·06	-	·01	-	·59	-	-	-	-	·19	-	·12	3
4	·62	-	-	·05	·50	-	·05	-	·89	-	·05	·08	4
5	-	-	-	-	-	·18	-	-	·31	·15	·02	-	5
6	·05	-	-	-	·27	·10	·15	-	-	-	-	·73	6
7	·03	·39	·03	-	-	-	-	-	-	·33	·29	·01	7
8	·01	·08	-	-	·59	·01	·02	-	-	·41	-	·01	8
9	-	·04	-	-	·10	·02	·01	-	·16	·09	·09	-	9
10	·08	-	-	·05	·02	-	-	·33	-	-	·66	-	10
11	·69	-	-	·29	·11	-	-	-	-	·32	·54	-	11
12	-	-	-	-	·18	-	·02	-	·02	·01	-	-	12
13	·02	-	-	-	-	·01	-	-	-	-	·25	-	13
14	·16	·03	·15	·03	-	-	·05	·02	-	·03	·27	-	14
15	-	·11	-	·49	-	-	·26	-	-	-	-	-	15
16	·44	-	·78	·08	-	·05	-	-	-	-	-	-	16
17	-	-	-	·02	-	-	-	-	-	-	·08	-	17
18	·04	-	·30	·09	-	-	·01	-	-	-	·06	-	18
19	·87	-	-	-	·02	-	-	-	·45	·26	-	-	19
20	·07	-	·15	·05	-	-	-	-	-	-	·09	-	20
21	-	-	-	-	·13	-	-	-	-	-	-	-	21
22	·69	-	·39	·25	-	-	-	·03	·26	-	·70	-	22
23	·01	·	-	-	-	·07	-	-	·	-	-	-	23
24	-	-	-	·11	-	·01	-	·08	-	·03	-	·48	24
25	-	-	-	·17	-	-	-	-	-	-	-	-	25
26	-	·10	-	·45	-	-	-	·29	-	·07	·02	·02	26
27	·10	~~·02~~	-	-	-	-	-	-	-	-	·01	·23	27
28	·14	-	·37	·28	-	-	-	-	-	·49	-	-	28
29	·06		·43	-	·03	-	-	-	-	·40	-	-	29
30	·57		-	-	-	-	-	·06	-	·28	-	-	30
31	·12		·04		-		-	-		-		-	31
Total	4·85	1·02	2·76	2·41	2·98	·45	·57	·81	2·80	3·11	3·47	1·87	YEAR'S TOTAL 27·10
Rain Days.	21	7	11	14	12	8	8	6	8	15	16	9	·135

W. 7,500, XI. 12

made ✓ copd for WD 1639

Copy from original returned

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 10 JAN 1917

Kept at Chitterne House Codford

in the County of Wiltshire

by J. Hayward

Lat. .... Long. ....

Time of Observation 9. a. m

Nearest Railway Station Codford

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	-	·56	·	·		-	-	·04	-	·17	·	1
2	·12	·	·02	-	·22	·02	·	-	·19	·34	·38	-	2
3	·18	·05	-	-	·13	-	·03	-	·	·80	·02	-	3
4	-	·82	-	·	·01	·	-	-	·04	·30	·30	-	4
5	·08	·29	·	·	·08	·27	-	-	·39	·15	·80	-	5
6	-	-	-	·	·51	·20	-	-	-	·01	·58	·	6
7	·03	·15	·	·	·	·05	·54	-	-	·30	·80	·	7
8	·04	·03	·09	·	·01	-	·	-	·	·05	·39	·13	8
9	-	·04	·	·	·15	·50	-	-		-	·04	·15	9
10	-	-	·	·	·07	·17	·03	-	-	·09	·01	-	10
11	-	·53	-	·05	·01	·17	-	-	-	-	-	·09	11
12	·02	-	·	·01	-	·19	-	-	-	-	-	·06	12
13	·03	·02	·03	·	·60	-	·08	-	-	·02	-	-	13
14	-	·20	·10	-	-	-	-	·38	-	-	-	-	14
15	-	·43	·01	-	·03	-	-	·39	-	·01	-	-	15
16	-	·20	·07	·02	·01	-	-	·08	-	-	-	-	16
17	-	·12	-	·21	-	-	·20	·37	-	-	—	-	17
18	·07	·24	·	-	-	-	-	·16	·32	·33	-	-	18
19	·01	·01	·06	·15	-	-	-	-	·05	·06	·21	·30	19
20	·05	-	·31	·13	-	-	-	-	·02	-	·19	·10	20
21	·18	·02	·62	-	-	-	-		-	-	·08	1·22	21
22	-	·02	·49	·	·03	·	·	-	-	·28	-	·41	22
23	·	-	-	·	-	-	-	-	-	·44	·02	·49	23
24	·02	·	·	-	-	·05	-	·11	-	·	·19	·05	24
25	-	·09	·	·	·27	·16	-	·01	-	-	·04	·37	25
26	-	·05	·06	-	-	-	-	·50	-	-	·04	-	26
27	-	·15	·11	-	-	·13	-	·02	·04	·67	-		27
28	-	·04	1·11	-	-	·02	-	·36	·36	·28	-	·09	28
29	-	·11	·03	-	-	·02	·	·08	·07	·15	-	·30	29
30	-	X	·01	·	-	·23	-	1·32	·07	·45	-	·19	30
31	-	X	·	X	·	X	-		X	·49	X	·	31
	-	·56	-	-	-	-	-	·04	-	·17	-	(·10)	YEAR'S TOTAL
Total	~~1·16~~	~~3·61~~	~~3·68~~	·57	2·13	2·18	·88	~~3·78~~	~~1·59~~	~~5·22~~	~~4·26~~	~~3·85~~	~~32·91~~
	·83	4·17	3·12					3·82	1·53	5·39	4·09	3·95	32·68
Rain Days.	~~13~~ 12	~~21~~ 22	~~16~~ 15	6	14	14	5	~~12~~ 13	~~11~~ 10	~~19~~ 20	~~17~~ 16	~~14~~ 15	162

W. 8,000, VIII. 16

1564

made

cor per auth of WD

REGISTER OF RAINFALL IN 19 ~~18~~ 17

-2 JAN 1918

FORM 91. BRITISH RAINFALL.

Kept at Chitterne House Chitterne

in the County of Wilts

by J. Hayward. Esq.

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (.02)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02			10							03		1
2			14	07		05		67	06				2
3				40		02		05			08		3
4				11			83	13		39	11		4
5		21	11				12	01		27			5
6	14		07	21		07		13	11	49	06		6
7	02		60							07	07	02	7
8	11						47	08		08		01	8
9	32		08	05			34	42	03	19	07	14	9
10			02		01		01	57	07	23	31		10
11	11		30	22	05			07		01			11
12	02		55	23						24	02		12
13	08		01		43					38	01		13
14			11			01		09	04	04			14
15			13	15				09					15
16							23	01		19		11	16
17		13		18	63		01	05		52		53	17
18		01		09	16		41		55	28			18
19		01				01	17		38				19
20		37	08			01			17		02		20
21		02	05		30	03		01			01		21
22			16			17				04			22
23			01			32		04		04			23
24		18			07			21		01		02	24
25		06				04		13		11			25
26		02	03					07	01	21			26
27					24			66	15	13	04		27
28					97	04		88		02			28
29			08		04	366		32					29
30		X	07		42	11	05	09		43		11	30
31		X	15	X		X	89	04	X	15	X		31
	-	-	·10	-	-	-	-	-	-	·03	-	(.02)	YEAR'S TOTAL
Total	~~82~~ ·80	~~101~~ 1·01	~~275~~ 2·85	~~181~~ 1·71	~~275~~ 2·75	~~454~~ 4·54	~~356~~ 3·56	~~484~~ 4·84	~~157~~ 1·57	~~452~~ 4·55	~~83~~ ·80	~~94~~ ·96	~~29·94~~ 29·94
Rain Days.	8	9	~~19~~ 20	10	11	13	11	23	10	24	12	8	

W. 8,000, IX. 17.

157

Smade

cod fr WD

49

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8 · 1 · 19

Kept at Chitterne House Chitte

in the County of Wilts

by J Hayward

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				02					02	02	03	06	1
2					07			20		02	59	02	2
3		05		24				18			07	14	3
4		06	01	18	23			21	02	02	05		4
5		02		04				03	04		64	07	5
6		01			18			12	15	28	02	01	6
7	15	24		05				04	20	07		04	7
8	~~10~~	10		15	58				07	08	21	03	8
9									38	24		01	9
10		08		31		25	56		50	08		19	10
11				09			39		05	27		41	11
12							72		11	05	01	09	12
13		06			26		03		02				13
14	15				12		52		42	04		04	14
15	13		02		~~12~~	02	09		16	13		12	15
16	118			38	~~02~~	02	15			01		13	16
17	15		05	25	~~03~~	03	01		14			15	17
18	38			21			33	02	05			24	18
19	81					54	06		30			22	19
20	11	02	12	02			15		09	02		11	20
21	04	07		28			33		18	05	01		21
22	15	03					08		50	07		08	22
23	04						21		88	10		14	23
24	12				23	01	50	01	02		03	02	24
25		29					65		07		06		25
26							43	50			01		26
27				01			33		02	01	05	10	27
28		03	02				02	09	12	01	16	01	28
29			20								38	01	29
30		X	01						129			03	30
31		X	35	X		X		06	X	02	X	03	31
	–	–	·02	–	–	–	–	·02	·02	·03	·06	(–)	YEAR'S TOTAL
Total	3·41	1·06	·78	2·23	1·69	·84	5·56	1·86	5·90	1·59	2·32	2·52	~~29·69~~
Rain Days.	12	13	8	14	17	6	19	14	26	20	15	26	176
	3·41 12	1·06 13	·80 9	2·28 13	1·67 7	·87 6	5·56 19	1·78 12	5·92 25	1·60 20	2·35 15	2·46 25	29·69 176

W. 6,500, VII. 18.

Obs! agreed 31.3.20 cord for auth 1472

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

8 Jan. 20

Kept at Chitterne House. ~~W. H R.~~
in the County of Wilts
by J. Hayward

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 22

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					17		14					53	1
2	30		06	20	06		55			02		144	2
3	22						04		24		03	07	3
4	89		16		01	01			15			30	4
5	23		46				03	07	21			07	5
6	01	48	65		08		15		06		09	15	6
7	45	02	11		16							16	7
8	46		46	03								01	8
9	23		20										9
10	01		01	11							07		10
11	05		32	04						01		10	11
12	01		17	18	12		18					01	12
13	06		06			01	07			06	01		13
14	01	10	03	47								03	14
15	51	06		61			04			01		05	15
16	20	01		03								49	16
17	02	67									14		17
18		10						02			25	02	18
19		05	63						01		04		19
20	31	21	85			05	54	23	17		09	04	20
21	28	05	15			29		30				04	21
22		50					07		01		01	04	22
23		04					10		32			25	23
24							10			20	01	12	24
25				05		07				61	07	27	25
26	06	04						34					26
27			09	10		01		21	03			39	27
28	17		02	34				57				02	28
29			30					75			51	36	29
30								03		14		41	30
31								42		01		50	31
TOTAL	4·48	2·33	4·73	~~2·16~~ 2·33	~~·60~~ ·43	~~·44~~ ·58	~~2·01~~ 1·87	2·94	1·20	1·06	~~1·32~~ 1·85	~~5·47~~ 5·16	YEAR'S TOTAL ~~28·14~~ ~~26·74~~ 28·96
Days with ·01 in. or more	20	13	18	~~11~~ 12	~~6~~ 5	7 ~~6~~	~~12~~ 11	10	9	8	~~12~~ 13	25.	~~150~~ 151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2896

1390

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

Kept at Chitterne House. Chitterne

in the County of Wilts

by Admiral Charles Napier

Lat. 51°11′N Long. 2°0′W.

Time of Observation 9. am.

Nearest Railway Station Codford G.W.R.

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	22	17		21						27	54	50	1
2			01	21	31					24	38	41	2
3	10			09			9	39		08		06	3
4	03	05		09			39			70			4
5			03				16	33		27			5
6		01	04	05	09		41	04		22			6
7			28		32		36			04			7
8	02			33			17						8
9	02	03		18	05		74			05			9
10	36		03	09									10
11	61	19	04	10		35	28						11
12	35		09	38	22		11						12
13	14	02		36	03	75					23		13
14	12	02	31	13									14
15		03	21	106		41			08		35		15
16		07	03	36						47			16
17				11	03		07				18		17
18			01	18	20				22				18
19	03			02	21			33					19
20	03			17	07	16							20
21		16		26		37						24	21
22							25		06			05	22
23				04			03					28	23
24							104					40	24
25		08	12								24	04	25
26	03		09		19		41						26
27	28		16				03				05	08	27
28	36	03	08	29		26						18	28
29	51			09	08		02				12		29
30	25	X	10		04							28	30
31	04	X		X	09	X	16		X		X	25	31 28·86
	·11		·21						·27	·54	·50	·09	YEAR'S TOTAL
Total	~~263~~ 3.45	~~86~~ ·69	~~163~~ 1.84	~~460~~ 4.59	193	230	472	109	~~36~~ ·63	~~234~~ 2.61	~~229~~ 2.25	~~277~~ 2.36	~~2557~~
Rain Days.	~~18~~ 17	~~12~~ 11	~~16~~ 17	~~22~~ 21	14	6	17	4	~~2~~ 4	9	8	12	141 ✓
·01	12		12	20	12	6	14	4	~~04~~	9	8	12	118

W. 8,000. VIII. 16

SALISBURY

ATHERTON HOUSE

WILTSHIRE

1911 —— 1920

---

entd 29.xi

911 1510

FORM A2. BRITISH RAINFALL.

-7 OCT 1912

ound

Kept at Sali

op 5 in.

above Ground - ft. 11 in.

in the County of W

" Sea Level 250 ft.

by Wilfrid

9 a.m

ion Name Salisbury

Distance 1½ miles Direction S.W.

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add ng year in the space provided for it at the enc asurement of rain, the selection anc he British Rainfall Organization are given in "Rules for Rainf e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			-	·16	-	-	-	-	-	-	·01	·08	1
2			-	-	·32	-	-	·01	-	·08	·16	·28	2
3			-	-	·20	-	-	-	-	-	·17	·07	3
4			·05	Snow no-thing to measure	-	-	-	-	-	-	·25	·43	4
5			-	snow do.	-	-	-	·08	-	·13	·09	-	5
6			·09	snow do.	-	·	-	-	-	-	·01	·93	6
7			·01	·01	-	-	-	-	-	-	·40	-	7
8			·19	-	-	-	-	-	-	-	·14	·58	8
9			·02	-	-	-	-	-	-	-	·01	-	9
10			·41	-	·21	-	-	-	-	-	·03	·67	10
11			·01	-	·02	-	-	-	-	-	·93	·39	11
12			·60	-	·05	-	-	-	-	-	·02	·05	12
13			·03	-	-	-	-	-	·37	·02	-	·24	13
14			-	-	-	-	-	-	·	-	-	·46	14
15			·01	-	-	-	-	-	-	-	·25	·60	15
16			-	-	-	·01	-	-	-	-	·57	·02	16
17			·01	-	-	·10	-	-	-	-	·29	·44	17
18			·09	·08	-	·10	-	-	-	·03	·05	·61	18
19			-	-	-	·16	-	-	·30	·18	·03	·63	19
20			·12	·03	-	·32	-	-	·07	·05	-	·17	20
21			·08	-	-	·03	-	·24	·16	·85	-	·64	21
22			·49	-	-	·13	-	-	-	·14	-	·11	22
23			·11	-	-	·05	-	-	·08	·05	·05	·43	23
24			-	-	-	-	-	·09	-	·30	-	·34	24
25			Snow, nothing to measure	·07	·22	·40	-	·02	·06	-	-	·10	25
26			-	·29	·08	·07	-	·02	-	·10	·01	·25	26
27			·11	·11	-	·10	-	-	·02	·02	·02	·34	27
28			-	·44	-	-	-	·10	-	-	·06	·20	28
29			-	·41	-	·20	·03	-	·12	·44	·01	-	29
30			-	·01	·05	·04	-	·10	-	·21	-	·03	30
31			-	-	-	[illegible]	-	-		·01		-	31
Total			2·43	1·61	1·15	1·71	·03	·66	1·18	2·61	3·56	9·09	TOTAL for ~~year~~ 10 ms. 24·03
No. of Rain Days.			17	10	8	13	1	8	8	15	22	26	128

W. 8,000, X. '11.

Enrd. 29.x1.

1510

FORM A2. BRITISH RAINFALL.

-7 OCT 1912

REGISTER OF RAINFALL IN 1911

Kept at Salisbury

in the County of Wilts

by Wilfrid Fletcher

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground – ft. 11 in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Salisbury
Distance ½ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			–	·16	–	–	–	–	–	–	·01	·08	1
2			–	–	·32	–	–	·01	–	·08	·16	·28	2
3			–	–	·20	–	–	–	–	–	·17	·07	3
4			·05	Snow nothing to measure	–	–	–	–	–	–	·25	·43	4
5			–	snow do.	–	–	–	·08	–	·13	·09	–	5
6			·09	snow do.	–	–	–	–	–	–	·01	·93	6
7			·01	·01	–	–	–	–	–	–	·40	–	7
8			·19	–	–	–	–	–	–	–	·74	·58	8
9			·02	–	–	–	–	–	–	–	·01	–	9
10			·41	–	·21	–	–	–	–	–	·03	·67	10
11			·01	–	·02	–	–	–	–	–	·93	·39	11
12			·60	–	·05	–	–	–	–	–	·02	·05	12
13			·03	–	–	–	–	–	·37	·02	–	·24	13
14			–	–	–	–	–	–	–	–	–	·46	14
15			·01	–	–	–	–	–	–	–	·25	·60	15
16			–	–	–	·01	–	–	–	–	·57	·02	16
17			·01	–	–	·10	–	–	–	–	·29	·44	17
18			·09	·08	–	·10	–	–	–	·03	·05	·61	18
19			–	–	–	·16	–	–	·30	·18	·03	·63	19
20			·12	·03	–	·32	–	–	·07	·05	–	·17	20
21			·08	–	–	·03	–	·24	·16	·85	–	·64	21
22			·49	–	–	·13	–	–	–	·14	–	·11	22
23			·11	–	–	·05	–	–	·08	·05	·05	·43	23
24			–	–	–	–	–	·09	–	·30	–	·34	24
25			Snow, nothing to measure	·07	·22	·40	–	·02	·06	–	–	·10	25
26			–	·29	·08	·07	–	·02	–	·10	·01	·25	26
27			·11	·11	–	·10	–	–	·02	·02	·02	·34	27
28			–	·44	–	–	–	·10	–	–	·06	·20	28
29			–	·41	–	·20	·03	–	·12	·44	·01	–	29
30			–	·01	·05	·04	–	·10	–	·21	–	·03	30
31			–	–	–	[illegible]	–	–		·01		–	31
Total			2·43	1·61	1·15	1·71	·03	·66	1·18	2·61	3·56	9·09	TOTAL for ~~year~~ 10 ms. 24·03
No. of Rain Days.			17	10	8	13	1	8	8	15	22	26	128

W. 8,000, X. '11.

cordy mm stats 20.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Atherton House, Salisbury

in the County of Wilts 3

by Wilfrid Fletcher

RAIN GAUGE
Pattern Howard.
Diameter of top 5 in.
Height of top above Ground – ft. 11 in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Salisbury
Distance 1 mile Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·12	–	·02	·40	·07	–	·02	·50	–	·41	1
2	–	–	·27	·02	–	·16	·41	·07	–	–	–	–	2
3	–	–	·06	–	–	·28	–	·58	·01	–	·05	·01	3
4	·11	–	·78	–	·04	·65	–	·03	–	–	·16	–	4
5	·44	·07	·06	–	·02	–	–	·91	–	–	·01	·11	5
6	·53	·06	·01	–	·10	–	·02	·39	–	–	–	·03	6
7	·11	·38	·14	·01	·09	·53	–	·38	–	–	–	·15	7
8	·30	·27	·46	–	–	·16	–	·13	–	–	–	·05	8
9	·02	·04	·17	·06	–	·30	·08	·11	–	–	–	·34	9
10	–	·09	·01	–	–	·05	–	·07	–	·01	·05	·38	10
11	·07	·12	·01	–	–	·14	–	–	–	·01	–	·33	11
12	·05	·42	·12	·01	–	·53	·03	·04	–	·01	–	·01	12
13	·01	·03	·01	–	–	·01	·03	·05	–	–	·04	·03	13
14	(·16) ·~~0~~6	–	·24	–	·02	·01	–	·02	–	·01	–	·02	14
15	·08	·10	·03	–	·02	·34	–	·01	–	–	–	·39	15
16	·50	–	·41	–	·03	–	–	·09	–	·06	·02	·01	16
17	·37	–	·18	–	–	·04	–	·63	–	–	–	–	17
18	·43	–	·19	–	–	–	–	·30	–	–	·02	·05	18
19	·10	·05	·13	–	–	–	·10	·66	–	·02	–	–	19
20	·04	·01	·56	–	·05	·01	·19	·22	–	·34	·01	–	20
21	·02	·07	·37	–	·32	–	–	·05	–	·17	–	–	21
22	·24	·34	·01	–	·07	–	·01	·19	–	·02	–	·04	22
23	·15	·40	·26	–	·02	–	–	·40	–	·10	·18	·27	23
24	·17	·04	·02	–	–	·29	–	·17	–	·14	–	·43	24
25	·25	·01	–	–	–	·28	–	·43	–	·09	·24	·54	25
26	–	·07	–	–	–	–	·15	·19	–	·39	·57	·23	26
27	–	·01	–	–	–	·10	·21	·01	–	·82	–	·35	27
28	–	·09	–	–	–	·08	·21	·65	·16	·63	·68	·44	28
29	–	·15	–	–	–	·41	·13	·12	1·33	·38	–	–	29
30	–		·08	–	–	·02	·03	·02	·66	·22	–	·01	30
31	–		·20		·01		·25	·05		·03		·03	31
Total	4·15	2·82	4·90	·10	·81	4·79	1·92	6·97	2·18	3·95	2·03	4·66	TOTAL for year in. 39·28
No. of Rain Days.	21	21	26	4	13	21	15	29	5	19	12	24	210 days.

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at Atherton House, Salisbury

in the County of Wilts

by Wilfrid Fletcher

3

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Salisbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

„ „ „ „ Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02 —	·14 —	—	·12	—	·09	~~0~~	—	·70	—	·16	·09	1
2	·03 —	·10 —	·13	·01	—	—	·01	—	·05	·05	·21	·02	2
3	·15 —	·01 —	·02	—	·55	—	—	—	—	·12	—	·11	3
4	·78 ~~·11~~	— —	·06	·04	·39	—	·02	—	·85	·29	·04	·08	4
5	·16 ~~·66~~	·04 ~~·07~~	—	—	·01	·05	·06	—	·13	·01	·08	·08	5
6	·02 ~~·53~~	·06 ~~·06~~	·08	—	·19	·11	·33	—	·01	·31	·03	·49	6
7	— ~~·11~~	·37 ~~·38~~	·03	—	·37	·04	·04	·06	—	·49	·20	·01	7
8	·02 ~~·32~~	·07 ~~·27~~	—	—	·22	·02	·01	—	—	·08	·01	·02	8
9	— ~~·02~~	·10 ~~·64~~	—	—	·04	·02	·04	·33	·08	·02	·07	·01	9
10	·05 —	·01 ~~·07~~	—	·09	·03	—	·03	·08	—	·12	·50	—	10
11	·81 ~~·27~~	·02 ~~·12~~	—	·28	·04	—	—	—	—	·29	·68	—	11
12	— ~~·05~~	·01 ~~·42~~	—	—	·32	—	—	—	—	·02	·47	—	12
13	·14 ~~·01~~	— ~~·03~~	·11	—	—	—	—	·01	·12	·01	·13	—	13
14	·26 ~~·16~~	·02 —	·12	·02	—	—	—	·05	·12	—	·14	—	14
15	·35 ~~·08~~	·08 ~~·10~~	—	·38	—	—	·43	·07	·07	—	·08	—	15
16	·30 ~~·50~~	— —	·73	·07	—	·01	—	—	·01	—	—	—	16
17	·01 ~~·37~~	·01 —	·01	·04	—	—	·05	—	—	—	—	—	17
18	·01 ~~·43~~	— —	·36	·09	—	—	·01	—	—	·01	·02	—	18
19	·72 ~~·10~~	— ~~·05~~	·07	·13	·02	·01	·03	—	·43	—	—	—	19
20	·13 ~~·04~~	— ~~·01~~	·08	—	·01	—	—	—	—	·35	·06	—	20
21	·01 ~~·02~~	— ~~·07~~	·24	·32	·02	—	—	—	—	·03	·74	—	21
22	·40 ~~·24~~	— ~~·24~~	·34	—	·01	—	·01	·13	·31	—	·01	—	22
23	·01 ~~·15~~	— ~~·40~~	·03	—	—	·06	—	—	—	—	·02	·76	23
24	·03 ~~·17~~	— ~~·04~~	·01	·21	—	—	—	·12	—	·01	·01	—	24
25	— ~~·25~~	·09 ~~·04~~	—	·24	—	—	—	—	—	·01	—	·01	25
26	— —	·01 ~~·07~~	—	·60	—	—	—	·18	·01	·22	—	·17	26
27	·02 —	·01 ~~·01~~	·23	·06	—	—	—	·01	—	·08	—	—	27
28	·17 —	—	·10	·17	—	—	—	·01	—	·33	—	—	28
29	·08 —		·39	·56	·07	—	—	·05	—	·98	—	·01	29
30	·55 —		·01	·02	·02	—	—	·01	—	·62	—	—	30
31	·09 —		·05		—		—	·47		·01		—	31
Total	5·32	1·20	3·20	3·45	2·31	·41	1·07	1·58	2·89	4·46	3·66	1·86	YEAR'S TOTAL 31·41
Rain Days.	26	17	21	19	16	9	13	14	13	23	20	13	204

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Alberton House Salisbury
in the County of Wilts 3
by Wilfrid Fletcher

Lat. 51·04 N Long. 1·48 W (approx)
Time of Observation 9 a.m
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	~~Jan.~~	~~Feb.~~ Jan	Feb	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·02~~	–	·01	·05	–	–	–	–	·37	–	–	·10	·12	1
2	~~·05~~	–	–	·01	–	·04	–	·43	·21	–	–	1·49	·28	2
3	~~·15~~	–	–	·15	·10	·34	–	·12	·07	–	–	·02	–	3
4	~~·78~~	·07	–	·02	·19	·04	–	·04	·76	–	–	·48	·38	4
5	~~·16~~	·05	–	·11	·32	·17	–	·35	·32	–	–	·82	·01	5
6	~~·02~~	–	·19	·01	·26	·03	·03	·01	·05	–	–	·03	·30	6
7	~~–~~	·01	·78	·07	·09	·03	·01	·31	·05	–	–	–	·38	7
8	~~·02~~	·03	·09	·43	·01	·10	·03	–	·23	·07	–	–	·02	8
9	~~–~~	·03	·01	·35	·27	·05	·36	–	·01	·08	–	–	·46	9
10	~~·05~~	·03	·37	·01	·05	·15	–	–	–	·28	–	–	–	10
11	~~·81~~	–	·28	·46	·01	·02	·02	·30	–	·01	–	·08	·46	11
12	~~–~~	–	·14	·17	–	–	·01	·02	–	·25	·12	–	·48	12
13	~~·14~~	–	·44	·24	–	–	–	–	–	·12	~~·31~~	·07	·39	13
14	~~·26~~	–	·30	·28	–	–	·09	·15	·20	·01	·33	·28	·28	14
15	~~·35~~	·02	·01	·23	–	–	–	·02	·83	·02	·05	·14	·01	15
16	~~·30~~	–	–	·01	–	–	–	·11	–	·31	~~·01~~	–	–	16
17	~~·05~~	·01	·63	·25	–	–	–	–	–	·03	–	–	·82	17
18	~~·01~~	–	·01	·09	–	–	·03	·08	–	–	–	–	·48	18
19	~~·72~~	–	·03	·34	–	–	–	1·22	–	·01	–	·11	·07	19
20	~~·13~~	–	·69	·14	–	–	·05	–	–	–	–	–	·25	20
21	~~·01~~	–	·77	·03	–	–	·04	–	–	–	·30	–	·04	21
22	~~·40~~	–	·08	·04	–	·37	·01	·04	·03	–	·28	–	–	22
23	~~·01~~	–	·33	·17	–	·04	·02	·01	–	–	·12	–	·02	23
24	~~·03~~	–	·01	·06	–	·07	–	·11	–	–	·05	·17	·03	24
25	~~–~~	·05	·01	·25	–	·03	–	·09	·22	–	·43	·04	·33	25
26	~~–~~	–	·01	·01	–	–	–	·12	·06	–	·06	·41	·56	26
27	~~·02~~	·06	–	–	·01	–	–	·01	–	–	·01	·11	·25	27
28	~~·17~~	·01	·05	·09	–	·01	–	–	–	–	–	·37	·96	28
29	~~·08~~	·25	✕	·17	–	·09	–	–	·01	–	·30	·53	·01	29
30	~~·55~~	·03	✕	·10	–	·01	·14	–	–	–	·16	·74	·96	30
31	~~·09~~	·14	✕	–	✕	–	✕	·06	–	✕	·54	✕	·09	31
Total	~~5·32~~ ·78		5·24	4·39	1·31	1·64	·84	3·60	3·42	1·19	2·75	5·99	8·44	YEAR'S TOTAL 39·59
Rain Days.	14		22	29	10	17	13	20	15	11	13	18	27	209

W. 8,000. X. 14.

End Lat

1655

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
6. JAN 1916

Kept at Salisbury (Atherton House)
in the County of Wilts
by Wilfrid Hetcher

3

Lat. 51·04 N. Long. 1·48 W
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
„ „ „ „ Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·15	–	–	·03	–	–	·01	·25	·21	–	·19	1
2	·37	·23	·15	·10	–	·04	–	·67	–	·21	–	·36	2
3	·73	·03	·11	·03	·06	–	–	·03	–	·04	–	·24	3
4	·02	·01	–	–	·01	–	·03	·01	–	–	–	·28	4
5	·02	·99	–	·04	–	·01	–	·15	–	–	–	·49	5
6	·59	·05	–	·45	–	·01	·59	·04	–	–	·01	·15	6
7	·30	·55	–	·02	–	·02	·26	·01	–	–	–	·19	7
8	·05	·54	–	·04	–	–	·07	·05	–	–	–	·01	8
9	·01	·04	–	·14	–	–	–	·01	–	–	·42	·57	9
10	·22	·02	·03	·01	–	–	–	–	–	·01	–	·14	10
11	·01	–	·14	·09	–	–	·06	·09	–	·01	·58	·03	11
12	·11	·43	–	·12	·46	–	–	·05	–	·01	·31	–	12
13	·02	·60	–	–	·82	–	–	–	·14	·01	·01	–	13
14	·05	·01	–	–	–	–	·44	·30	·05	–	·05	·83	14
15	·11	–	–	·01	·16	–	·02	·05	·02	–	–	·21	15
16	–	1·05	–	–	·34	–	·89	·19	–	–	–	·19	16
17	–	·45	–	–	·88	–	–	·01	·01	·01	–	·01	17
18	–	·24	·01	–	·18	–	–	–	–	·01	–	–	18
19	–	·03	–	–	·07	–	·16	–	–	–	–	–	19
20	·11	·01	–	·10	·02	–	–	–	–	–	–	·04	20
21	–	·16	–	–	·31	–	·07	–	–	·35	–	·10	21
22	·32	·25	·49	·03	–	–	·91	–	·02	·01	–	·25	22
23	·01	·02	·14	–	–	–	·20	–	·19	·81	–	·28	23
24	–	–	·01	·02	–	–	·38	–	·63	·53	–	·49	24
25	–	–	·02	·03	–	–	·24	–	·02	·04	–	·14	25
26	–	·12	–	–	–	·05	·23	–	–	–	–	·82	26
27	–	·08	–	–	–	·45	·03	–	–	·33	–	·02	27
28	–	·10	–	–	–	·04	–	–	·68	–	–	–	28
29	–	×	–	–	–	·21	–	·03	–	·03	·17	·08	29
30	·10	×	–	–	–	·01	·04	–	–	·45	·73	·43	30
31	·04	×	–	×	–	×	·01	–	×	·77	×	·48	31
Total	3·62	6·16	1·10	1·23	3·34	·84	4·63	1·70	2·01	3·84	2·28	7·02	YEAR'S TOTAL 37·77
Rain Days.	20	24	9	15	12	9	18	16	10	18	8	26	185

W. 8,000. X. 15.

Good Entry 1629

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Alderton House Salisbury

in the County of Wilts

by Wilfrid Fletcher

Lat. 51·04 N Long. 1·48 W.
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	—	·04	—	·36	·06	·02	—	·46	·48	·48	—	1
2	·17	·16	—	—	·09	—	—	—	·21	·58	·05	—	2
3	·01	1·24	·02	—	·01	—	—	—	·03	·44	·43	—	3
4	·15	·15	—	—	·04	·46	—	—	·35	·01	·74	—	4
5	·02	·06	·02	—	·37	·20	—	—	—	·05	·61	—	5
6	·02	·11	·03	—	·08	·01	·53	—	—	·15	·91	—	6
7	·03	·03	·13	—	·04	·07	·21	—	—	·01	·88	·13	7
8	—	·04	·01	—	·22	·25	·01	—	—	—	·02	·18	8
9	—	·01	—	—	·08	·02	·02	—	—	·05	—	·31	9
10	·02	·46	·02	·03	·03	·10	·08	—	—	—	—	·01	10
11	·02	·01	·03	·02	—	·17	·01	—	—	—	—	·07	11
12	·07	·03	·05	·02	·11	—	·05	·01	—	·04	·01	·01	12
13	—	·27	·14	—	·01	—	—	·20	—	—	—	—	13
14	·02	·47	·01	·07	·03	—	—	·04	—	·02	—	—	14
15	·01	·16	·07	·02	·01	—	—	·04	·01	·01	—	—	15
16	·02	·03	·04	·14	·02	—	·03	1·16	—	·01	—	—	16
17	·14	·30	·01	·13	—	—	—	·41	·31	·39	—	·01	17
18	·02	·04	·05	·17	—	—	—	·01	·06	·06	·23	·15	18
19	·07	·01	·35	·04	—	—	—	—	—	—	·33	·02	19
20	·23	·03	·61	·01	—	—	—	—	—	—	—	1·30	20
21	·01	·02	·18	—	·04	—	·01	—	—	—	·02	·66	21
22	·02	—	·01	—	·06	·01	—	—	—	·19	·02	·44	22
23	·02	·02	—	·02	—	·13	—	·20	—	·01	·16	·05	23
24	—	·04	—	·01	·11	·09	—	·02	—	·38	·04	·30	24
25	—	·13	·11	—	—	—	—	·59	·01	·03	·07	·01	25
26	—	·25	·01	—	—	·17	—	·02	—	·63	—	·01	26
27	—	·04	·95	—	—	—	·02	·78	·26	·55	—	·01	27
28	—	·28	·06	—	·07	—	—	·07	·28	·42	·02	·27	28
29	—	·42	·02	—	—	·28	—	1·32	1·01	·26	·02	·22	29
30	—	✕	·01	—	—	—	—	·01	—	·42	—	·01	30
31	·01	✕	—	✕	—	✕	—	·06	✕	·36	✕	·03	31
Total	1·29	4·81	2·98	·68	1·78	2·02	·99	4·94	2·99	5·55	4·99	4·20	YEAR'S TOTAL 37·22
Rain Days.	21	27	25	12	19	14	11	16	11	24	18	21	219

W. 8,000, VIII. 16

~~37·22~~

1553

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Atherton House Salisbury
in the County of Wilts
by Wilfrid Hitcher

Lat. 51 04 N. Long. 1 48 W.
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·13	·09	–	·05	–	·92	·03	–	·03	–	1
2	–	–	·01	1·17	–	·01	–	·03	·02	–	·10	–	2
3	·01	–	–	·12	–	–	·71	·15	·01	·16	·05	–	3
4	–	–	·18	·01	–	–	·07	·11	–	·24	–	·02	4
5	·09	·10	·05	·25 ~~·01~~	–	·11	–	–	·08	·43	·12	–	5
6	·04	–	·59	– ~~·25~~	–	–	–	–	–	·15	·01	·01	6
7	·18	–	–	–	–	–	·75	·12	–	·11	–	·02	7
8	·33	–	–	·08	–	–	·31	·21	·07	·18	·12	·18	8
9	–	–	·16	·03	·04	–	·06	·06	·05	·02	·22	–	9
10	·17	–	·31	·25	·06	–	–	·17	–	·01	–	–	10
11	·06	–	·46	·09	–	–	–	·07	–	·29	–	–	11
12	·07	–	·01	·01	·05	–	–	·03	–	·34	–	–	12
13	–	–	·20	·10	–	–	–	·11	·05	·01	·01	–	13
14	–	–	·01	·13	–	–	–	·39	·01	·02	–	–	14
15	–	–	–	–	–	–	·19	·15	–	·11	–	·11	15
16	–	·11	–	·24	–	–	·03	·02	–	1·04	–	·63	16
17	–	·02	–	·09	·15	·03	·36	·23	·57	·22	·03	·01	17
18	–	·03	–	·01	·02	·24	·06	·01	·31	·01	–	–	18
19	·01	·36	·08	–	–	·03	–	–	·25	–	·01	–	19
20	–	·10	·12	–	·31	·04	–	·17	·02	–	–	–	20
21	–	–	·11	–	·01	·38	–	–	·01	·04	–	–	21
22	–	–	·10	–	–	·10	–	·06	–	·04	–	–	22
23	–	·19	–	–	·04	–	–	·15	–	·07	·01	·04	23
24	–	·16	·01 ~~·0[illegible]~~	–	–	·02	·09	·05	·07	·18	·15	·01	24
25	–	·02	·03	–	–	–	·01	·01	·03	·08	–	–	25
26	–	–	·01	–	·26	–	–	·40	·07	·02	·02	–	26
27	–	–	–	–	·92	·08	–	·93	·01	·03	–	·01	27
28	–	–	·09	–	·02	3·13	–	·15	–	·01	–	·02	28
29	–	✕	·07	–	·13	·03	·07	·05	·01	·58	–	·07	29
30	–	✕	·11	–	–	–	·52	·15	·01	·03	·01	·01	30
31	–	✕	·07	✕	–	✕	·05	·03	✕	·05	✕	·01	31
Total	·96	1·09	2·91	2·67	2·01	4·25	3·28	4·93	1·62	4·41	·89	1·15	YEAR'S TOTAL 30·17
Rain Days.	9	9	22	15	12	13	14	27	19	27	14	14	195

W. 8,000, IX. 17.

Ex MOS

38

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

4.1.19

Kept at Salisbury
in the County of Wilts
by Wilfrid Fletcher

Lat. 51·04 N Long. 1·48 W
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. Jan	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
— 1	—	·01	—	·01	·03	—	—	·24	—	—	·64	·03	1
— 2	—	·04	—	·16	—	—	—	·72	—	·01	·14	·16	2
— 3	~~·01~~	·08	·01	·38	·36	—	—	·17	·02	·02	·06	·01	3
— 4	—	·11	—	·02	—	—	—	·08	·06	—	1·07	·03	4
— 5	~~·09~~	·10	·05	—	·12	—	—	·14	·80	·22	·01	·06	5
·27 6	·27 ~~·04~~	·21	—	·21	—	—	—	·06	·10	·03	—	·06	6
— 7	~~·18~~	·15	—	·07	·53	—	—	·03	·13	·11	·32	·07	7
— 8	~~·33~~	·17	—	—	—	—	—	—	·02	·14	·01	·06	8
— 9	—	·04	—	·25	—	·11	·25	—	·50	·17	·01	·32	9
·02 10	·02	—	—	·15	—	·04	·40	—	·18	·28	·01	·36	10
— 11	~~·06~~	—	—	·01	—	—	·56	—	·09	·04	·05	·09	11
— 12	~~·07~~	·05	—	—	·27	·01	·14	—	·09	—	·01	·01	12
·33 13	·33 ~~1·19~~	·01	—	—	·25	—	·42	—	·55	·04	—	·02	13
·16 14	·16 ~~·51~~	—	·02	—	·01	·25	·06	—	·20	·17	—	·18	14
1·19 15	1·19 [illegible]	—	—	·51	·02	·01	·20	—	·01	—	—	·15	15
·51 16	·51 ~~1·03~~	—	·03	·16	—	·03	·01	—	·25	·02	—	·12	16
·32 17	·32 ~~·13~~	—	·01	·18	—	·02	·89	·02	·08	—	—	·21	17
1·03 18	1·03 ~~·04~~	—	—	—	—	·46	·03	—	·43	—	—	·23	18
·13 19	~~·0~~ ·13	·02	·16	·02	—	—	·19	·04	·03	·07	—	·08	19
·04 20	·04	·10	—	·26	—	·03	·21	·01	·23	·03	·01		20
·21 21	·21	·04	—	·01	—	·02	·04	—	·55	·35	—	·10	21
·09 22	·09	·02	—	—	·02	—	·35	—	·21	·01	—	·18	22
·12 23	·12	—	·01	—	·18	·03	1·00	—	·02	—	·03	·01	23
·01 24	·01	·23	—	·02	—	·02	·03	—	·07	—	·09 ·04	·01	24
— 25	—	—	—	—	—	—	·31	·68	—	·02	·02	—	25
— 26	—	—	—	—	—	—	·63	—	·01	·02	·12	·13	26
— 27	—	·11	·06	·01	—	·01	·02	·16	·06	·01	·15	·01	27
— 28	—	—	·28	·02	—	—	—	—	—	—	·25	·03	28
·01 29	·01	✕	·06	—	—	—	—	—	·91	—	—	·03	29
— 30	—	✕	·48	—	—	—	—	·03	·01	·02	·09	·08	30
·01 31	·01	✕	·11	✕	—	✕	—	—	✕	·05	✕	—	31
Total	4·45	1·49	1·28	2·45	1·79	1·04	5·74	2·38	5·61	1·83	3·09	2·83	YEAR'S TOTAL 33·98
Rain Days.	16	17	12	18	10	13	19	13	26	21	19	28	212

W. 6,500, VII. 18. w w c

1462

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Atherton House Salisbury

in the County of Wilts

by Mr Wilfrid Fletcher

Lat. 51·04 Long. 1·48
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
„ „ „ „ Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·01	·16	–	·06	–	·11	–	–	·05	·04	1·13	1
2	·16	–	·02	–	·02	–	·01	–	·42	·62	·02	·03	2
3	·90	–	·39	–	·01	–	–	–	·28	–	·01	·20	3
4	·18	·16	·62	–	–	·15	–	·06	·18	–	·01	·08	4
5	·01	(·39)	·49	–	·04	–	(·34)	–	·06	–	·09	·11	5
6	·56	·62	·10	–	·35	·01	·01	–	–	–	·01	·19	6
7	·16	–	·37	·03	·01	–	–	–	–	–	·01	·01	7
8	·21	–	·20		–	–	–	–	–	–	–	–	8
9	·04	–	·03	·16	–	–	–	–	·01	–	·08	–	9
10	·01	–	·37	·04	·01	–	–	–	–	·01	·01	·37	10
11	·10	–	·08	·21	·11	–	·28	–	–	–	–	·03	11
12	·02	–	·04	·03	·01	·01	·12	–	–	·08	·06	·01	12
13	·06	·02	·03	·45	–	–	·01	–	–	–	–	·06	13
14	·59	·02	–	·36	–	–	·05	–	·30	·01	–	·15	14
15	·37	·03	–	·06	·02	–	–	–	–	–	–	·66	15
16	·05	·80	–	–	–	–	–	·07	–	–	·08	–	16
17	–	·06	–	–	–	–	–	–	·01	·01	·11	·03	17
18	·02	·02	·42	–	–	–	·02	·01	·01	·01	·10	·01	18
19	·31	·32	1·07	–	–	·09	·62	·07	·11	·01	·10	·04	19
20	·38	·04	·08	–	–	·44	·01	·14	–	–	–	·05	20
21	·05	·57	–	–	–	–	·02	·01	·01	–	·02	·07	21
22	–	·02	–	–	–	–	·12	–	·18	–	–	·16	22
23	–	–	–	–	–	–	–	–	–	·14	·04	·16	23
24	–	–	–	–	–	·04	·05	–	–	·35	·12	·33	24
25	·07	·14	–	·05	–	·03	–	·29	–	·01	–	·14	25
26	·04	·13	·09	·16	–	–	–	·04	·04	–	·08	·46	26
27	·05	–	·03	·27	–	–	–	·71	–	–	–	·02	27
28	·01	·01	·40	–	–	–	–	·62	–	–	·35	·41	28
29	·01	✕	·01	–	–	·16	–	·09	–	·11	·01	·05	29
30	–	✕	·01	·18	–	–	–	·52	–	·02	·52	·83	30
31	–	✕	–	✕	–	✕	–	·01	✕	–	✕	·19	31
TOTAL	4·83	2·70	4·95	1·94	·64	·93	1·77	2·69	1·61	·83	1·87	5·92	YEAR'S TOTAL 30·68
Days with ·01 in. or more	25	17	21	12	10	8	14	13	12	13	21	28	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ent. AJB 1380

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Atherton House Salisbury
in the County of Wilts
by Wilfrid Fletcher (Mr)

Lat. 51·04 N. Long. 1·48 W.
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·04	·02	·31	·22	–	·66	·01	·02	·27	·43	·41	1
2	·13	–	–	·08	·01	–	·11	·49	·07	·15	–	·14	2
3	·11	·07	–	·04	–	–	·57	–	–	·61	–	·01	3
4	–	·04	·02	·01	–	–	·48	·28	–	·23	–	–	4
5	–	·01	·08	·20	·05	–	·50	·20	–	·39	–	·01	5
6	–	·01	·19	·01	·33	–	·38	·01	–	·02	–	–	6
7	·02	–	·02	·30	·01	–	·18	–	–	·03	–	·01	7
8	·05	·06	–	·21	·02	–	·65	·03	·01	·01	·	–	8
9	·39	·11	·04	·05	–	·11	·	·01	–	–	–	–	9
10	·55	·28	·04	·09	–	·25	·40	–	–	–	–	·01	10
11	·27	–	·09	·38	·13	·02	·22	–	·01	–	–	·01	11
12	·16	·06	·01	·32	–	·76	–	–	–	–	·08	–	12
13	·09	·03	·40	·10	–	·01	–	–	·02	–	·02	·03	13
14	·01	·03	·25	·89	–	·15	·07	–	·23	·37	·53	–	14
15	·02	·06	·03	·27	–	·01	–	–	·03	·46	·07	–	15
16	–	·01	·03	·16	·01	–	·05	–	·08	·01	–	–	16
17	–	–	–	·14	·29	–	–	–	·27	–	–	·01	17
18	·06	–	·01	·06	·04	·06	–	·47	·04	–	–	·03	18
19	·02	–	–	·24	–	·11	–	·01	·03	–	·02	–	19
20	·02	·10	–	·25	–	·46	–	–	–	–	·02	·09	20
21	–	–	–	·01	–	–	·37	–	·04	–	–	·11	21
22	·04	–	–	·09	–	–	·03	·05	·01	·01	–	·30	22
23	·01	–	–	·01	–	–	·40	–	–	–	–	·32	23
24	·02	·01	·17	–	–	–	·01	–	–	–	·16	·06	24
25	·02	·06	·13	–	·06	–	·38	–	–	–	–	·01	25
26	·14	–	·31	–	[illegible]	–	·12	–	·01	–	·06	·12	26
27	·60	·05	·04	·25	·01	·12	·01	–	–	–	·01	·46	27
28	·52	·01	·02	·17	·17	·01	·11	–	–	–	·03	·05	28
29	·50	–	·09	·01	·02	·01	·01	–	–	–	·25	·22	29
30	·07	✕	–	–	·03	·10	·08	–	·29	–	·28	·29	30
31	·12	✕	·19	✕	–	✕	·02	–	✕	·53	✕	·15	31
TOTAL	3·99	1·01	2·18	4·59	1·40	2·18	5·81	1·56	1·16	3·09	1·96	2·85	YEAR'S TOTAL 31·78 ✓
Days with ·01 in. or more	25	18	21	26	15	14	23	10	15	13	13	22	215 ✓
Days with ·04 in. or more	17	10	13	21	8	9	18	5	7	8	8	13	137 ✓

1630

FORM A.
BRITISH RAINFALL.

2 JAN 1917

SALISBURY
WILTON HOUSE GDNS
WILTSHIRE
1916 — 1920

16

Kept at Wilton H
ong. 1-51-W
9.0 am. 9.0 pm.
in the County of
tion Wilton, L.S.W.
of Rain Gauge 8 in.
by William
uge above Ground 1 ft ft. in.
„ Sea Level 180. ft.

IMPORTAN n. and the result entered to the previous day. I st universal rule, he is earnestly requested to add ing year in the space provided for it at the enc easurement of rain, the selection and he British Rainfall Organization are ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.280.	0.010.	0.050	0.0.	0.330,	0.090.	0.020,	0.0.	0.520,	0.340,	0.323,	0.0.	1
2	0.320.	0.120.	0.040.	0.0.	0.260.	0.0.	0.0.	0.0.	0.007.	1.130	0.150.	0.0.	2
3	0.020.	1.250	0.020,	0.0,	0.020	0.0.	0.0,	0.0.	0.003	0.517.	0.562.	0.0	3
4	0.090.	0.240.	0.0.	0.0	0.050	0.470,	0.0.	0.0	0.382	0.002	1.158	0.0	4
5	0.170.	0.040	0.040,	0.0	0.400.	0.270,	0.0.	0.0.	0.0.	0.042	0.878.	0.0	5
6	0.0.	0.180.	0.060.	0.0	0.090.	0.0.	0.690.	0.0.	0.0.	0.130	1.323.	0.0	6
7	0.070.	0.030,	0.280,	0.0	0.030	0.060,	0.240.	0.0	0.0.	0.002,	1.052	0.121 ~~0.201~~	7
8	0.0.	0.090	0.0.	0.0	0.270,	0.090	0.0.	0.0.	0.0.	0.0.	0.010	0.192.	8
9	0.020.	0.0.	0.0.	0.0,	0.140.	0.040	0.010,	0.0	0.0.	0.042,	0.002,	0.020.	9
10	0.0.	0.630,	0.030,	0.040	0.030,	0.210	0.020,	0.0	0.0.	0.0.	0.002,	0.007	10
11	0.030.	0.030,	0.040,	0.010	0.0	0.230	0.0.	0.0.	0.0,	0.0.	0.0.	0.010	11
12	0.090.	0.030	0.020,	0.020,	0.140,	0.0.	0.070,	0.0	0.0.	0.040,	0.0.	0.0.	12
13	0.0	0.330,	0.180,	0.0.	0.0.	0.0,	0.0.	0.168.	0.0.	0.0.	0.0	0.0.	13
14	0.010.	0.540,	0.010.	0.070	0.050,	0.0.	0.0.	0.150,	0.0.	0.0.	0.0	0.0.	14
15	0.011.	0.250,	0.110,	0.0.	0.0.	0.0.	0.0,	0.060.	0.0,	0.0.	0.0	0.0.	15
16	0.010.	0.050	0.051,	0.200,	0.0.	0.0.	0.050	0.386,	0.0,	0.0.	0.0	0.0.	16
17	0.210.	0.270,	0.0	0.110	0.0.	0.0.	0.0,	0.350,	0.156,	0.380	0.038,	0.0,	17
18	0.030.	0.100,	0.0.	0.210.	0.0.	0.0,	0.0.	0.0.	0.230,	0.006	0.370.	0.210	18
19	0.100.	0.0.	0.440,	0.050,	0.0.	0.0.	0.0,	0.0.	0.004,	0.0.	0.294.	0.102.	19
20	0.300.	0.020,	0.310	0.0.	0.0.	0.0	0.0.	0.0.	0.0.	0.0	0.025,	1.708	20
21	0.0.	0.050,	0.670,	0.0.	0.0,	0.0	0.0.	0.0.	0.0,	0.0,	0.008,	0.107	21
22	0.010	0.0,	0.070	0.0	0.080	0.0,	0.0.	0.0.	0.0,	0.240,	0.038	0.630.	22
23	0.030,	0.110.	0.0	0.010	0.0,	0.0,	0.0.	0.161	0.0.	0.0.	0.191.	0.009	23
24	0.0.	0.050	0.0	0.0.	0.200,	0.080,	0.0.	0.020.	0.0,	0.464,	0.070.	0.400	24
25	0.0.	0.720,	0.130,	0.0	0.0.	0.0,	0.0.	0.588.	0.080.	0.005,	0.110.	0.0.	25
26	0.0.	0.110,	0.010	0.0	0.0.	0.270,	0.0	0.003	0.002	0.984	0.0.	0.0.	26
27	0.010	0.080,	1.170	0.0	0.0.	0.0,	0.0	1.004	0.380.	0.605.	0.0	0.0.	27
28	0.0.	0.350	0.210.	0.0	0.0.	0.0.	0.0	0.050,	0.550,	0.266.	0.054	0.358	28
29	0.0.	0.510	0.010.	0.0	0.0.	0.300,	0.0.	1.950	1.490.	0.484.	0.0	0.312 ~~0.508~~ ×	29
30	0.0	X	0.0.	0.0	0.0.	0.0.	0.0.	0.0	0.0.	0.458.	0.0.	0.006	30
31	0.0	X	0.0.	X	0.0.	X	0.0.	0.038	X	0.267	X	0.004	31
Total	1.811. ✓	6.790. ✓	3.951. ✓	0.720. ✓	2.090. ✓	2.110. ✓	1.100. ✓	4.928 ✓	3.804. ✓	6.404 ✓	6.658 ✓	4.196	YEAR'S TOTAL 43.962. 43.962
Rain Days.	19. ✓	26.	22. ✓	9 ✓	14. ✓	11 ✓	7. ✓	11 ~~13.~~	9 ~~12.~~	18 20	18 20.	15 ~~16~~	~~189~~ 179

W. 8,000, VIII. 16

1630

16

FORM A.
BRITISH RAINFALL.
1917

Kept at Wilton House Gdns, Nr Salisbury,

in the County of Wilts

by William Butler,

Lat. 51-4- N. Long. 1-51- W

Time of Observation 9.0 am. 9.0. pm.

Nearest Railway Station Wilton, L. S. W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft ft. in.

" " " " Sea Level 180. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·280.	0.010.	0·050.	0.0.	0·330,	0·090.	0.020.	0.0.	0·520,	0.340,	0·323,	0·0.	1
2	0·320.	0·120.	0·040.	0.0.	0·260.	0.0.	0·0.	0·0.	0·007.	1·130	0·150.	0·0.	2
3	0·020.	1·250	0·020.	0·0.	0·020	0.0.	0.0.	0.0.	0·003	0·517.	0·562.	0·0	3
4	0·090.	0·240.	0·0.	0.0	0·050.	0·470.	0.0.	0.0	0·382	0·002	1·158	0·0	4
5	0·170.	0·040	0.040.	0·0	0·400.	0·270.	0.0.	0·0.	0·0.	0·042	0·878.	0·0	5
6	0·0.	0·180.	0.060.	0.0	0·090.	0.0.	0·690.	0.0.	0.0.	0·130	1·323.	0·0	6
7	0·070.	0·030.	0·280.	0·0	0.030	0·060.	0·240.	0.0	0.0.	0·002.	1·052	0·121 ~~0·201~~	7
8	0·0.	0·090	0·0.	0·0	0·270.	0·090	0.0.	0.0	0.0.	0·0.	0·010	0.192.	8
9	0·020.	0·0.	0.0.	0·0.	0·140.	0·040	0.010.	0.0	0.0.	0·042.	0·002.	0·020.	9
10	0·0.	0·630.	0·030.	0·040.	0.030.	0·210	0.020.	0.0.	0.0.	0·0.	0·002.	0·007	10
11	0·030.	0·030	0·040.	0·010	0·0	0·230	0.0.	0.0.	0.0.	0·0.	0·0.	0·010	11
12	0·090.	0·030	0·020.	0·020.	0·140.	0·0.	0.070.	0.0	0·0.	0·040.	0·0.	0·0.	12
13	0·0	0·330.	0·180.	0.0.	0·0.	0·0.	0·0.	0·168.	0·0.	0·0.	0·0	0·0.	13
14	0·010.	0·540.	0·010.	0.070	0.050.	0·0.	0·0.	0·150.	0.0.	0·0.	0·0	0·0.	14
15	0·011.	0·250	0·110.	0·0.	0·0.	0·0.	0·0.	0·060.	0·0.	0·0.	0·0	0·0.	15
16	0·010.	0·050	0·051.	0·200.	0·0.	0.0.	0·050	0·386.	0.0.	0·0.	0·0	0·0.	16
17	0·210.	0·270.	0·0	0·110	0.0.	0.0.	0·0.	0·350.	0·156.	0·380	0·038.	0·0.	17
18	0·030.	0·100.	0·0.	0·210.	0.0.	0·0.	0·0.	0·0.	0·230.	0·006	0·370.	0·210	18
19	0·100.	0.0.	0·440.	0·050.	0·0.	0·0.	0·0.	0·0.	0·004.	0·0.	0·294.	0·102.	19
20	0·300.	0·020.	0·310	0·0.	0·0	0.0	0·0.	0·0.	0·0.	0·0	0·025.	1·708	20
21	0·0.	0.050.	0·670.	0·0.	0·0.	0.0	0·0.	0·0	0·0.	0·0.	0·008.	0·107	21
22	0·010	0.0.	0·070	0.0	0·080	0·0.	0·0.	0·0.	0·0.	0·240.	0·038	0·630.	22
23	0.030.	0.110.	0·0	0·010	0·0.	0·0.	0·0.	0.161	0·0.	0·0.	0·191.	0·009	23
24	0.0.	0.050	0.0	0.0.	0·200.	0·080.	0·0.	0·020	0·0.	0·464.	0·070.	0·400	24
25	0.0.	0·720.	0·130.	0.0	0·0.	0.0.	0·0.	0·588.	0·080.	0·005.	0·110.	0·0.	25
26	0.0.	0·110.	0·010	0·0	0.0.	0.270.	0·0	0·003	0·002	0·984	0·0.	0·0.	26
27	0·010	0·080.	1·170	0·0	0·0.	0.0.	0·0	1.004	0·380.	0·605.	0·0	0·0.	27
28	0·0.	0·350.	0·210.	0·0	0·0.	0.0.	0·0	0·050.	0·550.	0·266.	0·054	0·358	28
29	0.0.	0·510	0·010.	0·0	0.0.	0·300.	0·0.	1·950	1·490.	0·484.	0·0	0·312 ~~0·508~~ ×	29
30	0.0	✕	0·0.	0·0	0.0.	0.0.	0·0.	0·0	0·0.	0·458.	0.0.	0·006	30
31	0.0	✕	0.0.	✕	0.0.	✕	0·0.	0·038	✕	0·267	✕	0·004	31
Total	1·811.	6·790.	3·951.	0·720.	2·090.	2·110.	1·100.	4·928	3·804.	6·404	6·658	4·196	YEAR'S TOTAL 43·962 43.962.
Rain Days.	19.	26.	22.	9	14.	11	7.	11 ~~13.~~	9 ~~12.~~	18 20	18 20.	15 ~~16~~	189 179

W. 8,000, VIII. 16

1557

FORM A.

BRITISH RAINFALL

12 JAN 1918

REGISTER OF RAINFALL IN 1917.

W

Kept at Wilton House, Nr Salisbury.

in the County of Wilts.

by William Butler, Hd Gardener,

Lat. 51-4-N. Long. 1-51-W

Time of Observation 9.0 a.m. 9.0 p.m

Nearest Railway Station Wilton, L.S.W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·002	—	0·142	0·163	—	0·072	—	0·991	0·013	—	0·055	—	1
2	—	—	0·002	1·191	—	—	—	0·080	—	—	0·155	—	2
3	0·002	—	—	0·101	—	—	0·948	0·153	—	0·210	0·083	—	3
4	—	0·160	0·139	—	—	—	0·030	0·080	—	0·350	0·130	—	4
5	0·102	—	0·006	0·352	—	0·090	—	—	0·130	0·457	0·020	—	5
6	—	—	0·545	—	—	—	—	—	—	0·035	0·023	0·031	6
7	0·260	—	—	—	—	—	0·573	0·105	—	0·290	0·183	0·025	7
8	0·855	—	0·098	0·092	—	—	0·453	0·380	0·102	0·262	0·383	0·235	8
9	—	—	0·007	0·060	—	—	0·060	0·085	0·070	0·003	—	—	9
10	0·194	—	0·486	0·298	—	—	—	0·402	—	0·040	—	0·005	10
11	0·090	—	0·543	0·179	—	—	—	0·032	—	0·440	—	—	11
12	0·040	—	—	—	0·143	—	—	—	—	0·407	—	0·005	12
13	—	—	0·265	0·253	—	—	—	0·128	0·053	—	—	—	13
14	—	—	0·053	0·170	—	—	—	0·403	0·030	0·040	—	—	14
15	—	—	—	—	—	—	0·162	0·063	—	0·123	—	0·094	15
16	0·034	0·180	—	0·300	0·101	—	0·070	—	—	0·993	—	0·912	16
17	—	0·002	—	0·109	0·070	0·002	0·422	0·295	0·740	0·231	—	—	17
18	—	0·445	—	—	—	0·140	0·133	0·003	0·360	—	0·005	—	18
19	—	—	0·162	—	—	—	—	0·004	0·375	—	0·023	—	19
20	—	0·173	0·142	—	0·319	0·020	—	—	0·020	—	0·005	—	20
21	—	—	0·249	—	—	0·540	—	—	—	0·053	0·033	—	21
22	—	—	0·120	—	—	0·036	—	0·082	—	0·038	—	—	22
23	—	0·232	—	—	0·032	—	—	0·290	—	—	—	0·052	23
24	—	0·142	—	—	—	0·002	0·002	0·080	—	0·240	0·183	—	24
25	—	0·009	0·003	—	—	—	—	0·005	0·003	0·107	—	—	25
26	—	—	0·120	—	0·205	—	—	0·625	0·114	0·020	0·030	—	26
27	—	—	—	—	0·891	0·105	—	1·102	0·010	0·060	0·005	—	27
28	—	—	0·020	—	—	3·276	—	0·230	—	—	—	0·053	28
29	—	~~43~~	0·092	—	0·030	0·050	0·083	0·040	—	0·715	—	0·105	29
30	0·002	X	0·197	—	—	—	0·684	0·188	—	0·055	—	—	30
31	—	X	0·120	X	—	X	0·110	—	X	0·043	X	0·025	31
Total	1·581	1·343	3·511	3·268	1·791	4·333	3·730	5·846	2·020	5·210	1·316	1·532	YEAR'S TOTAL 35·481
Rain Days.	6 ~~10~~	8 7	19 ~~21~~	12	8	9 ~~11~~	12 ~~15~~	22 ~~24~~	12 ~~13~~	22 ~~23~~	13 ~~15~~	10 ~~11~~	152 ~~169~~

W. 8,000, IX. 17.

39

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 6.1.19

Kept at Wilton House, Nr Salisbury
in the County of Wilts.
by W. Butler

Lat. 51-4-N. Long. 1-51-W
Time of Observation 9am. 9pm.
Nearest Railway Station Wilton. L.S.W.
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·023	—	—	0·046	—	—	0·033 0·532	—	0·003	1·069	0·024	1
2	—	0·070	—	0·205	—	—	—	0·577	—	0·003	0·094	0·215	2
3	—	0·110	—	0·336	0·384	—	—	0·311	0·018	0·026	0·070	—	3
4	—	0·147	—	0·005	—	—	—	0·083	0·102	—	1·050	0·040	4
5	—	0·125	0·055	—	0·165	—	—	0·218	1·718	0·220	—	0·090	5
6	0·310	0·283	—	0·231	0·040	—	—	0·096	0·048	0·020	—	0·077	6
7	0·020	0·135	—	0·115	0·723	—	—	0·030	0·190	0·130	0·375	0·088	7
8	—	0·210	—	—	—	—	—	—	0·115	0·158	—	0·040	8
9	0·005	0·047	—	0·351	—	0·218	0·415	—	0·548	0·205	0·003	0·316	9
10	0·043	—	—	0·201	—	0·003	0·317	—	0·243	0·284	0·016	0·430	10
11	—	—	—	0·003	—	—	0·968	—	0·101	0·128	0·064	0·109	11
12	—	0·275	—	—	—	—	0·139	—	0·143	—	—	—	12
13	0·225	0·023	—	—	0·458	—	0·618	—	0·780	0·049	—	0·004	13
14	0·173	—	0·025	—	0·003	0·193	0·011	—	0·211	0·170	—	0·215	14
15	1·473	—	—	0·540	0·051	—	0·279	—	0·037	0·003	—	0·206	15
16	0·694	—	0·065	0·282	—	0·080	0·010	—	0·209	0·016	—	0·188	16
17	0·438	—	—	0·309	—	—	0·880	0·018	0·106	—	—	0·230	17
18	1·044	—	—	—	—	0·677	0·113	—	0·423	—	—	0·305	18
19	0·205	0·040	0·190	0·030	—	—	0·212	0·031	—	0·092	—	0·120	19
20	0·038	0·090	—	0·332	—	0·030	0·116	—	0·031	0·029	0·012	—	20
21	0·213	0·060	—	—	—	0·010	0·071	—	0·628	0·275	—	0·125	21
22	0·089	0·025	—	—	0·122	—	0·719	—	0·213	0·003	0·008	0·260	22
23	0·188	—	—	—	0·160	0·053	0·832	—	—	—	0·015	—	23
24	—	0·308	—	0·020	—	—	0·090	—	0·054	—	0·084	0·018	24
25	0·002	—	—	—	—	—	0·261	0·654	—	0·035	0·018	—	25
26	0·003	—	—	—	—	—	0·630	—	0·003	0·030	0·184	0·145	26
27	—	0·126	0·010	—	—	0·005	—	0·194	0·084	0·004	0·170	0·009	27
28	—	0·020	0·416	0·040	—	—	—	—	—	0·002	0·201	0·032	28
29	—		0·100	—	—	—	—	—	1·179	0·029	0·003	0·010	29
30	0·017	╳	0·489	—	—	—	—	0·035	—	—	0·096	0·086	30
31	—	╳	0·193	╳	—	╳	—	—	╳	0·085	╳	—	31
Total	5·180	1·917	1·543	3·000	2·152	1·269	6·681	2·812	7·154	1·999	3·532	3·380	YEAR'S TOTAL 40·619
Rain Days.	16 18.	18.	9.	13 15.	9 10.	8 9.	18.	12.	22 23	18 24	16 18	24 25	~~199~~ 183

W, 6,500, VII. 18. w w d

1463

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Wilton House (Salisbury of M.W.R.)(M.O

in the County of Wiltshire.

by The Earl of Pembroke G.C.V.O.

Lat. 51°4' N Long. 1°51' W

Time of Observation 9h. & 21h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	0·530	-	0·114	0·005	0·070	-	0·194	-	0·020	0·054	0·043	1·300	1
2	0·174	0·020	0·020	-	0·010	-	0·020	-	0·620	-	0·050	0·050	2
3	1·280	-	0·470	-	-	-	-	-	0·130	-	-	0·250	3
4	0·205	0·103	0·750	-	-	0·075	-	0·045	0·230	-	0·005	0·090	4
5	0·004	0·450	0·475	-	0·150	-	0·723	-	0·119	-	0·120	0·140	5
6	0·632	0·010	0·109	0·003	0·230	-	0·005	-	-	0·003	0·050	0·210	6
7	0·332	-	0·503	0·030	-	-	-	-	-	-	-	0·010	7
8	0·445	-	0·108	-	0·005	-	-	-	-	-	-	-	8
9	0·005	-	0·096	0·140	-	-	-	-	-	-	0·070	-	9
10	0·045	-	0·380	0·020	-	-	-	-	-	-	0·010	0·510	10
11	0·180	-	0·105	0·230	0·170	-	0·390	-	-	-	-	0·030	11
12	0·020	-	0·030	0·035	-	-	0·070	-	-	0·101	0·070	0·010	12
13	0·062	0·002	0·035	0·660	-	-	0·005	-	-	-	-	0·100	13
14	0·728	0·011	-	0·485	-	-	0·002	-	0·043	0·010	-	0·240	14
15	0·407	0·045	-	0·050	0·004	-	-	-	-	-	-	0·690	15
16	0·072	0·921	-	-	-	-	-	0·010	-	-	0·110	-	16
17	-	0·211	-	-	-	-	-	-	-	-	0·210	0·040	17
18	-	0·105	0·620	-	-	-	0·002	-	-	-	0·100	0·020	18
19	0·450	0·498	1·360	-	-	0·070	0·633	0·128	0·128	-	0·210	0·040	19
20	0·640	0·015	0·043	-	-	0·460	0·005	0·190	-	-	-	0·080	20
21	0·030	0·697	-	-	-	-	0·025	-	0·005	-	0·010	0·120	21
22	-	0·005	-	-	-	-	0·125	-	0·186	-	-	0·200	22
23	-	-	-	-	-	-	-	-	-	0·156	0·030	0·150	23
24	-	0·007	-	-	-	0·090	0·068	0·002	-	0·408	0·160	0·490	24
25	0·110	0·150	-	0·060	-	0·003	-	0·474	-	-	-	0·170	25
26	-	0·115	0·131	0·150	-	-	-	0·063	0·055	-	0·080	0·620	26
27	0·150	-	0·040	0·350	-	-	-	0·990	-	-	-	0·010	27
28	0·005	0·004	0·510	-	-	-	-	0·550	-	-	0·460	0·510	28
29	0·005		-	-	-	-	-	0·090	-	0·099	-	0·060	29
30	-	X	-	0·175	-	0·203	-	0·611	-	0·050	0·570	1·000	30
31	-	X	-	X	-	X	-	-	X	-	X	0·240	31
Total	6·511	3·369	5·899	2·393	0·639	0·901	2·267	3·153	1·536	0·881	2·358	7·380	YEAR'S TOTAL 37·287
Rain Days	~~22~~ 21	~~16~~ 15	19	13	~~6~~ 5	5	~~12~~ 11	10	~~10~~ 9	7	18	28	~~166~~ 161

Copied from M.O Form 3202

W, 6,500, VII. 18. W W C

127 11463

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wilton House, Nr Salisbury.
in the County of Wiltshire
by William Butler,

Lat. 51-4-N Long. 1-51-W
Time of Observation 9am, 9pm.
Nearest Railway Station Wilton, L.S.W
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 181 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.530	—	0·114	0·005	0·070	—	0·194	—	0·020	0·054	0·043	1·300	1
2	0·174	0·020	0·020	—	0·010	—	0·020	—	0·620	—	0·050	0·050	2
3	1·280	—	0·470	—	—	—	—	—	0·130	—	—	0·250	3
4	0·205	0·103	0·750	—	—	0·075	—	0·045	0·230	—	0·005	0·090	4
5	0·004	0·450	0·475	—	0·150	—	0·723	—	0·119	—	0·120	0·140	5
6	0·632	0·010	0·109	0·003	0·230	—	0·005	—	—	0·003	0·050	0·210	6
7	0·332	—	0·503	0·030	—	—	—	—	—	—	—	0·010	7
8	0·445	—	0·108	—	0·005	—	—	—	—	—	—	—	8
9	0·005	—	stet 0·096	0·140	—	—	—	—	—	—	0·070	—	9
10	0·045	—	0·380	0·020	—	—	—	—	—	—	0·010	0·510	10
11	0·180	—	0·105	0·230	0·170	—	0·390	—	—	—	—	0·030	11
12	0·020	—	0·030	0·035	—	—	0·070	—	—	0·101	0·070	0·010	12
13	0·062	0·002	0·035	0·660	—	—	0·005	—	—	—	—	0·100	13
14	0·728	0·011	—	0·485	—	—	0·002	—	0·043	0·010	—	0·240	14
15	0·407	0·045	—	0·050	0·004	—	—	—	—	—	—	0·690	15
16	0·072	0·921	—	—	—	—	—	0·010	—	—	0·110	—	16
17	—	0·211	—	—	—	—	—	—	—	—	0·210	0·040	17
18	—	0·105	0·620	—	—	—	0·002	—	—	—	0·100	0·020	18
19	0·450	0·498	1·360	—	—	0·070	0·633	0·128	0·128	—	0·210	0·040	19
20	0·640	0·015	0·043	—	—	0·460	0·005	0·190	—	—	—	0·080	20
21	0·030	0·697	—	—	—	—	0·025	—	0·005	—	0·010	0·120	21
22	—	0·005	—	—	—	—	0·125	—	0·186	—	—	0·200	22
23	—	—	—	—	—	—	—	—	—	0·156	0·030	0·150	23
24	—	0·007	—	—	—	0·090	0·068	0·002	—	0·408	0·160	0·490	24
25	0·110	0·150	0·131	0·060	—	0·003	—	0·474	—	—	—	0·170	25
26	—	0·115	0·040	0·150	—	—	—	0·063	0·055	—	0·080	0·620	26
27	0·150	—	0·510	0·350	—	—	—	0·990	—	—	—	0·010	27
28	0·005	0·004	—	—	—	—	—	0·550	—	—	0·460	0·510	28
29	0·005		—	—	—	—	—	0·090	—	0·099	—	0·060	29
30	—	×	—	0·175	—	0·203	—	0·611	—	0·050	0·570	1·000	30
31	—	×	—	×	—	×	—	—	×	—	×	0·240	31
TOTAL	6·511	3·369	9 5·8~~7~~9	2·393	0·639	0·901	2·267	3·153	1·536	0·881	2·358	7·380	YEAR'S TOTAL 37·287
Days with ·01 in. or more	21 23	15 18	19	13 14	5 7	5 6	11 14	10 14	10	7 8	17 18	28	161 ~~176~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1381

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wilton Ho (Salisbury of M.W.R) M.O
in the County of Wiltshire
by The Earl of Pembroke G.C.V.O

Lat. 51° 4' N Long. 1° 51' W
Time of Observation 9h & 21h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	-	0.02	0.37	0.29	-	0.52	0.01	0.01	0.17	0.38	0.52	1
2	0.23	-	0.01	0.13	-	-	0.12	0.60	0.07	0.19	-	0.15	2
3	0.13	0.08	-	-	-	-	0.43	-	-	0.76	-	-	3
4	-	0.07	-	0.02	-	-	0.31	0.32	-	0.35	-	-	4
5	-	-	0.15	·30 0.03 ·10	0085	-	0.80	0.21	-	0.47	-	0.01	5
6	-	-	0.24	0.01	0.27	-	0.24	-	-	-	-	-	6
7	0.04	-	0.02	0.26	-	-	0.39	-	-	-	-	-	7
8	0.02	0.04	-	0.26	0.03	-	0.72	0.06	-	-	-	-	8
9	0.45	0.13	0.06	0.07	-	0.16	-	-	-	-	-	-	9
10	0.70	0.41	0.03	0.11	-	0.40	0.36	-	-	-	-	-	10
11	0.35	-	0.11	0.21	0.22	-	0.25	-	-	-	-	0.02	11
12	0.18	0.08	-	0.36	-	0.75	-	-	-	-	0.08	-	12
13	0.16	0.03	0.44	0.08	-	-	-	-	-	0.03	0.01	0.05	13
14	0.02	0.02	0.31	0.76	-	0.36	0.11	-	0.21	0.36	0.67	0.01	14
15	0.03	0.07	0.02	0.33	-	-	-	-	0.13	0.49	0.01	-	15
16	-	0.02	0.03	0.13	-	-	0.07	-	0.61	0.02	-	-	16
17	-	-	-	0.24	0.34	-	0.03	-	0.04	-	0.01	-	17
18	0.08	-	-	0.08	0.01	0.01	-	0.45	0.16	-	0.02	0.01	18
19	0.03	-	-	0.38	-	0.16	-	-	-	-	0.03	-	19
20	0.03	0.22	-	0.21	-	0.43	-	-	-	-	-	0.17	20
21	-	-	-	-	-	-	0.43	-	0.05	-	-	0.14	21
22	0.04	-	-	0.10	-	-	0.01	0.04	-	-	-	0.36	22
23	0.02	-	-	-	-	-	0.47	-	-	-	-	0.44	23
24	0.02	-	0.24	-	-	-	-	-	-	-	0.18	0.08	24
25	0.03	0.03	0.13	-	0.05	-	0.50	-	-	-	-	0.01	25
26	0.19	-	0.18	-	-	-	0.15	-	-	-	0.07	0.14	26
27	0.71	0.07	0.07	0.27	-	0.12	0.03	-	-	-	-	0.50	27
28	0.56	-	0.02	0.09	0.27	-	0.06	-	-	-	-	0.06	28
29	0.64	-	0.14	-	0.01	-	0.08	-	-	-	0.30	0.37	29
30	0.09	╳	-	-	0.05	0.13	-	-	0.38	-	0.46	0.27	30
31	0.15	╳	0.20	╳	-	╳	-	-	╳	0.39	╳	0.29	31
TOTAL	4.98	1.30	2.42	4.86	1.625	2.52	6.08	1.69	1.66	3.23	2.22	3.60	YEAR'S TOTAL 36.195 ?
Days with ·01 in. or more	25	13	19	22	11	9	21	7	9	10	12	19	177
					8	8	18	6	8	8	7	14	134

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

Print with query

SALISBURY
"ARDATH"
WILTSHIRE
1911 —— 1920

k 8.II.12

IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at "
in the Cou
by Mrs

attern
iameter of top 5 in.
eight of top above Ground 1 ft. – in.
" " " Sea Level 225 ft.
bservation 9 a.m.
ailway Station { Name Salisbury
Distance 1 m. Direction west.

IMPO 9 a.m., and the result entered to the previous d almost universal rule, he is earnestly requested t following year in the space provided for it at t the measurement of rain, the selectic particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·01	·14	·01	·04						·06	1
2	·02				·23					·09		·23	2
3					·20			·01			·27	·07	3
4	·02		·05	Snow ·01	·14							·40	4
5								·06		·19	·25		5
6	·45		·09								·01	·74	6
7	·01		·02	·01							·33		7
8	·05		·18								·13	·55	8
9	·03			·01								·52	9
10	·03		·35		·25							·40	10
11	·29	·08	·01		·02						·90	·03	11
12					·05							·18	12
13			} ·64 Snow		·02						·02	·46	13
14									·47			·54	14
15		·02	·01								·22	·02	15
16		·02									·48	·30	16
17			·01			·18					·25	·44	17
18		·18	·09	·04		·20				·04	·04	·58	18
19						·10			·25	·13	·02	·45	19
20	·02	·08	} ·21							·06	·29	·43	20
21		·16						·01		·80	·02	·31	21
22	·06		Thunder ·65	·01		·01		·52		·14		·10	22
23	·01	Gauge blown over	·14			·12			·33	·07	·10	·42	23
24	·01	·09	·01			·05				·36		·29	24
25		·03	Snow ·01	·05		·37		·09		·04		·11	25
26					·27	·08		·01	·05			·35	26
27		} ·54	·13	·23						·08	·02	·19	27
28			·01	·51					·04			·20	28
29				·49				·11		·40	·04		29
30				·01		·24		·02	·11	·12			30
31												·30	31
Total	1·06	1·20	2·62	1·51	1·09 1·19	1·39	·00	·83	1·25	2·52 2·52	3·42	6·67	TOTAL for year 25·66 25·66
No. of Rain Days.	13	11	20	11	8 9	10	–	8	~~5~~ 6	13	17	27	143 145

W. 8,000, X. '11.

8-II-12

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

IN 1912

Kept at "Ardath" Fowler's Hill Salisbury

in the County of Wiltshire 3

by Mrs T. Awdry.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 225 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Salisbury
Distance 1ml Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·01	·14	·01	·04						·06	1
2	·02				·23					·09		·23	2
3					·20			·01			·27	·07	3
4	·02		·05	Snow ·01	·14							·40	4
5								·06		·19	·25		5
6	·45		·09								·01	·74	6
7	·01		·02	·01							·33		7
8	·05		·18								·13	·55	8
9	·03			·01								·52	9
10	·03		·35		·25							·40	10
11	·29	·08	·01		·02						·90	·03	11
12					·05							·18	12
13			}·64 Snow		·02						·02	·46	13
14									·47			·54	14
15		·02	·01								·22	·02	15
16		·02									·48	·30	16
17			·01			·18					·25	·44	17
18		·18	·09	·04		·20				·04	·04	·58	18
19						·10			·25	·13	·02	·45	19
20	·02	·08	}·21							·06	·29	·43	20
21		·16						·01		·80	·02	·31	21
22	·06		Thunder ·65	·01		·01		·52		·14		·10	22
23	·01	Gauge blown over	·14			·12			·33	·07	·10	·42	23
24	·01	·09	·01			·05				·36		·29	24
25		·03	Snow ·01	·05		·37		·09		·04		·11	25
26					·27	·08		·01	·05			·35	26
27		}·54	·13	·23						·08	·02	·19	27
28			·01	·51					·04			·20	28
29				·49				·11		·40	·07		29
30				·01		·24		·02	·11	·12			30
31												·30	31
Total	1·06	1·20	2·62	1·51	~~1·49~~ 1·19	1·39	·00	·83	1·25	2·52	3·42	8·67	TOTAL for year 25·66 25.66
No. of Rain Days.	13	11	20	11	~~8~~ 9	10	–	8	~~5~~ 6	13	17	27	~~143~~ 145

W. 8,000, X. '11.

Cord by own stats 13.4.13

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

5.IV.13

REGISTER OF RAINFALL IN 1912

Kept at Ardath, Salisbury

in the County of Wilts. 3

(Mrs) *by* Agnes O. Audry.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Salisbury.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·08	-	-	-	·08	-	·02	~~·68~~	-	·42	1
2	-	-	·16	-	·01	·43	·42	-	-	·52	-	-	2
3	-	-	·08	-	-	{·37}	-	·65	·01	-	·06	-	3
4	·09	-	·60	-	·04		-	·10	-	-	·14	-	4
5	·55	-	·08	-	·03	-	-	·73	-	-	-	·08	5
6	-	·12	·01	-	·04	·01	-	·34	-	-	-	·01	6
7	·43	·40	·35	-	·13	·54	·04	·38	-	-	-	·13	7
8	·39	·27	·47	-	-	·10	-	·11	-	-	-	·03	8
9	-	·04	·16	-	-	·23	·10	·08	-	-	-	·30	9
10	-	·07	-	-	-	·03	-	·07	-	-	-	·35	10
11	·06	·13	-	-	-	·48	-	-	-	-	·10	·22	11
12	·04	·36	·09	·08	·33	·06	-	·06	-	-	-	-	12
13	-	·02	-	-	-	-	-	·07	-	-	-	·01	13
14	·12	-	·20	-	·02	-	-	·03	-	-	-	·03	14
15	·08	·08	-	-	-	·40	-	·03	-	-	-	·33	15
16	·50	-	·40	-	·06	·01	-	·08	-	·11	-	-	16
17		-	·11	-	-	·04	-	·55	-	-	-	-	17
18	{1·05}	-	·23	-	-	-	-	·29	-	-	-	·05	18
19	·03	·03	·12	-	-	-	·14	·63	-	-	-	-	19
20	-	·01	-	-	·07	-	·19	·15	-	·37	-	-	20
21	·05	·08	·47	-	·34	-	-	·03	-	- ×	-	-	21
22	·28	·32	·32	-	·13	-	-	·16	-	- ×	-	-	22
23	·17	·36	·22	-	-	-	-	·36	-	·30 ×	- ×	·27	23
24	-	·03	-	-	-	·23	-	·17	-	·22	-	·36	24
25	{·42}	·02	-	-	-	·19	-	·44	-	·10	·39	(·50)	25
26		·04	-	-	-	-	·15	·17	-	·31	-	·11	26
27	-	·03	-	-	-	·10	·18	-	-	·59	·61	·30	27
28	-	·08	-	-	-	·07	·15	·61	·22	·56	(·65)	·32	28
29	-	·10	-	-	-	·77	·10	·15	-	·35	-	-	29
30	-	×	-	-	-	·02	·02	-	1·42	·11	-	-	30
31	-	×	·31	×	-	×	·25	·04	~~·68~~	·02		·03	31
Total	4·26	2·59	4·46	·08	1·20	4·08	1·82	6·52	~~1·67~~ 2·35	~~4·24~~ 3·56	~~1·30~~ (1·95)	(3·85) (3·85)	YEAR'S TOTAL 35·37
Rain Days.	17	20	19	1	11	19	12	26	~~4~~5	~~13~~ 12	~~5~~ 6	18	166

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4- JAN 1914

Kept at Ardath, Salisbury
in the County of Wilts 3
by Mrs T. Awdry

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·20	·12	·12	·01	·08			·71		·14		1
2		·07	·01	·01			·01		·04	·05	·21	·09	2
3				·03	·46x					·17		·10	3
4	·87}		·02		·43		·01		·97x	·38		·08	4
5	·17	·03					·05		·22		·09	·07	5
6	·01	·03	·05		·19	·05	·25			·37		·48	6
7		·21x	·02		·31	·10x	·04	·16	·03	·53	·20		7
8		·03			·16	·05			·01	·08			8
9		·08			·03		·05	·28	·10	·01	·07	·02	9
10		·01		·04	·02	·01	·05	·08		·14	·50		10
11	·73x			·30	·05				·44	·35	·51		11
12					·30					·01	·43		12
13	·14		·06						·13		·13		13
14	·23		·09	·01				·05	·15		·17		14
15	·45	·09	·28x	·34			·50x	·06	·05		·03		15
16	·11		·32	·04					·02				16
17		·02		·02			·05				·02		17
18			·26	·06									18
19	·72		·07		·01		·05		·43				19
20	·02		·04	·06						·38	·05		20
21			·20	·33		·01			·03	·02	·73x		21
22	·36		·26				·01	·13	·32				22
23			·03								·02	·76x	23
24				·21		·06		·10					24
25		·07		·14									25
26		·01		·45				·20		·26		·19	26
27		·01	·18	·05						·08			27
28	·15		·13	·16						·37			28
29	·08		·31	·57x	·06			·05		·69x			29
30	·42			·01	·02					·62			30
31	·08		·03					·51x		·01			31
Total	4·67	·86	2·48	2·95	2·05	·36	1·07	1·62	3·65	4·52	3·30	1·79	YEAR'S TOTAL 29·32
Rain Days.	17	13	19	19	13	7	10 11	10	15	18	15	8	164 ✓

46 165

W.7,000, XI. 13

✓

cnd for auth 8.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Ardath Salisbury

in the County of Wilts 3

by Mary O. Awdry (Mrs T. A.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Salisbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07				·19	·38			·13	·24	1
2			·18		·03		·19	·07			×1·36	·14	2
3				·11	·32		·10	·01			·02	·02	3
4	·05		·01	·21	·05		·03	×·95			·47	·31	4
5	·04		·13	·32	·23		·42	·30			·87		5
6		·18		·22	·03	·02		·04			·03	·29	6
7		×·68	·08		·03		·30	·04			·02	·46	7
8	·03	·10	·50		·11			·24	·07				8
9	·02	·01	·41	×·39	·05	×·43			·13			·53	9
10	·01	·37		·10	·13								10
11		·22	×·52			·02	·37		×·29		×	·87	11
12		·12	·17		·02					·13		·46	12
13		·42	·30						·14		×	·36	13
14		·27	·19			·10	·19	·26		·32	·43	·25	14
15	·03		·25					·89		·04	·15		15
16							·19		·30				16
17		·65	·26						·01			·73	17
18			·09			·03	·09					·53	18
19		·02					×1·38				×	·03	19
20		·67	·06			·05						·28	20
21		·66	·29			·06				·36		·02	21
22		·08	·09		×·55	·01				·27			22
23		·30	·17		·07		·03			·15		·29	23
24		·01	·10		·08		·12			·03	·30×		24
25	·03				·02		·11	·23		·39	·03	·35	25
26			·27	·34			·08	·07		·05	·23	·55	26
27	·06										·15	·23	27
28		·05	·10								·42	·89	28
29	×·24		·18		·10					·25	·43	·01	29
30	·01		·10							·15	·69	×·97	30
31	·14						·10	·01		×·51		·07	31
Total	·66	4·81	4·52	1·69	1·82	·72	3·89	3·49	·94	2·65	5·43	8·38	YEAR'S TOTAL 39·90
Rain Days.	11	17	23	7	15	8	16	13	6	12	16	24	168

4·52 5·73 39·30

W.7,000, XI. 13

Excd L. N

1652

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

3

Kept at Ardath, Salisbury
in the County of Wilts
by Mrs Thomas Awdry.

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·22			·03			·03	·22	·25	·01	·19	1
2	·33	·21	·15	·10	~~·07~~			×·65		·24		·37	2
3	×·73	·02	·10		·07			·01		·08		·30	3
4	·02	·01										·22	4
5	·02	×·97						·17				·47	5
6	·58	·05		×·48			·87	·03				·20	6
7	·26	·60		·02		·02	·34						7
8	·04	·55		·04			·06	·04				·22	8
9		·04									·41	·54	9
10	·17			·14						·01		·15	10
11			·15	·09			·04	·06			·60		11
12	·11	·40		·14	·54			·01			·36		12
13	·01	·55			×·81				·14				13
14	·04						·56	·31	·04			·75	14
15	·11				·17				·01			·17	15
16		·95			·37		×·95	·03				·18	16
17		·42			×·81			·11					17
18		·19	·02		·17								18
19		·01			·07		·17						19
20	·13			·11	·01								20
21	Snow ·17	·22			·36		·06		·01	·40		·13	21
22	·17		×·50	·03			·84		·02			·23	22
23	·01	·25	·19				·19		·19	×·98		·27	23
24							·42		·57	·58		·56	24
25				·06			·23			·03		·07	25
26		·13				·04	·37					×·76	26
27		·05				×·85	·02			·32			27
28		·09				·04			×·75	·01			28
29						·20					·24		29
30	·09					·02	·04			·44	×·72	·71	30
31										·84		·26	31
Total	3·41	5·93	1·11	1·21	3·41	1·17	5·16	1·45	1·95	4·18	2·34	6·75	YEAR'S TOTAL 38·07
Rain Days.	18	20	6	10	11	6	15	11	9	12	6	20	144

W. 8,000. X. 15.

✓ [illegible] 1626

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Ardath Salisbury.
in the County of Wilts
by Mrs T. Awdry.

Lat. Long.
Time of Observation 9 (10 Summer Time)
Nearest Railway Station Salisbury.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14				·30	·05			·36	·62	·31		1
2	·17	·15	·45		·07				·15	·60	·23		2
3	·01	1·22			·01				·03	·56	·41		3
4	·11				·03	·56			·24	·02	·71		4
5	·03	·20			·44	·19				·05	·50		5
6	·03	·12			·09		·68			·11	·77		6
7	·01	·02	snow ·35		·05	·13	·38				·88		7
8		·04				·36				·02	·01	·29	8
9					·10	·07	·01			·03		·32	9
10		·44	·05	·03	·03	·11	·10					·13	10
11			·01			·11						·12	11
12		·03	·04	·02	·11		·05			·03			12
13	·08	·27	·14					·29					13
14		·46		·08	·03								14
15	·10	·16	·06	·01				·05					15
16	·14	·05	·04	·15				1·27					16
17		·30		·14				·31	·39	·42			17
18		·04	·04	·17					·04	·04		·13	18
19	·12		·32	·04							·31	·02	19
20	·24		·58	·01								1·14	20
21			·17		·06		·04					·57	21
22	·03		·01	·04	·01					·22			22
23	·02	snow ·10				·14		·24		·47	·18	·43	23
24		·01			·75	·15		·01			·05	·06	24
25		snow ·80	·11					·70	·01	·01	·09		25
26		·15	·01			·23		·08	·01	·70			26
27			·91					·76	·31	·43			27
28		snow ·36	·11		·03			·16	1·00	·36	·02	·57	28
29						·29		1·19	·20	·41		·23	29
30		X								·46		·01	30
31		X		X		X		·04	X	·39	X	·02	31
Total	1·23	4·92	3·40	·69	1·51	2·39	1·26	5·10	2·74	5·95	4·47	3·92	YEAR'S TOTAL 37·58
Rain Days.	14	19	17	10	15	12	6	12	11	20	13	14	163

W. 8,000, VIII. 16

1551

FORM A. BRITISH RAINFALL.

6 JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Ardath Salisbury

in the County of Wilts

by Mrs Awdry.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Salisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	snow ·13		·06		·75	·03		·02		1
2				snow ×·52				·01	·04		·10		2
3				snow ·11			·73	·10		·12			3
4		·06	·14					·10			·06		4
5	·10			snow ·36		·08			·06	·45	·08		5
6	·04		×·55							·12	·04		6
7	·20						×·85	·17		·13		·03	7
8	×·38		·12				·52	·31	·07	·19		·14	8
9				·08	·04		·05	·13	·06		×·24		9
10	·14		·30	·21	·08			·25					10
11	·13		·45	·08						·32			11
12	·05			·01	·04			·10		·40			12
13			·20	·09				·14	·05		·02		13
14				·13			·22	·20					14
15							·05	·02		·13		·14	15
16		·19		·19	·08		·03	·02		×·89		×·64	16
17				·09	·05	·09	·54	·24	×·58	·22			17
18						·20	·08		·34				18
19		×·33							·23				19
20		·08	snow ·22		·32	·06		·22					20
21			snow ·16		·01	·41				·03			21
22			snow ·16			·03		·04		·03			22
23		·19						·11				·02	23
24		·14			·03		·11	·04		·24	·13		24
25		·02	·07					·03	·03	·10		·03	25
26			snow ·01		·47			·45	·07		·02		26
27					×·86	·08		×·95		·02		·01	27
28			·09			×2·98		·15					28
29			·11		·09		·04	·01		·40		·10	29
30			·11				·44	·14		·04			30
31			·08				·03	·04		·04		·01	31
Total	1·04	1·01	2·91	2·30	2·07	3·99	3·69	4·72	1·56	3·87	·71	1·12	YEAR'S TOTAL 28·99
Rain Days.	7	7	16	12	11	9	13	25	11	18	9	9	147

W. 8,000, IX. 17.

~~W~~ MJS cnd fr anth

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

4. 1. 19

Kept at Ardath, Salisbury
in the County of Wilts
by Mrs J. Awdry

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03						·60			·16		1
2		·04		·15				·38			·69	·15	2
3		·07	·01	·36	·38			·37			·08		3
4		·09		·04				·09	·10	·01	·83^{x}	·04	4
5		·08			·11			·18	·58	·18		·06	5
6	·23			·16				·05	·11	·03		·06	6
7		·15		·08	·47^{x}			·03	·16	·07	·28	·08	7
8		·15							·08	·13		·06	8
9		·03		·25		·11	·37		·47	·12		·35^{x}	9
10	·03			·11			·35		·18	·33	·01	·31	10
11							·51		·11	·04	·06	·09	11
12		·05			·23		·15						12
13	snow ·30				·25		·60		·55	·03		·09	13
14	·14		·07			·24	·08		·17	·16		·07	14
15	1·03^{x}			·44^{x}			·25		·01			·11	15
16	snow ·41		·03	·18					·05			·12	16
17	·30			·15			1·02^{x}	·03	·07			·12	17
18	·68					·61^{x}	·04		·47			·22	18
19	·12		·11	·03		·01	·21		·01	·09			19
20	·03	·10		·22			·27		·18	·05		·09	20
21	·22	·04				·03	·03		·48	·39^{x}		·11	21
22	·10				·07		·78		·29			·17	22
23	·08				·12	·03	·47		·01			·01	23
24		·23^{x}					·05		·06		·12		24
25							·37	·64^{x}		·03	·01		25
26							·62			·02	·13	·12	26
27		·11	·04				·01	·14	·05	·01	·15		27
28		·01	·18	·03							·25	·01	28
29			·06						·95^{x}			·04	29
30		✕	·40^{x}							·03	·09	·08	30
31		✕	·13	✕		✕		·01	✕	·12	✕		31
Total	3·67	1·18	1·03	2·20	1·63	1·03	6·18	2·52	~~5·04~~	1·84	2·86	2·56	YEAR'S TOTAL ~~31·74~~
Rain Days.	13	14	9	13	7	6	18	11	22	18	13	23	167
									514				31·84

1460

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ardeeth, Salisbury
in the County of Wilts
by Mrs T. Awdry

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32		·09		·06		·12		·01	·06	·08	·87x	1
2	·16		·01						·59x		·03	·03	2
3	·87x		·68						·10			·17	3
4	·18	·13	·50			·17		·05	·17		·03	·06	4
5		·40	·50		·12		·26		·08		·11	·11	5
6	·57		·12		·33x		·03					·17	6
7	·16		·38	·04							·01	·01	7
8	·31		·20	·02									8
9	·05		·04	·14							·09		9
10	·01		·36									·40	10
11	·10		·06	·22	·13		·35					·02	11
12	·02		·03				·08			·09	·07		12
13	·13			·50x								·10	13
14	·42	·06		·29			·05		·29			·16	14
15	·32	·06		·05								·68	15
16	·05	·82x						·07			·14		16
17		·07									·09	·02	17
18		·04	·48				·02				·08		18
19	·35	·36	1·20 snow			·12	·57x	·09	·14		·13	·06	19
20	·44	·05						·18				·03	20
21	·03	·58				·47x	·04		·01		·01	·08	21
22							·11					·13	22
23										·15			23
24						·09	·05			·40x	·14	·43	24
25	·06	·13		·06				·29				·07	25
26	·06	·15	·10	·15			·06	·05	·05		·07	·44	26
27			·02	·30 snow				·90x				·02	27
28	·09		·65 snow					·40			·37	·43	28
29								·10		·11		·04	29
30				·17		·18		·50			·56x	·68	30
31												·46	31
TOTAL	4·70	2·85	5·42	1·94	·64	1·03	1·74	2·63	1·44	·81	2·01	5·67	YEAR'S TOTAL 30·88
Days with ·01 in. or more	21	12	17	11	4	5	12	10	9	5	16	25	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

est 95.

8 JAN 1921

1378

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ardalta Salisbury

in the County of Wilts

by Mrs T. Awdry

Lat. Long.

Time of Observation 9

Nearest Railway Station Salisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·31	·24		·60	·02		·20	·45		1
2	·20			·09			·08	·51	·10	·13		·46	2
3	·11	·09		·03			·38			·65			3
4		·04	·03				·65	·26		·24		·01	4
5			·08	·23	·05		·60	·38		·40			5
6			·18	·04	·28		·25						6
7	·02		·01	·28			·28						7
8		·05		·21	·03		·60						8
9	·38	·15		·06		·12							9
10	·48	·25	·10	·10		·26	·33						10
11	·26		·09	·54	·15	·01	·20						11
12	·15	·06		·19		·73					·05		12
13	·10	·04	·36	·07									13
14	·03	·02	·25	·65		·14	·08		·19	·38	·45		14
15	·02		~~·01~~	·17						·58			15
16			·01	·02			·05		·11	·01	·05		16
17			·01	·10	·27				·19				17
18	·07			·06	·02	·08		·48	·04			·04	18
19				·20		·15	·04		·05		·02		19
20		·16		·23		·41						·20	20
21							·39					·03	21
22	·03			·09				·04	·04				22
23							·50				·20	·66	23
24			·14									·06	24
25		·04	·11		·05		·37						25
26	·14		·25				·14				·07	·12	26
27	·46	·04	·02	·23		·12						·49	27
28	·55		·11	·11	·13		·08					·06	28
29	·40										·28	·20	29
30	·07					·11	·09		·37		·29	·29	30
31	·08		·19							·55		·09	31
Total	3·55	·94	1·95	4·01	1·22	2·13	5·71	1·69	1·09	3·14	1·86	2·71	YEAR'S TOTAL 30·00
Days with ·01 in. or more	18	11	17	22	9	10	19	6	8	9	9	13	151
Days with ·04 in. or more	14	10	11	20	7	9	19	5	8	8	8	11	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SALISBURY

91 BROWN STREET

WILTSHIRE

1911 —— 1920

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

N 1911

Kept at 91

in the County

by Thos

rn Negretti & Zambra

eter of top 5 in.

ht of top above Ground 1 ft. · in.

„ „ Sea Level 155 ft.

rvation 9 a. m

vay Station { Name Salisbury
Distance 1 mile Direction N.

IMPORT … a.m., and the result entered to the previous day. … most universal rule, he is earnestly requested to a… llowing year in the space provided for it at the … measurement of rain, the selection … o the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	. .	. .	.14	. .	. .	. .	.01	. .	. .	.02	.07	1
2	.02	. .	. .	.01	.30	. .	. .	.02	. .	.08	.20	.01	2
3	. .	. .	. .	. .	.20	. .	. .	. .	. .	. .	.14	.07	3
4	.02	.01	.05	.01 S	. .	. .	. .	. .	.01	.02	.23	.40	4
5	.05	. .	. .	.02 S	. .	. .	. .	.07	. .	.15	.08	. .	5
6	.52	. .	.10	. .	. .	. .	. .	. .	. .	.01	.02	.87	6
7	.02	. .	.02	.01 S	. .	. .	. .	. .	. .	. .	.42	.01	7
8	.05	. .	.19	. .	. .	. .	. .	. .	. .	. .	.13	.59	8
9	.05	. .	.02 H	.01	. .	. .	. .	. .	. .	. .	.03	.46	9
10	.05	.07	.40	. .	T.L .25	. .	. .	. .	. .	. .	.01	.47	10
11	.38	. .	. .	. .	T.L .02	. .	. .	. .	. .	. .	.84	.03	11
12	. .	. .	R.S. .73	. .	.04	. .	. .	T.L .01	. .	. .	.12	.24	12
13	. .	. .	.03	. .	.01	. .	. .	. .	.45	.01	. .	.46	13
14	. .	.02	. .	. .	. .	. .	. .	. .	. .	. .	. .	.61	14
15	. .	.02	.01	. .	. .	.01	. .	. .	. .	.01	.28	.02	15
16	. .	. .	. .	. .	. .	.10	. .	. .	. .	. .	.52	.39	16
17	. .	. .	. .	. .	. .	.10	. .	. .	. .	. .	.32	.59	17
18	. .	.20	.10	.07	. .	.19	. .	. .	. .	.03	.04	.62	18
19	. .	.08	. .	.01	. .	.33	. .	. .	.25	.21	.02	.14	19
20	.03	.02	.11	.02	. .	.01	. .	L .01	.10	.06	. .	.70	20
21	. .	.24	.11	.01	. .	.03	. .	TL .46	.24	T.L .79	. .	.12	21
22	.05	.01	T.L .64	. .	. .	.16	. .	. .	. .	.14	. .	.45	22
23	. .	.17	.13	. .	. .	.05	. .	. .	.08	.06	.10	.32	23
24	.02	.11	. .	. .	. .	.41	. .	.11	. .	.42	. .	.15	24
25	. .	.05	.01 S	.06	.21 L	.08	. .	T .01	.08	.02	. .	.24	25
26	. .	.02	. .	.33	T .09	.09	. .	.02	. .	.09	.01	.34	26
27	. .	.44	.14	.11	. .	.01	. .	.01	.04	.02	.01	.20	27
28	. .	.30	. .	.45	. .	. .	. .	.10	. .	. .	.06	.01	28
29	. .		.01	.49	. .	.19	TL .04	. .	.12	.42	.01	. .	29
30	. .		. .	.02	T.L .05	.03	. .	.03	. .	.20	.01	.02	30
31	. .		. .		. .		. .	. .		.01		. .	31
Total	1.31	1.76	2.80	1.77	1.17	1.79	.04	.86	1.37	2.75	3.62	8.60	TOTAL for year ✓
No. of Rain Days.	13	15	17	16	9	15	1	12	9	19	23	28	27.84 on 177 days ✓

W. 8,000, X. '11.

REGISTER OF N 1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at 91 Brown Street, Salisbury

in the County of Wilts 3

by Thos Henry Baker

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1· ft. · in.
" " " Sea Level 155 ft.

Time of Observation 9 a. m

Nearest Railway Station
Name Salisbury
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	. .	. .	.14	. .	. .	. .	.01	. .	. .	.02	.07	1
2	.02	. .	. .	.01	.30	. .	. .	.02	. .	.08	.20	.01	2
3	. .	. .	. .	. .	.20	. .	. .	. .	. .	. .	.14	.07	3
4	.02	.01	.05	.01^{s}	. .	. .	. .	. .	.01	.02	.23	.40	4
5	.05	. .	. .	.02^{s}	. .	. .	. .	.07	. .	.15	.08	. .	5
6	.52	. .	.10	. .	. .	. .	. .	. .	. .	.01	.02	.87	6
7	.02	. .	.02	.01^{s}	. .	. .	. .	. .	. .	. .	.42	.01	7
8	.05	. .	.19	. .	. .	. .	. .	. .	. .	. .	.13	.59	8
9	.05	. .	.02"	.01	. .	. .	. .	. .	. .	. .	.03	.46	9
10	.05	.07	.40	. .	.25$^{T.L}$	. .	. .	. .	. .	. .	.01	.47	10
11	.38	. .	. .	. .	.02$^{T.L}$	. .	. .	. .	. .	. .	.84	.03	11
12	. .	. .	.73$^{R.S.}$	. .	.04	. .	. .	.01$^{T.L}$	. .	. .	.12	.24	12
13	. .	. .	.03	. .	.01	. .	. .	. .	.45	.01	. .	.46	13
14	. .	.02	. .	. .	. .	. .	. .	. .	. .	. .	. .	.61	14
15	. .	.02	.01	. .	. .	.01	. .	. .	. .	.01	.28	.02	15
16	. .	. .	. .	. .	. .	.10	. .	. .	. .	. .	.52	.39	16
17	. .	. .	. .	. .	. .	.10	. .	. .	. .	. .	.32	.59	17
18	. .	.20	.10	.07	. .	.19	. .	. .	. .	.03	.04	.62	18
19	. .	.08	. .	.01	. .	.33	. .	. .	.25	.21	.02	.14	19
20	.03	.02	.11	.02	. .	.01	. .	.01^{L}	.10	.06	. .	.70	20
21	. .	.24	.11	.01	. .	.03	. .	.46^{TL}	.24	.79$^{T.L}$	. .	.12	21
22	.05	.01	.64$^{T.L}$	. .	. .	.16	. .	. .	. .	.14	. .	.45	22
23	. .	.17	.13	. .	. .	.05	. .	. .	.08	.06	.10	.32	23
24	.02	.11	. .	. .	. .	.41	. .	.11	. .	.42	. .	.15	24
25	. .	.05	.01^{s}	.06	.21^{L}	.08	. .	.01^{T}	.08	.02	. .	.24	25
26	. .	.02	. .	.33	.09^{T}	.09	. .	.02	. .	.09	.01	.34	26
27	. .	.44	.14	.11	. .	.01	. .	.01	.04	.02	.01	.20	27
28	. .	.30	. .	.45	. .	. .	. .	.10	. .	. .	.06	.01	28
29	. .	- .	.01	.49	. .	.19	.04^{TL}	. .	.12	.42	.01	. .	29
30	. .		. .	.02	.05$^{T.L}$	.03	. .	.03	. .	.20	.01	.02	30
31	. .		. .		. .		. .	. .		.01		. .	31
Total	1.31	1.76	2.80	1.77	1.17	1.79	.04	.86	1.37	2.75	3.62	8.68	TOTAL for year
No. of Rain Days.	13	15	17	16	9	15	1	12	9	19	23	28	27.84 on 177 days

W. 8,000, X. '11.

Ex DS

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

2 JAN 1913

Kept at 91 Brown Street, Salisbury

3

in the County of Wilts

by Thos H Baker

RAIN GAUGE
Pattern Circular funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 156 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Salisbury
Distance 3/4 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	. .	. .	.11	. .	.02	.41	.09	. .	.02	.57	. .	.43	1
2	. .	.01^{S}	.23	.03	. .	.14	.41	.10	. .	. .	. .	.01	2
3	. .	. .	.07	. .	. .	.29	. .	.57	.02	. .	.07	.01	3
4	.10	.01^{S}	$\overset{T}{.78}$	. .	.04	.54	.01	.04	. .	. .	.15	. .	4
5	.52	.08	.10	. .	.04	.01	. .	.71	. .	. .	.01	.10	5
6	.49	.05	.01	. .	.10	.01	$\overset{T}{.05}$	.33^{T}	. .	. .	. .	.04	6
7	.02	.38	.15	. .	.10	$\overset{T}{.53}$	.01	.39	.01	. .	. .	.14	7
8	.46	.27	.47	. .	. .	$\overset{T}{.10}$	.04	.11	.01	. .	. .	.06	8
9	.02	.04	.13	.06	. .	.25	.06	.10	. .	. .	. .	.31	9
10	.01	.09	.01	. .	. .	$\overset{T}{.06}$	.01	.07	.02	.01	.04	.38	10
11	.07	.14	. .	. .	. .	.24	. .	. .	. .	. .	. .	.33	11
12	.04	.41	.12	.02	$\overset{T.L}{.35}$	.47	.03	.06	. .	.01	.03	.02	12
13	.01	.02	. .	. .	. .	. .	.02	$\overset{T}{.07}$	. .	. .	.02	.02	13
14	.16	. .	.25	. .	.02	.01	. .	.03	. .	.01	. .	.02	14
15	.09	.08	.03	. .	.04	.37	. .	.01	. .	. .	. .	.37	15
16	.57	. .	.42	. .	.03	.02	. .	.08	. .	.09	.02	.07	16
17	$\overset{R.S}{.98}$	. .	.18	. .	.01	.05	. .	.65	. .	. .	.01	.01	17
18	.16	. .	.21	. .	. .	. .	. .	.35	. .	.01	. .	.04	18
19	.04	.05	.14	. .	. .	. .	.10	$\overset{T}{.64}$	. .	.01	. .	. .	19
20	.04	.01	.54	. .	.08	.01	.19	.22	. .	.39	.01	. .	20
21	.02	.09	.37	. .	.30	. .	.01	.04	. .	.17	. .	. .	21
22	.26	.27	.02	. .	.11	. .	.01	.25	. .	.01	. .	.02	22
23	.19	.31	.23	. .	.01	. .	. .	.40	. .	.11	.19	.29	23
24	.20	.03	.02	. .	. .	.28	. .	.19	. .	.25	. .	.39	24
25	.24	.02	. .	. .	. .	.28	. .	.44	. .	.08	.23	.48	25
26	.01	.06	. .	. .	. .	.01	.13	.28	. .	.40	.62	.21	26
27	. .	.01	. .	. .	. .	.10	.20	. .	. .	.73	. .	.38	27
28	. .	.09	. .	. .	. .	.09	.17	.65	.22	.59	.62	.42	28
29	. .	.13	. .	. .	. .	.71	.14	.18	1.45	.40	.02	.01	29
30	. .		.09	. .	. .	.04	.02	.01	.70	.19	. .	. .	30
31	. .		.23		.02		.25	.04		.02		.04	31
Total	4.70	2.65	4.91	.11	1.27	5.02	1.95	7.01	2.45	3.99	2.04	4.54	TOTAL for year 40.64
No. of Rain Days.	23	23	24	3	15	24	20	28	8	19	14	26	227

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

Esr DL

FORM A. BRITISH RAINFALL. 1 - JAN 1914

Kept at 91 Brown Street, Salisbury

in the County of Wilts 3

by Thos H Baker

Lat. 51° 4½' N Long. 1° 47' W.

Time of Observation 9. a.m

Nearest Railway Station Salisbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.20	.14	.14	.01	.08	. .	. .	.73	. .	.15	.08	1
2	.02	.11	.03	.01	. .	. .	.01	. .	.05	L .05	.21	.03	2
3	.15	.02	.01	.03	.56	. .	. .	. .	.01	.14	.02	.10	3
4	.79	. .	.06	.01	.40	. .	.02	. .	.94	T .25	.05	.08	4
5	.22	.05	.01	. .	.02	.06	.06	. .	.20	.02	.06	.08	5
6	.02	.07	.08	. .	.19	.12	.23	. .	.03	.32	.03	.49	6
7	. .	.34	.03	. .	.25	.06	.04	.15	.01	T.L .55	.21	.02	7
8	.03	.06	.01	. .	.20	.02	.02	.01	. .	T .10	.02	.03	8
9	.01	.07	. .	. .	.05	.02	.05	.31	.09	.02	.09	.02	9
10	.06	.02	. .	.09	.04	.01	.05	.11	.01	.08	.49	.01	10
11	.83	.01	. .	.30	.05	. .	.01	.01	.01	.32	T.L .47	.01	11
12	. .	.02	. .	.02	.33	. .	. .	. .	. .	.02	.42	.01	12
13	R.S .16	. .	.11	. .	.02	. .	. .	.01	.14	.01	.10	. .	13
14	.26	.01	.13	.04	. .	. .	L . .	.05	.13	.01	.19	. .	14
15	.36	.09	T.L.H .36	.55	. .	. .	T.L .49	.06	.04	. .	.06	. .	15
16	.35	.02	T .39	.09	. .	T.L .02	.01	.01	.02	. .	.02	. .	16
17	.02	S .03	. .	.03	. .	. .	.02	.01	.01	. .	.02	. .	17
18	.01	. .	.38	.10	. .	. .	.05	. .	. .	. .	.03	. .	18
19	T.L .69	. .	.11	.01	.02	.01	.07	. .	.42	. .	.02	. .	19
20	.14	. .	T.L .07	.13	.01	. .	.01	. .	.02	.32	.09	. .	20
21	.02	. .	T.L .26	.35	.03	. .	. .	. .	. .	.04	.68	. .	21
22	.40	. .	T.L .34	.01	.02	. .	.02	.13	.30	.02	.02	. .	22
23	.02	. .	T .05	. .	. .	.07	. .	.01	.02	.01	.03	.72	23
24	.03	.01	.01	.23	. .	. .	. .	.12	.01	. .	.02	. .	24
25	[illegible]	.09	. .	.19	. .	.01	. .	.02	. .	.01	.01	.02	25
26	[illegible]	.02	. .	.37	. .	. .	. .	.20	. .	.21	. .	.19	26
27	.03	.01	.19	.05	. .	. .	. .	.01	. .	L .09	. .	.02	27
28	.17	. .	.12	.13	. .	. .	. .	.01	. .	T.L .23	.01	. .	28
29	.09	╳	.40	T.L .65	T.L .07	. .	. .	.04	. .	.80	.01	S .02	29
30	.56	╳	.02	.02	.03	. .	. .	.01 L	. .	.58	.01	. .	30
31	.10	╳	.05	╳	.07	╳	. .	.52	╳	.02	╳	. .	31
Total	5.56	1.25	3.36	3.55	2.31	.48	1.16	1.80	3.19	4.22	3.54	1.93	YEAR'S TOTAL 32.35
Rain Days.	27	19	24	23	19	11	16	20	20	24	28	17	248

W. 7,500, XI. '12

8.11.15

REGISTER OF RAINFALL IN 1914

Kept at 91 Brown St Salisbury
in the County of Wiltshire 3
by Catherine S. Baker

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 155 ft.

FORM A. BRITISH RAINFALL. JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·16	·05	·02			·17	·05			·43	·65	1
2	–	·02	·08	–			·02	·18			·46	·25	2
3	·01	·01	·03	–	·02		·24	·08			1·20	·17	3
4	·06	–	·15	·11	·22		·14	·03			·05	·04	4
5	·05	–	·03	·15	·04		·04	·66			·47	·30	5
6	·02	–	·13	·31	·25		·26	·26			·93	–	6
7	–	·19	·02	·23	·04	·04	·02	·05			·04	·26	7
8	·04	–	·08	·07	·03	·01	·15	·04			·12	·44	8
9	·03	·11	·40	·02	·11	·04	·02	·19	·06		·01	·03	9
10	·02	·02	·39	·32	·04	·23	·01	·02	·09		–	·48	10
11	–	·28	·02	·09	·11	·03	–	·01	·18		·01	·02	11
12	–	·26	·47	·02	·03	·02	·38	–	·02		·08	·37	12
13	–	·11	·18		·01	–	·02	–	·21	·12	·02	·85	13
14	–	·45	·39			–	–	–	·11	·02	·09	·39	14
15	–	·28	·17			·04	·12	·80	·03	·35	·25	·30	15
16	·03	·02	·26			·01	·02	·44	·03	·12	·12	–	16
17	·01	–	·03				·11	·02	·20	·02	·01	·13	17
18	·02	·65	·23				·02	–	·02	·01	–	·72	18
19	–	·02	·09			·02	·06	–	·01	–	–	·45	19
20	–	·03	·49			·03	·54	–	·03	·01	·11	·03	20
21	–	·56	·05				·02	·01	·01	–		·25	21
22	–	·79	·04	·01			·01	·03		·26		·05	22
23	–	·07	·07		·30		·05	·03		·22		–	23
24	–	·29	·17		·12		·03	·02		·12		·29	24
25	–	·01	·11		·09		·15	·01		·05	·19	–	25
26	·04	–	·26		·03		·13	·13		·03	·06	·50	26
27	·01	·01	·02		·01		·09	·07		·30	·32	·46	27
28	·06	·01	·01		–	·01	·02	–		·03	·42	·22	28
29	·01		·10		·02	·01	·01	–	·01	·30	·16	·98	29
30	·23	✕	·17		·08		·01	·01		·16	·45	·03	30
31	·02	✕	·10	✕	·01	✕			✕		✕	·43	31
	·16	·05	·62	–	–	·17	·05	[illegible]	–	·43	·65	·17	YEAR'S TOTAL
Total	·67	4·35	4·79	1·35	1·56	·49	2·86	3·14	1·01	2·12	6·00	9·39	37·76
	·82	4·24	4·76	1·33	1·56	[illegible]	2·74	3·09	1·01	2·55	6·22	8·91	37·89
Rain Days.	19	24	31	~~11~~	19	~~13~~	28	~~22~~	14	~~16~~	23	29	244
				10		13		21		17			242

W. 8,000. X. 14.

1653

FORM A.
BRITISH RAINFALL
4. JAN 19

REGISTER OF RAINFALL IN 1915

Kept at 91 Brown St Salisbury
in the County of Wilts 3
by Miss C. E. Baker

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·15	·01	·01	·03		·01	—	·23	·23	·03	·19	1
2	·33	·21	·17	·05	—	·04	—	·64	·02	·24	·01	·43	2
3	·70	·03	·10	·08	·07	·01	—	·03	—	·09	—	·26	3
4	·03	·02	·01	·02	·02	—	·02	—	·01	·01	—	·27	4
5	·03	·72	·01	·03	·01	—	—	·15	—	-	—	·49	5
6	·70	·07	—	·44	—	—	·56	·04	—	—	—	·14	6
7	·29	·46	—	·04	—	·03	·36	·01	—	·01	—	·24	7
8	·06	·45	—	·05	—	—	·07	·05	—	—	·01	·01	8
9	·02	·05	—	·12	—	—	—	·01	—	—	·40	·57	9
10	·18	·02	·03	·02	—	—	·01	—	—	·01	·02	·15	10
11	·03	—	·14	·09	—	—	·04	·07	—	·01	·64	·03	11
12	·12	·33	·03	·14	·36	—	·01	·03	—	·01	·36	·01	12
13	·03	·52	·01	·02	·94	—	—	·01	·13	—	·02	—	13
14	·04	·02	·01	·01	·02	—	·49	·24	·06	·01	—	·84	14
15	·11	—	—	—	·16	—	·06	·06	·02	—	·05	·19	15
16	·02	·73	—	—	·34	—	·93	·14	—	—	—	·19	16
17	—	·40	·01	—	·89	—	·02	·02	—	—	—	·01	17
18	—	·20	·03	—	·20	—	·01	·01	—	—	—	—	18
19	—	·03	—	—	·09	—	·14	—	—	—	—	—	19
20	·13	—	—	·12	·03	—	·01	—	—	—	·01	·03	20
21	·18	·21	—	·02	·35	—	·06	—	·02	·35	—	·09	21
22	·16	·25	·49	·04	·02	—	·85	—	·03	·02	—	·24	22
23	·02	—	·21	·02	—	—	·20	—	·20	·70	—	·27	23
24	·01	—	·02	·03	—	—	·42	—	·63	·68	—	·57	24
25	—	—	—	·05	—	·02	·25	—	·02	·05	—	·15	25
26	·01	·15	—	·02	—	·05	·27	—	·01	·02	—	·77	26
27	—	·06	·02	—	—	·76	·04	—	—	·32	—	·06	27
28	—	·10	—	—	—	·05	·01	—	·96 (76)	·02	·01	·01	28
29	—	—	—	—	—	·18	—	·04	·02	·02	·18	·07	29
30	·09	X	—	·01	—	·03	·09	·01	—	·49	·72	·55	30
31	·06	X	—	X	—	X	—	—	X	·84	X	·26	31
Total	3·56	5·18	1·30	1·43	3·53	1·17	4·91	1·56	2·16	4·11	2·46	7·05	YEAR'S TOTAL 38·42
Rain Days.	24	22	16	22	15	9	24	17	14	20	13	28	224

W. 8,000. X. 15.

~~W~~ July and for another

1627

REGISTER OF RAINFALL IN 19*16*

FORM A. BRITISH RAINFALL.
3 JAN 1917

Kept at *91 Brown St Salisbury*

in the County of *Wilts*

by *Catherine Eliott Baker —*

Lat. ………… Long. …………

Time of Observation *9 a.m.*

Nearest Railway Station *Salisbury*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. ……… in.

" " " " Sea Level *155* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·01	·04		·32	·06			·48	·50	·35		1
2	·17	·16	·04		·09				·21	·55	·15		2
3	·02	1·18	·02		·02	·01			·03	·47	·44		3
4	·12	·14			·04	·52			·34	·03	·65		4
5	·04	·09	·02		·35	·18	·01		·01	·07	·48		5
6	·02	·12	·08		·09	·01	·53			·16	·86		6
7	·04	·03	·23		·05	·14	·26			·03	·90	·13	7
8	·01	·05	·03		·23	·25	·02			·01	·02	·18	8
9	·01	·01	·02		·10	·06	·02			·03	·01	·32	9
10	·02	·45	·03	·03	·03	·15	·09			·01	·01	·02	10
11	·02	·02	·03	·02	·01	·16	·01					·13	11
12	·05	·02	·01	·02	·10	·02	·05	·02		·04		·01	12
13	·01	·27	·18	·01	·01		·01	·23		·01			13
14	·02	·48	·01	·07	·04			·02		·03			14
15	·01	·17	·06	·03	·01			·03	·02	·01			15
16	·02	·04	·04	·16			·04	1·20		·01			16
17	·16	·25	·01	·13			·01	·45	·31	·37	·03		17
18	·02	·08	·05	·16				·03	·04	·04	·37	·16	18
19	·08	·01	·33	·03				·01	·06	·01	·19	·03	19
20	·23	·03	·66	·02							·04	1·04	20
21	·03	·03	·14	·01	·09		·01				·04	·50	21
22	·02	·01	·02			·01				·19	·02	·45	22
23	·02	·06	·01	·04	·01	·12		·21		·02	·20	·06	23
24				·01	·12	·11		·03		·37	·06	·39	24
25	·01	·79	·12		·01	·01		·56	·02	·03	·07		25
26		·13	·02			·19		·08		·60			26
27		·01	·97			·01	·02	·70	·30	·50			27
28		·34	·12		·04			·11	·37	·42	·03	·27	28
29		·45	·02		·01	·25		1·43	·88	·29	·02	·23	29
30		X	·01			·01		·04	·02	·44		·02	30
31		X		X		X		·02	X	·37	X	·03	31
Total	1·44	5·43	3·32	·74	1·77	2·27	1·08	5·17	3·09	5·59	4·94	3·97 3·77	YEAR'S TOTAL 38·8 38·81
Rain Days.	24	28	28	14	21	19	13	17	14	28	21	17	248

W. 8,000. X. 15.

1552

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 91 Brown St Salisbury
in the County of Wilts
by Catherine Elliott Baker

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·13	·09		·06		·97	·02	·01	·10		1
2			·02	1·50		·01		·02	·04	·01	·07		2
3	·02		·01	·08			·70	·15	·01	·13	·01		3
4		·06	·17				·05	·16		·24	·01		4
5	·09		·05	·38		·09	·01	·01	·08	·42	·11		5
6	·03		·54			·01			·01	·08	·05	·02	6
7	·25						·68	·15		·21	·01	·04	7
8	·39		·16	·06			·34	·25	·07	·20	·15	·17	8
9	·02		·02	·04	·04		·07	·12	·07	·03	·26	·02	9
10	·14		·30	·22	·06		·02	·22		·02	·02	·02	10
11	·08		·46	·11	·01	·01		·08	·01	·31	·02		11
12	·05		·02		·04			·02		·33	·01		12
13	·01		·22	·09				·11	·06	·02		·01	13
14			·02	·13			·15	·25	·01	·01			14
15			·01	·02			·05	·06	·01	·12		·13	15
16		·17		·15	·11		·04	·03		1·	·01	·69	16
17		·03		·09	·05	·04	·41	·22	·57	·20	·01		17
18	·01	·03		·01	·01	·28	·09	·01	·31	·01			18
19	·01	·27	·06			·04	·01		·24	·01	·02		19
20	·01	·11	·16		·33	·03		·22	·02	·01	·02		20
21		·02	·17		·02	·44		·02	·01	·03	·02		21
22		·01	·18		·02	·07		·06		·03			22
23		·17			·04	·01		·13		·02		·07	23
24		·17	·02		·01	·02	·12	·04		·23	·12	·01	24
25		·02	·03			·01	·02	·02	·03	·12	·02		25
26			·08		·35		·01	·40	·07	·02	·03		26
27		·01	·01		·79	·09		·91	·01		·01	·02	27
28			·14		·02	3·32		·16				·04	28
29			·10		·07	·04	·07	·05		·58		·09	29
30		✕	·12		·01	·01	·64	·15		·04	·01	·02	30
31		✕	·09	✕		✕		·04	✕	·05	✕	·02	31
Total	~~1·17~~ 1·12	1·04	3·29	2·97	1·98	4·58	3·48	5·03	1·65	4·49	1·09	~~1·44~~ 1·37	YEAR'S TOTAL 32·12
Rain Days.	14	12	26	14	17	18	18	29	19	29	22	15	233

W. 8,000, IX. 17.

37

FORM A.
BRITISH RAINFALL
6 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at 91 Brown St Salisbury
in the County of Wilts
by C. L. Baker.

Lat. ______ Long. ______
Time of Observation 9. a. m
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·01	·01	·03			·28		·01	·63	·04	1
2		·06		·15	·01			·75		·01	·14	·17	2
3		·08	·02	·37	·35			·31	·02	·02	·09	·02	3
4		·13	·01	·04	·02			·10	·08		·96	·04	4
5		·10	·05	·01	·12			·12	·59	·20	·02	·07	5
6	·25	·20	·01	·20	·01			·18	·14	·02		·08	6
7		·17		·09	·60			·04	·15	·09	·29	·07	7
8	·01	·16		·01	·01				·09	·14	·02	·06	8
9	·02	·05		·26	·01	·14	·24		·52	·19	·01	·33	9
10	·03	·01		·12		·06	·37		·17	·31	·02	·38	10
11	·01			·01		·01	·46		·10	·06	·05	·10	11
12		·06			·27		·16		·13	·01	·01	·03	12
13	·44	·02			·27		·48		·60	·03		·02	13
14	·15		·03		·02	·20	·04		·20	·15	·01	·15	14
15	1·22			·54	·03	·02	·20		·01	·02		·18	15
16	·42		·03	·22		·02	·02		·29	·02		·13	16
17	·34		·01	·19		·01	·91	·03	·08			·20	17
18	·99		·01	·02		·50	·05		·43			·23	18
19	·14	·01	·15	·03		·01	·19	·02	·02	·08		·12	19
20	·04	·11	·02	·22		·03	·18		·21	·04		·01	20
21	·21	·05		·02		·03	·06	·01	·54	·39	·01	·09	21
22	·10	·02	·01		·03	·01	·49		·27	·01	·01	·21	22
23	·13	·01			·15	·03	·78		·01		·03	·03	23
24	·02	·25		·01	·01	·02	·05	·01	·07		·08		24
25	·01	·02		·01			·35	·66	·01	·03	·02		25
26		·01					·62	·01		·03	·14	·15	26
27		·11	·05	·01			·02	·14	·05	·01	·15	·02	27
28		·02	·25	·03		·02	·01	·01	·01	·01	·28	·03	28
29			·11	·01					·94		·01	·02	29
30		X	·43						·02	·03	·07	·08	30
31		X	·12	X		X		·02	X	·06	X	·01	31
Total	4·53	1·67	1·32	2·58	1·94	1·11	5·68	2·69	5·75	1·97	3·05	3·07	YEAR'S TOTAL 35·36
Rain Days	18	22	17	23	16	15	20	16	27	25	22	29	250

1461

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at 91 Brown St Salisbury
in the County of Wilts
by Catherine Elliot Baker

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·02	·09	·04	·07		·12		·02	·06	·05	1·14	1
2	·18	-	·02	·01	·02		·02		·58	·01	·03	·03	2
3	·93	-	·46	-	·02	·03	·01		·18		·01	·23	3
4	·20	·11	·69	-	-	·14	-	·06	·19		·02	·07	4
5	·02	·41	·60	-	·12	·01	·30				·12	·11	5
6	·53	·03	·13	-	·35	-	·02				·01	·18	6
7	·20		·44	·03	·02	-	-				·01	·02	7
8	·36		·23	·01	-	-	-				-		8
9	·05		·04	·10	·02	-	-		·01		·07		9
10	·02		·39	·08	-	-	-		·01	·01	·03	·35	10
11	·11		·12	·22	·13	-	·37		-	-	-	·03	11
12	·02		·03	·04	·01	·03	·08		·01	·07	·085	·01	12
13	·07	·02	·04	·50	-	-	·02		-	·01	-	·08	13
14	·62	·04	·01	·32	-	-	·04		·30	·02	·01	·17	14
15	·38	·04	·01	·05	·02	-	-		·01	·01	-	·69	15
16	·05	·88	-	·01	-	-	-	·07	-	-	·14	·01	16
17	·05	·17	-	-		-	-		-		·10	·03	17
18	·02	·13	·46	-		-	·02	·01	-		·08	·02	18
19	·29	·35	1·15	-		·11	·58	·09	·13		·16	·04	19
20	·47	·04	·04	-		·47	·02	·20	·01		·02	·03	20
21	·05	·61	·01	-		·01	·03	·01	·02		·02	·11	21
22	-	·03	-	-		-	·10	-	·20		·01	·16	22
23	-	·01	-	-		·01	·01	-	·01	·12	·04	·09	23
24	-		-			·09	·06	·01	·01	·38	·11	·36	24
25	·06	·15	-	·07		·02	·01	·31	-	·01		·09	25
26	-	·16	·11	·17		·01		·06	·05		·06	·47	26
27	·05	·01	·03	·33		-		·94			·01	·03	27
28	·06		·59$	·02		-		·37			·32	·44	28
29	·02		-	·01		-	-	·08		·10		·05	29
30		✕	·04	·17		·17	-	·50		·03	·47	·78	30
31		✕	·01	✕		✕	-	·01	✕		✕	·18	31
TOTAL	5·17	3·21	5·74	2·18	·78	1·10	1·81	2·72	1·44	·83	1·98	6·00	YEAR'S TOTAL 33·26
Days with ·01 in. or more	25	18	24	18	10	12	17	14	16	12	24	29	219

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1379

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

JAN 21

Kept at 91 Brown St. Salisbury
in the County of Wilts
by Catherine Elliott Baker

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·01	·02	·36	·24		·65	·01	·03	·23	·45	·38	1
2	·15		·01	·10	·01		·11	·53	·08	·13	·01	·15	2
3	·12	·07		·02			·44	·01	·01	·66		·02	3
4	·01	·06	·02	·01			·56	·28		·24		·01	4
5	–	·01	·09	·24	·05		·65	·25		·40		·02	5
6	–		·20	·06	·32		·26	·02		·01			6
7	·03		·02	·28	·02		·33			·01			7
8	·02	·06		·22	·03		·65	·02					8
9	·39	·12	·06	·06		·12	·01	·02					9
10	·44	·29	·05			·27	·40						10
11	·34	·01	·09	·54	·14	·02	·21					·02 S	11
12	·17	·06	·01	·30	·01	·74	·02				·05		12
13	·11	·04	·37	·11		·01			·02		·03	·03 S	13
14	·02	·03	·27	·74		·26	·08		·21	·36	·44	·02 S	14
15	·03	·05	·04	·20	·01	·02	·02		·04	·59	·10		15
16	–	·02	·03	·06	·02	·01	·04		·07	·02	·01		16
17	–			·10	·28		·04		·25			·01	17
18	·07		·01	·06	·05	·06	·02	·47	·05		·01	·03	18
19	·02			·25		·16		·02	·08		·02		19
20	·02	·13		·26	·01	·44			·01		·02	·09	20
21		·01		·02		·01	·35		·04			·12	21
22	·03			·10			·03	·04	·01			·32	22
23	·02			·02			·45	·01				·33	23
24	·02	·01	·17	·01			·01				·14	·06	24
25	·02	·05	·14		·05		·40				·02	·01	25
26	·13	·01	·31	·23	·01		·14				·07	·12	26
27	·57	·05	·04	·10		·13	·03				·02	·51	27
28	·55	·01	·02		·16	·01	·10				·01	·07	28
29	·48		·13	·01	·02	·01	·01				·30	·25	29
30	·08	╳	·01	·01	·01	·12	·09		·37		·28	·27	30
31	·08	╳	·17	╳		╳	·02		╳	·49	╳	·16	31
TOTAL	4·01	1·10	2·28	4·47	1·44	2·39	6·12	1·68	1·27	3·14	2·01	3·	YEAR'S TOTAL 32·91 ✓
Days with ·01 in. or more	26	20 ~~9~~	23 ~~9~~	27 ~~7~~	18	16	28 ~~9~~	12 ~~7~~	14 ~~5~~	11 ~~8~~	17 ~~4~~	22 ~~6~~	234
Days with ·04 in. or more	15	11	14	20	8	9	19	5	9	8	8	13	139 ✓

(44,283), 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

1508
SALISBURY S W
1911 - 20
WILTSHIRE

78264

RE

Kept at Sal

in the County of W

by City Su

" in.

ound 2 ft. 2 in.

a Level 153 ft.

m.

ame Salisbury

istance 7 fur. Direction N.W.

IMPORTANT NOT he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04			·13	·01						·01	·08	1
2	·01				·28			·01		·08	·12	·23	2
3					·18						·11	·07	3
4	·01		·05							·01	·21	·42	4
5	·03			·02				·05		·15	·07		5
6	·50		·07								·01	·87	6
7	·01		·01								·40	·01	7
8	·02		·18								·13	·59	8
9	·03		·01								·01	·60	9
10	·04	·08	·36		·17						·01	·38	10
11	·33				·01						·90	·02	11
12			·72		·04						·05	·23	12
13			·04						·46			·48	13
14		·02										·62	14
15						·01					·22	·01	15
16						·07					·53	·35	16
17						·68					·30	·59	17
18		·15	·10	·05		·18				·02	·05	·61	18
19		·08				·32			·23	·18	·02	·17	19
20	·01	·01	·10						·10	·04		·68	20
21		·17	·09			·02		·61	·22	·86		·09	21
22	·05		·70			·12				·11		·49	22
23		·16	·12			·02			·06	·05	·09	·25	23
24	·01	·09				·38		·09		·36		·18	24
25		·03	·01	·05	·23	·05			·06	·02		·22	25
26		·01		·26	·07	·06		·01		·10	·01	·33	26
27		·39	·14	·12				·01	·03	·01	·01	·18	27
28		·27		·47				·08			·06		28
29		X		·48		·18	·03		·08	·43	·01		29
30		X		·02	·03	·01		·02		·19		·01	30
31		X		X		X			X		X		31
Total	1·09	1·46	2·70	1·60	1·02	1·50	·03	·88	1·24	2·61	3·33	8·76	TOTAL for year 26·22
No. of Rain Days.	13	12	15	9	9	13	1	8	8	15	22	27	152

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Salisbury
in the County of Wilts 3
by City Surveyor's Office

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 2 ft. 2 in.
" " " Sea Level 153 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Salisbury
Distance 7 fur. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·13	·01						·01	·08	1
2	·01				·28			·01		·08	·12	·23	2
3					·18						·11	·07	3
4	·01		·05							·01	·21	·42	4
5	·03			·02				·05		·15	·07		5
6	·50		·07								·01	·87	6
7	·01		·01								·40	·01	7
8	·02		·18								·13	·59	8
9	·03		·01								·01	·60	9
10	·04	·08	·36		·17						·01	·38	10
11	·33				·01						·90	·02	11
12			·72		·04						·05	·23	12
13			·04						·46			·48	13
14		·02										·62	14
15						·01					·22	·01	15
16						·07					·53	·35	16
17						·68					·30	·59	17
18		·15	·10	·05		·18				·02	·05	·61	18
19		·08				·32			·23	·18	·02	·17	19
20	·01	·01	·10						·10	·04		·68	20
21		·17	·09			·02		·61	·22	·86		·09	21
22	·05		·70			·12				·11		·49	22
23		·16	·12			·02			·06	·05	·09	·25	23
24	·01	·09				·38		·09		·36		·18	24
25		·03	·01	·05	·23	·05			·06	·02		·22	25
26		·01		·26	·07	·06		·01		·10	·01	·33	26
27		·39	·14	·12				·01	·03	·01	·01	·18	27
28		·27		·47				·08			·06		28
29		X		·48		·18	·03		·08	·43	·01		29
30		X		·02	·03	·01		·02		·19		·01	30
31		X		X		X			X		X		31
Total	1·09	1·46	2·70	1·60	1·02	1·50	·03	·88	1·24	2·61	3·33	8·76	TOTAL for year 26·22
No. of Rain Days.	13	12	15	9	9	13	1	8	8	15	22	27	152

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

Kept at Salisbury

in the County of Wilts 3

by W. J. Goodwin, A. M. Inst. C. E.

RAIN GAUGE:
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 2 ft. 2 in.
" " " Sea Level 153 ft.

Time of Observation 9 a. m

Nearest Railway Station:
Name Salisbury
Distance 7 fur Direction N. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·37	·06		·01	·49		·44	1
2			·19	·01	·01	·16	·39	·04					2
3			·08			·28	·01	·57			·05	·01	3
4	·08		·76		·03	·51		·04			·14		4
5	·48	·06	·08		·03			·87			·01	·08	5
6	·49	·05			·07		·03	·30				·03	6
7	·02	·39	·13		·09	·51		·46				·10	7
8	·47	·27	·48	·03		·10	·02	·10				·03	8
9	·01	·03	·15	·05		·19	·06	·07				·28	9
10		·09				·01		·07	·02		·04	·39	10
11	·05	·12				·12						·29	11
12	·03	·39	·10	·01	·38	·55	·02	·05			·03		12
13		·02	·01				·02	·06			·01	·02	13
14	·15		·19		·01			·03		·01			14
15	·08	·07	·04		·02	·35						·35	15
16	·55		·37		·02			·06		·09	·02		16
17	·96		·21			·03		·66					17
18	·13		·15					·33		·01	·02	·03	18
19	·02	·02	·13				·08	·67					19
20	·03	·01	·52		·06		·19	·16		·35			20
21	·01	·05	·40		·32			·01		·17			21
22	·26	·36	·01		·12		·01	·19		·01		·01	22
23	·19	·39	·22		·01			·39		·12	·17	·28	23
24	·18	·03				·21		·17		·19		·35	24
25	·22					·26		·43		·07	·21	·52	25
26		·04					·12	·16		·39	·56	·19	26
27						·10	·18			·69		·35	27
28		·07				·06	·12	·66	·22	·58	·63	·41	28
29		·11				·53	·11	·16	1·51	·42	·02		29
30		X				·03	·01		·67	·17			30
31		X	·30	X	·01	X	·26	·03	X	·02	X	·02	31
Total	4·41	2·57	4·61	·10	1·18	4·37	1·69	6·74	2·43	3·78	1·91	4·18	TOTAL for year 37·97
No. of Rain Days.	20	19	21	4	14	18	17	26	5	16	13	20	193

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
10 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Salisbury
in the County of Wilts 3
by W. J. Goodwin A.M. Inst. C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·20	·13	·13	·01	·06			·68		·13	·05	1
2	·02	·09	·01		·53		·01		·03	·03	·19	·01	2
3	·09			·02	·34					·11		·06	3
4	·84		·03						1·05	·29	·03	·04	4
5	·18	·03				·05	·04		·21		·07	·07	5
6	·01	·04	·07		·21	·11	·19		·01	·34	·01	·50	6
7		·35	·01		·35	·06	·02	·13		·49	·23		7
8	·02	·04			·26		·01			·07		·01	8
9		·07			·03	·01	·03	·26	·08	·01	·08		9
10	·03			·07	·02		·06	·08		·10	·51		10
11	·86			·28	·04					·25	·62		11
12					·36					·01	·41		12
13	·14		·09						·12		·12		13
14	·27	·01	·11	·01				·02	·13		·14		14
15	·32	·07	·35	·52			·50	·04	·03		·03		15
16	·30		·38	·08		·01			·01				16
17	·01	·03	·02	·02			·01				·01		17
18	·01		·39	·07			·03				·02		18
19	·71		·07		·01		·05		·42				19
20	·10		·04	·13						·36	·03		20
21			·24	·34	·01					·03	·66		21
22	·39		·29					·12	·29				22
23			·02			·05					·02	·75	23
24	·01			·22				·08					24
25		·07		·15									25
26				·53				·16		·20		·20	26
27	·02	·01	·23	·05						·06			27
28	·15		·07	·16						·36			28
29	·08	X	·38	·62	·05			·03		·78		·01	29
30	·52	X			·02					·59			30
31	·11	X	·03	X		X		·52	X		X		31
Total	5·20	1·01	2·96	3·40	2·24	·35	·95	1·44	3·06	4·08	3·31	1·70	YEAR'S TOTAL 29·70
Rain Days.	~~24~~	~~12~~	~~20~~	~~17~~	~~14~~	~~7~~	~~11~~	~~10~~	~~12~~	~~17~~	~~18~~	~~10~~	~~172~~

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 FEB 1915

Kept at Salisbury

in the County of Wilts 3

by W. J. Goodwin, A. M. Inst. C. E.

Lat. 51° 3′ 45″ N Long. 1° 47′ 11″ W

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05				·20	·34			·19	·20	1
2					·03		·17	·03			1·39	·11	2
3			·15	·09	·31		·16				·01	·01	3
4	·04		·01	·17	·02		·03	·75			·49	·31	4
5	·01		·11	·33	·21		·32	·30			·96		5
6		·19	·01	·19	·02	·02		·02			·06	·27	6
7		·59	·06	·06	·01		·25	·02				·42	7
8	·01	·14	·38		·06	·01	·01	·21	·07			·01	8
9	·01	·01	·41	·39	·04	·31			·13			·49	9
10		·29	·01	·10	·10				·30			·01	10
11		·26	·51		·01	·01	·35		·01		·08	·46	11
12		·10	·17				·03		·22	·10		·51	12
13		·41	·22						·10		·06	·36	13
14		·22	·21			·08	·14	·21		·36	·25	·26	14
15	·02	·01	·25					·63	·01	·04	·20		15
16			·01				·11		·28				16
17		·64	·26						·02			·66	17
18			·10			·01	·06					·44	18
19		·01	·46				1·16				·10	·11	19
20		·67	·14			·03						·23	20
21		·75				·05				·28		·02	21
22		·10	·06		·40		·03	·01		·27			22
23		·28	·16		·07	·02				·12			23
24		·01	·07		·09		·15			·03	·17	·02	24
25	·02		·28		·02		·12	·21		·39	·02	·24	25
26			·01				·06	·06		·05	·19	·61	26
27	·04										·11	·20	27
28	·01	·04	·08		·01						·36	1·02	28
29	·19	X	·19		·08					·30	·43		29
30	·01	X	·08							·15	·66	·90	30
31	·10	X		X		X	·04		X	·53	X	·05	31
Total	·46	4·72	4·45	1·33	1·48	·54	3·39	2·79	1·14	2·62	5·73	7·92	YEAR'S TOTAL 36·57
Rain Days.	~~11~~	~~18~~	~~27~~	~~7~~	~~16~~	~~9~~	~~18~~	~~12~~	~~9~~	~~12~~	~~18~~	~~25~~	~~182~~

W. 8,000. X. 14.

1651

FORM A.
BRITISH RAINFALL.
17. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Salisbury
in the County of Wiltshire
by W. J. Goodwin, A. M. Inst C. E.

3

Lat. 51° 3' 45" Long. 1° 47' 11"
Time of Observation 9 a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·16			·01				·20	·21	·01	·19	1
2	·33	·19	·12	·02		·02		·61		·20		·39	2
3	·68	·02	·07	·05	·06			·01		·08		·21	3
4	·01											·29	4
5	·01	·98		·02				·12				·51	5
6	·58	·04		·41			·55	·01				·22	6
7	·24	·49		·02		·02	·27					·17	7
8	·03	·52		·03			·05	·03					8
9		·02		·12							·41	·61	9
10	·13		·01								·01	·14	10
11			·11	·07			·04	·04		·01	·64	·02	11
12	·08	·46		·13	·51			·02			·32		12
13	·01	·53			·92				·13				13
14	·02	·01					·51	·29	·02			·77	14
15	·08				·14		·01	·03			·04	·18	15
16		·98			·32		·93	·13				·17	16
17		·39			·83								17
18		·14	·01		·19								18
19		·01			·07		·12						19
20	·11			·08	·02							·02	20
21	·07	·21			·34		·05		·01	·33		·09	21
22	·23	·26	·48	·02			·81		·01			·25	22
23	·01	·01	·19				·13		·19	·79		·27	23
24				·02			·40		·65	·58		·61	24
25			·01	·02			·21		·01	·04		·12	25
26		·10				·04	·27					·76	26
27		·03				1·09	·02			·32		·09	27
28		·09				·05			·73	·01			28
29		X				·18		·03		·02	·19	·08	29
30	·08	X					·05			·46	·74	·39	30
31		X		X		X			X	·92	X	·51	31
Total	3·16	5·64	1·00	1·01	3·41	1·40	4·42	1·32	1·95	3·97	2·36	7·06	YEAR'S TOTAL 36·70
Rain Days.	18	21	8	13	11	6	16	11	9	13	8	24	158

W. 8,000. X. 15.

✓ Exd. TW 1625

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

7. FEB 1917

Kept at Salisbury

in the County of Wiltshire

by W. J. Goodwin A. M. Inst. C. E.

Lat. 51° 3′ 45″ Long. 1° 47′ 11″ W.

Time of Observation 9 a. m

Nearest Railway Station Salisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·01	·04		·30	·05			·49	·48	·44		1
2	·19	·15	·03		·10				·18	·59	·11		2
3	·01	1·28			·01				·02	·47	·43		3
4	·11	·14			·04	·50			·38	·01	·81		4
5	·02	·05	·01		·35	·19				·04	·54		5
6		·09	·06		·07		·52			·10	·91		6
7	·03	·01	·18		·04	·10	·23			·01	·84	·13	7
8		·03			·24	·35						·19	8
9					·09	·06	·01			·01		·35	9
10	·01	·46	·02	·03	·02	·17	·10				·01	·01	10
11		·01	·02			·15						·07	11
12	·05	·01			·09		·03			·03			12
13		·26	·17					·15					13
14	·01	·46		·06	·02			·10		·02			14
15		·16	·06						·01				15
16		·05	·03	·14			·03	1·41					16
17	·13	·29		·13				·44	·22	·36			17
18	·03	·03	·05	·16				·01	·09	·03	·35	·18	18
19	·05		·34	·02							·24	·03	19
20	·21	·03	·61	·03							·03	1·34	20
21	·01	·02	·16		·03						·02	·78	21
22			·01		·06					·19	·01	·46	22
23	·01	·03		·03		·11		·21		·01	·13	·06	23
24		·02			·13	·14		·01		·41	·07	·31	24
25		·62	·10					·59	·01	·02	·10		25
26		·09	·01			·18		·03	·01	·73			26
27		·04	1·02				·01	·76	·31	·54			27
28		·32	·11		·01			·06	·66	·39	·02	·27	28
29		·39				·24		1·48	·61	·41	·01	·24	29
30		X						·01		·40		·01	30
31		X		X		X		·03	X	·36	X	·01	31
Total	1·02	5·05	3·03	·60	1·60	2·24	·93	5·29	2·99	5·61	5·07	4·44	YEAR'S TOTAL 37·87
Rain Days.	~~15~~	~~26~~	~~19~~	~~8~~	~~16~~	~~12~~	~~7~~	~~14~~	~~12~~	~~22~~	~~18~~	~~16~~	~~185~~

W. 8,000, VIII. 16

1550

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Salisbury
in the County of Wilts
by W. J. Goodwin A.M.Inst. C.E

Lat. 51°3'45" Long. 1°47'11" W.
Time of Observation 9 a.m
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13	·10		·04		·94	·04		·01		1
2				·75				·04	·02		·09		2
3				·08			·69	·14		·11	·06		3
4		·20	·20				·03	·15		·23		·01	4
5	·08		·03	·43		·10			·06	·40	·07		5
6	·02		·61							·10	·03		6
7	·22		·01				·68	·13		·17		·02	7
8	·41		·20	·05			·35	·22	·06	·18	·13	·17	8
9			·15	·04	·04		·05	·10	·04		·24		9
10	·13		·31	·25	·08			·21					10
11	·06		·46	·08				·10		·31			11
12	·04				·04					·30			12
13			·21	·09				·11	·03				13
14				·12				·20	·01				14
15							·26	·03		·10		·26	15
16	·01	·12		·15	·06		·10	·01		·95		·76	16
17		·02		·08	·08		·29	·23	·56	·19			17
18		·01				·27	·05	·01	·29				18
19		·33				·02			·24				19
20		·08	·20		·34	·01		·12					20
21			·12			·41				·02			21
22			·14			·05		·04		·01			22
23		·16			·03			·11				·03	23
24		·15					·10	·04		·21	·13	·01	24
25		·01	·02				·13	·01	·01	·12	·01		25
26			·06		·36			·38	·05				26
27					·78	·09		·90				·01	27
28			·08		·01	3·21		·21				·02	28
29		X	·12		·06	·03	·05	·01		·53		·08	29
30		X	·13				·57	·16		·04			30
31		X	·08	X		X	·08	·01	X	·03	X		31
Total	·97	1·08	3·26	2·22	1·88	4·23	3·43	4·61	1·41	4·0	·77	1·37	YEAR'S TOTAL 29·23
Rain Days.	~~8~~	~~9~~	~~19~~	~~12~~	~~11~~	~~10~~	~~14~~	~~26~~	~~12~~	~~18~~	~~9~~	~~10~~	~~158~~

W. 8,000, IX. 17.

1·92

35

FORM A.
BRITISH RAINFALL.

16 4. 19

REGISTER OF RAINFALL IN 1918

Kept at Salisbury

in the County of Wiltshire

by A. J. Goodwin, A. M. Inst. C.E.

Lat. 51°3'45" Long. 1°47'11" W

Time of Observation 9 a.m.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01	·01			·25			·67	·03	1
2		·06		·13				·78			·12	·13	2
3		·08		·36	·36			·28			·10		3
4		·11		·02				·09	·08		·89	·02	4
5		·09	·05		·11			·10	·67	·18		·05	5
6	·26	·18		·19				·16	·05			·04	6
7		·14		·06	·55			·02	·13	·08	·32	·06	7
8		·15							·10	·14		·05	8
9		·03		·27		·11	·24		·51	·17		·33	9
10	·01			·11		·05	·24		·17	·30	·02	·35	10
11							·41		·08	·05	·04	·06	11
12		·04			·23		·15		·14			·02	12
13	·50				·24		·41		·53	·01			13
14	·17		·02		·02	·19	·23		·21	·10		·14	14
15	1·19			·54	·02	·01	·20		·01			·11	15
16	·36		·02	·17		·01	·01		·27			·13	16
17	·44			·18			·87		·06			·19	17
18	·98					·47	·05		·39			·21	18
19	·13		·15	·02			·16			·08		·14	19
20	·05	·10		·20			·21		·24	·03			20
21	·22	·03				·02	·09		·53	·40		·07	21
22	·10				·03		·46		·30			·20	22
23	·12				·10	·01	·74				·02	·01	23
24		·24				·01	·05		·06		·09		24
25							·33	·74		·02	·01		25
26							·59			·02	·11	·12	26
27		·10	·03				·01	·14	·03		·14		27
28			·23	·01							·26	·01	28
29		X	·05						·97				29
30		X	·49					·01		·01	·06	·07	30
31		X	·12	X		X			X	·04	X		31
Total	4·53	1·35	1·16	2·27	1·67	·88	5·45	2·57	5·53	1·63	2·83	2·54	YEAR'S TOTA 32·43
Rain Days.	13	13	9	14	10	9	19	10	21	13	14	23	170

W. 8,000, IX. 17.

1459

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Sewage Disposal ~~Board~~ Works
in the County of Salisbury Wilts
by W. J. Goodwin A.M.I.C.E

Lat. 51° 3' 45" Long. 1° 47' 12" W
Time of Observation 9 am
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·07	~~·40~~	·06		·11			·05		1·12	1
2	·17			~~·75~~					·45		·06	·02	2
3	·91		·41	~~·08~~	·01				·28			·21	3
4	·21	·10	·78			·15		·04	·16		·02	·07	4
5		·42	·52	~~·43~~	·04		·28		·07		·10	·12	5
6	·55	·01	·12		·39							·18	6
7	·21		·41	·02								·01	7
8	·33		·22	~~·06~~									8
9	·04		·01	·11 ~~·04~~	·01						·07		9
10	·01		·29	·04 ~~·25~~								·34	10
11	·10		·07	·21 ~~·04~~	·10		·29					·02	11
12	·01		·01	·02			·17			·05	·10	·	12
13	·05	·01	·01	·51 ~~·04~~								·09	13
14	·53	·03		·32 ~~[illegible]~~			·03		·25			·16	14
15	·35	·02		·03	·01							·68	15
16	·04	·85						·06			·11		16
17		·14									·09	·01	17
18	·30	·08	·46				·01				·06		18
19	·43	·36	1·12			·10	·49	·07	·12		·14	·02	19
20	·04		·03			·45	·01	·19				·03	20
21		·60					·02				·01	·09	21
22		·02					·12		·19			·13	22
23										·12	·02	·08	23
24						·04	·05			·37	·10	·28	24
25	·03	·13		·07		·04		·30				·12	25
26	·09	·15	·11	·12				·05	·04		·06	·48	26
27	·05		·01	·34				·66				·01	27
28			·49					·67			·35	·43	28
29	·01							·07		·10		·04	29
30			·01	·17		·19		·49		·02	·47	·74	30
31												·20	31
TOTAL	4·80	2·92	5·15	1·96	·62	·97	1·58	2·60	1·56	·71	1·76	5·68	YEAR'S TOTAL 30·31
Days with ·01 in. or more	22	14	19	12	7	6	11	10	8	6	15	26	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex WMD

1377

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Salisbury

in the County of Wilts

by City Surveyor

CITY SURVEYOR'S OFFICE. SALISBURY. 1 FEB 1921

Lat. 51° 3' 45" N Long. 1° 47' 11" W

Time of Observation 9 am daily

Nearest Railway Station Salisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	-	·01	·33	·22	-	·66	-	·02	·75	·46	·41	1
2	·16	-	-	·08	-	-	·09	·54	·05	·16	-	·09	2
3	·13	·05	-	·01	-	-	·53	-	-	·64	-	·02	3
4	-	·03	·01	-	-	-	·75	·27	-	·23	-	-	4
5	-	-	·07	·24	·03	-	·50	-	-	·38	-	-	5
6	-	-	·21	-	·29	-	·29	·28	-	·02	-	-	6
7	·02	-	·01	·29	-	-	·23	-	-	-	-	-	7
8	-	·02	-	·25	·02	-	·68	·01	-	-	-	-	8
9	·39	·13	-	·05	-	·11	-	-	-	-	-	-	9
10	·52	·28	·05	·09	-	·27	·38	-	-	-	-	-	10
11	·34	-	·02	·44	·15	-	·18	-	-	-	-	·06	11
12	·15	·03	·08	·28	-	·73	-	-	-	-	·05	-	12
13	·12	·02	-	·07	-	-	-	-	-	-	·02	·10	13
14	·01	-	·40	·68	-	·31	·07	-	·20	·35	·38	·02	14
15	-	·04	·25	·18	-	-	·02	-	·02	·63	·11	-	15
16	-	-	·03	·04	-	-	·02	-	·06	·01	-	-	16
17	-	-	·01	·08	·27	-	·02	-	·27	-	-	·01	17
18	·05	-	-	·04	·04	·05	-	·47	·03	-	·02	·02	18
19	-	-	-	·20	-	·10	-	-	·11	-	-	-	19
20	-	·05	-	·26	-	·45	-	-	-	-	-	·08	20
21	-	-	-	-	-	-	·31	-	·02	-	-	·06	21
22	·02	-	-	·08	-	-	-	·04	-	-	-	·34	22
23	-	-	-	-	-	-	·44	-	-	-	-	·33	23
24	-	-	·15	-	-	-	-	-	-	-	·24	·04	24
25	-	·06	·12	-	·05	-	·38	-	-	-	·01	-	25
26	·13	-	·28	-	-	-	·13	-	-	-	·07	·12	26
27	·52	·04	·02	·23	-	·24	·01	-	-	-	-	·52	27
28	·54	-	-	·08	·11	-	·07	-	-	-	-	·06	28
29	·41	-	·13	-	-	-	-	-	-	-	·26	·18	29
30	·06	X	-	-	-	·07	·06	-	·29	-	·28	·24	30
31	·07	X	·17	X	-	X	-	-	X	·56	X	·15	31
TOTAL	3·72	·75	2·02	4·00	1·18	2·33	5·82	1·61	1·07	3·23	1·90	2·85	YEAR'S TOTAL 30·48
Days with ·01 in. or more	~~18~~	~~11~~	~~18~~	~~21~~	~~9~~	~~9~~	~~21~~	~~6~~	~~10~~	~~10~~	~~11~~	~~19~~	~~163~~
Days with ·04 in. or more	~~15~~	~~7~~	~~11~~	~~20~~	~~7~~	~~9~~	~~17~~	~~5~~	~~6~~	~~8~~	~~8~~	~~15~~ 5	~~128~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

SALISBURY PLAIN

SHREWTON

WILTSHIRE

1911 —— 1920

9 11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

191

Kept at Shre

op 5 in.

above Ground ft. 9 in.

in the County of

„ Sea Level 322 ft.

by F. J. W

on { Name
Distance Direction

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add th year in the space provided for it at the end c urement of rain, the selection and to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·01	·20				·02			·02	·04	1
2	·03			·01	·23			·03		·23	·16	·24	2
3					·19			·02			·15	·11	3
4	·02	·02	·08	·02				·04		·07	·13	·52	4
5	·01			·01				·21		·11	·18	·01	5
6	·35		·14						·02		·10	·63	6
7	·02			·02							·39		7
8	·08		·15								·10	·60	8
9	·06		·10									·48	9
10	·02	·07	·24		·33						·03	·53	10
11	·39	·01	·01		·08						·64	·06	11
12			·79		·02						·27	·21	12
13			·01						·30	·05	·01	·38	13
14		·04										·62	14
15		·01	·03			·01				·01	·24	·05	15
16		·02				·23					·52	·25	16
17			·05	·04		·14					·13	·59	17
18		·22		·07		·25				·02	·01	·40	18
19	·01	·02	·09	·03		·38			·31	·16	·05	·29	19
20	·02		·02			·02		·01	·56	·07		·81	20
21	·02	·17				·07		·19	·02	·69		·18	21
22	·03	·01	·33	·01		·04		·05		·10		·43	22
23		·14	·16			·02			·15	·03	·03	·24	23
24	·01	·10				·39		·07		·25		·18	24
25	·02	·11	·02	·10	·04	·07		·08	·03			·37	25
26		·04		·30	·10	·10				·12	·02	·32	26
27		·28	·16	·16				·04	·09			·21	27
28		·32		·22				·14			·09		28
29				·35		·22	·03		·10	·37	·01		29
30						·07		·02		·22	·01	·02	30
31										·08			31
Total	1·16	1·58	2·39	1·54	·99	2·01	·03	·92	1·58	2·58	3·29	8·77	TOTAL for year 26·84
No. of Rain Days	16	16	17	14	7	14	1	13	9	16	22	27	172

9,000, IX. '10.

82

911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

391

Kept at Shrewton

in the County of Wilts 3

by F. J. Wardale

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 322 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·01	·20				·02			·02	·04	1
2	·03			·01	·23			·03		·23	·16	·24	2
3					·19			·02			·15	·11	3
4	·02	·02	·08	02				·04		·07	·13	·52	4
5	·01			·01				·21		·11	·18	·01	5
6	·35		·14						·02		·10	·63	6
7	·02			·02							·39		7
8	·08		·15								·10	·60	8
9	·06		·10									·48	9
10	·02	·07	·24		·33						·03	·53	10
11	·39	·01	·01		·08						·64	·06	11
12			·79		·02						·27	·21	12
13			·01						·30	·05	·01	·38	13
14		·04										·62	14
15		·01	·03			·01				·01	·24	·05	15
16		·02				·23					·52	·25	16
17			·05	·04		·14					·13	·59	17
18		·22		·07		·25				·02	·01	·40	18
19	·01	·02	·09	·03		·38			·31	·16	·05	·29	19
20	·02		·02			·02		·01	·56	·07		·81	20
21	·02	·17				·07		·19	·02	·69		·18	21
22	·03	·01	·33	·01		·04		·05		·10		·43	22
23		·14	·16			·02			·15	·03	·03	·24	23
24	·01	·10				·39		·07		·25		·18	24
25	·02	·11	·02	·10	·04	·07		·08	·03			·37	25
26		·04		·30	·10	·10				·12	·02	·32	26
27		·28	·16	·16				·04	·09			·21	27
28		·32		·22				·14			·09		28
29				·35		·22	·03		·10	·37	·01		29
30						·07		·02		·22	·01	·02	30
31										·08			31
Total	1·16	1·58	2·39	1·54	·99	2·01	·03	·92	1·58	2·58	3·29	8·77	TOTAL for year 26.84
No. of Rain Days	16	16	17	14	7	14	1	13	9	16	22	27	172

9,000, IX. '10.

81 [illegible]

[illegible]

258

FORM A2.
BRITISH RAINFALL.
27 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Shrewton

in the County of Wiltshire 3

by F. J. Wardale

RAIN GAUGE { Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station { Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11			·28	·42		·03	·70		·34	1
2		·01	·31	·03		·23	·30	·03					2
3	·03		·09			·27	·01	·35	·02		·03	·04	3
4	·13	·02	·70		·05	·30		·04			·18		4
5	·40	·10	·10		·22			·40			·02	·14	5
6	·62	·04	·01		·09		·39	·58				·19	6
7	·01	·20	·07		·10	·41	·02	·01				·10	7
8	·40	·31	·40	·02		·05	·03	·02	·01			·05	8
9	·02	·06	·11	·11		·11	·02	·12			·05	·19	9
10		·10				·01		·16		·01		·29	10
11	·06	·09	·06		·01	·04					·03	·35	11
12	·06	·35	·09	·02	·03	·16	·04	·01			·02		12
13		·06			·19		·01	·01		·01		·03	13
14	·24	·01	·17		·03			·14		·02	·01	·01	14
15	·07	·08	·01		·06	·40		·02			·01	·42	15
16	·51	·01	·23			·04		·03		·03	·01		16
17	1·15		·09			·05		·62			·02	·03	17
18	·16		·36					·28			·01	·10	18
19	·04	·09	·09			·03	·17	·33		·09			19
20	·03	—	·42		·05		·24	·57		·32			20
21	·02	·08	·22		·56		·01	·03		·15			21
22	·30	·27	·02		·11	·10	·03	·22		·01		·10	22
23	·15	·35	·34			·02	·06	·34			·16	·32	23
24	·19	·04	·01			·26		·11		·09		·17	24
25	·15	·01				·17		·48		·04	·21	·69	25
26		·02				·01	·16	·16		·44	·43	·20	26
27						·12	·09			·72		·31	27
28		·06				·04	·04	·47	·15	·42	·63	·49	28
29		·07				·15	·09	·19	·81	·72	·01	·02	29
30			·01			·10	·06		·58	·34			30
31	·01		·10		·01		·22	·03		·03		·02	31
Total	4·75	2·43	4·12	·18	1·51	3·35	2·41	5·75	1·60	4·14	1·83	4·60	TOTAL for year 36·67
No. of Rain Days.	22	23	24	4	13	23	20	27	6	17	16	23	218

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

Esa B11

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Shrewton

in the County of Wiltshire 3

by F. J. Wardale

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·18	·11	·01	·06				·56		·18	·17	1
2	·01	·07	·02	·01					·04	·08	·14	·02	2
3	·04	·01	·02	·01	·44					·02		·13	3
4	·64				·61				·95	·30	·04	·06	4
5	·04	·02				·17	·13		·34			·11	5
6	·02	·07	·13		·32	·14	·33			·35	·08	·64	6
7	·03	·30			·30	·02	·12			·52	·14	·01	7
8	·02	·08			·29	·05				·12			8
9		·08			·01		·02	·25	·09		·05	·01	9
10	·04		·03	·14	·03	·01	·01	·02		·18	·51		10
11	·73	·01		·24	·07					·23	·54		11
12	·01	·02			·17		·03			·01	·17		12
13	·05	·01	·05			·01		·01	·14		·14		13
14	·24	·01	·07	·02	·05			·03	·07	·04	·21	·01	14
15	·16	·14	·25	·40			·20	·01	·06		·10		15
16	·25		·43	·06		·03		·01	·01				16
17		·03	·01	·06			·02		·01		·02		17
18	·03		·25	·09							·09		18
19	·87		·08			·01	·11		·63				19
20	·07		·05	·07	·02		·02			·26	·04		20
21	·01		·27	·18	·09						·57		21
22	·52	·01	·23	·04				·08	·36				22
23						·08			·01			·54	23
24	·02			·16				·10		·01	·02		24
25		·32		·12							·01	·02	25
26		·02		·47				·26		·13		·20	26
27	·02	·02	·19	·09						·07		·01	27
28	·22		·06	·14						·30		·02	28
29	·06		·50	·60	·02			·06		·31	·01	·02	29
30	·58									·39	·01		30
31	·06		·05		·01			·42					31
Total	4·82	1·40	2·80	2·91	2·49	·52	·99	1·25	3·27	3·32	3·07	1·97	YEAR'S TOTAL 28·81
Rain Days.	26	18	19	19	15	9	10	11	13	17	20	15	192

W. 7,500, XI. 12

81

Exd D.S.S.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

257

28 JAN 1915

Kept at Shrewton
in the County of Wiltshire 3
by F. J. Wardale

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05					·40			·15	·04	1
2				·02	·02		·54	·10			1·96	·19	2
3			·21	·10	·25		·28	·17			·02	·10	3
4	·05		·04	·21	·03		·04	1·13			·50	·42	4
5	·10		·07	·34	·16		·20	·18			·58	·10	5
6		·16		·21	·12	·03	·08	·04			·07	·30	6
7		·49	·13	·15	·24		·11	·02				·17	7
8	·05	·07	·65	·03		·16	·02	·11	·25			·02	8
9	·06		·41	·17	·04	·78		·06	·19			·13	9
10	·02	·15	·02	·06	·15			·03	·31				10
11		·26	·33	·01	·02	·15	·37		·02		·07	·34	11
12		·13	·17				·02		·21	·02	·01	·33	12
13		·28	·27						·11	·07	·15	·37	13
14		·24	·30				·28	·17	·03	·59	·28	·17	14
15	·02	·03	·20					·35	·03	·04	·23		15
16			·01				·11		·15				16
17		·44	·21				·06		·02			·62	17
18			·07			·18			·01			·49	18
19		·06	·67				·93		·01		·10	·15	19
20		·48	·12			·06			·02			·23	20
21		·92	·03							·25		·01	21
22		·01	·02		·16	·15	·09	·02		·69			22
23		·08	·15		·07	·01	·01			·19		·01	23
24		·08	·03		·11		·04			·17	·20		24
25	·06		·21		·01		·03	·16		·29	·03	·21	25
26							·06	·02		·05	·27	·59	26
27	·07									·04	·07	·13	27
28		·07	·13		·02						·18	·92	28
29	·27		·16		·05					·24	·30		29
30	·01		·06		—	·04				·14	·47	·84	30
31	·04				·01		·06			·44		·08	31
Total	·75	3·95	4·72	1·30	1·46	1·56	3·33	2·96	1·36	3·22	5·64	6·96	YEAR'S TOTAL 37·21
Rain Days.	11	17	26	10	16	9	19	15	13	14	19	25	194

W.7,000, XI. 13

82

666
253

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Shrewton
in the County of Wiltshire 3
by F. J. Wardale

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·88	·10			·04			·11	·20	·20	·01	·17	1
2	·43	·28	·14	·11		·03	·04	·88	·01	·30		·43	2
3	1·20	·02	·09	·08	·05		·03	·04		·06		·29	3
4	·05	·01										·26	4
5	·02	1·05		·05				·07				·35	5
6	·62	·09		·27			·56	·02				·20	6
7	·27	·43	·01	·01			·26	·03				·37	7
8	·07	·34		·03			·09	·05			·03	·01	8
9	·04	·07		·12				·01			·31	·66	9
10	·13	·01	·04	·03						·03	·01	·10	10
11	·05		·13	·09				·07			·68	·04	11
12	·12	·35		·12	·54			1·02		·02	·35	·01	12
13	·04	·65			·92				·12		·02		13
14	·03						·18	·47	·04			·75	14
15	·17				·12		·11	·21	·01		·16	·20	15
16	·01	·83		·01	·33		·84	·35				·11	16
17		·33			1·32		·01	·29		·01		·01	17
18		·31	·02		·20								18
19		·01			·05		·11						19
20	·14			·08	·07					·05		·05	20
21	·13				·39		·10		·01	·38		·37	21
22	·16	·48	·49	·02			·55		·03			·22	22
23		·12	·18				·23		·10	1·07			23
24			·01	·10			·09		·47	·69		·17	24
25			·03	·02		·05	·36					·24	25
26	·01	·11				·03	·21					·65	26
27		·06				·29	·15			·28		·03	27
28		·13				·01		·02	·78	·03			28
29						·19	·19	·12			·17	·07	29
30	·13	X				·05				·30	·48	·26	30
31	·03	X		X		X			X	1·12	X	·36	31
Total	4·73	5·78	1·14	1·14	4·03	·65	4·11	3·76	1·77	4·54	2·22	6·38	YEAR'S TOTAL 40·25
Rain Days.	22	21	10	15	11	7	18	16	10	14	10	26	180

W. 8,000. X. 14.

8L

Esc 8L

1640
~~252~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Shrewton

in the County of Wiltshire

by F. J. Wardale

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·02		·18	·04	·01		·25	·40	·23		1
2	·18	·07			·19		·02		·01	·90	·11		2
3	·01	·90	·04		·01				·04	·34	·40		3
4	·10	·32			·05	·22			·35	·06	·84		4
5	·02	·01	·02		·48	·26				·02	·60		5
6	·03	·19	·02		·03	·04	·56			·08	·85		6
7	·07	·04	·22		·01		·13			·06	·63	·13	7
8		·04	·01		·15	·35					·03	·13	8
9		·01			·08	·06	·03			·11	·02	·11	9
10		·46	·02	·06	·04	·30	·03			·03	·02	·01	10
11	·04	·01	·02	·03		·32						·14	11
12	·04	·03	·01	·03	·11		·06			·04	·01		12
13		·20	·16					·52		·01			13
14		·41			·03			·26		·03			14
15		·19	·08	·02				·10					15
16	·02	·12	·05	·18	·04		·06	1·27		·01			16
17	·10	·27		·02				·07	·37	·39	·01	·01	17
18	·01	·04	·05	·17					·07	·03	·42	·23	18
19	·10		·33	·12					·02		·17	·02	19
20	·17		·73	·01							·03	1·28	20
21	·04	·02	·36	·01	·03						·02	·70	21
22	·02	·04			·06	·02				·23	·03	·50	22
23	·01	·22				·05		·13			·19	·06	23
24		·07			·12	·35		·03		·39	·03	·32	24
25		·78	·11	·01	·03			·47	·04	·02	·06	·06	25
26	·01	·07	·08			·19		·10	·02	·78		·01	26
27		·06	1·20			·02	·02	·65	·23	·32			27
28		·31	·27		·04	·03		·10	·04	·19	·01	·29	28
29		·40	·01			·27		1·31	·10	·42	·02	·19	29
30		X						·05		·66			30
31	·01	X		X		X			X	·15	X	·03	31
Total	1·05	5·28	3·81	·66	1·68	2·52	·92	5·06	1·54	5·67	4·73	4·22	YEAR'S TOTAL 37·14
Rain Days.	19	26	21	11	18	15	9	13	12	24	22	18	208

W. 8,000. X. 15.

81

~~8 x 82~~

1565
~~237~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Shrewton

in the County of Wiltshire

by F. J. Wardale

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·12	·18		·05		·80	·05		·02		1
2		·01	·01	1·92		·03		·02			·08		2
3				·07			·86	·10		·34	·09		3
4		·33	·12				·11	·08		·28		·02	4
5	·17		·09	·18		·11		·11	·08	·42	·07		5
6	·04		·64			·01				·07	·05		6
7	·15		·01				·48			·11		·04	7
8	·72		·11	·05			·35	·25	·05	·18	·09	·17	8
9	·01		·14	·01	·03		·06	·45	·04	·14	·18		9
10	·16		·32	·19	·01			·09		·07			10
11	·04		·49	·15				·02		·20	·02		11
12	·16		·01		·10					·39		·01	12
13			·10	·01			·01	·18	·05	·06		·01	13
14			·03	·20			·14	·10	·02		·02		14
15							·31	·73		·11	·01	·04	15
16	·01	·13		19	·05		·03		·01	·44		·52	16
17		·03		·08	·15	·02	·47	·10	·59	·27			17
18	·01	·02			·01	04	·20	·12	·40				18
19	·03	·42	·07			·02			·18		·02	·01	19
20	·02	·07	·15		·34	·05		·02	·04		·01		20
21			·42			·61		·01		·04	·02		21
22			·10			·34		·05		·03			22
23		·14			·03			·24		·02		·03	23
24		·11	·01			·02	·02	·13		·15	·02		24
25		·02	·02				·01	·03	·03	·15	·01		25
26			·05		·27			·56	·17	·07	·05		26
27					1·11	08		·82		·05			27
28			·12		·04	4·36		·13				·02	28
29		✕	·05		·32	·12	·06	·09	·01	·49		·10	29
30	·02	✕	·15				1·06	·05	·01	·14		·01	30
31		✕	·16	✕		✕	·02	·01	✕	·04	✕	·03	31
Total	1·54	1·29	3·49	3·23	2·46	5·86	4·19	5·29	1·73	4·26	·76	1·01	YEAR'S TOTAL 35·11
Rain Days.	13	11	24	12	12	14	16	26	15	24	16	13	196

2·06

W. 8,000, VIII. 16

81

50
~~227~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Shrewton

in the County of Wiltshire

by F. J. Wardale

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.08			.23		.02	.70	.03	1
2	.01	.05		.14				.35		.01	.08	.14	2
3		.06	.02	.30	.28			.18	.04	.03	.05	.02	3
4		.03		.06				.04	.05		.62	.03	4
5		.04		.01	.18			.18	.28	.27	.02	.04	5
6	.17	.16		.24		.01		.01	.05	.04		.06	6
7	.01	.13		.10	.65			.02	.11	.11	.23	.03	7
8	.01	.05							.17	.19		.05	8
9		.08		.32		.29	.52		.42	.13		.19	9
10	.02		.03	.11		.02	.32		.05	.27	.01	.44	10
11	.01			.01			.92		.11	.08	.03	.13	11
12	.01	.06			.25		.11		.12			.01	12
13	.35	.01			.16		.54		.44	.05		.05	13
14	.14		.02		.01	.05	.03		.14	.16		.17	14
15	1.36			.41	.02	.04	.15		.01	.01		.17	15
16	.59		.07	.30		.10	.01		.16	.01		.13	16
17	.32			.26			.44	.08	.06			.23	17
18	.73					.60	.15		.43			.30	18
19	.10	.02	.11	.02			.21		.09	.03		.10	19
20	.05	.08		.35		.02	1.70		.22	.04	.01		20
21	.17	.04				.01	.07		.56		.01	.10	21
22	.04	.01			.16		.37		.06			.13	22
23	.08				.21	.01	.72	.02			.07		23
24	.01	.35				.03	.43	.01	.09		.11		24
25							.55	.44		.02			25
26							.41		.02	.01	.10	.13	26
27		.06	.03				.02	.15	.16	.02	.16	.02	27
28		.02	.21	.02					.01	.10	.36	.04	28
29		X	.04		—				1.20			.02	29
30	.01	X	.32						.03	.02	.08	.10	30
31		X	.05	X		X			X	.05	X		31
Total	4.19	1.25	.90	2.65	2.00	1.18	7.67	1.71	5.08	1.67	2.64	2.86	YEAR'S TOTAL 33.80
Rain Days.	20	17	10	15	10	11	19	12	26	22	16	26	204

W. 8,000, IX. 17.

Jl 1473

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Shrewton
in the County of Wiltshire
by F. J. Wardale

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·01	·07	·15	·07		·14		·01	·06	·04	1·33	1
2	·23		·02		·02		·02		·32	·02	·04	·07	2
3	1·23		·21		·02	·01			·16		·01	·31	3
4	·13	·10	·54			·05		·05	·35		·01	·11	4
5	·01	·38	·68		·19		·16		·10		·13	·13	5
6	·53	·01	·10		·31						·01	·23	6
7	·27		·45	·05								·02	7
8	·34		·14										8
9	·02		·04	·13							·08		9
10	·04		·34	·04							·01	·13	10
11	·02		·15	·19	·08		·45					·02	11
12	·02		·09	·01		·02	·05			·07	·02	·01	12
13	·03		·03	·61								·12	13
14	·52	·04		·41			·05		·02	·01		·10	14
15	·19	·03		·06	·02					·02	·01	·54	15
16	·06	·73						·01			·15		16
17		·26						·01			·24	·02	17
18		·03	·46				·02			·01	·04	·01	18
19	·35	·24	1·14			·08	·52	·20	·14		·08	·06	19
20	·40	·07	·10			·42		·24	·02			·04	20
21		·59	·01				·05		·01		·02	·05	21
22		·05					·11		·39		·01	·27	22
23						·01			·01	·17	·02	·13	23
24				·03		·08	·06		·01	·44	·11	·25	24
25	·07							·29				·06	25
26	·10	·07	·11	·14				·22	·04		·02	·34	26
27	·14		·03	·39				·75				·05	27
28		·01	·54					·65			·38	·38	28
29	·02			·02				·08		·15	·01	·03	29
30		×	·02	·17		·15		·45			·48	·47	30
31	·02	×	·01	×		×			×		×	·13	31
Total	5·07	2·62	5·28	2·40	·71	·82	1·63	2·95	1·58	·95	1·92	5·41	YEAR'S TOTAL 31·34
Rain Days.	23	15	22	14	7	8	11	11	13	9	22	28	183
Days with ·04 in.	16	10	16	11	4	5	9	9	7	5	11	22	125

W. 6,500. 11. 16. W W C

264 1391

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shrewton

in the County of Wiltshire

by F. J. Wardale

Lat.............. Long..............
Time of Observation..............
Nearest Railway Station..............
Diameter of Funnel of Rain Gauge..............in.
Height of top of Gauge above Ground..............ft..............in.
" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·05	·27	·28		·29	·02	·01	·32	·39	·51	1
2	·09	·01	·02	·07			·08	·43	·06	·09		·08	2
3	·09	·08		·07			1·06			·71		·02	3
4	·01	·03	·02	·03			·05	·25		·20			4
5			·08	·02	·08		·66	·09		·37			5
6	·01		·32	·01	·23		·20			·01		·01	6
7	·03		·03	·30			·17			·09			7
8	·03	·06		·15	·08		·70	·01				·01	8
9	·30	·01	·05	·08		·11	·02	·02				·01	9
10	·64	·17	·06	·09		·26	·32						10
11	·48		·10	·40	·19	·07	·19					·01	11
12	·12	·04		·24	·03	·79	·01		·03		·16		12
13	·15	·04	·34	·08		·01				·07	·05	·05	13
14	·01	·04	·25	·50		·03	·03		·05	·11	·47	·02	14
15	·01	·05	·07	·19		·04	·08		·01	·29			15
16		·01	·02	·11	·01		·06		·06	·04	·12		16
17	·01		·01	·10	·19	·32	·04		·22				17
18	·04			·04	·06	·04		·35	·07		·01	·03	18
19	·03			·26	·38	·18		·01			·03		19
20	·01	·16		·18		·39	·01				·01	·07	20
21				·01			·42		·05			·10	21
22	·01			·08			·05	·05				·35	22
23	·02						·71					·41	23
24	·02	·01	·13								·06	·08	24
25	·02	·06	·09		·05		·42	·01			·01	·01	25
26	·16		·20	·01	·88		·04				·07	·09	26
27	·36	·04	·06	·25	·02	·18	·01				·02	·17	27
28	·53	·01	·04	·08	·27	·02	·02					·04	28
29	·24		·13		·03	·01					·16	·22	29
30	·05	X		·04	·11	·10	·13		·28		·43	·23	30
31	·18	X	·27	X		X	·05		X	·32	X	·11	31
TOTAL	3·68	·82	2·34	3·66	2·89	2·55	5·82	1·24	·84	2·62	1·99	2·63	YEAR'S TOTAL 31·08
Days with ·01 in. or more	28	16	21	26	16	15	26	10	10	12	14	22	216

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04	14	10	16	21	12	11	20	5	7	11	9	14	150

SALISBURY

113 CASTLE ST.

WILTSHIRE

1911 — 1915

N 1911

FORM A2.
BRITISH RAINFALL.

OCT 1912

Kept at

in the County

by C H

rn Snowdon

eter of top 5 in.

t of top above Ground 4 ft. in.

" " Sea Level not known

vation 8 am

ay Station Name Salisbury

Distance 1 mile Direction North

IMPOR a.m., and the result entered to the previous day. most universal rule, he is earnestly requested to llowing year in the space provided for it at the measurement of rain, the selection to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·06				1
2				·15							·02	·08	2
3	·05				·30					·12	·12	·20	3
4					·20						·12	·10	4
5	·04		·05								·15	·35	5
6	·04							·07		·12	·05		6
7	·52		·06									·80	7
8											·32	·55	8
9	·55		·20								·12		9
10			·35		·24							·36	10
11												·45	11
12	40 ~~·04~~				·04						·80	·05	12
13			·65		·03						·12	·12	13
14									·35			·45	14
15												·55	15
16										·02	·22	·05	16
17						·12					·50	·25	17
18		·30				·10				·04	·25	·55	18
19				·10		·15					·05	·53	19
20						·25			·30	·22		·10	20
21								·01	·05	·05		·66	21
22			·25					·31	·15	·72		·10	22
23			·50			·11				·10		·46	23
24			·10			·05			·06	·05	·05	·24	24
25						·36		·08		·35		·10	25
26				·06	·16	·05			·05			·19	26
27		}1·00		·28		·05		·05		·10		·30	27
28			·12	·05				·11	·02		·05	·20	28
29				·44		·20					·08		29
30				·35					·10	·35	·04		30
31					·12					·17		0·03	31
Total	1·58	1·30	2·28	1·43	1·09	1·44	nil	0·63	1·14	2·41	3·06	7·82	TOTAL for year 24·18
No. of Rain Days.	6	3	9	7	7	10	0	6	9	13	17	26	113

W. 8,000, X. '11.

24·08

FORM A2.
BRITISH RAINFALL.

OCT 1912

REGISTER OF RAINFALL IN 1911

Kept at Salisbury

in the County of Wiltshire

by C H DeMello

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 4 ft. in.
" " " Sea Level not known ft.

Time of Observation 8 am

Nearest Railway Station Name Salisbury
Distance 1 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·06				1
2				·15							·02	·08	2
3	·05				·30					·12	·12	·20	3
4					·20						·12	·10	4
5	·04		·05								·15	·35	5
6	·04							·07		·12	·05		6
7	·52		·06									·80	7
8											·32	·55	8
9	·55		·20								·12		9
10			·35		·24							·36	10
11												·45	11
12	40 ·04				·04						·80	·05	12
13			·65		·03						·12	·12	13
14									·35			·45	14
15												·55	15
16										·02	·22	·05	16
17						·12					·50	·25	17
18		0·30				·10				·04	·25	·55	18
19				·10		·15					·05	·53	19
20						·25			·30	·22		·10	20
21								·01	·05	·05		·66	21
22			·25					·31	·15	·72		·10	22
23			·50			·11				·10		·46	23
24			·10			·05			·06	·05	·05	·24	24
25						·36		·08		·35		·10	25
26				·06	·16	·05			·05			·19	26
27		}1·00		·28		·05		·05		·10		·30	27
28			·12	·05				·11	·02		·05	·20	28
29				·44		·20					·08		29
30				·35					·10	·35	·04		30
31					·12					·17		0·03	31
Total	1·58	1·30	2·28	1·43	1·09	1·44	nil	0·63	1·14	2·41	3·06	7·82	TOTAL for year 24·18
No. of Rain Days.	6	3	9	7	7	10	0	6	9	13	17	26	113

W. 8,000, X. '11.

24·08

comp for W.D. 20·11·13

Exc DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Salisbury (113 Castle St.)

in the County of Wiltshire 3

by Mr C. H De Mello

Rain Gauge:
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level about 150 ft.

Time of Observation 9 AM

Nearest Railway Station:
Name Salisbury
Distance 1 Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·19	·30				·22	·03	·64	·01	·36	1
2			·09			·43				·46		·69	2
3			·25				·40		·02			·34	3
4	~~·20~~		·05			·34		·54	·00		·07	·02	4
5	·10		·63		·07	·54		·10			·15	·05	5
6	·25		·06		·10			·74					6
7	·42				·10			·30					7
8		·40				·46		·40				·15	8
9	·36	·25	·55			·08		·10				·05	9
10		·08	·25	·05		·25		·10				·25	10
11									·03		·01	·35	11
12		} ·55			·25							·23	12
13	·10		·08			·76					·03		13
14										·03	·01	·02	14
15	·15		·22							·01			15
16	·08	·10	·05					·14					16
17	·38		·32			·25		·00		·05	·02	·27	17
18	·64		·20					·69					18
19	·12		·25					·34				·05	19
20	·03	·09	·12				·14	·53		·01	·03		20
21	·05		·47					·15		·32			21
22	·03	·15	·30		·40			·05		·15			22
23	·30	·22			·05			·21					23
24	·15	·36	·25					·36		·12	·16	·20	24
25	·15	·05						·28		·12		·35	25
26	·25					1·76		·43		·06	·20	·50	26
27		·10					·15	·15		·47	·40	·15	27
28						·10	·26	·00		·70		·25	28
29		·10				·08	·20	·54	·22	·57	·62	·35	29
30						·40	·12	·20	1·24	·38			30
31										·23		·03	31
Total	~~3·76~~	·19 ~~2·45~~	·30 ~~4·33~~	~~0·35~~	~~0·97~~	~~5·45~~	·22 ~~1·27~~	·03 ~~6·57~~	·64 ~~1·54~~	·01 ~~4·32~~	·36 ~~1·71~~	(·02) ~~4·66~~	TOTAL for year ~~37·38~~ 37·40
No. of Rain Days.	3·76 17	2·64 ~~13~~ 14	4·44 18	·05 ~~2~~ 1	·97 6	5·45 12	1·49 ~~6~~ 7	6·38 21	2·15 5	3·69 16	2·06 12	4·32 20	~~148~~ 149

W. 8,000, X. '11.

✓ cod for auth to 16·III·14 DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Salisbury

in the County of Wiltshire 3

by Mr C. H De Mello

1·1·14

Lat. .... Long. ....

Time of Observation 9 Am

Nearest Railway Station Salisbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·19	0·14	0·12					0·69			0·05	1
2	0·05	0·08	0·02	0·02					0·05	0·05	0·17	·	2
3	0·10	·	·	0·03	0·50	0·02			·	0·03		0·08	3
4	0·75	·	0·02		0·24		0·02		0·95	0·37		0·05	4
5	0·17	0·03	·		·		0·05		0·15	·	0·13	0·09	5
6	0·02	0·05	0·05		0·20		0·19		0·03	0·31		0·48	6
7		0·15			0·32		0·06	0·04		0·65	0·20	0·03	7
8	0·03	0·20			·			·		·		0·02	8
9		0·10			0·04		0·04	0·28	0·10	-	0·09		9
10	0·07	·		0·08	0·25			0·07		0·15	0·46		10
11	0·80	·		0·26						0·29	0·91		11
12		0·03	0·04		0·25						0·45		12
13	0·15	·	·						0·16		0·12		13
14	0·25	·	0·10	0·50				0·04	0·08		0·13		14
15	0·40	0·06	0·22	0·04			0·45	0·05	0·04				15
16	0·25	·	0·28	0·04									16
17	0·02		·	0·06			0·03				0·06		17
18	0·00		0·24										18
19	0·67		0·06				0·04		0·40				19
20	0·14		0·05	0·12						0·35	0·05		20
21			0·22							0·05	0·64		21
22	0·47		0·40					0·12	0·30				22
23			0·10	0·20								0·74	23
24	0·02							0·10					24
25		0·10		0·40									25
26				0·55	0·05			0·20		0·23		0·10	26
27			0·22	0·20						0·07			27
28	0·10		0·10	0·65	0·03					0·35			28
29			0·40							0·96			29
30	0·50									0·52	0·02		30
31	0·08		0·04					0·50		0·10			31
Total	5·05	0·99	2·70	3·27	1·88	0·02	0·88	1·40	2·95	4·48 4·48	3·43	1·64	YEAR'S TOTAL 28·69
Rain Days.	21	10	18	15	9	1	8	9	11	15	13	9	138

28.69

W. 7,500, XI. 12

Ess DSS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Salisbury
in the County of Wiltshire 3
by Mr C. H Dedmells

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05					·35			·15	·10	1
2							·22	·12			1·73	·15	2
3			·08	·09	·32		·10	·03			·49	·03	3
4	·04		·03	·19	·03		·03	·75			·84	·26	4
5	·03	·00	·09	·25	·11		·29	·28					5
6		·18		·20	·02			·05			·04	·24	6
7		·61	·05	·05	·01		·28	·06				·25	7
8	·02	·08	·30		·10			·20	·06				8
9	·02	·01	·38		·02	·40			·08			·45	9
10		·30			·12				·35		·02		10
11		·25	·44			·02	·33		·20			·45	11
12		·12	·15						·11	·10		·47	12
13		·38	·36							·03	·05	·40	13
14		·24	·25			·10	·15	·20		·32	·25	·25	14
15			·18					·74		~~·32~~ ·05	·15		15
16		·56					·10						16
17			·24						·26			·74	17
18			·10				·09					·45	18
19			·28				1·11				·10		19
20		·60	·10			·05						·24	20
21		·68	·10							·30			21
22		·12	·08	·20	37		·03			·25			22
23		·40	·15		·10								23
24					·10		·09			·04	·10		24
25	·05		·29				·07	·12		·38	·05	·42	25
26							·08	·06			·05	·50	26
27	·05									·05	·35	·24	27
28		·05	·08							·05	·30	·76	28
29	·16		·18		·10			·27		·15	·40		29
30	·02	X	·07								·63	·90	30
31	·08	X		X		X	·05		X	0·50	X	·10	31
Total	0·47	4·58	4·03	0·98	1·40	0·57	3·02	3·23	1·06	2·22	5·70	7·40	YEAR'S TOTAL 34·66
Rain Days.	9	15	23	6	12	4	15	13	6	12	17	20	152

W. 8,000. X. 14.

Cadwell
1115

Ed Kell

1654

FORM A.
BRITISH RAINFALL.

4 JAN [illegible]

REGISTER OF RAINFALL IN 1915

Kept at Salisbury
in the County of Wiltshire
by C. H. De Mello

3

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·12								·21			1
2	·32	·17	·20	·09	·03	·03		·39				·34	2
3	·69	·03	·10	·01	·10					·22		·25	3
4	·03				·02		·02	·06		·10		·22	4
5	·02	·91		·02				·15				·45	5
6	·68	·05		·42			·50	·04				·13	6
7	·23	·50		·02		·01	·32					·17	7
8	·04	·49					·08	·04				·10	8
9				·05							·33	·50	9
10	·18											·16	10
11			·15	·10			·04	·06			·61	·20	11
12	·10	·48		·12	·46					·02	·23	·71	12
13		·50			·74				·30				13
14	·05						·43	·30					14
15					·16		·03	·04	·02		·04		15
16		·96			·33		·82	·15				·20	16
17		·47			·78							·15	17
18		·20			·19								18
19		·04			·05		·15						19
20	·17	·20		·10	·04								20
21	·06	·20			·36		·04		·01	·34		·03	21
22			·48				·77		·01			·06	22
23			·20	·04			·15		·17	·40		·21	23
24							·36		·59	·90		·26	24
25						·01	·21		·01	·04	·01	·43	25
26	·02	·10				·03	·23			·[illegible]		·15	26
27						·59			·64	·29		·69	27
28						·05				·03		·05	28
29						·16		·02		·10	·17	·09	29
30	·05	╳				·05				·30	·74	·48	30
31	·06	╳		╳		╳			╳	·80	╳	·27	31
Total	3·05	5·42	1·13	0·97	3·26	0·93	4·15	1·45	1·75	3·75	2·13	6·30	YEAR'S TOTAL 34·29
Rain Days.	16	16	5	10	12	8	15	10	8	13	7	24	144

W. 8,000. X. 14.

and fn ai
W

SALISBURY
LEEHURST
WILTSHIRE
1912

FORM A2.
BRITISH RAINFALL.
2 - JAN 191

912

ward

Kept at Leehu

op 5 in.

above Ground 1 ft. 3½ in.

in the County of

„ Sea Level 350 ft.

0 A.M.

by G. Swayne

on { Name Salisbury
Distance 1 mile Direction S.W

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add th year in the space provided for it at the end urement of rain, the selection and British Rainfall Organization are giv sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	Nil	·12	·28	Nil	·01	·02	·26	·04	·65	·03	Nil	1
2	Nil	Nil	·11	Nil	·01	·54	·05	Nil	·01	·52	Nil	·40	2
3	Nil	Nil	·24	·01	Nil	·01	·43	Nil	Nil	·01	Nil	Nil	3
4	Nil	Nil	·58	Nil	Nil	·29	·01	·54	Nil	Nil	·05	·02	4
5	·10	Nil	·25	Nil	·03	·64	Nil	·06	Nil	Nil	·15	Nil	5
6	Nil	·07	·05	Nil	·03	Nil	Nil	·89	Nil	Nil	·01	·12	6
7	1·00	·05	Nil	Nil	·07	Nil	·01	·37	Nil	Nil	Nil	·02	7
8	Nil	Nil	·59	·01	·08	·52	Nil	·35	Nil	Nil	·01	·13	8
9	·44	·65	·05	Nil	Nil	·14	·01	Nil	Nil	Nil	Nil	·06	9
10	·01	~~·04~~	·18	·04	Nil	·32	·04	·21	Nil	Nil	Nil	Nil	10
11	Nil	·08	·01	Nil	Nil	·04	Nil	·06	·01	Nil	·04	·72	11
12	·05	·12	·02	Nil	Nil	·67	Nil	Nil	Nil	Nil	Nil	·31	12
13	·04	·44	·11	·01	·26	·01	·02	·04	Nil	·02	·03	·02	13
14	Nil	Nil	·01	Nil	Nil	Nil	·02	·04	Nil	Nil	·02	·03	14
15	·16	·06	·26	Nil	·01	·01	Nil	·01	Nil	·01	Nil	·02	15
16	·09	·05	·01	Nil	·02	·33	Nil	·01	Nil	Nil	·01	·37	16
17	·90	·01	·49	Nil	·01	Nil	Nil	Nil	Nil	·07	·02	·02	17
18	Nil	Nil	·28	Nil	Nil	·03	Nil	·72	Nil	·01	Nil	·05	18
19	·67	Nil	·03	Nil	Nil	Nil	Nil	·30	Nil	·02	·02	·02	19
20	·03	·04	·11	Nil	Nil	·01	·10	·62	Nil	·01	Nil	Nil	20
21	·04	·01	·54	Nil	·06	Nil	·19	·20	Nil	·32	·01	Nil	21
22	·08	·35	·33	Nil	·32	Nil	Nil	·04	Nil	·16	Nil	Nil	22
23	·26	·05	Nil	Nil	·04	Nil	·01	Nil	Nil	·02	Nil	·03	23
24	·17	·46	·26	Nil	·01	Nil	Nil	·74	Nil	·09	·17	·24	24
25	·17	·03	·01	Nil	Nil	·50	Nil	Nil	Nil	·12	·01	·58	25
26	·26	·01	Nil	Nil	Nil	·04	Nil	·44	Nil	·39	·26	·34	26
27	·02	·06	Nil	Nil	Nil	Nil	·05	·17	Nil	·08	·60	Nil	27
28	Nil	·01	Nil	Nil	Nil	·09	·22	Nil	Nil	·73	·03	·53	28
29	Nil	·08	Nil	Nil	Nil	·07	·20	·64	·18	·62	·65	·40	29
30	Nil	–	·01	Nil	Nil	·34	·12	·12	1·55	·40	Nil	·01	30
31	Nil	–	Nil	–	Nil	–	Nil	·02	–	·23	–	·01	31
	–	·12	·28	–	·01	·02	·26	·04	·65	·03	–	·03	
Total	~~4·58~~ 4·49	~~2·67~~ 2·79	~~4·65~~ 4·81	~~·35~~ ·07	~~·95~~ ·96	~~4·61~~ 4·62	~~1·50~~ 1·74	~~6·85~~ 6·63	~~1·79~~ 2·40	~~4·48~~ 3·86	~~2·12~~ 2·09	~~4·45~~ 4·48	TOTAL for year ~~58·92~~ 38·94
No. of Rain Days.	~~19~~ 18	~~20~~ 21	24	5 4	~~20~~13 14	20	16	23	5	20	~~18~~ 17	~~23~~ 24	206

W. 8,000, X. '11.

[illegible]

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 - JAN 191

Kept at 'Lichurst', Salisbury

in the County of Wilts 3

by G. Swayne Farebrother

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. 3½ in.
" " " Sea Level 350 ft.

Time of Observation 9.0 A.M.

Nearest Railway Station
Name Salisbury
Distance 1 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	Nil	·12	·28	Nil	·01	·02	·26	·04	·65	·03	Nil	1
2	Nil	Nil	·11	Nil	·01	·54	·05	Nil	·01	·52	Nil	·40	2
3	Nil	Nil	·24	·01	Nil	·01	·43	Nil	Nil	·01	Nil	Nil	3
4	Nil	Nil	·58	Nil	Nil	·29	·01	·54	Nil	Nil	·05	·02	4
5	·10	Nil	·25	Nil	·03	·64	Nil	·06	Nil	Nil	·15	Nil	5
6	Nil	·07	·05	Nil	·03	Nil	Nil	·89	Nil	Nil	·01	·12	6
7	1·00	·05	Nil	Nil	·07	Nil	·01	·37	Nil	Nil	Nil	·02	7
8	Nil	Nil	·59	·01	·08	·52	Nil	·35	Nil	Nil	·01	·13	8
9	·44	·65	·05	·Nil	Nil	·14	·01	·Nil	Nil	Nil	Nil	·06	9
10	·01 –	~~·04~~	~~·18~~	~~·04~~	Nil	·32	·04	·21	Nil	Nil	Nil	Nil	10
11	Nil	·08	·01	Nil	Nil	·04	Nil	·06	·01	Nil	·04	·72	11
12	·05	·12	·02	Nil	Nil	·67	Nil	Nil	Nil	Nil	Nil	·31	12
13	·04	·44	·11	·01	·26	·01	·02	·04	Nil	·02	·03	·02	13
14	Nil	Nil	·01	Nil	Nil	Nil	·02	·04	Nil	Nil	·02	·03	14
15	·16	·06	·26	Nil	·01	·01	Nil	·01	Nil	·01	Nil	·02	15
16	·09	·05	·01	Nil	·02	·33	Nil	·01	Nil	Nil	·01	·37	16
17	·90	·01	·49	Nil	·01	Nil	Nil	Nil	Nil	·07	·02	·02	17
18	Nil	Nil	·28	Nil	Nil	·03	Nil	·72	Nil	·01	Nil	·05	18
19	·67	Nil	·03	Nil	Nil	Nil	Nil	·30	Nil	·02	·02	·02	19
20	·03	·04	·11	Nil	Nil	·01	·10	·62	Nil	·01	Nil	Nil	20
21	·04	·01	·54	Nil	·06	Nil	·19	·20	Nil	·32	·01	Nil	21
22	·08	·35	·33	Nil	·32	Nil	Nil	·04	Nil	·16	Nil	Nil	22
23	·26	·05	Nil	Nil	·04	Nil	·01	Nil	Nil	·02	Nil	·03	23
24	·17	·46	·26	Nil	·01	Nil	Nil	·74	Nil	·09	·17	·24	24
25	·17	·03	·01	Nil	Nil	·50	Nil	Nil	Nil	·12	·01	·58	25
26	·26	·01	Nil	Nil	Nil	·04	Nil	·44	Nil	·39	·26	·34	26
27	·02	·06	Nil	Nil	Nil	Nil	·05	·17	Nil	·08	·60	Nil	27
28	Nil	·01	Nil	Nil	Nil	·09	·22	Nil	Nil	·73	·03	·53	28
29	Nil	·08	Nil	Nil	Nil	·07	·20	·64	·18	·62	·65	·40	29
30	Nil	–	·01	Nil	Nil	·34	·12	·12	1·55	·40	Nil	·01	30
31	Nil	–	Nil	–	Nil	–	Nil	·02	–	·23	–	·01	31
	–	·12	·28	–	·01	·02	·26	·04	·65	·03	–	·03	
Total	~~4·58~~ 4·49	~~2·67~~ 2·79	~~4·65~~ 4·81	~~·35~~ ·07	~~·95~~ ·96	~~4·61~~ 4·62	~~1·50~~ 1·74	~~6·85~~ 6·63	~~1·79~~ 2·40	~~4·48~~ 3·86	~~2·12~~ 2·09	~~4·45~~ 4·48	~~[illegible]~~ TOTAL for year 38·94
No. of Rain Days.	~~19~~ 18	~~20~~ 21	24	~~5~~ 4	~~13~~ 14	20	16	23	5	20	~~18~~ 17	~~23~~ 24	206 ✓

W. 8,000, X. '11.

—

SEEND

FERRUM TOWERS

WILTSHIRE

1916 —— 1920

✓

N 1916

FORM A.
BRITISH RAINFALL.
26, FEB 1917

Kept at Fe

in the County

by H W S

Long.

ervation 9 am

lway Station Seend

Funnel of Rain Gauge 8 in.

p of Gauge above Ground 1 ft. 3 in.

„ „ Sea Level About 250 ft.

IMPOR 9 a.m. and the result entered to the previous day almost universal rule, he is earnestly requested to ollowing year in the space provided for it at the he measurement of rain, the selection to the British Rainfall Organization ost-free on application to Dr. H. R. M

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·01	—	—	·17	·06	·03	—	·07	·23	·61	·03	1
2	·31	·06	·06	—	·06	—	—	—	·02	·92	·04	—	2
3	—	·91	—	—	·08	—	—	—	·06	·33	·22	—	3
4	·14	·13	—	—	·14	·40	—	—	·15	·27	·83	—	4
5	·01	—	·04	—	·14	·10	·01	—	—	·04	·25	—	5
6	·12	·10	·03	—	·03	·06	55	—	—	·05	·75	—	6
7	·12	·07	·25	—	·09	·03	—	—	—	·11	·06	·21	7
8	·03	·03	·03	—	·16	·20	—	—	—	—	·02	·09	8
9	—	·01	—	—	18	·25	·09	—	—	·09	·01	·04	9
10	—	45	·03	·07	·05	·20	·04	—	—	·03	—	·04	10
11	·07	—	·01	·08	·02	·08	—	—	·01	—	—	·05	11
12	·05	·06	·06	·03	·23	—	·13	—	—	·02	·01	—	12
13	—	·32	15	—	—	—	—	·68	—	—	·02	—	13
14	—	·39	·02	·03	·08	—	—	·40	—	·06	—	·03	14
15	·02	·26	·05	·05	·01	—	—	·62	—	—	—	—	15
16	·03	·04	—	·22	·03	—	·09	·20	—	·02	—	·02	16
17	·08	·20	—	·02	—	—	—	·16	·31	·48	·05	—	17
18	·01	·03	·05	·12	—	—	—	—	·07	·08	·37	·25	18
19	·28	—	·26	·10	—	—	—	—	·08	—	·11	·04	19
20	·07	·03	·50	—	—	—	—	—	—	—	·04	·98	20
21	·02	·02	·55	—	·12	—	—	—	—	—	·02	·19	21
22	·02	·01	—	·02	·03	·05	—	—	—	·57	—	·48	22
23	·02	·46	—	·11	—	·06	—	·14	—	·05	·16	·09	23
24	—	·12	·01	·03	·17	—	—	·07	—	·34	·04	·35	24
25	—	·51	·12	—	—	—	—	·33	·05	·02	·20	·08	25
26	·02	·04	·23	—	—	·48	—	1·50	·02	·40	6 —	—	26
27	·07	·07	1·22	—	—	·13	—	·21	·30	·26	—	·02	27
28	—	·22	·16	·04	—	·10	—	·10	·01	·38	—	·27	28
29	—	·38	·05	—	—	·32	—	1·52	·09	·62	—	·40	29
30	—	X	1 —	—	—	—	—	—	—	·38	—	·01	30
31	—	X	—	X	·01	X	—	·03	X	·15	X	·10	31
Total	1·57 ✓	4·93 ✓	3·88 ✓	·92 ✓	1·80 ✓	2·52 ✓	·94 ✓	5·96 ✓	1·24 ✓	5·90 ✓	3·81 ✓	3·77 ✓	YEAR'S TOTAL 37·24 ✓
Rain Days.	20 ✓	26 ✓	21 ✓	13 ✓	19 ✓	15 ✓	7 ✓	13 ✓	13 ✓	24 ✓	19 ✓	21 ✓	9 4 ✓ 211

W. 8,000, VIII. 16

✓

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26. FEB 1917

Kept at Ferrum Towers Seend

in the County of Wiltshire

by H W Langley Haigh

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level About 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·01	—	—	·17	·06	·03	—	·07	·23	·61	·03	1
2	·31	·06	·06	—	·06	—	—	—	·02	·92	·04	—	2
3	—	·91	—	—	·08	—	—	—	·06	·33	·22	—	3
4	·14	·13	—	—	·14	·40	—	—	·15	·27	·83	—	4
5	·01	—	·04	—	·14	·10	·01	—	—	·04	·25	—	5
6	·12	·10	·03	—	·03	·06	55	—	—	·05	·75	—	6
7	·12	·07	·25	—	·09	·03	—	—	—	·11	·06	·21	7
8	·03	·03	·03	—	·16	·20	—	—	—	—	·02	·09	8
9	—	·01	—	—	18	·25	·09	—	—	·09	·01	·04	9
10	—	45	·03	·07	·05	·20	·04	—	—	·03	—	·04	10
11	·07	—	·01	·08	·02	·08	—	—	·01	—	—	·05	11
12	·05	·06	·06	·03	·23	—	·13	—	—	·02	·01	—	12
13	—	·32	15	—	—	—	—	·68	—	—	·02	—	13
14	—	·39	·02	·03	·08	—	—	·40	—	·06	—	·03	14
15	·02	·26	·05	·05	·01	—	—	·62	—	—	—	—	15
16	·03	·04	—	·22	·03	—	·09	·20	—	·02	—	·02	16
17	·08	·20	—	·02	—	—	—	·16	·31	·48	·05	—	17
18	·01	·03	·05	·12	—	—	—	—	·07	·08	·37	·25	18
19	·28	—	·26	·10	—	—	—	—	·08	—	·11	·04	19
20	·07	·03	·50	—	—	—	—	—	—	—	·04	·98	20
21	·02	·02	·55	—	·12	—	—	—	—	—	·02	·19	21
22	·02	·01	—	·02	·03	·05	—	—	—	·57	—	·48	22
23	·02	·46	—	·11	—	·06	—	·14	—	·05	·16	·09	23
24	—	·12	·01	·03	·17	—	—	·07	—	·34	·04	·35	24
25	—	·51	·12	—	—	—	—	·33	·05	·02	·20	·08	25
26	·02	·04	·23	—	—	·48	—	1·50	·02	·40	—	—	26
27	·07	·07	1·22	—	—	·13	—	·21	·30	·26	—	·02	27
28	—	·22	·16	·04	—	·10	—	·10	·01	·38	—	·27	28
29	—	·38	·05	—	—	·32	—	1·52	·09	·62	—	·40	29
30	—	X	—	—	—	—	—	—	—	·38	—	·01	30
31	—	X	—	X	·01	X	—	·03	X	·15	X	·10	31
Total	1·57	4·93	3·88	·92	1·80	2·52	·94	5·96	1·24	5·90	3·81	3·77	YEAR'S TOTAL 37·24
Rain Days.	20	26	21	13	19	15	7	13	13	24	19	21	211

W. 8,000, VIII. 16

1531

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

12. FEB 1918

Kept at Ferrum Towers, Seend

in the County of Wilts

by H W Langley Haigh

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Seend GWR

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	·11	·20	—	·05	—	·92	·16	·01	·03	—	1
2	·02	—	—	·55	—	·15	—	·03	—	—	·14	—	2
3	·05	—	—	·04	—	—	·77	·17	·01	·60	—	—	3
4	·02	·25	·06	—	—	—	·08	·05	·01	·33	—	·01	4
5	·31	—	·09	·17	—	·09	—	·08	·09	·45	·15	—	5
6	·04	—	·48	—	—	—	—	—	—	·16	·11	—	6
7	·17	—	—	—	—	—	(·08)	·12	—	·20	—	·02	7
8	·57	—	·15	·11	—	—	·42	·59	·08	·33	·09	·13	8
9	—	—	·13	·04	·06	—	·01	·18	·15	·07	·12	—	9
10	·14	—	·25	·17	·05	—	—	·07	—	·02	·01	—	10
11	·04	—	·92	·16	—	—	—	·34	—	·11	·03	—	11
12	·12	—	·01	·02	·52	—	—	·17	—	·63	·02	·02	12
13	—	—	·14	·02	—	·02	—	·42	·06	·07	—	—	13
14	—	—	·12	·20	—	—	·05	·03	—	·04	·02	—	14
15	—	—	—	·01	·01	—	·37	27	·02	·03	—	·26	15
16	·01	·12	—	·15	·07	—	·10	·01	—	·50	—	·30	16
17	—	—	—	·08	·25	—	·45	·09	·33	·10	·03	—	17
18	·02	·03	—	—	·01	—	·29	·02	·40	—	—	—	18
19	—	·45	·13	—	—	—	—	—	·08	—	—	—	19
20	—	·03	·06	—	·34	·07	—	·26	·01	—	—	—	20
21	·02	—	·26	—	—	·18	—	—	—	·04	—	—	21
22	·01	·01	·12	—	—	·38	—	·03	—	·10	—	—	22
23	—	·08	—	—	·11	—	—	·45	—	·05	—	·06	23
24	—	·08	·02	—	—	·16	08	·11	—	·18	·05	—	24
25	—	·05	·05	—	—	—	—	·01	·05	·47	—	—	25
26	—	—	·02	—	·35	·02	—	·47	·19	·20	·10	—	26
27	—	—	—	—	1·19	·05	—	·98	—	01	·01	—	27
28	—	—	·11	—	—	2·42	—	·39	—	—	·01	·04	28
29	—		·10	—	·28	·26	·10	·09	·02	·38	·01	·11	29
30	—	×	·11	—	—	—	·33	·16	—	·19	—	—	30
31	—	×	·13	×	—	×	·03	·02	×	·02	×	·05	31
Total	1·54	1·13	3·57	1·92	3·24	3·85	3·14	6·53	1·66	5·29	·93	1·00	YEAR'S TOTAL 33·80
Rain Days.	14	10	22	14	12	12	14	28	15	26	16	10	193

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
16. 1 19

Kept at Ferrum Towers Seend
in the County of Wiltshire
by H W Langley Haigh

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Seend
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	02	—	04	10	—	—	24	—	—	47	01	1
2	—	03	—	25	—	—	—	37	—	04	07	19	2
3	—	03	03	33	20	—	—	65	05	05	03	—	3
4	—	02	01	07	—	—	—	07	02	—	57	03	4
5	—	03	—	11	31	—	—	30	26	13	04	01	5
6	13	12	—	32	—	—	—	—	25	—	—	07	6
7	—	17	—	09	63	01	—	—	13	30	22	—	7
8	01	02	—	—	—	—	—	—	72	19	—	02	8
9	—	21	—	33	—	22	43	—	39	09	—	19	9
10	01	—	—	21	—	—	37	—	26	24	—	25	10
11	03	06	—	—	—	—	23	—	27	03	08	17	11
12	02	10	01	—	35	—	20	—	03	—	—	04	12
13	18	—	—	—	03	03	30	—	43	04	—	24	13
14	17	—	02	—	—	05	18	—	25	11	—	10	14
15	1·26	—	—	65	02	06	15	—	—	02	—	13	15
16	45	—	06	45	—	12	02	—	16	02	—	09	16
17	25	—	02	08	—	—	22	10	04	—	—	27	17
18	64	—	—	—	—	33	13	—	16	—	—	15	18
19	05	02	12	10	—	—	33	03	26	03	01	08	19
20	03	12	—	27	—	—	37	—	11	04	04	01	20
21	06	03	—	—	—	02	03	—	77	02	01	06	21
22	02	—	—	—	05	—	37	—	12	08	—	29	22
23	08	—	—	—	18	04	43	06	04	—	05	04	23
24	—	19	—	—	—	—	01	—	16	—	06	01	24
25	—	—	—	05	—	—	12	83	—	02	—	—	25
26	—	—	—	—	—	—	36	—	03	01	10	13	26
27	—	—	05	—	—	—	—	16	13	—	15	04	27
28	—	06	24	01	—	—	—	—	03	—	19	16	28
29	—		09	—	—	—	—	—	1·26	—	—	02	29
30	02	X	22	—	—	—	—	05	02	01	05	12	30
31	—	X	10	X	—	X	—	02	X	01	X	—	31
Total	3·41	1·23	·97	3·36	1·87	·88	4·25	2·88	6·35	1·48	2·14	2 92	YEAR'S TOTAL 31·74
Rain Days.	17	16	12	16	9	9	18	12	26	20	16	27	198

W. 8 000, IX. 17.

1438

22 JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ferrum Towers, Seend

in the County of Wilts

by H W Langley Haigh

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level About 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	—	·07	·05	·21	—	·47	—	—	·05	·02	·97	1
2	·09	—	—	—	·02	—	·07	—	·25	·03	·08	·18	2
3	1·52	—	·25	—	·04	—	—	—	·23	—	·02	·33	3
4	·14	·08	·78	—	—	·12	·04	·02	·27	—	—	·08	4
5	·01	·38	·48	—	·18	—	·04	—	·27	—	·13	·23	5
6	·32	·06	·07	—	·29	—	—	—	—	—	02	·18	6
7	·27	—	·26	·05	—	—	—	—	—	—	—	04	7
8	·24	—	·16	·06	—	·02	—	—	—	—	—	—	8
9	·02	—	·06	·16	—	—	—	—	—	—	·13	—	9
10	·10	—	·10	·02	—	—	—	—	—	·05	—	·10	10
11	·03	—	·09	·19	·12	—	·39	—	—	·03	—	·02	11
12	·04	—	·10	·02	—	·14	·04	—	—	·07	·02	·03	12
13	—	—	—	·54	—	—	—	—	·02	—	—	·02	13
14	·38	·07	—	·47	·01	—	·06	—	·04	—	—	·04	14
15	·11	—	—	·05	—	—	—	—	—	03	—	·32	15
16	·08	·71	—	—	·01	—	—	—	—	—	·17	·01	16
17	·01	·30	—	—	—	·04	—	—	—	—	·27	·02	17
18	—	·02	·46	—	—	—	·24	·19	·03	—	·07	·02	18
19	·30	14	·95	—	—	·17	·96	·35	·17	—	·20	·04	19
20	·17	·06	·27	—	—	·33	—	·25	·03	—	·03	·10	20
21	—	·41	·01	—	—	02	·10	—	·02	—	—	·10	21
22	—	·15	·01	—	—	—	08	—	·16	—	—	·15	22
23	—	—	—	—	—	—	—	—	·03	·30	·07	·04	23
24	—	—	—	·02	—	07	17	—	·02	1·16	·16	·65	24
25	·14	—	—	—	·01	—	—	·50	·03	—	·02	·14	25
26	·06	—	·15	·09	—	02	—	·07	·09	—	—	·33	26
27	—	—	—	·40	—	—	—	·66	—	—	—	·09	27
28	·02	—	·30	—	—	—	—	·20	—	—	·39	·40	28
29	—		—	·03	—	—	—	·09	—	06	—	·02	29
30	—		—	·19	—	19	—	·45	—	02	·35	·33	30
31	—		—		—		—	—		—		·10	31
Total	4·41	2·38	4·57	2·34	·89	1·12	2·66	2·78	1·66	1·80	2·15	5·08	Year's Total 31·84
Days with ·01 in. or more	21	11	18	15	9	10	12	10	15	10	17	29	177 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1358

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ferrum Towers Seend

in the County of Wilts

by D. W. Langley Haigh

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Seend G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·39	·32	—	·39	·08	·04	·31	·14	·32	1
2	·05	—	·02	·15	—	—	·05	·35	·06	·11	—	·06	2
3	·03	·06	—	·16	·02	—	·47	—	·01	·51	—	·05	3
4	—	·01	·08	·07	—	—	·13	·43	—	·30	—	—	4
5	—	—	·08	·02	·10	—	·66	·03	—	·31	—	·02	5
6	—	—	·15	·01	·27	—	·23	—	—	·02	—	·01	6
7	·04	—	·04	·16	·04	—	·05	—	—	—	—	—	7
8	—	·05	—	·78	·03	—	·53	·02	—	—	—	·07	8
9	·44	·10	·03	·43	—	·16	·03	·04	—	—	—	—	9
10	1·01	·20	·04	·01	—	·15	·20	—	—	—	—	·01	10
11	·33	·02	·14	·39	·33	03	·16	—	—	·01	—	·01	11
12	·15	·03	·01	·26	—	·95	·08	—	—	·01	·09	—	12
13	·13	·10	·26	·08	—	—	—	—	—	—	—	·07	13
14	·02	·02	·41	·35	—	—	—	—	·13	·46	·35	·01	14
15	—	·13	·05	·32	·01	·07	·03	—	·11	·24	·03	—	15
16	—	—	—	·12	·10	·04	·05	·01	·36	—	·19	—	16
17	·02	—	·05	·16	·22	·18	—	·01	·52	—	·01	·02	17
18	·08	—	·02	·13	·13	·03	—	·38	·22	—	—	·01	18
19	·02	—	—	·32	·16	·14	—	—	—	—	01	—	19
20	·01	·18	—	·19	—	·40	·01	—	—	—	—	·22	20
21	—	—	—	—	—	—	·17	—	·03	—	—	·08	21
22	·03	—	—	·07	—	—	·06	·08	·03	—	—	·33	22
23	—	—	—	—	—	—	·73	—	—	—	—	·36	23
24	·04	—	·13	·03	—	—	—	—	—	—	·12	·08	24
25	·01	·09	·10	·01	·04	—	·31	—	—	—	—	—	25
26	·19	—	·14	—	·03	—	·02	—	—	—	·04	·11	26
27	·18	·03	·05	·19	—	·35	·02	—	—	—	—	·17	27
28	·60	—	·03	·06	·29	·01	·07	—	—	—	—	·03	28
29	·13	·01	·13	—	·03	·02	·08	—	—	—	·10	·20	29
30	·06		—	·08	·01	·19	·28	—	·33	—	·36	·18	30
31	·15		·37		·01		16	—		·39		·13	31
Total	3·74	1·03	2·33	4·94	2·14	2·72	4·97	1·43	1·84	2·67	1·44	2·55	**Year's Total** 31·80
Days with ·01 in. or more	23	14	21	26	18	14	25	10	11	11	11	23	207
Days with ·04 in. or more	15	8	16	21	11	10	20	6	8	8	8	15	146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SEEND

CLEEVE HOUSE

WILTSHIRE

1911 — 1914, 1916 — 1920

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

1911

Kept at Clee[illegible] of top in. Pattern Self recd

in the County of top above Ground 1 ft.

„ „ Sea Level 160 ft.

by W. Hewa[illegible] 9.

ation Name SEEND

Distance mile Direction N.

IMPORTANT ., and the result entered to the previous day. If universal rule, he is earnestly requested to add t ng year in the space provided for it at the end surement of rain, the selection and e British Rainfall Organization are gi sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	5·48								19·14	1
2	·08	„	—	5·51	6·87			9·91	~~[illegible]~~	11·71	14·32	19·27	2
3	—	„	—		7·09						14·38	19·34	3
4	—	·81	2·83	5·56				9·93	~~[illegible]~~	11·78	14·48	19·73	4
5	—	—	—					10·38	~~[illegible]~~	11·94	14·61		5
6	·22	—	—								15·71	20·13	6
7	·27	—	3·07								16·19		7
8	·35	—	3·21		7·10						16·21	20·42	8
9	·42	—	—								16·25	20·69	9
10	·44	·91			7·24							20·87	10
11	·72	·93	3·39		7·31						16·75	21·05	11
12	—	—	4·10								17·29	21·19	12
13	—	—			7·44				10·95			21·56	13
14	—	·96	4·21		~~7·38~~						~~17·74~~		14
15	—	·97				8·18					18·50	22·05	15
16	—	—			7·58						18·86	22·18	16
17	—	·98				8·33					18·92	22·44	17
18	—	1·24	4·32	5·64	8·05	8·49				11·95		22·62	18
19	—	„		5·69		8·89			11·08	12·38	18·98	22·73	19
20	·74	1·28	4·45					10·39	11·24	12·40		23·23	20
21	—	1·51				8·90		10·42	11·28	12·63		23·36	21
22	—	1·53	4·88			8·92		10·43		12·79		23·73	22
23	·78	—		5·74		9·06			11·38	12·83		23·86	23
24	—	—				9·43		10·44		13·43		23·95	24
25	·79	1·96	5·16	5·84		9·48			11·40	13·45	19·10	24·10	25
26	—	—		6·00	8·15			~~[illegible]~~		13·54		24·34	26
27	—	—	5·32	6·09				10·49	11·49		19·11	24·47	27
28	—	2·71	—	6·40	8·16			10·65			19·12	„	28
29	—		—	6·60		9·75	9·78		11·63	13·74	19·13	„	29
30	—		—	6·61		9·77		10·67		13·87		„	30
31	—		—							14·11		24·48	31
Total	·79	1·92	2·61	1·29	1·55	1·61	·01	·89	·96	2·48	5·02	5·35	TOTAL for year 24·48
No. of Rain Days	11	12	11	12	10	11	1	10	8	15	19	25	145

9,000, IX. '10.

1·92

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at Clure House. SEEND.

in the County of WILTS.

by W. Heward. Bell.

RAIN GAUGE
Pattern Patent Self recorder
Diameter of top ... in.
Height of top above Ground 1 ft.
" " " Sea Level 160 ft.

Time of Observation 9.

Nearest Railway Station
Name SEEND
Distance mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	5·48								19·14	1
2	·08	—	—	5·51	6·87			9·91	~~[illegible]~~	11·71	14·32	19·27	2
3	—	—	—		7·09						14·38	19·34	3
4	—	·81	2·83	5·56				9·93	~~[illegible]~~	11·78	14·48	19·73	4
5	—	—	—					10·38	~~[illegible]~~	11·94	14·61		5
6	·22	—	—								15·71	20·13	6
7	·27	—	3·07								16·19		7
8	·35	—	3·21		7·10						16·21	20·42	8
9	·42	—	—								16·25	20·69	9
10	·44	·91			7·24							20·87	10
11	·72	·93	3·39		7·31						16·75	21·05	11
12	—	—	4·10								17·24	21·19	12
13	—	—			7·44				10·95			21·56	13
14	—	·96	4·21		~~[illegible]~~						~~17·74~~		14
15	—	·97				8·18					18·50	22·05	15
16	—	—			7·58						18·86	22·18	16
17	—	·98				8·33					18·92	22·44	17
18	—	1·24	4·32	5·64	8·05	8·49				11·95		22·62	18
19	—	— "		5·69		8·89			11·08	12·58	18·98	22·73	19
20	·74	1·28	4·45					10·39	11·24	12·40		23·23	20
21	—	1·51				8·90		10·42	11·28	12·63		23·36	21
22	—	1·53	4·88			8·92		10·43		12·79		23·78	22
23	·78	—		5·74		9·06			11·38	12·83		23·86	23
24	—	—				9·43		10·44		13·43		23·95	24
25	·79	1·96	5·16	5·84		9·48			11·40	13·45	19·10	24·10	25
26	—	—		6·00	8·15			~~10·49~~		13·54		24·34	26
27	—	—	5·32	6·09				10·49	11·49		19·11	24·47	27
28	—	2·71	—	6·40	8·16			10·65			19·12	"	28
29	—		—	6·60		9·75	9·78		11·63	13·74	19·13	"	29
30	—		—	6·61		9·77		10·67		13·87		"	30
31	—		—							14·11		24·48	31
Total	·79	1·92	2·61	1·29	1·55	1·61	·01	·89	·96	2·48	5·02	5·35	TOTAL for year 24·48
No. of Rain Days	11	12	11	12	10	11	1	10	8	15	19	25	145

9,000, IX. '10.

1·92

✓ #12 cnd 2, v, 16 1632

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4. JAN 19

Kept at Cleeve House, Seend
in the County of Wilts
by T. Ayres. gardener to W. Heward Bell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

No change

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.58	4.36	–	–	12.08	–	–	20.57	23.17	24.96	28.88	30.94	1
2	1.21	4.62	9.79	10.93	–	15.96	–	21.03		25.11	–	31.13	2
3	2.02	4.65	9.84	10.96	12.12	–	16.56	21.10	–	–	–	31.49	3
4	2.07	–	–	–	–	–	–	–	–	–	–	31.81	4
5	2.14	5.46	–	10.99	–	–	–	21.27	–	–	–	31.94	5
6	2.52	5.51	–	11.29	–	–	17.18	21.35	–	–	–	32.07	6
7	2.83	5.85	–	11.34	12.20	15.97	17.25	21.39	–	–	28.90	32.34	7
8	3.07	6.22	–	–	–	–	17.44	21.48	–	–	28.91	32.35	8
9	3.11	6.30	–	11.44	–	–	–	21.50	–	–	29.12	33.16	9
10	3.18	6.32	9.90	11.48	–	–	–	21.54	–	25.13	29.17	33.21	10
11	3.20	6.33	10.01	11.56	12.21	–	–	21.64	–	–	29.89	33.25	11
12	3.34	6.64	–	11.79	12.84	–	–	21.83	–	25.14	30.20	33.36	12
13	3.35	7.20	–	–	13.88	–	17.57	21.88	23.25	–	30.22	33.38	13
14	3.41	–	–	–	–	–	–	22.21	23.28	25.15	–	33.76	14
15	3.67	–	–	11.81	13.98	–	17.66	22.26	23.29	25.16	30.38	33.84	15
16	3.68	7.76	–	–	14.56	–	18.63	22.58	–	–	–	33.93	16
17	–	8.24	10.03	–	15.75	–	18.64	22.66	–	–	–	33.94	17
18	–	8.53	10.08	–	15.84	–	–	–	–	–	30.40	–	18
19	–	–	–	–	15.89	–	18.94	–	–	–	–	–	19
20	3.85	–	–	11.87	15.95	–	–	–	–	25.20	–	34.02	20
21	3.92	8.74	–	–	–	–	18.95	–	–	25.27	–	34.11	21
22	4.06	9.32	10.58	11.88	–	–	19.37	–	–	–	–	34.28	22
23	4.07	9.35	10.76	–	–	–	19.71	–	23.36	26.67	–	34.52	23
24	–	–	–	12.[illegible]	–	–	20.11	–	23.90	27.32	–	34.78	24
25	–	–	–	12.92	–	16.12	20.05	–	–	–	–	34.89	25
26	–	9.42	–		–	16.16	20.11	–	23.94	–	–	35.36	26
27	–	9.52	–		–	16.20	20.49	–	–	27.53	–	–	27
28	–	9.59	–		–	16.21	–	–	24.33	27.63	–	–	28
29	–	–	–		–	16.42	–	22.71	–	–	30.43	35.38	29
30	4.25	X	–	12.03	–	16.52	–	–	–	27.94	30.73	35.46	30
31	–	X	–	X	–	X	20.57	22.76	X	28.86	X	35.65	31
Total	4.25	5.34	1.17	1.27	3.92	.57	3.99 3.99	2.24	1.96	4.13	1.87	4.92	YEAR'S TOTAL 35.65 35.65
Rain Days.	21	21	8	15	12	8	14	18	8	14	12	27	181

W. 8,000. X. 14.

form A

REGISTER OF RAINFALL IN 1914

Self Registg

FORM A.
BRITISH RAINFALL.
3 MAR 1915

Kept at Cleeve House Seend
in the County of Wiltshire
by W Heward Bell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Seend
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.39			.14	.03	1
2				.07			.77	.04			1.01	.39	2
3			.15	.30			.25	.34			.01	.05	3
4	.06		.05	.05	.24		.11	.77			.49	.45	4
5	.06		15	.42	.04		.34				.26	.12	5
6	.01	.08	07	.21	.03	.02	.24	.09			.04	.20	6
7	.01	.21	.10	.22	.03		.18	.07				.21	7
8	.02	.04	.83	.05	.60	.37	07	.02	.09			02	8
9	.10		.46	.10	.07	.53		.13	.20				9
10	.02	14	.03	.05	.04	.09			.35			.01	10
11		.08	.25		.10	27	.18		.41		.10	.35	11
12		.08	.13		05		.02		.13		.03	.09	12
13		.21	22							.17	.09	.32	13
14		.26	.35				.10	.13	.04	.54	.17		14
15	.01	.01	.19					.33	.01	04	.12	.01	15
16		.01	.02					.01	.13			.01	16
17		.40	15									.51	17
18			.02				.29		.03			.49	18
19		.12	.18				.88		.02		.14	.31	19
20		15	.49			.07						.26	20
21		.76	.02							.15	.03	.01	21
22		.03	.01	.01	.14	17	.03	.01		.34			22
23		.09	.12		.18	.01				.22		.02	23
24			.04		.05		.05			.32	.12		24
25	.03		.10				.01	.20		.26	.01	.19	25
26			.04				.01	.01		.09	.26	.37	26
27	.04										.07	.12	27
28		.04	10		.13					.04	.29	.88	28
29	13		.05		.03					.31	.15		29
30		×	.02			.04				.19	43	.73	30
31		×		×	02	×	12		×	.27	×	06	31
Total	.49	2.71	4.35	1.48	1.75	1.57	3.65	2.54	1.41	2.94	3.95	6.21	YEAR'S TOTAL 33-05
Rain Days.	11	17	28	10	15	9	17	14	10	13	20	26	190

W. 8,000. X. 14.

cond 6.III.15 ~~JW~~ LMcC

Accumulative record

FORM A2. BRITISH RAINFALL.

5 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cleeve House. Seend

in the County of Wilts

by W. Heward Bell.

RAIN GAUGE
Pattern Self Registering
Diameter of top .... in.
Height of top above Ground 1 ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Seend
Distance mile 1/2 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–	3·21	–	–	–	–	16·39	–	–	23··3	26·87	1
2	–	–	–	7·62	–	–	13·12	16·43	–	–	24··4	27·26	2
3	–	–	3·26	7·92	–	–	13·37	16·77	–	–	24··5	27·31	3
4	[illegible]	–	3·41	7·97	9·27	–	13·48	17·[illegible]	–	–	24·54	27·76	4
5	··12	–	3·56	8·30	9·31	–	13·82	–	–	–	24·80	27·88	5
6	··18	·57	3·63	8·60	9·34	10·80	14··6	17·63	–	–	24·84	28··6	6
7	··14	·75	3·78	8·82	9·37	–	14·24	17·70	–	–	–	28·29	7
8	[illegible]	[illegible]	4·56	8·87	9·47	11·17	14·31	17·72	18·63	–	–	28·31	8
9	[illegible]	–	5·02	8·97	10··4	11·70	–	17·85	18·83	–	–	–	9
10	··25	·96	5··5	9··2	10·8	11·79	–	–	19·18	–	–	28·32	10
11	–	1··4	5·30	–	10·18	12··6	14·49	–	19·59	–	24·94	28·64	11
12	–	1·12	5·43	–	10·23	–	14·57	–	19·72	–	24·97	28·76	12
13	–	1·35	5·65	–	–	–	–	–	–	20·12	25··6	29··8	13
14	–	1·57	6··1	–	–	–	14·61	17·98	19·76	20·66	25·23	–	14
15	··27	1·60	6·10	–	–	–	–	18·21	19·77	20·70	25·35	29··9	15
16		1·61	6·21	–	–	–	–	18·22	19·90	–	–	29·10	16
17		2··1	6·36	–	–	–	–	–	–	–	–	29·61	17
18		–	6·38	–	–	–	14·90	–	19·92	–	–	30·10	18
19		2·18	6·56	–	–	–	15·78	–	19·95	–	25·49	30·41	19
20		2·28	7··5	–	–	12·13	–	–	–	–	–	30·67	20
21		[illegible]	7··7	–	–	–	–	–	–	20·85	25·51	30·68	21
22		3··7	7··8	9··3	10·37	12·30	15·51	18·33	–	21·19	–	–	22
23		3·16	7·20	–	10·55	12·31	–	–	–	21·41	–	30·70	23
24		–	7·24	–	10·60		15·66	–		21·73	25·65	–	24
25	·32	–	7·34	–	–		15·87	18·53	–	21·99	25·64	30·89	25
26	–	–	7·38	–	–		15·88	18·54	–	22··8	25·90	31·26	26
27	[illegible]	–	–	–	–		–	–	–	–	25·97	31·88	27
28	–	3·20	7·48	–	10·73		–	–	–	22·12	26·26	32·26	28
29	·49		7·53	–	10·76		–	–	–	22·43	26·41	–	29
30	–		7·55		–	12·35	–	–	–	22·62	26·66	32·99	30
31			–		10·78		16·00	–		22·89		33··5	31
Total	·49	2·71	4·35	1·48	1·75	1·57	3·65	2·34	1·41	2·94 ~~2·94~~	3·95	6·21	TOTAL for year 33·05
No. of Rain Days.	11	17	28	10	15	9	17	14	10	13	20	26.	190

W. 8,000, X. '11.

Summer time was kept.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Cleeve House, Seend
in the County of Wiltshire
by W. Heward Bell.

Excl PSR
Lat. Long.
Time of Observation no change
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	·08	·05	·03	—	·07	·20	·41	—	1
2	·38	·03	·03	—	·17	—	—	—	—	1·04	·03	—	2
3	—	·82	—	—	·03	—	—	—	·06	·33	·21	—	3
4	·12	·13	—	—	·18	·38	—	—	·15	·35	·74	—	4
5	·01	—	·03	—	·16	·12	—	—	—	·02	·23	—	5
6	·05	·12	·01	—	·02	·05	·50	—	—	·03	·53	—	6
7	·16	·06	·24	—	·06	·01	—	—	—	·09	·26	·24	7
8	·01	·02	·02	—	·13	·26	—	—	—	—	·01	·08	8
9	·01	·03	—	—	·17	·25	·03	—	—	·10	·01	·04	9
10	—	·40	·01	·06	·03	·15	·02	—	—	—	—	·04	10
11	·08	·01	·01	·06	·02	·07	—	—	·01	—	—	·05	11
12	·03	·06	·15	·03	·19	·01	·12	—	—	·03	—	—	12
13	—	·29	·06	—	—	—	·08	·77	—	—	—	—	13
14	·01	·34	·02	·03	·07	—	—	·34	—	·06	·02	—	14
15	·01	·23	·03	·03	·01	—	—	·56	—	—	—	—	15
16	·01	·04	—	·21	·05	—	—	·26	—	·02	·01	—	16
17	·05	·20	—	·02	—	—	—	·22	·31	·48	·29	—	17
18	·01	·03	·05	·12	—	—	—	—	·06	·07	·19	·10	18
19	·11	—	·24	·11	—	—	—	—	·07	—	·05	·03	19
20	·16	·02	·57	·01	—	—	—	—	—	—	·01	·84	20
21	·02	·01	·60	—	·06	—	—	—	—	—	·11	·41	21
22	·01	—	—	·02	·05	·05	—	—	—	·53	·03	·48	22
23	·01	·15	—	·08	—	·02	—	·13	—	·12	·03	·10	23
24	—	·19	—	·03	·17	·04	—	·06	—	·32	·17	·31	24
25	—	·32	·14	—	·01	—	—	·33	·02	·04	—	·11	25
26	·02	·01	·13	—	—	·44	—	1·51	—	·39	—	—	26
27	·06	·09	1·12	—	—	·11	—	·10	·32	·24	—	—	27
28	·01	·21	·15	·02	—	·05	—	·04	—	·27	—	·25	28
29	—	·45	·04	—	—	·30	—	1·64	·09	·73	—	·37	29
30	—	×	—	—	—	—	—	·01	—	·41	—	·01	30
31	—	×	—	×	—	×	—	·02	×	·07	×	·09	31
Total	1·34	4·26	3·66	·83	1·66	2·36	·78	5·99	1·16	5·94	3·64	3·55	YEAR'S TOTAL 35·17
Rain Days.	22	25	21	14	19	17	6	14	10	23	19	17	207

W. 8,000, VIII. 16

1529

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Clun House. Seend
in the County of Wilts
by F. Ayres. Gardener

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Seend
Diameter of Funnel of Rain Gauge Self Registering in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		1·38	2·51	5·71	–	10·47	–	18·9	23·82	–	30·52	–	1
2		–	–	6·16	–	10·68	–	18·14	–	–	30·67	–	2
3	3	–	–	6·18	–	–	14·90	18·32	–	25·83	–	–	3
4	–	1·60	2·52	–	–	–	15·–	18·34	23·64	26·16	–	31·34	4
5	34	–	2·59	6·38	–	10·76	–	18·48	23·93	26·64	30·79	–	5
6	38	–	3·07	–	–	10·77	–	–	–	26·74	30·90	–	6
7	50	–	–	–	–		16·10	18·82	–	27·04	–	31·35	7
8	1··6	–	3·08	6·47	–	–	15·53	19·08	24·01	27·38	30·99	31·48	8
9	1·16	–	3·20	6·50	7·31	–	–	19·26	24·12	27·43	31·12	–	9
10	1·19	–	3·43	6·66	7·34	–	–	19·32	–	27·46	31·13	–	10
11	1·32	–	4·40	6·68	–	–	–	19·61	–	27·55	31·15	–	11
12	1·83	–	4·41	6·84	7·89	–	–	19·80	–	28·20	31·16	31·49	12
13	–	–	4·52	–	–	10·78	–	20·22	24·19	28·25	–	–	13
14	–	–	4·68	7·06	–	–	–	20·24	–	28·27	–	–	14
15	–	/	–	7·07	–	–	15·92	20·58	24·20	28·30	–	31·56	15
16	–	1·71	–	7·21	7·94	–	16·40	–	–	28·84	–	31·98	16
17	1·34	–	–	7·28	8·21	–	16·39	20·6	24·51	28·93	31·18	31·99	17
18	–	1·74	–	–	8·22	–	16·68	20·6	24·97	28·94	–	–	18
19	1·35	2·14	4·77	–	–	–	–	–	25·06	–	31·19	–	19
20	–	2·18	4·85	–	8·57	10·87	–	21·02	25·07	–	–	–	20
21	–	2·19	5·06	–	–	10·97	–	–	–	28·97	–	–	21
22	–	–	5·16	–	–	11·32	–	21·08	–	29·05	–	–	22
23	–	2·26	–	–	8·67	–	–	21·28	–	29·01	–	32·04	23
24	–	2·33	5·17	–	–	11·51	16·74	21·57	–	29·28	31·22	–	24
25	–	2·38	5·27	–	–	11·58	–	–	25·10	29·75	–	–	25
26	–	2·39	5·22	–	8·99	–	–	22·11	25·28	29·95	31·32	–	26
27	–	–	–	–	10·22	11·55	–	22·99	–	–	–	32·06	27
28	–	–	5·33	–	–	13·85	–	23·43	–	–	–	32·08	28
29	–		5·42	–	10·42	14·06	16·92	23·57	–	30·26	31·33	32·09	29
30	–	×	5·57	–	–	–	17·14	23·67	–	30·50	–	–	30
31	–	×	6·65	×	–	×	–	23·68	×	–	×	32·22	31
Total	1·35	1 04	3·26	1·63	3·14	3·64	3·11	6·51	1·60	5·22	·83	·89	YEAR'S TOTAL 32·22
Rain Days.	11	11	22	13	11	13	11	26	13	24	14	12	181

W. 8,000, VIII. 16

13

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Cleeve House Seend

in the County of Wiltshire

by W Heward Bell

Lat. Long.

Time of Observation 9

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge Self Registering

Height of top of Gauge above Ground 1 ft.- in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.04	.10			.17		03	.46	.03	1
2		.01	02	.22				.45		03	06	.17	2
3		.02	01	.32	.19			.47	.05	04	.03		3
4	.02			.07				.03	.01		.53	.02	4
5		.04			.35			.32	.06	.13	.03		5
6	.12	.11		.16				.01	.02	.09		.06	6
7		.15		.06	.65				.08	.22	.23		7
8	01	.03							.98	.15	.01	.02	8
9		.18		.33		.24	.38		.37	.13	.01	.15	9
10	.01			23			.42		.22	.23		.24	10
11	.02	.04					.30		.27	.03	.01	.17	11
12	.01	.10			.34		.23		.01			.03	12
13	.11			.01	.02	.01	.28		.38	.05		.16	13
14	.15		.01			.05	.24		.30	.11		.17	14
15	.71			.52		.03	.16			.02		.08	15
16	.57		.04	.53		.14	.01		.16			.13	16
17	.28		.02	.08			.23	.10	.01	.02		.26	17
18	.63					.32	.06		.14			.16	18
19	.03	.02	.07	.10			.27	.12	.26	.03		.08	19
20	.03	.09		.28			.31		.10	.03			20
21	.06	.02				.01	.04		.72	.03		.03	21
22	.01				.03		.25		.13	.06		.30	22
23	.07				.20	.01	.57	.05			.04	.03	23
24		.18				.03	.01	.79	.11		.09	.01	24
25				.02			.16	.01		.02	.01		25
26			.08				.35		.04	.01	.08	.10	26
27			.23					.15	.14		.15	.03	27
28			.06								.20	.13	28
29		.07	.20		—				1.28		.01	.01	29
30								.05	.01	.01	.03	.10	30
31			.10					.01		.01			31
Total	2.84	1.06	.84	2.97	1.88	.84	4.27	2.73	5.85	1.48	1.98	2.67	YEAR'S TOTAL 29.41
Rain Days	17	15	11	15	8	9	18	14	24	22	17	25	195

W. 6,500, VII. 18. W W O

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 9. 1. 19

Kept at Cleeve House
in the County of Seend Wilts
by W Heward Bell

Lat. Long.
Time of Observation 9
Nearest Railway Station Seend
Diameter of Funnel of Rain Gauge [illegible] in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	2·85	—	4·48	7·81	—	—	14·87	—	23·31	25·22	26·77	1
2	—	2·86	—	5·00	—	—	—	15·32	—	23·34	25·28	26·94	2
3	—	2·88	3·42	5·32	8·00	—	—	15·89	17·48	23·38	25·31	—	3
4	·02	—	3·93	5·39	~~8·35~~	—	—	15·92	17·49	—	25·84	26·96	4
5	—	2·92	—	—	8·36	—	—	16·24	17·55	23·57	25·87	—	5
6	·14	3·03	—	5·55	—	—	—	16·25	17·57	23·60	—	27·02	6
7	—	3·18	—	5·61	9·00	—	—	—	17·65	23·82	26·10	—	7
8	·15	3·20	—	—	—	—	—	—	18·68	23·99	26·11	27·04	8
9	—	3·38	—	5·94	—	9·83	10·81	—	19·[illegible]	24·10	26·12	27·19	9
10	·16	—	—	6·17	—	—	11·23	—	19·22	24·33	—	27·43	10
11	·18	3·42	—	—	—	—	11·53	—	19·40	24·36	26·13	27·60	11
12	·19	3·52	—	—	9·34	—	11·76	—	19·56	—	—	27·63	12
13	·30	—	—	6·18	9·36	9·84	12·0[illegible]	—	19·88	24·41	—	27·77	13
14	·45	—	3·94	—	—	9·89	12·28	—	20·18	24·52	—	27·96	14
15	1·16	—	—	6·70	—	9·92	12·44	—	—	24·54	—	28·01	15
16	1·73	—	3·98	7·25	—	10·06	12·45	—	20·24	—	—	28·17	16
17	2·01	—	4·00	7·31	—	—	12·68	16·35	20·35	24·56	—	28·43	17
18	2·64	—	—	—	—	10·38	12·74	—	20·49	—	—	28·59	18
19	2·67	3·54	4·07	7·41	—	—	13·01	16·37	20·76	24·[illegible]	—	28·67	19
20	2·70	3·63	—	7·69	—	—	13·32	—	20·85	24·62	—	—	20
21	2·76	3·65	—	—	—	10·39	13·36	—	21·57	24·65	—	28·70	21
22	2·77	—	—	—	9·39	—	13·61	—	21·70	24·71	—	29·[illegible]	22
23	2·84	—	—	—	9·57	10·40	14·18	16·42	—	—	26·17	29·0[illegible]	23
24	—	3·83	—	—	—	10·45	14·19	17·21	21·81	—	26·26	29·04	24
25	—	—	—	7·71	—	—	14·35	17·22	—	24·73	26·27	—	25
26	—	—	4·16	—	—	—	14·70	—	21·85	24·74	26·35	29·14	26
27	—	—	4·38	—	—	—	—	17·37	21·99	—	26·50	29·17	27
28	—	—	4·44	—	—	—	—	—	—	—	26·70	29·30	28
29	—	3·90	4·64	—	—	—	—	—	23·27	—	26·71	29·31	29
30	—	✕	4·[illegible]	—	—	—	—	17·42	23·28	24·75	26·74	29·41	30
31	—	✕	4·74	✕	—	✕	—	17·43	✕	24·76	✕	—	31
Total	2·84	1·06	·84	2·97	1·88	·84	4·27	2·73	5·85	1·48	1·98	2·64	YEAR'S TOTAL 29·41
Rain Days.	17	15	11	15	8	9	18	14	24	22	17	25	195

from A. Gm CS

1436

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cleeve House, Seend - R

in the County of Wilts

by W. Heward Bell

Lat. Long.

Time of Observation 9am

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	–	·05	·03	·16	–	·44	–	–	·03	.	·98	1
2	·12	–	–	–	·02	–	·07	–	·19	·01	·02	·14	2
3	1·32	–	·18	–	·03	–	–	–	·24	–	·01	·35	3
4	·14	·05	·80	–	·09	·10	·02	·01	·24	–	–	·07	4
5	–	·32	·59	–	·37	–	·03	–	·30	–	·10	·20	5
6	·26	·07	·06	.	–	–	–	–	.	–	·01	·16	6
7	·26	–	·30	·05	–	–	–	–	–	–	–	·02	7
8	·21	–	·15	·03	–	–	–	–	–	–	·05	–	8
9	·01	–	·06	·13	–	–	–	–	–	–	–	–	9
10	·08	–	·08	·05	–	–	–	–	–	·03	–	·05	10
11	·03	–	·05	·20	·07	–	·38	–	–	–	–	·01	11
12	·04	–	·09	·04	·01	·13	·04	–	–	·10	·03	·01	12
13	–	·02	·01	·35	–	–	–	–	–	–	–	·02	13
14	·38	·05	–	·60	–	–	·05	–	·04	·03	–	–	14
15	·14	–	–	·04	–	–	–	–	–	·01	–	·32	15
16	·08	·69	–	·01	–	–	–	–	–	–	·13	–	16
17	–	·27	–	–	–	·02	–	·03	–	–	·20	·01	17
18	–	·02	·45	–	–	–	·20	·15	·01	–	·05	·04	18
19	·20	·10	·85	–	–	·10	1·00	·25	·16	–	·20	–	19
20	·17	·06	·30	–	–	·44	·01	·35	·02	–	–	·03	20
21	–	·38	–	–	–	·01	·03	–	·05	–	·02	·06	21
22	–	·17	–	–	–	–	[illegible]	–	·15	–	–	·17	22
23	–	–	–	–	–	–	·14	–	·01	·30	·07	·04	23
24	–	–	–	·01	–	·07	–	–	·01	1·17	·19	·62	24
25	·11	–	~~·42~~	–	·01	–	·14	·52	·01	–	·03	·13	25
26	·16	–	·12	·06	–	·01	.	·10	·09	–	–	·31	26
27	·08	–	–	·40	–	.	.	·41	–	–	–	·08	27
28	·01	.	·26	·02	–	–	.	·43	–	–	·31	·39	28
29	–		–	·01	–	–	–	·11	–	·05	·01	·02	29
30	–		–	·20	–	·19	.	·50	–	·01	·30	·31	30
31	–		–		–		.	–		·01		·11	31
TOTAL	4·11	2·20	4·40	2·23	·76	1·07	2·55	2·86	1·52	1·75	1·73	4·59	YEAR'S TOTAL 29·77
Days with ·01 in. or more	20	12	17	17	8	9	13	11	14	11	17	26	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

54 1858 1432

FORM A.
BRITISH RAINFALL
8 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Cleve House Seend

in the County of Wilts

by W. Heward Bell

Lat. Long.

Time of Observation 9 A M

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge Self Registering

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
										21·72			
1	·31	–	6·36	10·74	13·10	–	15·21	–	–	21·74	–	26·16	1
2	·43	–	–	–	13·18	–	15·28	–	20·37		23·47	26·30	2
3	1·75	–	6·54	–	13·45	–	–	–	20·61	–	23·48	26·65	3
4	1·89	4·16	7·84	–	13·24	13·80	15·30	17·33	20·85	–	–	26·72	4
5	–	4·48	7·93	–	13·61	–	15·33	–	21·15	–	23·58	26·92	5
6	2·15	4·55	7·99	–	–	–	–	–	–	–	23·59	27·08	6
7	2·41	–	8·29	10·79	–	–	–	–	–	–	–	27·10	7
8	2·62	–	8·44	10·82	–	–	–	–	–	–	23·64	–	8
9	2·63	–	8·50	10·95	–	–	–	–	–	–	–	–	9
10	2·71	–	8·58	11··	–	–	–	–	–	21·77	–	27·15	10
11	2·74	–	8·63	11·20	13·68	–	15·71	–	–	–	–	27·16	11
12	2·78	–	8·72	11·24	13·69	13·93	15·75	–	–	21·87	23·67	27·17	12
13	–	4·57	8·73	11·57	–	–	–	–	–	–	–	27·19	13
14	3·16	4·62	–	12·19	–	–	15·80	–	21·19	21·90	–	–	14
15	3·30	–	–	12·23	–	–		–	–	21·91	–	27·57	15
16	3·38	5·31	–	12·24	–	–	–	–	–	→	23·80	–	16
17	–	5·55	–	–	–	13·95		17·36	–	–	24··	27·52	17
18	–	5·60	9·18	–	–	–	16··	17·57	21·20	–	24·05	27·56	18
19	3·58	5·70	10··8	–	–	14·05	17··	17·7[illegible]	21·36	–	24·25	–	19
20	3·73	5·76	10·33	–	–	14·[illegible]	17·11	18·11	21·38	–	–	27·59	20
21	–	6·14	–	–	–	14·50	7·4	–	21·43	–	24·27	27·65	21
22	–	6·31	–	–	–	–	17·18	–	21·58	–	–	27·76	22
23	–	–	–	–	–	–	–	–	21·59	22·21	24·34	27·88	23
24	–	–	–	12·25	~~13·70~~	14·57	17·32	–	21·60	23·35	24·53	28·42	24
25	3·86	–	–	–	13·70	–		18·63	21·61	–	24·56	28·55	25
26	4··2	–	10·43	12·31	–	14·56		18·73	21·70	–	–	28·86	26
27	4·10	–	–	12·71	–			19·14		–	–	28·94	27
28	4·11	–	10·71	12·73	–			19·57		–	24·87	29·33	28
29	–	–	–	12·74	–			19·68		23·43	24·88	29·35	29
30	–	X	–	12·94	–	14·77		20·18		23·44	25·18	29·63	30
31		X	–	X	–	X		–	X	28·45	X	29·77	31
Total	4·11	2·20	4·40	2·23	·76	1·07	2·55	2·86	1·52	1·75	1·73	4·59	YEAR'S TOTAL 29·77
Rain Days.	20	12	17	17	8	9	13	11	14	11	17	26	175

6,500, VII. 18. W W C

Old form A

1356

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

COPY TO B.R.O.

Kept at Clun House Leend

in the County of Wilts

by F. Ayers Gardener to W. Leward Bell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·49	·29		·41		·02	·38	·16	·25	1
2	04		·02	·24			·04	·42	·05	·17		·03	2
3	·01	·07		·06	·03		·47			·45		·07	3
4			·09	·06			·12	·40		·29			4
5			·07	·01	·08		·46	·01		·26		·01	5
6			·13		·27		40			·06		·02	6
7	·02		·03	·16	·02		·01				·01		7
8		·05		·48	·02		·53					·05	8
9	·39	·09	·01	72		·17	·01	·04					9
10	·02	·18	·03	·07		·14	·20				·01	·01	10
11	·33	·02	·12	·32	·32	·02	·16					·01	11
12	·14		·01	·20	·01	·96	·08				·05		12
13	·15	·09	·26	·09							·01	·03	13
14		·01	·36	·34					·04	·37	·30	·01	14
15	·01	·13	·06	·24		·05	·01		·13	·20	·04		15
16				·13	·11	·02	·04		·17	·07	·21		16
17	·01		·04	·14	·19	·19			·53			·01	17
18	·04			·11	·10	·02		·38	·21				18
19	·04			·36	·07	·08							19
20		·18		·18		·47						·16	20
21							·14		·02			·05	21
22	·04			·05			·05	·08	·02			·33	22
23							·70					·33	23
24	·02		·10	·02							·13	·06	24
25	·01	·08	·07	·01			·30					·01	25
26	·17		·14		·05		·01				·02	·10	26
27	·18	·04	·03	·21	·01	·34						·11	27
28	·57	·01	·03	·05	·34		·05				·01	·01	28
29	·09		·12		·03	·02					·07	·19	29
30	·05		·01	·06		·15	·30		·25		·30	·13	30
31	·16		·32				·18			·33		·19	31
TOTAL	3.40	·95	2.05	4.80	1.94	2.63	4.67	1.33	1.44	2.58	1.32	2.17	YEAR'S TOTAL 29.28
Days with ·01 in. or more	22	·12	21	25	16	13	22	6	10	10	13	23	193
Days with ·04 in. or more	15	9	13	22	10	9	18	5	7	10	8	13	139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Clun House Leend

in the County of Wilts

by F. Ayers gardener to M Hewardley

Lat. Long.

Time of Observation

Nearest Railway Station Ar Choye

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..1	–	–	6.[illegible]	11.49	–	16.18	–	21.79	23.59	25.95	27.36	1
2	..5	–	4.37	[illegible]	–	–	16.22	20.86	21.84	23.76	–	27.39	2
3	..6	3.47	—	7.19	11.52	–	16.39	–	–	24.21	–	27.46	3
4	×	–	4.46	7.25	–	–	16.81	21.26	–	24.50	–	–	4
5	×	–	4.53	7.26	11.60	–	17.27	21.27	–	24.76	–	27.47	5
6	×	–	4.66	–	11.84	–	17.67	–	–	24.82	–	27.49	6
7	..8	–	4.69	7.42	11.89	–	17.68	–	–	–	25.96	–	7
8		3.52	–	7.90	11.91	–	18.21	–	–	–	–	27.54	8
9	.47	3.61	4.70	8.62	–	13.31	18.22	21.31	–	–	–	–	9
10	1.39	3.79	4.73	8.69	–	13.45	18.42	–	–	–	25.97	27.55	10
11	[illegible]	3.81	4.85	9.[illegible]	12.23	13.47	18.58	–	–	–	–	27.56	11
12	1.86	—	4.86	9.21	12.24	14.43	18.66	–	–	–	26..2	–	12
13	2..1	3.90	5.12	9.30	–	–	–	–	–	–	26..3	27.59	13
14	–	3.91	5.48	9.64	–	–	–	–	21.88	25.19	26.33	27.60	14
15	2..2	4..4	5.54	9.88	–	14.48	18.67	–	22..1	25.39	26.37	–	15
16	–	–	—	10..1	12.35	14.50	18.71	–	22.18	25.46	26.38	–	16
17	2..3	–	5.58	10.15	12.54	14.69	–	–	22.71	–	–	27.61	17
18	2..4	–	–	10.26	12.64	14.71	–	21.69	22.92	–	–	–	18
19	2.11	–	–	10.62	12.71	14.79	–	–	–	–	–	–	19
20	–	4.22	–	10.80	–	15.26	–	–	–	–	–	27.77	20
21	–	–	–	–	–	–	18.85	–	22.94	–	–	27.82	21
22	2.15	–	–	10.85	–	–	18.90	21.77	22.96	–	–	28.15	22
23	–	–	–	–	–	–	19.60	–	–	–	–	28.48	23
24	2.17	–	5.68	10.87	–	–	–	–	–	–	26.71	28.54	24
25	2.18	4.30	5.75	10.88	–	–	19.90	–	–	–	–	28.55	25
26	2.35	–	5.89	–	12.76	–	19.91	–	–	–	26.73	28.65	26
27	2.58	4.34	5.92	11..9	12.77	15.60	–	–	–	–	–	28.76	27
28	3.10	4.35	5.95	11.14	13.16	–	19.96	–	–	–	26.74	28.77	28
29	3.19	–	6..7	–	13.14	15.62	–	–	–	–	26.81	28.96	29
30	3.24	×	6..9	11.20	–	15.77	20.26	–	23.21	–	27.11	29..9	30
31	3.40	×	6.40	×	–	×	20.24	–	×	25.79	×	29.28	31
TOTAL	3.40	.95	2..5	4.80	1.94	2.63	4.67	1.33	1.44	2.58	1.32	2.17	YEAR'S TOTAL 29.28
Days with ·01 in. or more	22	12	21	25	16	13	22	6	10	10	13	23	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

15

SEEND

MANOR COTTAGE

WILTSHIRE

1916 —— 1920

916

FORM A.
BRITISH RAINFALL.

6. FEB 1917

Kept at Man

in the County of

by Rev^d. G.

Long.

n 10 A M

tation Seend

l of Rain Gauge in.

auge above Ground 1 ft. in.

„ Sea Level 305 ft.

IMPORTAN m. and the result entered to the previous day. st universal rule, he is earnestly requested to add ing year in the space provided for it at the en easurement of rain, the selection an the British Rainfall Organization are ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3		2		15	4	3		8	35	40		1
2	21	2	4		8				1	81	10		2
3		48	1		5		2		5	28	9		3
4	12	10			16	35			14	34	48		4
5	1	1	4		14	9				3	12		5
6	8	(·10)	7		2	6	45		1	3	33		6
7	12	7	4		5	2				9	20	18	7
8	3	2	24		14	19				1	2	8	8
9		4	3		16	28	4			8			9
10		38	3	6	4	21	6			4	2	3	10
11	7		5	8	2	11			1	2		6	11
12	4	4	11		18		10	3			1		12
13		26			7			70		7	1		13
14		20	7	4				48					14
15	2	26	5	4	5			51		1			15
16	2	4	1	15	2		7	39					16
17	4	18	1	3				3	28	44			17
18		3	5	12					8	7		14	18
19	21		22	10					9	7	58	4	19
20	3	3	61								4	95	20
21	2		46		11						2	13	21
22		1		4		3				50		48	22
23	3	27		8		4		12		3	7	6	23
24		22		3	17	4		5	3	25	3		24
25		30	10		1			27	1	3	17	37	25
26	2	25	13			39		1-50		27	1		26
27	7	5	1,11			12		12	25	18			27
28		21	15	3		10		9		30		18	28
29		43	6			23		1-45	9	50		35	29
30		X						1		36	1	1	30
31		X		X	1	X		2	X	20	X	11	31
Total	1,17	4— ✓	3,71	80	1,63	2,30	77	5-77	1-13	5-28	2-71	317	YEAR'S TOTAL 32-44 ✓
Rain Days.	18	25 ✓	24	12	19	16	7	15	13	24	19	15	207 ✓

W. 8,000, VIII. 16

V

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 FEB 1917

Kept at Manor Cottage Seend
in the County of Wiltshire
by Revd E. S. Awdry

Lat. Long.
Time of Observation 10 A M
Nearest Railway Station Seend
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3		2		15	4	3		8	35	40		1
2	21	2	4		8				1	81	10		2
3		48	1		5		2		5	28	9		3
4	12	10			16	35			14	34	48		4
5	1	1	4		14	9				3	12		5
6	8	(·10)	7		2	6	45		1	3	33		6
7	12	7	4		5	2				9	20	18	7
8	3	2	24		14	19					2	8	8
9		4	3		16	28	4			8			9
10		38	3	6	4	21	6			4	2	3	10
11	7		5	8	2	11			1	2		6	11
12	4	4	11		18		10	3			1		12
13		26			7			70		7	1		13
14		20	7	4				48					14
15	2	26	5	4	5			51		1			15
16	2	4	1	15	2		7	39					16
17	4	18	1	3				3	28	44			17
18		3	5	12					8	7		14	18
19	21		22	10					9		58	4	19
20	3	3	61								4	95	20
21	2		46		11						2	13	21
22		1		4		3				50		48	22
23	3	27		8		4		12		3	7	6	23
24		22		3	17	4		5	3	25	3		24
25		30	10		1			27	1	3	17	37	25
26	2	25	13			39		1·50		27	1		26
27	7	5	1,11			12		12	25	18			27
28		21	15	3		10		9		30		18	28
29		43	6			23		1·45	9	50		35	29
30		X						1		36	1	1	30
31		X		X	1	X	7	2	X	20	X	11	31
Total	1,17	4 –	3,71	80	1,63	2,30	77	5·77	1-13	5·28	2-71	317	YEAR'S TOTAL 32·44
Rain Days.	18	25	24	12	19	16	7	15	13	24	19	15	207

W. 8,000, VIII. 16

1530

[illegible]

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

4 JAN 1918

Kept at Manor Cottage Seend

in the County of Wiltshire

by Revd E. Seymour Awdry

Lat. Long.

Time of Observation 10 A M

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		3	11	1		5		90	9	3	2		1
2	4			33		21		2			16		2
3				3			83	17	2	44	2		3
4		23	1				8	6		28		1	4
5	26		6	15		9		11	8	40	10		5
6	5		48								9		6
7	14						9	13		30		1	7
8	54		8	9			43	36	13	27	6	11	8
9			14		4		1	14	6	6	11		9
10	10		18	13	6			5		3			10
11	4	1	96	15				23	1	5	3		11
12	8		2		47			15		59	2		12
13			10	3				41	5	4		1	13
14			12	18			4	3		3	1		14
15							48	23		2	1	26	15
16		10		15				1	1	47		4	16
17	2			7	30		47	4	30	8		2	17
18	1	3			2			3	33				18
19	2	40	12						10				19
20		3			32	8		22	1				20
21	2	1	28			10		1		3			21
22			8		8	38		2		6			22
23		7						33		6		5	23
24		9	3			13	7	7		10	4	1	24
25		6	5					2	2	43			25
26		~~1~~	2		35	3		44	14	13	8		26
27					111	5		74		3		3	27
28			10		1	2,65		26				3	28
29			9		22	~~2,25~~ ·25	8	8		15	1	10	29
30		X	7				(·30)	13		17			30
31		X	13	X		X	3	8	X	2	X	6	31
Total	1,32	1,06	3,23	1,32	2,98	4,02	2,91	5,47	1,35	4,27	0-76	0-74	YEAR'S TOTAL 29,43 ✓
Rain Days.	12	11	21	11	11	11	12	29	14	25	14	13	

W. 8,000, IX. 17.

18 4

Smale 14

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

2 . 1 . 19

Kept at Manor Cottage Seend
in the County of Wiltshire
by Revd E. Seymour Awdry

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Seend
Diameter of Funnel of Rain Gauge 5 1/2 in. About
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				10	8			24		4	27		1
2		2		14				33		2	7	10	2
3		2	3	38	19			48	4	3	2		3
4			1	5				5	3		31		4
5		2		10	29			25	21	6	4		5
6	10	7		26		1		1	6	9		5	6
7		15		8	63				10	17	18	1	7
8	1	2							84	14			8
9		16		30		20	45		28	4	2	18	9
10	1			23			32		25	24		18	10
11	2	5		1			22		25	4	2	8	11
12		6			31		19		4			3	12
13	15						15		28	4	1	28	13
14	12					6	30		23	8		5	14
15	113			55	3	5	14		2	2		15	15
16	30		7	45		15	2		12			7	16
17	20			7			20	10	3	2	2	17	17
18	46			1		25	19		11			13	18
19	2	2	8	10			13	3	22	4		7	19
20	4	8		23		2	29		4	4	1		20
21	6	2		1		1	3		66	5		3	21
22	2				7		32		11	4		28	22
23	4						45	5			5		23
24		17			13	4	8		8		3		24
25				2			19	68		2	4	1	25
26							21		4	2	4	8	26
27			4					14	11		14	2	27
28		5	15	2							20	10	28
29			7						127			3	29
30		X	15					4	2		5	7	30
31		X	7	X		X		2	X	4	X		31
Total	268	91	67	311	173	79	388	242	544	128	152	217	YEAR'S TOTAL 2660
Rain Days.	15	14	9	19	8	9	18	13	25	21	18	22	191

W. 6,500; VII. 18. w w c

1437

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Seend Melksham

in the County of Wiltshire

by Revd. E. S. Awdry

Lat. Long.

Time of Observation 10 A.M.

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20		3	3	16		55		1	3		41	1
2	6				1		7		22	3	9	72	2
3	70		28						18	1	3	19	3
4	12		77		3	12	3	1	18	1	2	26	4
5	2	33	43		12		2		18		15	23	5
6	18	6	5		36							2	6
7	21		18	8	1						3	17	7
8	10		15		6	1						2	8
9	1		2	13							8		9
10	6		5	1						3			10
11	3		2	19			37			2		3	11
12	3		9	18		10	3			6	2	1	12
13	1	3	3	23								2	13
14	23	6		41			7		5	3		2	14
15	10	2		6						1		2	15
16	8	66			1						13	27	16
17	1	27				3		2			22		17
18	5	1	38				18	15	3		8	2	18
19	20	9	85			17	82	42	15		13	2	19
20	5	4	23			33		14				5	20
21	1	36	1			3	13	1	1		2	6	21
22		7					5		12			10	22
23										32	5	13	23
24						7			2	98	21	4	24
25	18			3			15	42			4	58	25
26	5		11			2		7	8			12	26
27				38				73				23	27
28	5		38	1				7			33	8	28
29				2				10		6		34	29
30		X	1	19		18		50		2		2	30
31	1	X		X		X			X		X	22	31
TOTAL	~~2.73~~ 2.75	2.00	4.07	~~1.98~~ 1.95	.76	1.06	2.47	2.64	~~2.13~~ 1.23	1.61	1.63	4.40	YEAR'S TOTAL 26.57 ~~27.48~~
Days with ·01 in. or more	25	12	19	14	8	10	12	12	12	13	16	28	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ Ams [illegible] 1357

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Manor Cottage Seend

in the County of Wiltshire

by Revd. E. Seymour Awdry

Lat. Long.

Time of Observation 10 A.M.

Nearest Railway Station Seend

Diameter of Funnel of Rain Gauge Six in.

Height of top of Gauge above Ground One ft. in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	14		45	(·26)		30	12	4	30	5	16	1
2	4		3	31	6		5	33	3	13		4	2
3		6		15			47			32			3
4	1		8	17			6	30		27			4
5			6	5	31		72	2		30		2	5
6			9	2	5		12				1	2	6
7	3		2		4		26			1		2	7
8		4		80	2		28					10	8
9	35	7	2			14	1	5					9
10	67	16	2			14	15						10
11	36	3	9	31	31	1	16						11
12	13	1		23		93	8				5		12
13	13	7	22	10	2	1						6	13
14	1		34	16		6			8	26	20		14
15		13	5	14			1		7	16	2		15
16		1		13	10	2	3	1	28	7	19		16
17	2			16	16	17			45				17
18	7		5	9	16	4		35	18				18
19	1			33		10			1			4	19
20		17		16		37	1					12	20
21	2						14		3	1		2	21
22				6				8	3	1	1	30	22
23	3						66					28	23
24	2		7	3							7	3	24
25	1	8	5				26	1					25
26	16		9		5		1				2	8	26
27	4	3	3	19	1	28	1					8	27
28	54	1	2	7	33	1	3					2	28
29	7		14		3	2	12				9	10	29
30	4	✕	2		1	13	13		25		23	8	30
31		✕		✕		✕	19		✕	33	✕	7	31
TOTAL	2,86	1,01	1,49	4,11	1,92	2,43	4,26	1,27	1,45	2,17	94	1,64	YEAR'S TOTAL 25,55
Days with ·01 in. or more	22 9	14 5	19 7	21 2	16 5	15 4	24 7	9 3	11 4	12 3	11 4	19 6	59 193
Days with ·04 in. or more	13	9	12	19	10	10	17	6	7	9	7	13	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHALBOURNE

THE MANOR

WILTSHIRE

1911 — 1914

19 11

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Wlo

in the County of

by Mr

r of top 5 in.

f top above Ground 1 ft. in.

" " Sea Level 640? ft.

tion 9 a.m.

Station { Name Great Bedwyn
Distance 3 miles Direction W

IMPORTA … m., and the result entered to the previous day. … ost universal rule, he is earnestly requested to ad … owing year in the space provided for it at the … measurement of rain, the selection a … the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10			.45							.01	.03	1
2	.03			.06	.23					.06	.26	.20	2
3	Snow .03				.25			.14			.24	.08	3
4			.02	Snow .01					.01	.13	.26	.51	4
5	.02			Snow .01				.13		.09	.35		5
6	.48		.09								.04	.42	6
7	.02									.14	.38	.06	7
8	.08		.14							.02	.22	.45	8
9	.06										.02	.30	9
10	.08	.09	.05									.60	10
11	.45			~~Thunder~~ ~~.04~~	Thunder .04						.48	.03	11
12			Rain & Snow .67	~~.02~~	.02					.04	.39	.16	12
13			.03						.30	.01		.57	13
14				~~.04~~	.01							.45	14
15		.03	.02							.03	.29	.02	15
16						.15					.41	.17	16
17			.01			.10					.15	.45	17
18		.27	.10	.04		.53				.04	.02	.55	18
19				.02		.34			.11	.18	.02	.24	19
20	mist .01	.04	.06	.02		.02		.01	.46	.06		.64	20
21	mist .02	.27		.01		.02		Thunder 1.41		.66		.08	21
22		.02	.19			.05		.06		.15		.45	22
23		.21				.11			.05	.03		.23	23
24						.21		.07		.21		.11	24
25	.02	.03	.02	.12	.19	.06		.04	.03	.02		.03	25
26		.07		.20	.26	.04		.01		.15	.04	.29	26
27		.39	Rain & Snow .26	.07				.04	.09		.02	.16	27
28		.53		.31				.09			.05		28
29				.05	.07	.29			.14	.34	.01		29
30				.05		.04		.06	.01	.20		.02	30
31										.12		.01	31
Total	1.40	1.95	1.66	1.42	1.09	1.96	-	2.06	1.20	2.68	3.96	8.21	TOTAL for year 27.59
No. of Rain Days.	13	11	13	14	8	13	-	11	9	20	20	28	160

W. 8,000, X. '11.

19 11

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at West Court, Shalbourne

in the County of Wilts 5

by Mr. S. Barns

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 640? ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Great Bedwyn
Distance 3 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10			.45							.01	.03	1
2	.03			.06	.23					.06	.26	.20	2
3	Snow .03				.25			.14			.24	.08	3
4			.02	Snow .01					.01	.13	.26	.51	4
5	.02			Snow .01				.13		.09	.35		5
6	.48		.09								.04	.42	6
7	.02									.14	.38	.06	7
8	.08		.14							.02	.22	.45	8
9	.06										.02	.30	9
10	.08	.09	.05									.60	10
11	.45			~~Thunder~~ ~~.04~~	Thunder .04						.78	.03	11
12			Rain & Snow .67	~~.02~~	.02					.04	.39	.16	12
13			.03						.30	.01		.84	13
14				~~.04~~	.01							.78	14
15		.03	.02							.03	.29	.02	15
16						.15					.41	.17	16
17			.01			.10					.15	.45	17
18		.27	.10	.04		.53				.04	.02	.55	18
19				.02		.34			.11	.18	.02	.24	19
20	mist .01	.04	.06	.02		.02		.01	.46	.06		.64	20
21	mist .02	.27		.01		.02		Thunder 1.41		.66		.08	21
22		.02	.19			.05		.06		.15		.75	22
23		.21				.11			.05	.03		.23	23
24						.21		.07		.21		.11	24
25	.02	.03	.02	.12	.19	.06		.04	.03	.02		.03	25
26		.07		.20	.26	.04		.01		.15	.04	.29	26
27		.39	Rain & Snow .26	.07				.04	.09		.02	.16	27
28		.53		.31				.09			.05		28
29				.05	.07	.29			.14	.34	.01		29
30				.05		.04		.06	.01	.20		.02	30
31										.12		.01	31
Total	1.40	1.95	1.66	1.42	1.09	1.96	-	2.06	1.20	2.68	3.96	8.21	TOTAL for year 27.59
No. of Rain Days.	13	11	13	14	8	13	-	11	9	20	20	28	160

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

Kept at The Manor. West Court } Jan & Feb. Shalbourne (from March)
in the County of Wilts 5
by W. J. A Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Great Bedwyn
Diameter of Rain Gauge in.
Height of top of Gauge above Ground One ft. — in.

FORM A. BRITISH RAINFALL. 3 JAN 1913

FORM E. BRITISH RAINFALL.

Early in March 1912
my first observation
I see was taken on.
March 6th. My ~~[illegible]~~
house is rather
lower than West Court
between. 10 & 20 ft
roughly. The gauge
was removed in June
about 20 yds, & I
think it is in as better
place now than former
G. it was removed
from the garden into
a meadow adjoining
I hope these few partic-
ulars will be of
service to you.

Yours faithfully
J. A Brown.

Dr. H. R. Mill

Not Registered

To Daily registration kept

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
17	·09												17
18	·21												18
19	·06												19
20	·02												20
21	·028												21
22	·25												22
23	[illegible]		·03		·07		·01	·38					23
24	·20		·31					·10			·23	·01	24
25	·02					·03		·51		·18	·34	·76	25
26						·25	·10	·21		·46	·46		26
27							·23			·76		·23	27
28						·06	·01	·49	·38	·46	·76	·32	28
29						·01	·12	·08	·004	·43			29
30						·85			·64	·22			30
31			·01				·45	·07		·03		·08	31
Total	(3·17)	(2·92)	3·05	·06	1·01	3·68	1·81	6·11	2·14	~~4·02~~ 4·01	2·33	4·46	YEAR'S TOTAL 34·5
Rain Days.	20 days		16 days	2 days	6 days	17 days	14 days	25 days	5 days	15 days	10 days	18 days	138 days.
						16				13		17	

W. 7,500, XI. '12

Shalbourne Manor
Hungerford
29 September /13.

Dear Sir

I have just come across a letter from you dated February 23rd which I am sorry I have not answered before. The rain gauge was removed from W. Barns. West Court, home, to the Manor;

FORM A.
BRITISH RAINFALL.

JAN 1913

Kept at W…

in the Count…

by W. J. …

ft. —— in.

ft.

FORM E.
BRITISH RAINFALL.

To be fill…

BRIEF R…

at … in the County of … for the year 1912.

Ans 21 II 13 F.C.

Dear Sir

I took over Mr J Barne's West Court's rain gauage at the end of last February, regretting I cannot give you the daily readings fa the end of Jan & Feb. The Total Rainfall is 34·75 & the number of days rain fell I cannot say on account of the month of February being missed.

Please send all Correspondence direct to me in future.

Sorry for the errors but I am confident that the rainfall for the year is 34in75 parts. The heaviest fall came on Sept 28th 1·04

Yours faithfully
J H Brown

(Signed)……

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is not room to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

W.—4,500.—XI.-12.

17	·09 snow	Not Registered	·21					·72			·05		17
18	·21 snow		·10			·02		·31		(·08)		·15	18
19	·06		·36					·52		·02	·03		19
20	·02		·16				·02	·20		·40			20
21	·02⅞		·29				·22	·11		·18			21
22	·25		·17		·39			·20				·06½	22
23	[illegible]		·03		·07		·01	·38					23
24	·20		·31					·10			·23	~~·01~~	24
25	·02					·10		·51		·18	·34	·76	25
26	No Daily registration kept					·25	·10	·21		·46	·46		26
27							·23			·76		·23	27
28						·06	·01	·49	·38	·46	·76	·32	28
29						·01	·12	·08	·004	·43			29
30						·85			·64	·22			30
31			·01				·45	·07		·03		·08	31
Total	(3·17)	(2·92)	3·05	·06	1·01	3·68	1·81	6·11	2·14	4·01 ~~4·02~~	2·33	4·46	YEAR'S TOTAL ~~34·75~~
Rain Days.	20 days		16 days	2 days	6 days	~~17~~ days 16	14 days	25 days	5 days	~~15~~ days 13	10 days	~~18~~ days 17	138 days.

up to 28th inst

W. 7,500, XI. 12

Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·04		·22	·06			·69		·32	1
2						·28	·08	·15	·04	·02			2
3						·06	·28	·34			·03		3
4	·10					·18		·03	·04		·21	·7½	4
5	·33		·66		·07	·29		·70					5
6	·63		·05			·12		·20				·16	6
7			·02					·11				·13	7
8	·40				·02	·52		20				·07	8
9	·02		·35			·03		·08				·02	9
10			·11	·02		·22		·11			·18		10
11	·03						·01				·04	·48	11
12	·08											·37	12
13	·01		·00			·20	·08	·13				·03	13
14	·11						·04					·07	14
15	·05		·12		·24	~~[illegible]~~		·09		·08		·50	15
16	·26	Not Registered			·12	·37		·07					16
17	half-snow ·09		·21					·72			·05		17
18	Snow ·21		·10			·02		·31		(·08)		·15	18
19	·06		·36					·52		·02	·03		19
20	·02		·16				·12	·20		·40			20
21	·02 Fog.		·29				·22	·11		·18			21
22	·25		·17		·39			·20				·06½	22
23	·2[illegible]		·03		·07		·01	·38					23
24	·20		·31					·10			·23	~~·01~~	24
25	·02					·03		·51		·18	·34	·76	25
26	No Daily registration kept					·25	·10	·21		·46	·46		26
27							·23			·76		·23	27
28						·06	·01	·49	·38	·46	·76	·32	28
29						·01	·12	·08	·004	·43			29
30						·85			·64	·22			30
31			·01				45	·07		·03		·08	31
Total	(3·17)	(2·92)	3·05	·06	101	3·68	1·81	6·11	2·14	4·01 ~~4·07~~	2·33	4·46	YEAR'S TOTAL (34·75 ~~58~~
Rain Days.	20days		16days	2days	6days	~~17days~~ 16	14days	25days	5days	~~15days~~ 13	10days	~~18days~~ 17	138days.

up to 25th first

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
29 JAN 1914

cnd for anth 16·iii·14

REGISTER OF RAINFALL IN 1913.

Kept at Shalbourne Manor

in the County of Wilts 5

by Wm J H Brown

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Gt Bedwyn

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 610 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·24	·20	·08	·16	·10			·75			·20	1
2	·02	·11	·04	·01					·04	·09	·13	·04	2
3	·02		·03	·12					–		·17	·07	3
4	–		·02		–		·01		1·38		·03	·13	4
5	·860				·80	–	·13		·22	·46	·03	·08	5
6			·08		·18	·13	·71			·60	–	·50	6
7		·20			–	·05	·43			·67	·15		7
8		·03½			·58	·01				·26	·03	·04	8
9		·14			·08		·03	·20	·16		·03		9
10			·04	·13			·05				·65		10
11	·90			·28½						·11	·53		11
12					·18					·02	·12		12
13	Snow ·08		·10		·38				·13		·23		13
14	·17	·04	·08		·08		·19		·15	·52	·8		14
15	·17		·24	·10			·39		·18	·02	·09½		15
16	·03		·44	·~~46~~			–						16
17			Snow ·10	·18		·19	–						17
18		~~85½~~	·30				·24				·07		18
19	1·14								·40				19
20	·09		·10	–							·02		20
21			·33	·14	·11						·72		21
22	·46		·28	·06					·25			·34	22
23	·02			–		·16		·16				–	23
24				·19								–	24
25				·19								·18	25
26				·38				·16					26
27			·23	·08	·06					·27			27
28	·15		·28	·16						–			28
29	·04	·03		·78						·20	–		29
30	·54							·01		·63	·02		30
31	·04		·45					·48		·33			31
Total	4·67	~~85½~~	3·34	3·36½	2·61	·64	2·18	1·01	3·65	4·16	3·22½	1·58	YEAR'S TOTAL 31·06½
Rain Days.	17	8	18	18 16	12 10	7 6	11 9	5	10	14 13	19 16	11 9	~~150~~
	·795	3.34		2·61				3.66				31·055

W.7,000, XI. 13

W DL

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Shalbourne Manor

in the County of Wilts 5

by Mr J H Brown

Lat. ________ Long. ________

Time of Observation 9 a m

Nearest Railway Station Great Bedwyn

Diameter of Rain Gauge ~~one~~ in. f

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·18			·15	·01	1
2			·04	·02				·80			·100		2
3			·25	·12	·23		·50	·08					3
4	·12		-	·34	·01		·04	·75			-	·53	4
5			·06	·25	·03		·18	·25			100	-	5
6	·02	·16		·17			·01	·16				·35	6
7	·08	·36	·10	·08	1·21	-	·18	-					7
8	-	·05	·70	·04	·01	·23	·06	-				-	8
9	-		·45	·07	·03	103		-				·40	9
10	·12	·15			·10	·04		·08	·26				10
11		·29	·40	·04			·46		-		·15	·48	11
12		·17	·10						·22	·08		·56	12
13		·30	·25							-		·45	13
14		25	·45				·10		-	·75			14
15			·13				·04	·23	-				15
16									·30				16
17		56	·31		·05							-	17
18							·02					·	18
19		·10	-									110	19
20		·56	85								·45		20
21		·95						·40		·25			21
22						·10		·03		·83			22
23		·10	·23		·18	·04				·15			23
24			·02		·15					·15	-	·22	24
25			·10					·24		·38	-	·26	25
26								·02		·08	-	·54	26
27	·12						·66				-	·35	27
28		·03	·10		·05						·65	·110	28
29	-		·02		·01					·30		·27	29
30	·16	X	·08							·08	·69	·108	30
31		X		X		X	·08		X	(·35)	X	·03	31
Total	·62	4·03	4·72	1·13	2·06	1·44	2·33 2·33	3·22	·78	3·40	4·09	7·73	YEAR'S TOTAL 35·45
Rain Days.	9	14	21	9	12	6	12 14	15 12	6	12	12 7	17 16	~~145~~ 128

W. 8,000. X. 14.

Smeade ✓

day. 17. 11. 13.

3 - JAN 1913

SOUTH MARSTON VICARAGE

WILTSHIRE

1912 —— 1914

MBRA,

S.

38, HO

EGENT STREET, W.

Kept by Revd. A. M

At South Marston

Time of Observation 9. a.m.

1912.

County Wilts. 6

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	·00	·00	·09	·07	·00	·35	·08	·30	·09	·18	·01	·00
2	·00	·00	·07	·00	·00	·42	·30	·00	·03	·40	·00	·19
3	·01	·00	·25	·00	·00	·14	·34	·00	·00	·00	·00	·00
4	·21	·00	·16	·00	·03	·18	·13	·28	·02	·00	·02	·02
5	·18	·00	·52	·00	·09	·34	·00	·25	·00	·00	·22	·00
6	·28	·00	·19	·00	·02	·04	·00	·39	·00	·00	·00	·01
7	·00	·16	·01	·00	·10	·00	·03	·16	·00	·00	·00	·10
8	·22	·14	·00	·00	·00	·57	·00	·06	·00	·00	·00	·05
9	·06	·13	·35	·00	·00	·01	·02	·08	·00	·00	·00	·04
10	·00	·06	·22	·00	·00	·23	·00	·00	·00	·00	·00	·17
11	·06	·05	·15	·00	·00	·16	·00	·32	·00	·00	·16	·17
12	·05	·05	·12	·00	·00	·01	·00	·03	·00	·00	·06	·21
13	·00	·24	·00	·00	·01	·00	·03	·00	·00	·00	·02	·00
14	·06	·06	·00	·00	·00	·01	·05	·02	·00	·00	·00	·00
15	·03	·00	·18	·00	·45	·00	·00	·01	·00	·00	·00	·02
16	·21	·09	·01	·00	·16	·32	·00	·03	·00	·00	·00	·27
17	·35	·00	·11	·00	·06	·00	·00	·08	·00	·10	·02	·01
18	·19	·00	·07	·00	·00	·04	·00	·31	·00	·00	·00	·06
19	·04	·00	·45	·00	·00	·00	·00	·03	·00	·00	·00	·09
20	·01	·08	·01	·00	·00	·01	·22	·28	·00	·00	·00	·01
21	·00	·00	·23	·00	·00	·00	·11	·19	·00	·40	·07	·00
22	·46	·02	·37	·00	·60	·00	·00	·18	·00	·29	·00	·00
23	·25	·16	·22	·00	·20	·05	·10	·10	·00	·07	·00	·06
24	·10	·39	·41	·00	·00	·01	·35	·30	·00	·13	·16	·31
25	·00	·00	·01	·00	·00	·11	·03	·17	·00	·00	·00	·24
26	·00	·00	·01	·00	·00	·09	·00	·44	·00	·00	·37	·49
27	·00	·03	·00	·00	·00	·00	·46	·28	·00	·36	·66	·16
28	·00	·00	·03	·00	·00	·12	·15	·00	·00	·50	·00	·27
29	·00	·00	·00	·00	·00	·00	·07	·30	·08	·29	·31	·66
30	·00		·02	·00	·00	·23	·20	·00	·59	·25	·00	·03
31	·00		·00		·00		·08	·00		·26		·00
	—	·09	·07	—	·35	·08	·30	·09	·18	·01	—	(—)
Totals	2·77	~~1·66~~	~~4·26~~	·07	1·72	3·44	2·75	4·59	·81	3·23	2·08	3·64
	2·77	1·75	4·24	·00	2·07	3·17	2·97	4·38	·90	3·06	2·67	3·64
	18	~~14~~ 15	23	0	11	21	18	14	5	12	11	23

34·02 31·02
183 183



MONTHLY TOTALS

made ✓

day. 17. 1. 13.

3 - JAN 1913

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Revd. A. Macdonald

Time of Observation 9. a.m.

YEAR

1912.

At South Marston

County Wilts. 6

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	·00	·00	·09	·07	·00	·35	·08	·30	·09	·18	·01	·00
2	·00	·00	·07	·00	·00	·42	·30	·00	·03	·40	·00	·19
3	·01	·00	·25	·00	·00	·14	·34	·00	·00	·00	·00	·00
4	·21	·00	·16	·00	·03	·18	·13	·28	·02	·00	·02	·02
5	·18	·00	·52	·00	·09	·34	·00	·25	·00	·00	·22	·00
6	·28	·00	·19	·00	·02	·04	·00	·39	·00	·00	·00	·01
7	·00	·16	·01	·00	·10	·00	·03	·16	·00	·00	·00	·10
8	·22	·14	·00	·00	·00	·57	·00	·06	·00	·00	·00	·05
9	·06	·13	·35	·00	·00	·01	·02	·08	·00	·00	·00	·04
10	·00	·06	·22	·00	·00	·23	·00	·00	·00	·00	·00	·17
11	·06	·05	·15	·00	·00	·16	·00	·32	·00	·00	·16	·17
12	·05	·05	·12	·00	·00	·01	·00	·03	·00	·00	·06	·21
13	·00	·24	·00	·00	·01	·00	·03	·00	·00	·00	·02	·00
14	·06	·06	·00	·00	·00	·01	·05	·02	·00	·00	·00	·00
15	·03	·00	·18	·00	·45	·00	·00	·01	·00	·00	·00	·02
16	·21	·09	·01	·00	·16	·32	·00	·03	·00	·00	·00	·27
17	·35	·00	·11	·00	·06	·00	·00	·08	·00	·10	·02	·01
18	·19	·00	·07	·00	·00	·04	·00	·31	·00	·00	·00	·06
19	·04	·00	·45	·00	·00	·00	·00	·03	·00	·00	·00	·09
20	·01	·08	·01	·00	·00	·01	·22	·28	·00	·00	·00	·01
21	·00	·00	·23	·00	·00	·00	·11	·19	·00	·40	·07	·00
22	·46	·02	·37	·00	·60	·00	·00	·18	·00	·29	·00	·00
23	·25	·16	·22	·00	·20	·05	·10	·10	·00	·07	·00	·06
24	·10	·39	·41	·00	·00	·01	·35	·30	·00	·13	·16	·31
25	·00	·00	·01	·00	·00	·11	·03	·17	·00	·00	·00	·24
26	·00	·00	·01	·00	·00	·09	·00	·44	·00	·00	·37	·49
27	·00	·03	·00	·00	·00	·00	·46	·28	·00	·36	·66	·16
28	·00	·00	·03	·00	·00	·12	·15	·00	·00	·50	·00	·27
29	·00	·00	·00	·00	·00	·00	·07	·30	·08	·29	·31	·66
30	·00		·02	·00	·00	·23	·20	·00	·59	·25	·00	·03
31	·00		·00		·00		·08	·00		·26		·00
	—	·09	·07	—	·35	·08	·30	·09	·18	·01	—	(—)
Totals	2·77	~~1·66~~	~~4·26~~	·07	~~1·72~~	3·44	2·75	4·59	·81	3·23	2·08	3·64
	2·77	1·75	4·24	·00	2·07	3·17	2·97	4·38	·90	3·06	2·67	3·64
	18	15	26	0	17	21	18	11	5	12	14	23

34·02 31·02

183 183



MONTHLY TOTALS

10·III·14

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at South Marston Vicarage

in the County of Wilts. 6

by Revd A. Macdonald

Lat. Long.
Time of Observation 8·30 - 9 am
Nearest Railway Station Stratton St Margaret
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·03	·00	·03	·00	·00	·00	·00	·07	·00	·00	·04	1
2	·04	·21	·10	·00	·09	·09	·00	·00	·55	·00	·19	·05	2
3	·00	·11	·00	·00	·00	·00	·00	·00	·06	·17	·18	·00	3
4	·01	·00	·08	·00	·23	·00	·00	·00	·00	·09	·00	·16	4
5	·43	·05	·04	·00	·25	·00	·00	·00	·29	·09	·00	·00	5
6	·00	·01	·00	·00	·00	·03	·05	·00	·03	·02	·07	·03	6
7	·00	·06	·07	·00	·15	·06	1·08	·00	·00	·41	·01	·39	7
8	·00	·26	·00	·00	·16	·02	·02	·00	·00	·48	19 ·09	·00	8
9	·00	·10	·06	·00	·17	·28	·13	·00	·00	·15	·00	·01	9
10	·00	·15	·00	·00	·04	·01	·00	·05	·20	·00	·48	·02	10
11	·10	·00	·05	·13	·01	·00	·00	·05	·00	·00	·55	·00	11
12	·75	·00	·00	·37	·02	·00	·00	·02	·00	·10	·10	·01	12
13	·00	·00	·00	·00	·13	·00	·00	·02	·01	·01	·14	·00	13
14	·06	·00	·00	·00	·00	·00	·00	·00	·21	·00	·00	·00	14
15	·05	·00	·13	·12	·00	·00	·22	·09	·00	·09	·05	·00	15
16	·11	·20	·33	·60	·00	·00	·35	·00	·13	·00	·00	·01	16
17	·22	·00	·37	·04	·00	·00	·00	·00	·00	·00	·01	·00	17
18	·01	·02	·01	·05	·00	·23	·02	·00	·00	·00	·02	·00	18
19	·15	·00	·19	·14	·00	·04	·03	·00	·00	·00	·00	·00	19
20	·5·9	·00	·02	·00	·00	·03	·08	·00	·28	·00	·03	·00	20
21	·04	·00	·13	·08	·00	·00	·00	·00	·00	·20	·19	·00	21
22	·00	·00	·04	·09	·18	·00	·00	·00	·00	·01	·00	·00	22
23	·35	·00	·29	·35	·00	·00	·00	·02	·19	·00	·01	·00	23
24	·01	·00	·00	·00	·00	·07	·00	·03	·00	·00	·00	·00	24
25	·03	·00	·00	·09	·00	·00	·00	·24	·00	·00	·00	·00	25
26	·00	·13	·00	·11	·00	·00	·00	·00	·00	·00	·00	·15	26
27	·00	·05	·00	·28	·00	·00	·00	·11	·00	·22	·00	·19	27
28	·00	·02	·00	·11	·00	·00	·00	·00	·00	·09	·00	·00	28
29	·26		·30	·20	·00	·00	·00	·00	·00	·31	·00	·00	29
30	·01		·02	·82	·08	·00	·00	·06	·00	·10	·00	·00	30
31	·26		·00		·00		·00	·00		·23		·00	31
Total	·03 ~~3·51~~	~~1·40~~	·03 ~~2·17~~	7 ~~3·56~~	~~1·51~~	~~·86~~	~~1·98~~	·07 ~~·69~~	~~2·02~~	~~2·77~~	·04 ~~2·22~~	~~1·06~~	YEAR'S TOTAL ~~23·80~~
Rain Days.	20	~~14~~ 13	~~16~~ 17	~~17~~ 16	12	10	9	~~10~~ 11	~~11~~ 10	17	~~15~~ 16	~~11~~ 10	161 ~~162~~
	3·51	1·37	2·20	3·58	1·51	·86	1·98	·76	1·95	2·77	2·26	1·02	23·77

W. 7,500, XI. ·12

Corr. W.W.B. 23.III.15. Corr. for arith. 22.III.15

FORM A. BRITISH RAINFALL. 4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at South Marston Vicarage

in the County of Wilts.

by Rev.d A. Macdonald.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·03	·00	·00	·00	·10	·14	·00	·00	·14	·46	1
2	·00	·00	·00	·06	·00	·00	·06	·31	·00	·00	·18	·01	2
3	·00	·00	·00	·05	·00	·00	·36	·04	·00	·00	1·41	·27	3
4	·00	·00	·07	·14	·20	·00	·16	·12	·00	·00	·00	·15	4
5	·25	·00	·01	·14	·10	·00	·05	·80	·00	·00	·30	·57	5
6	·03	·00	·10	·31	·02	·01	·23	·02	·00	·00	·25	·05	6
7	·00	·08	·04	·03	·03	·01	·06	·06	·00	·00	·18	·31	7
8	·00	·23	·18	·19	·27	·05	·15	·05	·00	·00	·00	·25	8
9	·04	·04	·63	·03	·02	·45	·14	·04	·00	·00	·00	·00	9
10	·07	·00	·43	·10	·02	·72	·00	·07	·07	·00	·00	·00	10
11	·00	·14	·00	·03	·11	·00	·00	·00	·23	·00	·00	·00	11
12	·00	·10	·24	·02	·07	·26	·00	·00	·00	·00	·18	·45	12
13	·00	·07	·11	·00	·00	·01	·00	·00	·20	·00	·04	·28	13
14	·00	·29	·36	·00	·00	·00	·00	·00	·23	·09	·05	·27	14
15	·00	·16	·32	·00	·00	·00	·14	·00	·02	·83	·12	·04	15
16	·04	·01	·13	·00	·00	·00	·03	·30	·02	·00	·14	·00	16
17	·00	·00	·00	·00	·00	·00	·01	·00	·00	·00	·00	·00	17
18	·00	·25	·12	·00	·00	·00	·00	·00	·00	·00	·00	·34	18
19	·00	·00	·09	·00	·00	·00	·08	·00	·00	·00	·00	·43	19
20	·00	·07	·10	·00	·00	·00	·60	·00	·00	·01	·07	·00	20
21	·00	·20	·53	·00	·00	·05	·00	·00	·00	·00	·00	·20	21
22	·00	·76	·06	·00	·00	·02	·00	·00	·00	·12	·00	·06	22
23	·00	·00	·00	·00	·13	·17	·05	·05	·00	·30	·00	·00	23
24	·00	·12	·06	·00	·05	·01	·00	·00	·00	·12	·00	·08	24
25	·00	·06	·04	·00	·09	·00	·00	·00	·00	·37	·06	·00	25
26	·04	·00	·09	·00	·00	·00	·00	·16	·00	·22	·01	·09	26
27	·00	·00	·00	·00	·00	·00	·07	·00	·00	·06	·13	·31	27
28	·04	·00	·00	·00	·01	·00	·00	·00	·00	·00	·02	·18	28
29	·00		·01	·00	·07	·00	·00	·00	·00		·43	·85	29
30	·08		·04	·00	·02	·00	·00	·00	·00	·32	·28	·05	30
31	·00	·03	·08	–	·00	·10	·94	·00	–	·13	·46	·50 ·02	31
Total	·59 ✓	~~2·58~~ ~~2·08~~ 2·61	~~3·87~~ ~~3·67~~ 3·84	1·10 ✓	1·21 ✓	1·76 ✓ 1·86	2·29 ✓ 2·33	2·46 2·02	·77 ✓	~~2·57~~ ✓ 2·74	~~3·99~~ ✓ 4·31	~~1·61~~ ~~6·20~~ 5·76	29·11 YEAR'S TOTAL ~~23·80~~ ~~29·09~~
Rain Days.	8.	15. 16	~~24~~ 23	11.	15.	1X 12	16.	13 12	6.	1X 12	18	23	~~169~~ ~~171~~ 172

W.7,000, XI. 13

The Vicarage,
South Marston, Swindon.

March 11th 1915.

3 MAR 1915

My dear Sir

I am returning my Rain Record chart. I am sorry for the blunder. I shall not need it again.

Faithfully yrs

Angus Macdonald

STOURHEAD

WILTSHIRE

1911—1917, 1919—1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

19 11

Kept at

in the County of

by Sir He

f top 5 in.

p above Ground 1 ft. in.

" Sea Level ft.

9 a.m.

tion { Name Gillingham
Distance 7 miles Direction South

IMPORTANT, and the result entered to the previous day. If universal rule, he is earnestly requested to add th g year in the space provided for it at the end surement of rain, the selection and e British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·13	·05	·0	·0	·0	·3	·0	·0	·30	·3	1
2	·02	—	·02	·20	·35	·0	·0	·12	·0	·7	·13	·24	2
3	—	—	·01	—	·39	·0	·0	·29	·3	·0	·25	·10	3
4	—	—	·12	Snow ·07	·0	·0	·0	·0	·0	·12	·0	·62	4
5	·13	—	—	—	·0	·0	·0	·20	·0	·7	·12	·0	5
6	·45	—	·15	—	·0	·0	·0	·6	·0	·3	·14	·75	6
7	·04	—	—	—	·0	·0	·0	·0	·0	·0	·35	·0	7
8	·12	—	·23	—	·0	·0	·0	·0	·0	·0	·10	·47	8
9	·16	—	—	—	·0	·0	·0	·0	·0	·0	·7	·40	9
10	·16	·10	·36	—	1·33	·0	·0	·0	·0	·0	·0	[illegible]	10
11	·44	—	·02	—	·0	·0	·0	·0	·0	·0	·75	·95	11
12	—	—	Snow ·99	—	·4	·0	·0	·0	·0	·0	·15	·30	12
13	—	—	·03	—	·0	·0	·0	·0	·13	·0	·3	·45	13
14	—	·10	—	—	·0	·0	·0	·0	·0	·0	·35	·80	14
15	—	·05	—	—	·0	·0	·0	·0	·0	·0	·0	·25	15
16	—	—	—	—	·0	·48	·0	·0	·0	·0	·47	·43	16
17	—	·04	—	—	·0	·10	·0	·0	·0	·0	·13	·50	17
18	—	·35	·05	·11	·2	·65	·0	·0	·0	·4	·4	·52	18
19	·05	·16	·08	·02	·0	·20	·0	·0	·23	·25	·2	·47	19
20	—	·03	·02	·15	·0	02	·0	·0	·30	·10	·0	·66	20
21	·12	·37	·20	·03	·0	02	·0	·2	·0	·51	·0	·30	21
22	—	—	·06	·03	·0	·0	·0	·0	·0	·80	·0	·50	22
23	—	·23	—	—	·0	·10	·0	·0	·24	·5	·3	·20	23
24	·02	·28	Snow ·04	—	·0	·16	·0	·20	·5	·40	·0	·40	24
25	—	·10	—	·26	·0	·60	·0	·0	·0	·0	·0	·60	25
26	—	·04	·15	·42	·0	·0	·0	·2	·14	·18	·0	·10	26
27	—	·85	—	·17	·0	·0	·0	·5	·0	·1	·0	·25	27
28	—	·36	—	·30	·0	·0	·0	·17	·0	·0	·8	·0	28
29	—		—	·77	·0	·38	·4	·0	·14	·60	·0	·0	29
30	—		—	·5	·0	·10	·0	·0	·2	·0?	·7	·4	30
31	—		—		0		·0	·0		·0		·0	31
Total	1·78	3·06	2·66	2·63	2·13	2·81	·04	1·16	1·28	3·23	3·48	9·67	TOTAL for year 34·23
No. of Rain Days	12	14	17	14	5	11	1	10	9	14	19	25	151

9,000, IX. '10.

1.16

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Stourhead

in the County of Wilts 2

by Sir Henry Hoare, Bart

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gillingham
Distance 4 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·13	·05	·0	·0	·0	·3	·0	·0	·30	·3	1
2	·02	—	·02	·20	·35	·0	·0	·12	·0	·7	·13	·24	2
3	—	—	·01	—	·32	·0	·0	·29	·3	·0	·25	·10	3
4	—	—	·12	Snow ·07	·0	·0	·0	·0	·0	·12	·0	·62	4
5	·13	—	—	—	·0	·0	·0	·20	·0	·7	·12	·0	5
6	·45	—	·15	—	·0	·0	·0	·6	·0	·3	·14	·75	6
7	·04	—	—	—	·0	·0	·0	·0	·0	·0	·35	·0	7
8	·12	—	·23	—	·0	·0	·0	·0	·0	·0	·10	·47	8
9	·16	—	—	—	·0	·0	·0	·0	·0	·0	·7	·40	9
10	·16	·10	·36	—	1·33	·0	·0	·0	·0	·0	·0	[illegible]	10
11	·44	—	·02	—	·0	·0	·0	·0	·0	·0	·75	·25	11
12	—	—	Snow ·99	—	·41	·0	·0	·0	·0	·0	·15	·30	12
13	—	—	·03	—	·0	·0	·0	·0	·13	·0	·3	·45	13
14	—	·10	—	—	·0	·0	·0	·0	·0	·0	·35	·80	14
15	—	·05	—	—	·0	·0	·0	·0	·0	·0	·0	·25	15
16	—	—	—	—	·0	·48	·0	·0	·0	·0	·47	·43	16
17	—	·04	—	—	·0	·10	·0	·0	·0	·0	·13	·50	17
18	—	·35	·05	·11	·2	·65	·0	·0	·0	·4	·4	·52	18
19	·05	·16	·08	·02	·0	·20	·0	·0	·23	·25	·2	·47	19
20	—	·03	·02	·15	·0	02	·0	·0	·30	·10	·0	·66	20
21	·12	·37	·20	·03	·0	02	·0	·2	·0	·51	·0	·30	21
22	—	—	·06	·03	·0	·0	·0	·0	·0	·80	·0	·50	22
23	—	·23	—	—	·0	·10	·0	·0	·24	·5	·3	·20	23
24	·02	·28	Snow ·04	—	·0	·16	·0	·20	·5	·40	·0	·40	24
25	—	·10	—	·26	·0	·60	·0	·0	·0	·0	·0	·60	25
26	—	·04	·15	·42	·0	·0	·0	·2	·14	·18	·0	·10	26
27	—	·85	—	·17	·0	·0	·0	·5	·0	·1	·0	·25	27
28	—	·36	—	·30	·0	·0	·0	·17	·0	·0	·8	·0	28
29	—		—	·77	·0	·38	·4	·0	·14	·60	0	·0	29
30	—		—	·5	·0	·10	·0	·0	·2	·0?	·7	·4	30
31	—		—		0		·0	·0		·0		·0	31
Total	1·78	3·06	2·66	2·63	2·43	2·81	·04	1·16	1·28	3·23	3·48	9·67	TOTAL for year 34·23
No. of Rain Days	12	14	17	14	5	11	1	10	9	14	19	25	151

1.16

9,000, IX. '10.

S. made

corr. per auth 20-11-13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

3- JAN 19

Kept at Stourhead

in the County of Wilts 2

by Sir Henry Hoare Bart

RAIN GAUGE { Pattern
Diameter of top ___ in.
Height of top above Ground ___ ft. ___ in.
" " " Sea Level ___ ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name
Distance ___ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·25	·0	·0	·30	·32	·0	·3	·67	·0	·50	1
2	·3	·0	·37	·2	·0	·16	·30	·0	·0	·0	·8	·0	2
3	·0	·0	·6	·0	·0	·40	·18	·57	·4	·0	·5	·10	3
4	·20	·0	·81	·0	·4	·50	·0	·0	·0	·0	·23	·0	4
5	·80	·8	·30	·0	·14	·0	·0	·87	·3	·0	·0	·26	5
6	·74	·20	·10	·0	·20	·40	·60	·82	·0	·0	·0	·15	6
7	·0	·8	·20	·0	·0	·14	·0	·10	·0	·0	·3	·16	7
8	·48	·40	·20	·3	·0	·10	·15	·40	·0	·0	·0	·8	8
9	·0	·10	·25	·12	·0	·4	·5	·10	·0	·0	·0	·55	9
10	·0	·10	·0	·0	·0	·0	·3	·0	·0	·0	·8	·26	10
11	·16	·13	·0	·0	·0	·4	·0	·10	·0	·0	·0	·48	11
12	·8	·50	·13	·2	·0	·0	·0	·0	·0	·0	·8	·0	12
13	0	·5	·0	·0	·0	·18	·0	·4	·0	·0	·3	·10	13
14	·25	·0	·53	·0	·6	·0	·0	·6	·0	·0	·0	·20	14
15	·11	·15	·3	·0	·14	·75	·0	·7	·0	·0	·0	·60	15
16	1·0	·0	·44	·0	·20	·0	·0	·5	·0	·12	·0	·10	16
17	·50	·0	·14	·0	·0	·6	·0	·17	·0	·0	·5	·5	17
18	Snow ·63	·0	·45	·0	·0	·2	·0	·73	·0	·8	·3	·15	18
19	·3	·20	·8	·0	·0	·22	·5	·25	·0	·0	·7	·3	19
20	·4	·3	·35	·0	·0	·5	·10	·21	·0	·43	·0	·0	20
21	·0	·25	·35	·0	·92	·0	·3	·53	·0	·40	·10	·0	21
22	·45	·30	·4	·0	·15	·0	·4	·17	·0	·10	·0	·15	22
23	·25	·47	·32	·0	·0	·4	·0	·0	·0	·0	·31	·30	23
24	·7	·4	·3	·0	·0	·63	·3	·0	·0	·18	·0	·32	24
25	·8	·2	·0	·0	·0	·17	·0	·30	·0	·33	·32	·63	25
26	·0	·2	·0	·0	·0	·0	·38	·33	·0	·33	·50	·15	26
27	·0	·2	·0	·0	·0	·21	·75	·0	·0	·92	·0	·47	27
28	·0	·0	·0	·0	·0	·10	·3	·30	·11	·50	·60	·70	28
29	·0	·	·3	·0	·0	·15	·15	·3	·80	·40	·0	·0	29
30	·0		8	·0	·2	·70	·20	·0	·34	·40	·0	·0	30
31			·50		·0		·46	·8		·6		·20	31
Total	5·90	3·14	6·14	·19	1·87	5·36	3·85	6·23	1·35	4·92	2·56	6·69	TOTAL for year 48·20
No. of Rain Days.			6·14		1·87	5·36							
	18	19	4 24	4	9	22	18	22	6	14	15	24	195

W. 8,000, X. '11.

S. made ✓

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
4 JAN 1914

Kept at Stourhead Ex BR

in the County of Wilts 2

by Sir Henry Hoare Bart

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation. 9. a.m.

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.3	.27	.11	.0	.0	.5	.0	.0	1.00	0	.26	.35	1
2	.3	.10	.0	.13	.4	.0	.2	.0	.20	0	.25	.0	2
3	.12	.0	.0	.6	.50	.0	.0	.0	.25	.20	.0	.22	3
4	1.15	.0	.5	.0	.43	.0	.0	.0	.10	.28	.0	.20	4
5	.6	.5	.0	.0	.10	.20	.0	.0	.95	.0	.0	.28	5
6	.5	.4	.0	.0	.30	.24	.14	.0	.0	.53	.15	.70	6
7	.3	.24	.15	.0	.25	.5	.0	.0	.0	.48	.27	.0	7
8	.0	.6	.0	.0	.33	.3	.0	.0	.0	.14	.0	.5	8
9	.0	.10	.0	.0	.20	.11	.9	.40	.0	.0	.10	.4	9
10	.17	.0	.5	.0	.3	.0	.0	.0	.5	.18	.32	.0	10
11	.75	.0	.0	.32	.7	.5	.0	.0	.0	.6	.30	.2	11
12	.0	.13	.0	.0	.20	.0	.0	.0	.0	.0	.35	.5	12
13	.5	.0	.15	.0	.0	.0	.0	.6	.19	.10	.20	.0	13
14	.14	.0	.20	.10	.0	.4	.0	.0	.3	.0	.37	.3	14
15	.35	.0	.26	.85	.0	.0	.8	.6	.7	.0	.10	.0	15
16	.25	.0	.60	.9	.0	.0	.0	.0	.0	.0	.3	.0	16
17	.0	Snow .10	.6	.0	.0	.0	.8	.0	.4	.0	.0	.0	17
18	.13	.0	.24	.23	.0	.0	.0	.0	.0	.0	.8	.0	18
19	.78	.0	.13	.0	.11	.14	.12	.0	.65	.0	.0	.3	19
20	.2	.0	.15	.11	.0	.0	.0	.0	.0	.23	.25	.0	20
21	.0	.0	.12	.26	.15	.0	.2	.0	.0	.0	.84	.0	21
22	1.10	.0	.23	.8	.1	.0	.0	.4	.35	.2	.0	.0	22
23	.5	.0	.2	.0	.0	.6	0	.0	.0	.0	.4	.61	23
24	.10	.5	.0	.18	.0	.0	.0	.22	.0	.0	.7	.0	24
25	.0	.25	.0	.15	.0	.0	.0	.0	.0	.0	.3	.0	25
26	.10	.0	.0	.0	.0	.0	.0	.23	.0	.0	.0	.40	26
27	.4	.0	.23	.19	.0	.0	.0	.0	.0	.0	.0	.0	27
28	.20	.0	.27	.25	.0	.0	.0	.0	.0	.18	.0	.11	28
29	.6		.48	.64	.4	.0	.0	.12	.0	.35	.0	Snow .3	29
30	.67		.0	.0	.0	0	0	.0	.0	.50	.5	.0	30
31	.34		.5		0		0	.0	.0	.3		.0	31
Total	6.67	1.29	3.55	3.64	2.76	.97	.55	1.13	3.88	3.28	4.06	3.12	TOTAL for year 34.90
No. of Rain Days.	24	11	19	15	15	10	7	7	12	14	19	15	168

W. 8,000, X. '11.

Added LMC

REGISTER OF RAINFALL IN 1914

Ex. H.S.B.

FORM A. BRITISH RAINFALL.
5 - JAN 1915

Kept at Stourhead
in the County of Wilts 2
by Sir Henry Hoare Bart.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·0	·0	·0	·0	·0	·15	·0	·0	·50	·6 ·06	1
2	·0	·0	·5 (05)	·4	·0	·0	·12	·50	·0	·0	·60	·24	2
3	·0	·0	·42	·16	·35	·0	·75	·25	·0	·0	·15	·6	3
4	·11	·0	·21	·20	·10	·0	·11	·72	·0	·0	·62	·40	4
5	·15	·0	·38	·60	·25	·0	·64	·0	·0	·0	·20	·0	5
6	·0	·26	·4	·24	·4	·0	·25	·8	·0	·0	·3	·42	6
7	·0	·43	·8	·15	·35	·7	·22	·17	·0	·0	·0	·20	7
8	·21	·4	·92	·0	·41	·25	·7	·40	23	·0	·0	·3	8
9	·32	·0	·40	·45	·5	·80	·0	·10	·35	·1	·0	0	9
10	·6	·23	·3	·6	·10	·26	·17	·0	·42	·0	·0	·4	10
11	·0	·17	·73	·0	·7	·0	·0	·0	·10	·0	·17	·34	11
12	·4	·14	·27	·0	·0	·0	·0	·0	·36	·0	·0	·28	12
13	0	·31	·24	·0	·0	·0	·0	·0	·0	·28	·30	·45	13
14	·0	·17	·20	·0	·0	·0	·8	·42	·0	·46	·34	·8	14
15	·0	·4	·27	·0	·0	·0	·34	·55	·2	·3	·14	·0	15
16	·0	·50	·2	·0	·0	·0	·8	·0	·20	·0	·0	·0	16
17	·0	·3	·28	·0	·0	·0	·4	·0	·0	·0	·0	·70	17
18	·0	·10	·4	·0	·0	·0	·24	·0	·0	·0	·0	·54	18
19	·0	·40	Snow ·8	·0	·0	·0	·0	·0	·0	·0	·22	·10	19
20	·0	·30	·18	·0	·0	·0	·0	·0	·0	·0	·0	·55	20
21	·0	·0	·2	·0	·0	·3	·0	·0	·0	·22	·0	·0	21
22	·0	·10	·4	·0	·20	·18	·2	·4	·0	·60	·0	·0	22
23	·0	·3	·23	·0	·0	·0	·0	·0	·0	·18	·0	·0	23
24	·0	·0	·13	·0	·21	·0	·24	·0	·0	·20	·23	·0	24
25	·7	·0	·28	·0	·0	·0	·4	·30	·0	·38	·6	·0	25
26	·0	·0	·0	·0	·0	·0	·5	·0	·0	·6	·32	·40	26
27	·8	·0	·0	·0	·0	·0	·0	·0	·0	·8	·15	·60	27
28	·0	·16	·26	·0	·0	·0	·0	·0	·0	·12	·4	1·20	28
29	·45	·0	·10	·0	·12	·0	·0	·0	·0	·26	·30	·3	29
30	·0	·0	·10	·0	·0	·0	·0	·0	·0	·23	·34	·92	30
31	·8	·0	·0	·0	·0	·0	·15	·0	·0	·30	·0	·18	31
Total	1·57	3·41	6·80	1·90	2·25	1·59	3·61	3·68	1·68	3·41	4·71	7·82	YEAR'S TOTAL 42·43
Rain Days.	10	17	27	8	12	6	18	12	7	15	18	22	172

W.7,000, XI. 13

1644

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Stourhead", Stourton.
in the County of Wilts
by Sir. Henry Hoare Bart

Z

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Gillingham
Diameter of Rain Gauge 5½ in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 590 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75	·44	·0	·0	·4	·0	·0	·28	·20	·28	·2	·20	1
2	·68	·22	·18	·10	·0	·0	·0	·70	·0	·25	·0	·60	2
3	·22	·8	·10	·0	·12	·0	·4	·3	·0	·4	·0	·40	3
4	·0	·4	·0	·0	·0	·0	·0	·0	·0	·0	·0	·25	4
5	·8	·80	·3	·14	·0	·0	·0	·10	·0	·0	·0	·40	5
6	·66	·20	·0	·35	·0	·0	·50	·0	·0	·0	·0	·25	6
7	·32	·48	·0	·7	·0	·0	·20	·8	·0	·0	·0	·35	7
8	·17	·65	·0	·3	·0	·0	·0	·12	·0	·0	·4	·4	8
9	·0	·4	·0	·4	·0	·0	·0	·2	·0	·0	·40	·62	9
10	·40	·3	·6	·6	·0	·0	·1	·1	·0	·0	·0	·0	10
11	·4	·0	·6	·8	·0	·0	·3	·64	·0	·0	·90	·0	11
12	·17	·42	·0	·16	·60	·0	·0	·7	·0	·16	·40	·0	12
13	·3	·90	·0	0	1·00	·0	·0	·28	·5	·0	·4	·0	13
14	·5	·0	·0	0	·0	·0	·20	·88	·20	·1	·0	·85	14
15	·16	·15	·0	0	·16	·0	·7	·12	·3	·3	·6	·15	15
16	·0	·65	·0	0	·50	·0	1·20	·10	·0	·0	·0	·8	16
17	·0	·15	·0	0	·85	·0	·0	·8	·0	·0	·0	·0	17
18	·0	·27	·0	0	·5	·0	·0	·0	·0	·0	·0	·0	18
19	·0	·0	·0	0	·15	·0	·25	·0	·0	·0	·0	·0	19
20	·42	·0	·0	·10	·4	·0	·0	·0	·0	·2	·0	·8	20
21	·18	·0	·0	0	·0	·0	·13	·0	·0	·54	·0	·26	21
22	·0	Snow ·42	·50	0	·0	·0	·90	·0	·3	·3	·0	·8	22
23	·0	·0	·10	0	·0	·0	·38	·0	·18	1·75	·0	·0	23
24	·0	·0	·0	·8	·0	·0	·14	·0	·45	·90	·0	·31	24
25	·0	·0	·3	0	·0	·8	·80	·0	·0	·0	·0	·17	25
26	·0	·10	·0	0	·0	·16	·20	·0	·0	·0	·0	·43	26
27	·0	·10	·0	0	·0	·27	·50	·0	·0	·35	·0	·2	27
28	·0	·11	·0	0	·0	·5	·0	·4	·78	·8	·0	·0	28
29	·0		·0	0	·0	·27	·4	·0	·7	·0	·22	·9	29
30	·14	X	·0	0	·0	·10	·0	·0	·0	·55	·50	·28	30
31	·0	X	·0	X	·0	X	·3	·0	X	1·15	X	·20	31
Total	~~6·27~~	~~7·96~~	~~2·68~~	~~4·55~~	~~4·68~~	~~2·10~~	~~7·60~~	~~6·52~~	~~3·61~~	~~8·03~~	~~4·02~~	~~9·42~~	YEAR'S TOTAL ~~[illegible]~~
Rain Days.	4·47 16	6·25 20	1·06 8	1·22 12	3·51 10	·93 6	5·62 18	3·55 16	1·99 9	6·14 15	2·58 9	6·11 22	43·43 181

W. 8,000. X. 14.

1618

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Stourhead
in the County of Wilts
by Sir Henry Hoare Bart.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gillingham (L.S.W.R.)
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·3	·0	·0	·40	·6	·2	·0	·20	·93	·70	·0	1
2	·30	·14	snow ·4	·0	·17	·0	·0	·0	·2	·42	·3	·0	2
3	·2	·80	·0	·0	·4	·0	·0	·0	·10	·40	·35	·0	3
4	·22	·18	·0	·0	·10	·36	·25	·0	·30	·15	·87	·0	4
5	·18	·5	·8	·0	·28	·55	·0	·0	·0	·8	·80	·0	5
6	·3	·22	·4	·0	·8	·3	·87	·0	·0	·10	·73	·0	6
7	·5	·6	·13	·0	·20	·0	·37	·0	·0	·7	·60	·20	7
8	·0	·15	·0	·0	·0	·0	·0	·0	·0	·0	·5	·15	8
9	·0	·0	·0	·0	·42	·25	·1	·0	·0	·22	·12	snow ·0	9
10	·3	·63	snow ·2	·8	·0	·5	·10	·0	·0	·0	·3	·16	10
11	·2	·0	·0	·10	·3	·13	·0	·0	·3	[illegible]	·0	0	11
12	·20	·7	·1	·0	·8	·0	·30	·0	·0	·20	0	0	12
13	·0	·30	·20	·0	·0	·0	·0	·54	·0	·0	0	·0	13
14	·4	·0	·2	·8	·17	·0	·0	·11	·0	·5	0	·0	14
15	·0	·22	·7	·6	·0	·0	·0	·42	·0	·3	0	·0	15
16	·6	·8	·0	·33	·0	·0	·3	·15	·0	·0	0	·0	16
17	·15	·37	·0	·15	·0	·0	·0	·13	·0	·55	0	snow 0	17
18	·0	·15	·9	·20	·0	·0	·0	·0	·50	·18	snow ·2	·0	18
19	·10	·0	·5	·25	·0	·0	·0	·0	·22	·00	·50	·10	19
20	·30	·8	·17	·0	·0	·0	·0	·3	·0	·00	·10	1·50	20
21	·2	·0	·7	·0	·0	·0	·0	·0	·0	·00	·2	snow ·25	21
22	·0	·4	·0	·2	·8	·5	·0	·0	·0	·44	·5	·56	22
23	·4	·12	·0	·2	·0	·10	·0	·10	·0	·11	·13	·56	23
24	·0	·5	·7	·0	·5	·22	·0	·27	·0	·43	·9	·12	24
25	·0	·15	·7	·0	·6	·0	·0	·20	·0	·1	·14	0	25
26	·2	·10	·4	·0	·0	·18	·0	·28	·47	·70	0	·0	26
27	·2	·5	·3	·0	·0	·16	·0	1·50	·70	·37	0	·0	27
28	·0	·8	·0	·0	·0	·0	·0	·15	1·55	·24	·3	·37	28
29	·0	·16	·0	·0	·3	·37	·0	2·20	·33	·65	·0	·32	29
30	·0	X	·0	·0	·0	·0	·0	·2	·0	·70	·0	0	30
31	·0	X	·0	X	·0	X	·0	·8	X	·17	X	·8	31
Total	2·05	4·28	1·20	1·29	2·19	2·51	1·95	6·18	4·42	7·21	5·36	4·45	YEAR'S TOTAL 43·11
Rain Days.	19	24	17	10	15	13	8	15	11	23	19	12	186

W. 8,000. X. 15.

1543

FORM A.
BRITISH RAINFALL.

19. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stourhead, Zeals S.O

in the County of Wilts

by Sir Henry H. A. Hoare Bart.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Gillingham (Dorset)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·15	0	0	·06	0	·88	0	0	0	0	1
2	·05	0	0	·25	0	·10	0	·15	0	0	0	0	2
3	0	0	0	Snow ·31	0	0	·95	0	·03	·32	0	0	3
4	0	0	Snow ·03	0	0	0	0	·09	·03	·29	0	0	4
5	·35	0	·35	·35	0	·15	0	0	·29	·33	·18	0	5
6	0	0	·30	0	0	0	0	0	0	·11	·12	0	6
7	·42	0	0	0	0	0	·22	·16	0	0	·25	·08	7
8	Snow ·48	0	Snow ·20	·20	0	0	0	·75	·09	·45	·28	·13	8
9	0	0	0	0	0	0	0	·26	·05	·46	·01	0	9
10	Snow ·14	0	·40	·15	0	0	0	·21	0	·01	0	0	10
11	·08	0	·43	Snow ·36	0	0	0	·01	0	·34	0	0	11
12	0	0	0	0	·77	0	0	·35	0	·76	0	0	12
13	0	0	·20	·06	0	0	0	·05	·17	·18	0	·02	13
14	0	0	Snow ·34	·11	0	0	0	·03	0	·50	0	·30	14
15	0	0	0	·02	0	0	·69	·11	·02	·20	0	·28	15
16	0	·35	0	·08	0	0	·38	·24	0	·11	0	0	16
17	0	·02	0	·18	0	0	·69	·11	·81	·03	0	0	17
18	·06	0	0	0	·08	0	·26	·24	·38	0	0	0	18
19	0	·53	·20	0	0	0	0	·08	·20	0	0	0	19
20	0	·12	·10	0	·23	·46	0	·12	·06	·24	0	0	20
21	0	·02	·20	0	0	·05	0	·76	0	·11	0	0	21
22	0	·25	Snow ·24	0	0	0	0	1·22	0	·18	·12	0	22
23	0	·02	0	0	·18	0	0	·79	0	0	·02	0	23
24	0	·10	·02	0	0	0	·04	·13	0	·69	0	0	24
25	0	0	0	0	0	·03	0	·07	·10	·12	0	0	25
26	0	0	0	0	·27	0	0	·02	·26	·15	·06	·02	26
27	0	0	0	0	1,05	·21	0	0	0	0	·04	0	27
28	0	0	·24	0	·07	6,50	0	0	0	0	·02	0	28
29	0	·02	·20	0	0	·17	·03	0	0	0	0	0	29
30	0	X	Snow ·37	0	0	0	·56	0	0	0	0	0	30
31	0	X	0	X	0	X	0	·35	X	0	X	0	31
Total	1.58	1.43	3.97	2.07	2.65	7.73	3.82	7.17	2.49	5.58	1.10	0.83	YEAR'S TOTAL 40.43
Rain Days.	7	9	17	11	7	~~8~~ 9	9	21	13	20	10	6	~~141~~ 142

W. 8,000. X. 14.

cond Gymn stats Obs. agrees. 1451

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Sir HENRY HUGH ARTHUR HOARE, Bt
STOURHEAD, ZEALS—

10 JAN 20

Kept at Stourhead

in the County of Wilts

by Sir Henry H. A. Hoare Bart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gillingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 585 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	·0	·16	·0	·16	·0	·05	·05	·0	·09	·0	1·01	1
2	·10	·0	·01	·0	·23	·0	·0	·0	·48	·08	·08	·15	2
3	snow ·50	·0	·10	·0	·09	·0	·0	·0	·15	·0	·05	·62	3
4	snow. ·35	snow ·15	·30	·08	·07	·0	·01	·14	·48	·0	·0	·14	4
5	snow ·06	snow ·50	1·10	·0	·24	·0	·05	·0	·03	·0	·13	·53	5
6	·53	·21	·16	·0	·0	·0	·0	·0	·0	·0	·0	·32	6
7	·18	·0	·44	·0	·0	·0	·0	·0	·0	·0	·0	·02	7
8	·25	·0	·21	·16	·0	·0	·0	·0	·0	·0	·0	·0	8
9	·20	·0	·05	·0	·05	·0	·0	·0	·0	·0	·0	0	9
10	·0	·0	·19	·23	·0	·0	·0	·0	·0	·0	·10	·35	10
11	·06	·0	·25	·02	·26	·0	·0	·0	·0	·0	·0	·0	11
12	·65	·0	·04	·12	·0	·0	·03	·0	·0	·19	snow. ·13	·24	12
13	·06	·0	·0	·48	·0	·0	·0	·0	·0	·0	·0	·05	13
14	·66	·28	·0	·72	·0	·0	·15	·0	·0	·0	·0	·11	14
15	·18	·24	·0	·08	·07	·0	·0	·0	·0	·0	·0	·45	15
16	·05	snow ·50	·0	·0	·0	·0	·0	·11	·0	·0	snow ·21	·0	16
17	·00	snow ·20	·0	·0	·0	·0	·0	·03	·0	·0	·46	·0	17
18	·0	·0	·74	·0	·0	·0	·07	·01	·0	·0	·22	·05	18
19	·65	·45	1·00	·0	·0	·0	·99	·44	·23	·0	·29	·07	19
20	·37	·14	·13	·0	·0	·43	·0	·14	·0	·0	·0	·34	20
21	·01	·61	·02	·0	·0	·0	·54	·0	·0	·0	·0	·07	21
22	·0	·16	·0	·0	·0	·0	·19	·0	·36	·0	·11	1·08	22
23	·0	·0	·0	·0	·0	·0	0	·0	·01	·25	·0	·31	23
24	·0	·0	·0	·0	·0	·19	·0	·0	·01	1·26	·08	·64	24
25	·0	·05	·0	·14	·0	·03	·0	·39	·0	·0	·0	·14	25
26	·0	·0	·13	·06	·0	·0	·0	·53	·16	·0	snow ·01	·39	26
27	·0	·0	·0	snow ·05	·0	·0	·0	·89	·0	·0	·0	·06	27
28	·0	·0	snow. ·53	·0	·0	·0	·0	·63	·0	·0	snow ·18	·56	28
29	·0		·0	·01	·0	·0	·0	·11	·0	·0	·0	·06	29
30	·0		·0	·12	·0	·23	·0	·95	·0	·0	·92	·05	30
31	·0		·0		·0		·0	·0		·0		·34	31
TOTAL	4·89	3·49	5·58	2·27 ~~4·44~~	1·09 ~~2·89~~	·88 ~~1·15~~	2·08 ~~3·94~~	4·62 ~~5·23~~	1·91 ~~2·36~~	1·95 ~~4·2~~	2·97 ~~6·12~~	8·15 ~~12·98~~	39·68 ~~57·63~~
Days with ·01 in. or more	18	12	18	13	8	4	9	13 ~~12~~	9	6	14	26	150 ~~149~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1371

E. WMD

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Stourhead Stourton
in the County of Wilts
by W J Curtis Gardener to Sir H Hoare

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	0	0	20	47	0	50	09	08	39	23	50	1
2	·20	0	03	19	0	0	35	60	17	07	0	21	2
3	·20	06	0	06	06	0	1·36	0	0	58	0	0	3
4	0	0	05	10	0	0	51	41	0	35	0	0	4
5	·17	0	08	21	23	0	66	36	0	18	0	0	5
6	0	0	25	0	15	0	23	0	0	36	0	0	6
7	0	0	0	17	0	0	16	0	0	0	0	0	7
8	·06	10	0	42	05	0	47	0	0	0	0	0	8
9	·84	50	05	16	0	16	01	0	0	0	0	0	9
10	·59	50	19	12	0	23	38	0	0	0	0	0	10
11	·31	0	10	49	28	0	24	0	0	0	0	0	11
12	·33	06	snow 02	29	08	59	02	0	0	0	24	0	12
13	·23	12	52	19	0	0	0	0	0	0	0	0	13
14	·19	10	snow 29	76	0	0	0	0	06	32	40	0	14
15	·09	12	08	47	04	07	02	0	18	65	0	0	15
16	0	01	18	07	0	hail 94	0	0	07	05	0	0	16
17	·07	0	02	25	25	0	01	0	55	0	0	0	17
18	·08	0	06	06	26	11	0	41	19	0	0	snow 06	18
19	08	0	0	35	14	12	0	0	0	0	0	0	19
20	·16	22	0	09	0	62	0	0	0	0	0	21	20
21	0	0	0	0	0	0	18	0	0	0	0	23	21
22	·04	0	0	20	0	0	02	05	0	0	0	26	22
23	·01	0	0	0	0	0	36	0	0	0	0	37	23
24	·03	0	15	03	02	0	0	0	0	0	24	06	24
25	0	0	13	05	0	0	44	0	0	0	0	0	25
26	28	06	16	0	0	0	23	0	0	0	11	17	26
27	·40	04	10	49	0	45	0	0	0	0	0	13	27
28	1·25	03	02	06	18	0	14	0	0	0	0	03	28
29	·33	02	20	0	0	01	01	0	0	0	25	24	29
30	·10	✕	02	09	07	47	38	0	28	0	34	0	30
31	·17	✕	22	✕	0	✕	0	0	✕	50	✕	19	31
TOTAL	6·54	1·94	2·92	5·55	2·28	3·57	6·68	1·92	1·58	3·75	1·51	2·66	YEAR'S TOTAL 41·20
Days with ·01 in. or more	25 23	14 11	22 17	25 24	14 13	11 10	22 16	6 6	8 8	10 10	7 7	13 12	177 157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

STRATFORD
SUB CASTLE
WILT

1911 - 1920

RE

FORM A.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Stratford s
in the County of Wilts
by J. Carpenter

5 in.
e Ground ______ ft. ______ in.
Sea Level ______ ft.

NOTE.—Rain should be measu … instructions for the measurement of rain and particulars as to the Br … ers," sent post-free on application to Dr. H. R. MILL, 62, Camden Sq

Date	Jan.	Feb.	March.							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1	.04		.01								.01	.06	1
2	.01									.08	.15	.19	2
3					.13						.10	.08	3
4	.01	.02	.06								.10	.48	4
5	.01			01 5				.10		.13	.08	—	5
6	.44		.07			—						.72	6
7	.02		.02								.35	.06	7
8	.05		.18						—		.16	.66	8
9	.04		03							—	.01	.28	9
10	.02		31		.06						—	.45	10
11	.33		01		.01						85	.05	11
12			68		.05						14	.26	12
13			04						.33	.02	.01	.47	13
14		.03								.~~0~~		.64	14
15		.01	02			.02				.03	20	—	15
16						.18					50	.28	16
17						.09					28	.58	17
18		.20	08	.06		.21				.02	04	.53	18
19		.02							.32	21	02	.14	19
20	.03	.01	13	.01					.05	.05	—	.68	20
21	01	16	.07			.01		2.04	.08	.87		.12	21
22	.03	01	.68			.10				.21		.42	22
23		04	10			.03			.06	.04		27	23
24		08				.32		.09		37	07	.13	24
25	.01	.01	.01	03	.05	.06		.02				.24	25
26		.03		22	.10	.08		.02		.14	.02	.41	26
27		.28	.12			—		.01	.05	.02	—	.21	27
28		29		09		—		.09			08	—	28
29				55		.19	02		.08	33	—	—	29
30		—		03		.04		.09	.01	.11	—	.02	30
31										.02		—	31
Total	✓ 1.05	✓ 1.19	✓ 2.62	✓ 1.17	✓ .62	✓ 1.33	✓ .02	✓ 2.47	✓ .98	✓ 2.65	✓ 3.17	✓ 8.43	TOTAL for year ✓ 25.70
No. of Rain Days	14	14	18	10	7	12	1	9	8	16	19	26	✓ 154

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

4

REGISTER OF RAINFALL IN 191

FORM A.
BRITISH RAINFALL.
2 - JAN 1912

Kept at *Stratford sub Castle*

in the County of *Wilts* 3

by *J. Carpenter*

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.01	16							.01	.06	1
2	.01			01	.22			.01		.08	.15	.19	2
3					.13						.10	.08	3
4	01	02	.06								.10	.48	4
5	.01			01 5				.10		.13	.08	—	5
6	.44		.07									.72	6
7	.02		.02								.35	.06	7
8	.05		.18								.16	.66	8
9	.04		03								.01	.28	9
10	.02		31		06						—	.45	10
11	.33		01		.01						85	.05	11
12			68		.05						14	.26	12
13			04						.33	.02	.01	.47	13
14		.03								.0		.64	14
15		.01	02			.02				.03	20	—	15
16						.18					50	.28	16
17						.09					28	.58	17
18		.20	08	.06		.21				.02	04	.53	18
19		.02							.32	.21	02	.14	19
20	.03	.01	13	.01					.05	.05	—	.68	20
21	01	.16	.07			.01		2.04	.08	.87		.12	21
22	.03	.01	.68			.10				.21		.42	22
23		04	10			.03			.06	.04		.27	23
24		08				.32		.09		.37	07	.13	24
25	.01	.01	.01	03	.05	.06		.02				.24	25
26		.03		22	.10	.08		.02		.14	.02	.41	26
27		.28	.12			—		.01	.05	.02	–	.21	27
28		.29		09		—		.09			08	—	28
29			—	55		.19	02		.08	.33	–	–	29
30				03		.04		.09	.01	.11	–	.02	30
31										.02		—	31
Total	1.05	1.19	2.62	1.17	.62	1.33	.02	2.47	.98	2.65	3.17	8.43	TOTAL for year 25.70
No. of Rain Days	14	14	18	10	7	12	1	9	8	16	19	26	154

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

4

Ex DL

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Stratford sub Castle

in the County of Wilts 3

by J. Carpenter.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground ft.
" " " Sea Level 165 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Salisbury
Distance 3 m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09		.01	.32	.09		.02	.62		.35	1
2			.26	.01		.14	.37	.03					2
3			.04			.30	.01	.55	.01		.07	.02	3
4	.11		.64		.03	.49		.05			17		4
5	.39	.10	.05		.04	.50		.66			01	.09	5
6	.60	.05	.02		.07	.29		.32					6
7	.03	.33	.10	.01	.08	.22		.15				.14	7
8	.33	.24	.48	.02		.22		.07				.03	8
9	.02	.05	.20			.12	03	.09				.26	9
10		.07	–			~~.56~~		.11	.02		.10	.37	10
11	.05	.14	.07			.02		–			01	.22	11
12		.37	.10	.01	.13	.56	.02	.02		.02	.02	.01	12
13	.05	.02					.01	.02			.02	.01	13
14	.17	~~.11~~	.24		.01			.01				.01	14
15	.09	.11	.02		.02	.31		.03				.37	15
16	.54	.01	.27		.02	.01		.07		.02	.03	.01	16
17	.56		.24			.03		.59				.02	17
18	.59 (S)		.17					.32		.01	.01	.06	18
19	.05	.03	.12				11	.60		.01		.01	19
20	.02	.01	.42		.06		18	.17		.30			20
21	.35	.06	.19		.28			.02		.14			21
22	.14	.27	.01		.01		.01	.16		.01		.06	22
23	.11	.36	25				.01	40		.14	.13	.24	23
24		.02	.01			21		20		.04	.24	.33	24
25		.03				.26		42		.10	.52	.50	25
26		.03					.18	.25		.37		.20	26
27						.08	.33			.65		.30	27
28						.02	.25	63	.32	.56	.66	.21	28
29		.11				.25	.12	16	1.10	.36		.01	29
30			.01			.05	.03	6	.67	.25		–	30
31			.23		.03			–				.01	31
Total	4.20	2.41	4.23	.05	.79	4.20	1.75	6.16	2.14	3.60	1.99	3.84	TOTAL for year 35.36
No. of Rain Days	18	20	24	4	13	20	15	27	6	16	13	25	201

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Stratford-sub-Castle.

in the County of Wilts.

by J. Carpenter

3

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 165 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Salisbury
Distance 3 m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.19	.10	.01	.02	.16			.84		16	.05	1
2	.14	06	.01	.08			.01		.12	.05	17		2
3	.07	01	.01	.05	.37					.06		.04	3
4	.66		.01		.45				1.01	27	.04	.07	4
5	.05	03				.03	.06		.20		.04	.08	5
6	.01		.13		.18	.08	.40		.01	.32	.03	.56	6
7	–				31	.04	03	.02		72	.15	.01	7
8	.02				27	.03	01			.05		.01	8
9		.09			.02	.01	02	33	.10	.02	.07	.02	9
10	02			.08	.04		.01	.05		.12	.53		10
11	85		.01	28	.04					30	1.00		11
12					31						23		12
13	10s		.05		.01				.21		.09		13
14	.26		.05	.01				.03	.03	.01	17		14
15	.29	.12	18	.30			.31	.03	.12		.09		15
16	18		.27						.02		.01		16
17	01	.01	.01	.05					.01				17
18	.02		.20	.05			.02		.44		02		18
19	.79		.04	.05			.02						19
20	.02		.06	.08			.06			.30	.02		20
21	.47		.22	.31	.08					.02	.79		21
22			.37					.12	.30				22
23			~~.22~~			.07	.02					.75	23
24	02			.20				.05					24
25		.16		.23									25
26		.02		.52				.22		.19		.14	26
27	.02	.01	.22	.02				.01		.23	.01		27
28	13		.19	.13						.31			28
29	.09		.40	.68				.04		.58		.02	29
30	.44			.01						.56	.01		30
31	11		.04					37		–			31
Total	4.77	.70	2.57	3.14	2.10	.42	.97	1.27	3.41	4.11	3.63	1.75	TOTAL for year 28.84
No. of Rain Days.	23	10	20	19	12.	7	12	11	13	17.	19	11	174

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Stratford-sub. Castle

in the County of Wilts 3

by J. Carpenter.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.04					.29			.13	.13	1
2			–		.02		.22	16			1.98	.15	2
3			16	.07	.28		16	02			02	.01	3
4	.06		.01	.19	.09		28	83			45	.33	4
5	.05		.08	.31	24			55			80	.01	5
6		.17	.01	.06	.03	.02	.01	04			.04	.20	6
7	.01	54	.06		.05	.03	11	03				.23	7
8	.03	.06	34	.01	.09		.01	19	.10			.03	8
9	.01	.01	35	.04	.05	48		01	.06			.44	9
10	.01	23	.01	.01	.25				.29			.01	10
11		.26	.41	.01		.04	.29		01		05	.46	11
12		.10	15				.02		.25	10	01	.55	12
13		30	15								05	.45	13
14		.17	16			.01	15	19		.38	23	.22	14
15	.03	.01	17				.03	.87	.02	06	14	.01	15
16		.48	01				17		.21			–	16
17			.23				.01		.02			.26	17
18			21 s			.06	.04					.57	18
19		.03	31 s				1.21		.01		11	.16	19
20		.56	18 s			.04	.01			.01		.23	20
21		.71	.03			.02	–			31		.01	21
22		.08	03		29		08	.01		31		–	22
23			17		.09	.01	.01			16		.01	23
24			07		.08		15			09	17	–	24
25	.04	.03	15				.09	17		35	03	.25	25
26			.01				.12			.06	22	.61	26
27	.05		–					05			11	.23	27
28		.04	.10		.01						28	.87	28
29	.15		–		.09					28	32	.01	29
30	.02		.04		–					15	.50	.97	30
31	.03		–				.03			.47		.06	31
Total	.49	3.80	3.64	.70	1.66	.71	3.20	3.41	.97	2.73	5.64	7.60	YEAR'S TOTAL 34.55
Rain Days.	12	18	27	8	14	9	21	14	9	13	19	28	192

1657

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Stratford sub Castle

in the County of Wilts

3

by Frances Carpenter

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground [illegible] ft. 9 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	46	11			.02				.21	23	.03	.16	1
2	42	17	10	.06		.02		.61		25		.47	2
3	86		10	.05				.02		8		.22	3
4	02						03					.20	4
5	01	95		.03				.13				.43	5
6	61	8		30			53	.11				.08	6
7	21	43		03			19					.27	7
8	.06	37		03			07	.06				.20	8
9	01	03		15				.07			.38	.61	9
10	14		02	01								.14	10
11	01		14	07			.02	.07		2	.63	.04	11
12	11	43		13	.49			.43		1	.29		12
13	01	54			.89			.01	.14				13
14	04	03					30	.55	.02			.55	14
15	07				.14		02	.05			.07	.19	15
16		90			.36		86	.14				.24	16
17		28	01		.82		14						17
18		25	02		.21								18
19		02			.06								19
20	10			11	.02							.03	20
21	02	15			.44		05		.03	47		.07	21
22	28 s	30	51		.01		92		.01	01		.17	22
23		04 (s	22	02			52		.14	70		.24	23
24			01	04			36		.58	72		30	24
25				03		01	13			6		19	25
26		08				19	35			26		60	26
27	01	07				45	02			1			27
28		08				04	–		.70			11	28
29						09	01	.02			15		29
30	08	×				02				40	.57	34	30
31	05	×		×		×			×	88	×	38	31
Total	3.58	5.31	1.13	1.06	3.46	.82	4.52	2.27	1.83	4.10	2.12	6.25	YEAR'S TOTAL 36.45
Rain Days.	21	20	9	14	11	7	17	13	8	14	7	24	165

W. 8,000. X. 14.

tar Ely 1512 ? 1631

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2 JAN 17

Kept at Stratford sub Castle

in the County of Wilts

by F. Carpenter

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09				.33		01		.40	.45	.22		1
2	.18	.09	.04		.16	0.3			.13	.89	.15		2
3	.02	.96			.02	.25		—	.03	.42	.37		3
4	.08	.24			.03	.17			.34	.01	74		4
5	.02	.03			.37						64		5
6		06	.03		.04		.63			.03	85		6
7	.04	10	.23		.02	.03	.22				78	.13	7
8	.01		.01		20	.37					~~33~~	.14	8
9					.09	.07				.05		.26	9
10		.45		.03	.03	.11	02						10
11		.02	.03	.01	.14		.02						11
12	.04	.04			.02		—			.04			12
13		.24	.03				.04	.27					13
14	.01	.49	.27	.01				.04					14
15	.01	.13	.07	.04				.21		.01			15
16	13	.02	.05	.1~~8~~3				66					16
17	.01	.39		.08				33	.33	.36			17
18		.03	.04	.14				01	.03		33 s	15	18
19	.04	.01	.34								19	.02	19
20	13		.63								01	1.31	20
21	.01		20		04							1.06	21
22					07					.16	.01	.49	22
23		.03 s	02			.05		23			.10	4.	23
24		.09 s	.01		12	.04		02		.43	.04	.30	24
25		.12 s	.08	.02		.26		60	01	03	.06		25
26		.35 s	.01					07	01	.68			26
27		.09 s	.93					73	.27	.37			27
28		.23 s	.09					14	.64	.27	.02	23	28
29		44	.03		—	.19		1.36	.33	.30	.01	21	29
30		X	.01						–	.37		–	30
31		X		X		X		.03	X	.22	X	.03	31
Total	.82	4.65	3.15	.46	1.62	1.57	.94	4.70	2.52	5.09	4.52	4.37	YEAR'S TOTAL 34.41
Rain Days.	15	23	21	8	15	11	6	14	11	18	16	13	171

W. 8,000. X. 15.

1555

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stratford sub Castle

in the County of Wilts

by Frances Harpentie

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Salisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.12	.11 (s)		.04		.93	.03		.09		1
2				.61 (s)		.01		02			05		2
3	.01			.21 (s)			.82	15		.15			3
4		.13 s	.15	.24			.05	12		23	05	.02	4
5	.08		.04			13				.47			5
6	.06		.56						.09	.06	.03		6
7	.16		.01				.78	17		.23		.01	7
8	.35		18. s	.07			.42	24	0.7	.14	12	.21	8
9			.02	02	.03		07	14	.04	03	25		9
10	.16		29	.16				24		03			10
11			47	.07				01		22	.02		11
12				02	.04			01		26			12
13	.06		20	.15				08		02			13
14			02	10			13	.45		05			14
15				.01			05	.25		.06		.17	15
16	.01	.08		.21	.12		07	.01		.75		.69 s	16
17				.07	.08	.04	30	.21	55	21	.01		17
18						.11	12	–	30		.01		18
19		.39	04					.03	20		.01		19
20		.13	15		33	.02			.01		.02		20
21	.03(s)					.64				04			21
22			18(s)			.04		.06		02			22
23		.20	.09(s)		.03			19				04	23
24		.14	.01				.03	.05		09	.03	.01	24
25								.01	02	07	.01		25
26					.15	.01		45	.07	03			26
27					.99	.10		81					27
28			.08			3.84		08				.03	28
29			05		.02		08	–		53		–	29
30		×	.16		.06		.64	09		03		10	30
31		×	.07	×		×	.04	.03	×	04	×	.01	31
Total	.92	1.17	2.89	2.05	1.85	4.98	3.60	4.83	1.38	3.75	.70	1.29	YEAR'S TOTAL 2941
Rain Days.	9	6	20	14	10	11	14	25	10	23	13	10	165

W. 8,000, VIII. 16

~~W.~~ m 85.

40

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4. 1. 19

Kept at Stratford sub Castle
in the County of Wilts
by L. Carpenter (Miss)

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Salisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.04	.03			.65			.64	.04	1
2		.04		.16				.23		02	.09	–	2
3		.07		.37	33			.35	01		.07	–	3
4	—	.10	.01	.02				.06	.08		.63	.02	4
5		.06	03		.13			.06	1.95	13		.04	5
6	.26	13		.13				.12	.09	03		.05	6
7		12			.68			3	13	06	31	.04	7
8		13						–	07	13		03	8
9		02		25		.11	.22	–	45	15		–	9
10	.01	.04		.08		.02	.31	–	09	24	01	21	10
11	.01	.03					72	–	13	.06	05	.04	11
12		.05			27		.10	–	10			.01	12
13	.24 s				(14)		07	–	54	03		.01	13
14	.20		.02		02	.09	.45	–	15	12		11	14
15	1.17		.01	.48 s	03	.02	.16	–	≠			12	15
16	3. s		02	.21		.03	.01	–	18	02		19	16
17	84			23			.80	–	05			12	17
18	84					.47	.07	–	37			21	18
19	15	.04	14	.03			.20	–	02	07		06	19
20		.06		.25		.02	23	–	16	03		04	20
21	22	.03		01			04	–	55	33		09	21
22	8	.01			03		.41	–	13			–	22
23	9			02	13		.88	–	03			–	23
24		26				.02	.19	–	08			–	24
25							16	.57	01	03	09	–	25
26							59	–	-		13	09	26
27		.09	.02				.01	13	04		28	01	27
28		.01	16			.01	–	–	–	02		–	28
29			04				–	–	95			03	29
30			41				–	.05	01		.07	08	30
31			11				–	–		07		–	31
Total	4.14	1.31	.97	2.28	1.79	.79	5.62	2.25	6.37	1.54	2.37	1.64?	YEAR'S TOTAL 31.07
Rain Days.	13	19	11	14	10	9	19	10	25	17	11	22	180

W. 8 000, IX. 17.

1464

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Stratford-sub-Castle
in the County of Wilts.
by F. Carpenter. (Miss)

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Salisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	–	02	01	.04	–	.13			05	.02	.95	1
2	.16	–	01	–	–	–	.01		.39	.01	.04	.02	2
3	1.05	–	45	–	.02	–	–		.27			.19	3
4	16	–	58	–	.04	10	84	13	.13		.01	.06	4
5	–	10	09		.33	[illegible]			05		.13	.09	5
6	54	38 s	58									.15	6
7	32	2	29	02							.06	.01	7
8	31	–	20	–								–	8
9	02	–	5	08								–	9
10	.02	–	18	05				–		.01		.25	10
11	05	–	5	20	08		25			.07		–	11
12	02	–	4	04			.16				.06 s	–	12
13	04	–	–	39			.01					.07	13
14	35	–	–	28			.04		04			.15	14
15	24	06	–	03	02							.64	15
16	08	.73	–	01				.06			.11	–	16
17	–	09	–	–							.09	.01	17
18	–	04	45	–							.07	.01	18
19	28	.30	95	–		07	.65	08	10		09	.04	19
20	36	03	04			.42	.03					.05	20
21	01	53	–						.02		02	.06	21
22	–	03	–				11		12		01	.11	22
23	–	–	–				.01			.10	02	.09	23
24	–	01	–				.06			38		.33	24
25	07	18	–	03				.38				.11	25
26	05	.08	09	15		–		.04	.03		06	.39	26
27	05	–	02	28				.58				.01	27
28	.02	–	49 s	–				.69			36	.42	28
29	–		–	01	–			.07		10		.03	29
30	–		–	16	–	18		.60		.14	41	.74	30
31	–		–	–			–	–				.16	31
Total	4.46	2.58	4.58	1.74	.53	.77	2.30	2.63	1.15	.76	1.56	5.14	YEAR'S TOTAL 28.20
Rain Days.	22	14	18	15	6	4	12	9	9	8	16	26	159

W.7,000, XI. 13

Ent. [illegible]

1383

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 20.

JAN 1921

Kept at Stratford sub Castle.
in the County of Wilts.
by J. Carpenter

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Salisbury.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06.	–	01	38.	.20		.39	01	.02	.25	43.	35	1
2	13.	–	.02	09	01		27.	54.	07.	.12.	~~04~~	09	2
3	10.	–	–	02			10	–		.60	~~03~~.		3
4	–	08	–	23.			31	24.		.24.			4
5	–	–	08	02	.05		50	16		.36		01	5
6	–	–	.17	–	.24		30	–		.06			6
7	03	–	.02.	22.	.03		30					02.	7
8	07	–	–	07			83	05					8
9	31.	–	03	11		05	–	01					9
10	38	03.	02	46		27	39.						10
11	29.	14.	08	27	.17	–	18						11
12	14.	03.	–	06		74	01				04		12
13	08	01	.47	54.		–	–		.02	.01	.03	04 S	13
14	01	02.	.23.	22		10	08		.19	.29	.33		14
15	01	–	.02.	18	.01	02	05		02	.42	.07		15
16	–	–	02.	13	.08	–	04		.09	.03.			16
17	–	–	–	25	.21	05	03		.44			02	17
18	03	–	–	06	.04	03.	01	.40	.09			01	18
19	01	–	–	33.		12	–	–	.03				19
20	–	.15	–	16		42	–	04				.07	20
21	–	–	–	–		–	40					13	21
22	02	–	–	08		–	–						22
23	–	–	–	–		–	–					30	23
24	01	–	.13	01		–	43				17	07	24
25	01	04	.12	01	05	–	40				01	02.	25
26	14	–	15	–		–	09				–	09	26
27	.47	03.	.04	19		10	–				01	46	27
28	52	–	.02	13	15	–	09				01	06	28
29	38	01	.06	01	03	–	–				17	17	29
30	06		–	02.		08	11		.28		30	20	30
31	12		.17				–			.37		12	31
TOTAL	3.38	.54	1.86	4.23	1.27	1.98	5.31	1.45	1.25	2.75	1.57	2.23	YEAR'S TOTAL 27.82.
Days with ·01 in. or more	23	10	19	26	13	11	22	8	10	11	11	18	182.
	15	4	11	20	9	9	19	6	6	9	7	13	128

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SUTTON VENY
GREEN HILL
WILTSHIRE
1913, 1916,

✓

1913

FORM A2.
BRITISH RAINFALL.
1 - JAN 1914

Kept at Green

in the County of

by R.W. Pre

top 5 in.
above Ground 1 ft. – in.
" Sea Level 390 ft.

9. am

tion Name Warminster.
Distance 3M Direction NNW.

IMPORTAN , and the result entered to the previous day. If universal rule, he is earnestly requested to add ng year in the space provided for it at the enc asurement of rain, the selection and he British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·25	·20	·08	·	·			·48	·02	·25	·20	1
2	·	·08	·02	·18	·03	·			·12	·01	·10	·03	2
3	·09	·	·05	·	·61	·			·	·21	·	·14	3
4	·85	·	·05	·	·64	·			1·15	·35	·	·10	4
5	·05	·02	·	·	·02	·22			·34	·	·08	·15	5
6	·03	·03	·07	·	·28	·15	·40	·		·55	·18	·56	6
7	·	·47	·	·	·38	·	·	·		·52	·16	·	7
8	·	·12	·	·	·41	·04	·	·		·12		·	8
9	·	·05	·	·	·10	·05	·04	·22	·14	·		·02	9
10	·15	·	·	·	·05		·		·	·27	·50	·	10
11	·83	·	·	·22	·30		·		·	·13	·39	·	11
12	·	·	·	·	·23				·02	·	·23	·	12
13	·		·08	·	·				·10	·	·10	·	13
14	·15	·	·12	·04	·		·12		·10	·	·07	·	14
15	·19	·08	·30	·93	·		·			·	·18	·	15
16	·31	·	·58	·10	·		·			·	·	·	16
17	·04	·	·	·05	·		·			·	·	·	17
18	·03	·	·42	·20	·		·03			·	·05	·	18
19	·78		·18	·	·	·10	·		·67	·	·	·	19
20	·08	·	·12	·05	·03		·			·30	·15	·	20
21	·	·	·08	·44	·25		·10			·04	·53	·	21
22	·61	·	·35	·	·			·05	·22	·	·	·	22
23	·	·	·	·		·10				·	·	·50	23
24	·07	·	·	·12				·18		·	·	·	24
25	·	·28	·	·15						·	·03	·04	25
26	·	·02	·	·43				·26		·05	·	·27	26
27	·	·	·23	·14				·		·20	·		27
28	·14	·	·18	·40				·		·25	·		28
29	·05	·	·68	·48	·06			·10		·23	·		29
30	·70	·	·	·04	·			·		·25	·03		30
31	·14	·	·04		·05			·37		·04	·		31
Total	5·29	1·40	3·75	4·05	3·44	·66	·69	1·18	3·34	3·54	3·33	2·01	TOTAL for year ✓
No. of Rain Days.	19.	10.	18.	17	15	6	5	6.	10	17	16	10	32·68 149

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Greenhill, Sutton Veny

in the County of Wilts 3

by R. W. Pretor Pinney

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 390 ft.

Time of Observation 9. am

Nearest Railway Station
Name Warminster.
Distance 3M Direction NNW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·25	·20	·08	·	·			·48	·02	·25	·20	1
2	·	·08	·02	·18	·03	·			·12	·01	10.	03	2
3	·09	·	·05	·	·61	·			·	·21	·	·14	3
4	·85	·	·05	·	·64	·			1·15	35	·	·10	4
5	05	·02	·	·	·02	·22			34	·	·08	·15	5
6	·03	·03	·07	·	28	·15	·40	·		·55	·18.	·56	6
7	·	·47	·	·	38	·	·	·		·52	·16	·	7
8	·	·12	·	·	·41	04	·	·		·12		·	8
9	·	·05	·	·	·10	05	04	·22	·14	·		·02	9
10	·15	·	·	·	·05		·		·	·27	·50	·	10
11	·83	·	·	22	·30		·		·	·13	·39	·	11
12	·	·	·	·	·23				·02	·	·23	·	12
13	·	·	·08	·	·				·10	·	·10	·	13
14	·15	·	·12	·04	·		·12		·10	·	·37	·	14
15	·19	·08	·30	·93	·		·			·	·18	·	15
16	·31	·	·58	·10	·		·			·	·	·	16
17	·04	·	·	·05	·		·			·	·	·	17
18	·03	·	·42	·20	·		03			·	·05	·	18
19	·78	·	·18	·	·	·10	·		·67	·	·	·	19
20	·08	·	·12	·05	·03		·			30	·15	·	20
21	·	·	·08	·44	·25		10			·04	·53	·	21
22	·61	·	·35	·	·			·05	·22	·	·	·	22
23	·	·	·	·		·10				·	·	50	23
24	07	·	·	·12				·18		·	·	·	24
25	·	28	·	·15						·	·03	·04	25
26	·	·02	·	·43				·26		05	·	·27	26
27	·	·	·23	·14				·		·20	·		27
28	·14	·	·18	·40				·		·25	·		28
29	·05	·	68	·48	·06			·10		·23	·		29
30	·70	·	·	·04	·			·		·25	03		30
31	·14	·	·04		05			·37		·04	·		31
Total	5·29	1·40	3·75	4·05	3·44	·66	·69	1·18	3·34	3·54	3·33	2·01	TOTAL for year 32·68
No. of Rain Days.	19.	10.	18.	17	15	6	5	6.	10	17	16	10	149

W. 8,000, X. '11.

Copy from Original Returns

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2. MAY 1917
N 5

Kept at Sutton Veney Greenhill
in the County of Wiltshire 3
by R.W. Pretor-Pinney

Lat. Long.
Time of Observation
Nearest Railway Station Warminster 3
Church
Diameter of Funnel of Rain Gauge 5 ¼ in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.21				.35				.16		.45		1
2	.24	.10	.04		.80				.03	.58	.02		2
3	.06	1.06			.60				.08	.34			3
4	.16	.26			.16	.49	.15		.47	.28	1.16		4
5	.03	.02			.48	.30				.05	.65		5
6	.03	.18	.07		.04		.68			.15	.80		6
7	.08	.12			.09	.04	.09			.03	.64		7
8		.11	.20		.33	.05						.28	8
9			.08		.12	.16				.14			9
10		.50	.03	.07	.08		.06			.08			10
11	.05		.03	.06	.06	.30						.25	11
12	.13	.07	.04	.05			.25			.06			12
13		.24	.11		.10			.15					13
14		.50			.08			.77		.14			14
15		.25						.08					15
16	.02	.19		.28			.12	.45					16
17		.22		.08				.42	.44	.35			17
18	.17	.07	.10	.22						.04	.56		18
19	.18		.45	.21							.21	.45	19
20	.27	.06	.56								.06	1.54	20
21	.05	.03	.40									.40	21
22						.04				.48	.06	.60	22
23	.03	.12				.19		.18		.25	.22	.10	23
24		.08		.03	.48			.03		.47	.07	.27	24
25		.55	.11					.48			.12		25
26		.08	.18			.14		.06	.30	.72			26
27		.07	1.28			.03		.45	.37	.40			27
28		.45	.18			.06		.15	.20	.22		.50	28
29		.42	.08			.35		1.90		.52		.25	29
30		✗								.50			30
31		✗		✗		✗		.14	✗	.15	✗	.04	31
Total	1.71	5.75	3.94	.97	3.77	2.15	1.35	5.26	2.05	5.95	5.02	4.68	YEAR'S TOTAL 42.60
Rain Days.	15	24	17	8	14	12	6	13	8	21	13	11	162

W. 8,000, VIII. 16

TISBURY

PYTHOUSE

WILTSHIRE

1918

FORM A.
BRITISH RAINFALL.

18. 19

Kept at Py

in the County of

by A.

ng.

9 am

on Tisbury or Semley

Rain Gauge 5 in.

above Ground One ft. — in.

„ Sea Level ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add t… year in the space provided for it at the end … surement of rain, the selection and … British Rainfall Organization are … on application to THE DIRECTOR, British Rainfall Organization, 62, Camden … on, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
								.65					
1					.10			.34	.02	.03	.84		1
2		.11		.23				.08	.07		.02	.12	2
3		.07		.15	.21			.05		.02	.05	.01	3
4		.02		.03				. .		.04	.48	.08	4
5		.24	.10		.07			.39	.35	.17		.05	5
6		.14		.16								.07	6
7		.28			.50				.24	.12	.25	.02	7
8		.08							.12	.18			8
9				.42		.29	.55		.49	.12		.64	9
10	15			.08			.16		.09	.30		.36	10
11							.75		.15	.02	.05	.13	11
12	.03	.09			.32		.18		.12			.01	12
13	.30				.21		.78		.90	.08		.13	13
14	.09		.05		.01	.17	.01		.17	.10		.16	14
15	1.25				.03		.15					.20	15
16				.67		.03			.20			.23	16
17	.88			.31			.27		.10			.18	17
18	.65					.75	.08		.33			.30	18
19	.10		.20				.13					.13	19
20	.03	.10					.26		.33			.10	20
21	.15	.01		.17		.10			.48	.23		.17	21
22	.03	.33			.16		.69		.14	.03		.14	22
23	.21	.22			.19		.41		.03		.10		23
24						.05	.29		.12		.07		24
25							.34	.98					25
26							.60		.03		.10		26
27							.02	.17	.11		.11	.39	27
28			.17								.31	.20	28
29									1.08				29
30		X								.03	.05		30
31		X	.51	X		X			X	.04	X		31
Total	3.87	1.69	1.03	2.22	1.80	1.39	5.67	2.66	5.67	1.46	2.43	3.82	YEAR'S TOTAL 33.71
Rain Days.	12	12	5	9	10	6	17	7	22	15	12	22	149

W, 6,500, VII. 18. w w c

FORM A.
BRITISH RAINFALL.

Kept at Pythouse, Tisbury
in the County of Wiltshire
by A. J. Richardson

Lat. Long.
Time of Observation 9. am
18. 19
Nearest Railway Station Tisbury or Semley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								.65					
1					.10			.34	.02	.03	.84		1
2		.11		.23				.08	.07		.02	.12	2
3		.07		.15	.21			.05		.02	.05	.01	3
4		.02		.03				. .		.04	.48	.08	4
5		.24	.10		.07			.39	.35	.17		.05	5
6		.14		.16								.07	6
7		.28			.50				.24	.12	.25	.02	7
8		.08							.12	.18			8
9				.42		.29	.55		.49	.12		.64	9
10	15			.08			.16		.09	.30		.36	10
11							.75		.15	.02	.05	.13	11
12	.03	.09			.32		.18		.12			.01	12
13	.30				.21		.78		.90	.03		.13	13
14	.09		.05		.01	.17	.01		.17	.10		.16	14
15	1.25				.03		.15					.20	15
16				.67		.03			.20			.23	16
17	.88			.31			.27		.10			.18	17
18	.65					.75	.08		.33			.30	18
19	.10		.20				.13					.13	19
20	.03	.10					.26		.33			.10	20
21	.15	.01		.17		.10			.48	.23		.17	21
22	.03	.33			.16		.69		.14	.03		.14	22
23	.21	.22			.19		.41		.03		.10		23
24						.05	.29		.12		.07		24
25							.34	.98					25
26							.60		.03		.10		26
27							.02	.17	.11		.11	.39	27
28			.17								.31	.20	28
29									1.08				29
30		X								.03	.05		30
31		X	.51	X		X			X	.04	X		31
Total	3.87	1.69	1.03	2.22	1.80	1.39	5.67	2.66	5.67	1.46	2.43	3.82	YEAR'S TOTAL 33.71
Rain Days.	12	12	5	9	10	6	17	7	22	15	12	22	149

W, 6,500, VII. 18. W W C

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

N 19*11*

Kept at *The*

in the County o

by *Ja*

n *Round*

ter of top *5* in.

of top above Ground ft. *9* in.

" " Sea Level *380* ft.

tion *9 a.m.*

y Station { Name *Tisbury*
Distance *3/4 mile* Direction *S*

TISBURY

THE ACADEMY

WILTSHIRE

1911 —— 1920

IMPORT… .m., and the result entered to the previous day. … most universal rule, he is earnestly requested to a… wing year in the space provided for it at the … measurement of rain, the selection … the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11		·06	·09				·01			·01	·05	1
2	02				·43						·27	·21	2
3					·31					·04	·13	·12	3
4			·08					·03			·24	56	4
5	·12			·02				·18		·09	·15		5
6	·59		·14								·06	·72	6
7											·51		7
8			·20								·09	·69	8
9	·26		·05									·56	9
10	·08	·04	·29		·33						·04	·70	10
11	·40				·12						·78	·14	11
12			·82		·03			·08			·11	·34	12
13			·02						·51			·37	13
14		·02										·76	14
15											·32	·10	15
16						·26					·49	·33	16
17		·04				·20					·19	·53	17
18		·35	·10	·06	·12	·19				·03	·01	·47	18
19		·15		·08		·52			·27	·29		45	19
20	·02	·01	·09	·04		·02		·01	·18	·10		·91	20
21	·01	·33		·03		·01		·41	·05	·81		·21	21
22	·09	·03	·42			·12				·43		·37	22
23		·28	·06			·02				·03		·19	23
24		·20				·35		·10		·30		·11	24
25		·07	·01	·22		·10		·06	·04			·33	25
26		·01		·36						·14		·33	26
27		·63	·16	·23				·05	·06	·06	06	·19	27
28		·46		·32				·06					28
29				·63		·32	·09		·13	·43	·13		29
30					·03	·16				·24		·01	30
31													31
Total	1·70	2·62	2·50	2·08	1·37	2·27	·09	·99	1·24	2·99	3·59	9·75	TOTAL for Year 31·19
No. of Rain Days	10	14	14	11	7	12	1	10	4	13	17	26	142

9,000, IX. '10.

19*11*

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at The Academy Tisbury

in the County of Wilts 3

by James Bristol

RAIN GAUGE
Pattern Round
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 380 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Tisbury
Distance 3/4 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11		·06	·09				·01			·01	·05	1
2	02				·43						·27	·21	2
3					·31					·04	·13	·12	3
4			·08					·03			·24	56	4
5	·12			·02				·18		·09	·15		5
6	·59		·14								·06	·72	6
7											·51		7
8			·20								·09	·69	8
9	·26		·05									·56	9
10	·08	·04	·29		·33						·04	·70	10
11	·40				·12						·78	·14	11
12			·82		·03			·08			·11	·34	12
13			·02						·51			·37	13
14		·02										·76	14
15											·32	·10	15
16						·26					·49	·33	16
17		·04				·20					·19	·53	17
18		·35	·10	·06	·12	·19				·03	·01	·47	18
19		·15		·08		·52			·27	·29		45	19
20	·02	·01	·09	·04		·02		·01	·18	·10		·91	20
21	·01	·33		·03		·01		·41	·05	·81		·21	21
22	·09	·03	·42			·12				·43		·37	22
23		·28	·06			·02				·03		·19	23
24		·20				·35		·10		·30		·11	24
25		·07	·01	·22		·10		·06	·04			·33	25
26		·01		·36						·14		·33	26
27		·63	·16	·23				·05	·06	·06	06	·19	27
28		·46		·32				·06					28
29				·63		·32	·09		·13	·43	·13		29
30					·03	·16				·24		·01	30
31													31
Total	1·70	2·62	2·50	2·08	1·37	2·27	·09	·99	1·24	2·99	3·59	9·75	TOTAL for year 31·19
No. of Rain Days	10	14	14	11	7	12	1	10	7	13	17	26	142

9,000, IX. '10.

Ex D2

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at The Academy Tisbury
in the County of Wilts 3
by James Bristol

RAIN GAUGE
Pattern
Diameter of top ~~9~~ 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 380 ft.
Time of Observation 9 a m
Nearest Railway Station — Name Tisbury
Distance 3/4 Mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11	·01		·30	·11	·02	·01	·71		·06	1
2			·44			·12	·39	·06				·11	2
3	·01		·07			·47	·03	·59	·03		·11	·23	3
4	·24		·76		·13	·52		·05			·09	·06	4
5	·59	·05	·15					·68				·26	5
6	·64	·10			·03		·37	46				·13	6
7	·03	·26	·12	·01	·26	·54	·15	·23				·12	7
8	47	·28	·46			·11		·25				·06	8
9	·01	·05	·11	·13		·26	·05	·11			·02	·49	9
10		·11		·02							·11	·37	10
11	·04	·15										·39	11
12	·07	·35	·08			·03	·02	·01		·01			12
13		·04	·06			·12						·06	13
14	·15		·24		·03			·14					14
15	·14	·08	·01		·04	·61		·02				·45	15
16	·69		·38		·11			·15		·01	·11	·01	16
17	·70		·19					·81		·03	·01	·08	17
18	·21		·39					·26		·11		·13	18
19		·11	·10		·01		·02	·50					19
20	·05	·12	·40				·36	·53		·37	·06	·02	20
21	·01	·05	·30		·57			·13		·27			21
22	32	·41	·02		·01	·26	08	·43		·05	·02	·07	22
23	08	·42	·24		·02	·01	·02	·63		·09	·40	·17	23
24	18	·02	·02			·39		·21		·14	·02	·45	24
25	18	·01				·19		·37		·12	·28	·66	25
26		·02					·36	·20		·36	·72	·56	26
27						·13	·34			·76	·01	·53	27
28		·14				·15	·06	·45	·11	·58	·23	·65	28
29		·09				·02	·33		1·51	·53	·09		29
30			·01			·19	·05		·56	·49	·43		30
31			·54				·23	04		·02		·14	31
Total	4·81	2·86	5·20	·17	1·15	4·42	2·97	7·33	2·22	4·65	2·71	6·26	TOTAL for year 44·75
No. of Rain Days.	20	20	23	4	10	18	17	25	5	17	16	25	209

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at The Academy Tisbury 3
in the County of Wilts
by James Bristol

Lat. 51½ n Long. 2 w
Time of Observation 9 a.m.
Nearest Railway Station Tisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·12	·02	·	·	·	·	·42	·01	·22	·14	1
2	·02	·09	·02	·03	·	·	·	·	·09	·01	·25	·06	2
3	·11	-	·	·05	·63	·	·	·	·	·10	·	·18	3
4	·86	-	·05	·	·52	·	·	·	1·10	·31	·03	·11	4
5	·13	·06	·04	·	·01	·04	·	·	·43	·	·06	·19	5
6	·15	·05	·08	·	·30	·14	·18	·	·03	·62	·09	·61	6
7	·08	·26	·03	·	·45	·07	·11	·01	·	·43	·20	·	7
8	·05	·03	·	·	·57	·	·01	·	·	·23	·	·02	8
9	-	·	·01	·	·07	·01	·	·11	·08	·)	11	·04	9
10	·13	·	·06	·	·04	·10	·01	·	·	·39	·53	·	10
11	·98	·	·02	·02	·01	·	·	·	·	·04	·63	·	11
12	-	·	·	·27	·46	·	·	·	·	·01	·33	·	12
13	·07	·	·09	·	·	·	·	·	·18	·	·16	·	13
14	·13	·	·07	·01	·11	·	·	·	·11	·	·23	·	14
15	·27	21	·26	·	·	·	·19	·	·08	·	·06	·01	15
16	·26	·	·07	·53	·	·01	·	·01	·05	·	·01	·	16
17	·02	·01	·09	·14	·	·06	·01	·	·	·	·02	·	17
18	·08	·	·11	·07	·	·	·	·	·	·	·06	·	18
19	1·14	·	·19	·	·03	·09	·05	·	·59	·30	·	·	19
20	·03	·	·09	·07	·	·	·	·	·	·	·17	·	20
21	-	·	·39	·33	·	·	·01	·	·	·01	·81	·	21
22	·69	·	·21	·	·01	·	·	·04	·26	·	·	·	22
23	-	·	·13	·	·	·05	·	·	·	·	·01	·74	23
24	05	·	·09	·15	·	·	·	·18	·	·	·	·	24
25	-	·	·	·23	·	·	·	·	·	·	·	·33	25
26	-	24	·23	·45	·	·	·	·28	·	·04	·01	·02	26
27	·03	·01	·13	·07	·	·	·	·	·	·	·	·	27
28	18	·	·10	·26	·	·	·	·	·	·70	·	·01	28
29	·09		·57	·45	·08	·	·	·02	·	·53	·01	01	29
30	·68		·	·	·	·	·	·04	·	42	·02	·	30
31	·23		03		01		·	·51		·		·	31
Total	6·47	·96	3·22	3·15	3·24	·57	·57	1·20	3·42	4·15	4·02	2·47	YEAR'S TOTAL 33·44
Rain Days.	25	9	26	17	15	9	8	9	12	14	22	14	180

16

182

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Academy Tisbury
in the County of Wilts 3
by James Bristol

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Tisbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	•	•	·14	•	•	•	·15	·55	•	•	·19	·10	1
2	•	•	•	·01	•	•	·56	·11	•	•	1·99	·30	2
3	·02	•	·25	·15	·39	•	·01	·02	•	•	·01	·08	3
4	·06	•	·11	·22	·11	•	·12	·86	•	•	·61	·69	4
5	·18	•	·22	·47	·30	•	·40	·11	•	•	·57	·01	5
6	·01	·22	·03	·30	·02	·02	·01	·08	•	•	·05	·32	6
7	·02	·52	·04	·24	·16	•	·30	·03	•	•	•	·22	7
8	·11	•	·49	·01	·26	·11	•	·52	·13	•	•	·14	8
9	·17	·04	·36	·26	·02	·51	•	·06	·23	•	•	·11	9
10	•	·21	•	·06	·11	•	•	•	·37	•	·01	·01	10
11	•	·30	·70	•	·01	·08	·55	•	·01	•	·09	·52	11
12	•	·08	·19	•	•	•	•	•	·26	·02	•	·44	12
13	•	·31	·31	•	•	•	•	•	·09	·07	·21	·57	13
14	•	·21	·29	•	•	•	·26	·31	•	·40	·27	·16	14
15	•	•	·21	•	•	•	·15	·61	·08	·04	·13	•	15
16	•	•	•	•	•	•	·10	•	·28	•	•	•	16
17	•	·76	·22	•	•	•	•	•	·03	•	•	·73	17
18	•	•	·17	•	•	•	·08	•	•	•	•	·56	18
19	•	·05	·59	•	•	•	1·05	•	•	•	·08	·28	19
20	•	·53	·69	•	•	·06	•	•	•	•	•	·22	20
21	•	·99	•	•	•	•	•	•	•	·20	•	·02	21
22	•	·03	·01	•	·19	·03	·01	·04	•	·59	•	•	22
23	•	·24	·18	•	·02	·03	·01	•	•	·13	•	·03	23
24	•	·08	·10	•	·05	•	·23	•	•	15	·21	•	24
25	•	·05	·25	•	·06	•	·05	·24	•	·27	·03	·30	25
26	•	•	·07	•	·01	•	·01	·01	•	·03	·35	·71	26
27	·17	•	•	•	•	•	•	•	•	•	·13	·19	27
28	·03	·11	·22	•	·04	•	•	•	•	•	·39	1·12	28
29	·51		·17	•	·08	•	•	•	•	·35	·36	·02	29
30	·01	X	·07	•	•	•	•	•	•	·18	·52	1·01	30
31	·08	X	•	X	·01	X	·08	•	X	·77	X	·18	31
Total	1·37	4·73	6·08	1·72	1·84	·84	4·13	3·55	1·48	3·20	6·20	9·04	YEAR'S TOTAL 44·18
Rain Days.	12	17	25	9	17	7	19	14	9	13	19	27	188

W. 8,000. X. 14.

[illegible] 1648

FORM A.
BRITISH RAINFALL.
6. JAN 191

REGISTER OF RAINFALL IN 1915

Kept at The Academy Tisbury
in the County of Wilts 3
by James Bristol

Lat. Long.
Time of Observation 9 a m.
Nearest Railway Station Tisbury 3/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
„ „ „ „ Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·95	·36	·	·	·04	·	·	·08	·29	·29	·	·34	1
2	·52	·37	·21	·	·	·	·	·62	·	·17	·	·63	2
3	·83	·06	·	·08	·08	·04	·	·01	·	·01	·	·33	3
4	·	·01	·01	·	·	·	·	·	·	·	·	·29	4
5	·02	1·31	·	·	·	·	·	·11	·	·	·	·31	5
6	·65	·13	·01	·48	·	·	·79	·16	·	·	·	·70	6
7	·32	·51	·	·06	·01	·	·37	·	·	·	·	·33	7
8	·18	·53	·	·02	·	·	·	·07	·	·	·01	·02	8
9	·	·07	·	·38	·	·	·	·	·	·	·68	·73	9
10	·33	·	·06	·	·	·	·	·01	·	·	·01	·13	10
11	·07	·13	·	·09	·	·	·	·29	·	·01	·71	·06	11
12	·16	·60	·	·	·54	·	·	·04	·	·03	·52	·04	12
13	·01	·81	·	·	1·02	·	·	·08	·01	·	·	·	13
14	·11	·	·	·	·16	·	·22	·76	·04	·	·03	1·39	14
15	·18	·	·	·	·	·	·03	·09	·03	·02	·11	·35	15
16	·	1·01	·	·	·38	·	1·08	·22	·	·	·	·16	16
17	·	·31	·	·	1·28	·	·27	·15	·	·	·	·	17
18	·	·38	·	·	·16	·	·	·	·	·	·	·	18
19	·01	·03	·	·	·13	·	·26	·	·	·	·	·	19
20	·	·	·	·	·27	·	·	·	·	·	·	·07	20
21	·01	·09	·	·08	·	·	·12	·	·	·89	·	·40	21
22	·	·26	·57	·04	·	·	1·13	·	·02	·	·	·49	22
23	·02	·15	·18	·	·	·	·52	·	·15	1·17	·	·35	23
24	·	·	·	·08	·	·	·	·	·72	2·14	·	·30	24
25	·	·	·01	·03	·	·01	·06	·	·22	·	·	·20	25
26	·	·13	·	·	·	·	·22	·	·	·	·	·76	26
27	·	·09	·	·	·	·07	·09	·	·	·37	·	·16	27
28	·	·13	·	·	·	·04	·	·	·73	·	·	·	28
29	·		·	·	·	·30	·	·03	·	·03	·30	·11	29
30	·25	✕	·	·	·	·23	·	·	·	·72	·66	·42	30
31	·02	✕	·	✕	·	✕	·01	·	✕	1·19	✕	·53	31
Total	4·64	7·47	·99	1·34	4·10	·69	5·17	2·72	2·21	7·04	3·03	9·60	YEAR'S TOTAL 49·00
Rain Days.	18	22	7	·10	11	6	14	15	9	13	9	26	160

W. 8,000. X. 15.

1622

FORM A.
BRITISH RAINFALL.

12. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Academy Tisbury
in the County of Wilts
by James Bristol

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	•	•	•	·49	·01	•	•	·34	·62	·44	•	1
2	·38	·13	·01	•	·15	•	•	•	•	·56	·04	•	2
3	•	1·29	•	•	•	•	•	•	·06	·57	·67	•	3
4	·24	·37	•	•	·01	·52	•	•	·42	·02	1·61	•	4
5	·11	·02	·06	•	·47	·38	•	•	•	·06	·93	•	5
6	·07	·16	•	•	·04	•	·97	•	•	·26	1·05	•	6
7	06	·02	·27	•	·24	•	·35	•	•	·02	1·04	·21	7
8	•	·06	·26	•	·30	·62	•	•	•	•	·05	·22	8
9	·01	·01	•	•	·19	·06	•	•	•	•	·01	·02	9
10	•	·65	·04	·07	·02	·05	·09	•	•	•	·02	·08	10
11	·01	•	•	·02	•	·21	•	•	•	•	•	·56	11
12	·01	·06	·01	·16	·04	•	•	•	•	·15	•	·01	12
13	•	·28	·15	•	•	•	•	·45	•	•	•	•	13
14	·09	·43	·01	•	·09	•	•	·20	•	•	•	•	14
15	·01	·21	·11	·01	•	•	•	·08	•	·09	•	•	15
16	·02	·11	•	·33	•	•	·21	·65	•	•	•	•	16
17	·27	·18	•	·21	•	•	•	·21	·43	·66	•	•	17
18	·02	·21	·06	·28	•	•	•	•	•	•	·45	·38	18
19	·08	·04	·58	·04	•	•	•	•	·12	•	·24	·25	19
20	·28	·08	·69	•	•	•	•	•	•	•	·03	1·65	20
21	•	·10	·29	•	·03	•	•	•	•	•	•	·40	21
22	·01	•	•	•	·01	•	•	•	•	·59	•	·57	22
23	•	·28	·02	•	•	·02	•	·15	•	•	·27	·26	23
24	•	·16	•	•	·64	·28	•	·02	•	·53	·18	30	24
25	•	·76	·24	•	·01	•	•	•	•	·02	•	•	25
26	·01	·36	·05	•	•	·30	•	·19	·30	1·14	•	•	26
27	•	·18	1·19	•	•	•	·10	2·69	·52	·33	•	•	27
28	•	·56	·30	•	•	•	•	·09	1·46	·42	·01	·29	28
29	•	·65	•	•	•	·48	•	1·85	·57	·31	·04	·38	29
30	•	X	•	•	•	•	•	•	•	·61	•	·01	30
31	•	X	•	X	•	X	•	·06	X	·29	X	·02	31
Total	1·94	7·36	4·34	1·12	2·73	2·93	1·72	6·64	4·16	7·25	7·08	5·61	YEAR'S TOTAL 52·88
Rain Days.	18	26	18	8	15	11	5	12	9	19	14	17	1·75

W. 8,000, VIII. 16 Fovant Camp 5 miles East Codford do 8 miles N. Constant firing

1622

ans 9 iii 16

The Academy
Tisbury
Mar 7th 1916

Dr Mill
Dear Sir

On the 27th 28th & 29th of Feb. we had a very heavy fall of snow & I am not quite sure if my amount of Rainfall is right. Will you kindly tell me what amount I ought to enter. I carefully measured the depth in undrifted places (more than 20) & being determined to get the exact depth, brushed it away & measured again as it fell at the gauge on the level plot it was 2, 3, 6 & 2 inch. Of course where it drifted it was 15 to 20 feet in the district & roads impassible

---

INFALL IN 1917

1547

FORM A.
BRITISH RAINFALL.

18 JAN

Lat.
Long.
Time of Observation 9 am
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 380 ft.

easured daily at 9 a.m. and the result entered to the conform to this almost universal rule, he is earnestly anuary of the following year in the space provided structions for the measurement of rain, particulars as to the British Rainfall *bservers,*" sent post-free on application to .W. 1.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							•	·80	•	•	·08	•	1
							•	·13	·10	•	·02	•	2
							1·51	·06	•	·24	·12	•	3
							•	·01	•	·34	•	•	4
							•	•	·25	·30	·26	•	5
							•	•	•	·15	·07	·02	6
							·21	·08	•	·24	•	·01	7
							·39	·66	•	·31	·20	·36	8
							•	·12	·10	·05	·33	•	9
10	·40	•	·49	·22	·01	•	•	·14	•	•	•	·01	10
11	•	•	·46	·41	•	•	•	·06	•	·45	·01	•	11
12	•	•	·01	•	·22	•	•	•	•	·54	·01	•	12
13	•	•	·17	·39	•	•	•	·05	·08	·04	•	·01	13
14	·01	•	·18	·23	•	•	•	·01	•	•	•	·01	14
15	•	•	·21	·02	•	•	·56	·03	•	·23	•	·07	15
16	•	·11	•	·17	•	•	·07	·01	•	·68	•	·21	16
17	•	•	•	•	·09	•	·37	·12	·97	·26	•	•	17
18	•	•	•	•	•	·01	·26	•	·54	·08	•	•	18
19	•	·44	·26	•	•	·02	•	•	·33	•	·04	•	19
20	•	·01	·14	•	·26	·05	•	·32	·03	•	·05	•	20
21	•	•	·18	•	•	•	•	•	•	·09	•	•	21
22	•	•	·10	•	•	•	•	·06	•	·05	•	•	22
23	•	·24	·06	•	·04	•	•	·34	•	•	•	•	23
24	•	·08	•	•	•	•	•	·06	•	·32	·01	•	24
25	•	·03	·20	•	•	•	·01	·07	·03	·01	·01	•	25
26	•	•	·01	•	·22	•	•	·47	·15	•	·02	•	26
27	•	•	•	•	·78	·02	•	1·06	•	·01	•	•	27
28	•	•	·18	•	·03	5·87	•	·68	•	•	•	•	28
29	•		·02	•	·53	·17	·02	·16	•	1·00	•	·02	29
30	•	X	·28	•	•	•	1·15	·06	•	·10	•	•	30
31	•	X	·14	X	•	X	06	•	X	·12	X	·03	31
Total	2·34	1·10	4·09	3·08	2·19	6·30	4·61	5·56	2·58	5·61	1·23	·75	YEAR'S TOTAL 40·04
Rain Days.	6	7	23	12	10	9	11	24	10	22	14	10	158

2·22

W. 8,000, IX. 17.

NFALL IN 1917

FORM A. BRITISH RAINFALL.

18 JAN

in the County of Wilts

by James Bristol

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Tisbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	•	•	·11	·13	•	·09	•	·80	•	•	·08	•	1
2	•	•	•	·53	•	·02	•	·13	·10	•	·02	•	2
3	•	•	•	·46	•	•	1·51	·06	•	·24	·12	•	3
4	•	·19	·24	•	•	•	•	·01	•	·34	•	•	4
5	·23	•	·17	·41	•	·05	•	•	·25	·30	·26	•	5
6	•	•	·18	•	•	•	•	•	•	·15	·07	·02	6
7	·37	•	•	•	•	•	·21	·08	•	·24	•	·01	7
8	·47	•	·24	·08	•	•	·39	·66	•	·31	·20	·36	8
9	·56	•	·66	·03	·01	•	•	·12	·10	·05	·33	•	9
10	·40	•	·49	·22	·01	•	•	·14	•	•	•	·01	10
11	•	•	·46	·41	•	•	•	·06	•	·45	·01	•	11
12	•	•	·01	•	·22	•	•	•	•	·54	·01	•	12
13	•	•	·17	·39	•	•	•	·05	·08	·04	•	·01	13
14	·01	•	·18	·23	•	•	•	·01	•	•	•	·01	14
15	•	•	·21	·02	•	•	·56	·03	•	·23	•	·07	15
16	•	·11	•	·17	•	•	·07	·01	•	·68	•	·21	16
17	•	•	•	•	·09	•	·37	·12	·97	·26	•	•	17
18	•	•	•	•	•	·01	·26	•	·54	·08	•	•	18
19	•	·44	·26	•	•	·02	•	•	·33	•	·04	•	19
20	•	·01	·14	•	·26	·05	•	·32	·03	•	·05	•	20
21	•	•	·18	•	•	•	•	•	•	·09	•	•	21
22	•	•	·10	•	•	•	•	·06	•	·05	•	•	22
23	•	·24	·06	•	·04	•	•	·34	•	•	•	•	23
24	•	·08	•	•	•	•	•	·06	•	·32	·01	•	24
25	•	·03	·20	•	•	•	·01	·07	·03	·01	·01	•	25
26	•	•	·01	•	·22	•	•	·47	·15	•	·02	•	26
27	•	•	•	•	·78	·02	•	1·06	•	·01	•	•	27
28	•	•	·18	•	·03	5·87	•	·68	•	•	•	•	28
29	•		·02	•	·53	·17	·02	·16	•	1·00	•	·02	29
30	•	×	·28	•	•	•	1·15	·06	•	·10	•	•	30
31	•	×	·14	×	•	×	06	•	×	·12	×	·03	31
Total.	2·34	1·10	4·69	3·08	2·19	6·30	4·61	5·56	2·58	5·61	1·23	·75	YEAR'S TOTAL 40·04
Rain Days.	6	7	23	12	10	9	11	24	10	22	14	10	158

2·22

W. 8,000, IX. 17.

E X ML

32

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
18 18

Kept at The Academy Tisbury
in the County of Wilts
by James Bristol

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·01	·	·09	·	·	·40	·	·	·95	·03	1
2	·	·11	·	·18	·	·	·	·74	·	·01	·08	·21	2
3	·	·03	·02	·12	·23	·	·	·24	·	·04	·03	·02	3
4	·	·	·01	·03	·	·	·	·03	·08	·02	·89	·01	4
5	·	·04	·	·	·09	·	·	·36	·54	·27	·	·05	5
6	·33	·39	·	·26	·	·	·	·02	·	·	·	·18	6
7	·	·21	·	·04	·62	·	·	·03	·16	·17	·35	·04	7
8	·01	·43	·	·	·	·	·	·	·23	·09	·	·08	8
9	·	·13	·	·50	·	·33	·55	·	·58	·26	·	·44	9
10	·26	·	·	·07	·	·	·14	·	·11	·34	·02	·60	10
11	·	·	·	·	·	·	·78	·	·17	·03	·05	·08	11
12	·01	·04	·	·	·37	·	·18	·	·18	·	·	·22	12
13	·76	·	·	·	·22	·	·70	·	1·15	·03	·	·09	13
14	1·33	·	·03	·	·	·10	·03	·	·23	·09	·	·30	14
15	·02	·	·	·48	·	·	·15	·	·	·	·	·29	15
16	·42	·	·	·25	·	·24	·	·	·18	·	·	·27	16
17	1·27	·	·	·33	·	·	·45	·02	·09	·	·	·26	17
18	1·12	·	·	·	·	·90	·01	·	·37	·	·	·45	18
19	·13	·	·18	·01	·	·	·17	·	·04	·04	·	·23	19
20	·04	·28	·	·19	·	·05	·32	·	·36	·05	·	·	20
21	·05	·04	·	·	·	·08	·04	·	·62	·12	·	·08	21
22	·02	·01	·	·	·09	·	·47	·	19	·09	·01	·32	22
23	·29	·	·	·	·35	·	·90	·	·	·	·02	·18	23
24	·	38	·	·	·	·04	·24	·	15	·	·04	·06	24
25	·	·02	·	·	·	·	·45	·97	·	·	·28	·	25
26	·	·01	·03	·	·	·	68	·	·	·	·12	·	26
27	·	·24	·23	·	·	·	·02	·15	·08	·	·42	·82	27
28	·	·	·	·	·	·	·	·	·	·	·05	·20	28
29	·		·04	·	·	·	·	·	1·21	·	·01	·01	29
30	·	X	·47	·	·	·	·	·02	·	·04	·10	·14	30
31	·	X	·11	X	·	X	·	·	X	·03	X	·	31
Total	6·06	2·36	1·13	2·46	2·06	1·74	6·28	2·98	6·69	1·72	3·42	5·86	YEAR'S TOTAL 42·76
Rain Days.	15	15	10	12	8	7	18	11	20	17	16	27	176

W. 6,500. VII. 18. w w c

Ex Bh

1456

17 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Academy Tisbury

in the County of Wilts

by James Bristol

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station ~~&~~ Tisbury

Diameter of Funnel of Rain Gauge in. 5

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	•	•	•	·22	•	·29	•	•	·11	·03	1·07	1
2	27	•	•	•	·06	•	·01	•	·42	•	•	·18	2
3	1·75	•	·36	•	·03	•	•	•	·22	•	•	·52	3
4		·19	·81	•	•	•	·05	·13	·31	•	·12	·14	4
5	·03	·84	·69	•	·03	•	·20	•	·14	•	·03	·45	5
6	·89	·09	·09	•	·11	•	•	•	•	•	·09	·07	6
7	·83	•	·79	·03	•	•	•	•	•	•	•	·03	7
8	·58	•	·23	•	•	•	•	•	•	•	·03	•	8
9	·01	•	·07	•	·01	•	•	•	•	•	•	•	9
10	·04	•	·55	·06	•	•	·24	•	•	•	·07	•	10
11	·02	•	·30	·05	·15	•	·19	•	•	•	·09	·01	11
12	·05	•	·18	·07	•	·08	•	•	•	·10	·12	•	12
13	·18	•	•	·76	•	•	•	•	•	•	·03	·07	13
14	·91	·05	•	·67	•	•	·14	•	•	·01	•	·17	14
15	·29	·08	•	•	•	•	•	•	•	·05	•	·74	15
16	·07	·88	•	•	•	•	•	·12	•	•	·07	•	16
17	·18	·08	•	•	•	•	•	•	•	•	·07	·01	17
18	•	·44	·63	•	•	•	•	•	·01	•	·09	·15	18
19	·52	·07	1·36	•	•	·04	·67	·22	·15	•	·88	·02	19
20	·45	·13	·09	•	•	·40	•	·25	•	•	•	•	20
21	·03	·89	·05	•	•	•	·22	•	·05	•	·03	·07	21
22	•	·05	•	•	•	•	·21	•	·61	•	·05	·03	22
23	•	•	•	•	•	•	•	•	•	·07	•	1·03	23
24	•	·09	•	•	•	·06	·04	•	•	·77	·09	·40	24
25	•	·08	•	·30	•	·04	•	·41	•	•	•	68	25
26	·03	·09	·02	·15	•	•	•	·45	·09	•	·01	·26	26
27	·04	•	•	·35		•	•	·76	•	•	·34	·27	27
28	·08	·08	·57	·04		•	•	·88	•	•	•	·23	28
29	•	•	•	•		•	•	·10	•	·20	•	·04	29
30	·05	✕	•	·21	•	·16	•	·77	•	·04	1·03	·78	30
31	·01	✕	•	✕	•	✕	•	•	✕	•	✕	·47	31
TOTAL	7·91	4·16	6·79	2·69	·61	·78	2·26	4·09	2·00	1·35	3·27	7·89	YEAR'S TOTAL 43·80
Days with ·01 in. or more	~~26~~ 25	16	16	11	7	6	11	10	~~8~~ 9	8	19	25	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1374

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at *The Academy Tisbury*
in the County of *Wilts*
by *James Bristol*

Lat. 51 N Long. 2 W
Time of Observation 9 a m
Nearest Railway Station Tisbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 386 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	•	·01	·23	·26	•	·39	·04	·01	·27	·44	·71	1
2	·44	•	•	·18	•	•	·44	·91	·08	·07	•	·21	2
3	•	·09	•	•	•	•	·54	•	•	1·22	•	•	3
4	•	·08	•	•	•	•	·22	·38	•	·42	•	•	4
5	•	•	·19	·18	·06	•	·59	·19	•	·30	•	•	5
6	•	•	•	·01	·28	•	·43	•	•	·03	•	•	6
7	·03	•	·05	·57	•	•	·49	•	•	·06	•	•	7
8	·02	·21	·01	·38	·03	•	·71	•	•	•	•	•	8
9	·38	·53	•	·09	•	·14	•	•	•	•	•	•	9
10	1·13	·55	·52	·13	•	·38	·53	•	•	•	•	•	10
11	·76	•	·03	·80	·22	·11	·20	•	•	•	•	•	11
12	09	·08	•	·65	·02	1·02	·01	•	•	•	·03	·01	12
13	•	·03	·27	•	•	•	•	•	•	•	·08	·01	13
14	·39	•	·65	·88	•	•	·01	•	·18	·25	·57	·02	14
15	•	·18	·11	·33	·03	•	·03	•	·01	·34	•	•	15
16	·01	•	·10	·52	•	•	·12	•	•	·04	•	•	16
17	•	•	·03	·36	·29	•	·03	•	·58	•	•	•	17
18	·26	•	•	·05	·04	·01	•	·41	·15	•	•	·02	18
19	•	•	•	·37	•	·18	•	•	·08	•	·03	·03	19
20	•	·24	•	·09	•	·48	•	•	•	•	•	·08	20
21	•	•	•	•	•	•	·39	•	·06	•	•	•	21
22	•	•	•	·31	•	•	·02	·02	•	•	•	·14	22
23	•	•	•	•	•	•	·72	•	•	•	•	·62	23
24	·01	•	•	•	•	•	•	•	•	•	·23	•	24
25	·18	•	·19	•	•	•	·44	•	•	•	·01	·44	25
26	·05	•	·26	•	·01	·01	·15	•	•	•	·02	·46	26
27	·67	·09	·17	·42	•	·22	•	•	•	•	·04	·08	27
28	·71	•	41	•	·04	·01	·14	•	•	•	•	•	28
29	·57	•	·09	•	•	•	•	•	•	•	·16	·33	29
30	·24	☒	·53	·03	·14	·15	·20	•	·25	•	·76	·37	30
31	17	☒	·35	☒	•	☒	•	•	☒	·64	☒	33	31
TOTAL	6·14	2·08	3·97	6·52	1·42	2·71	7·03	1·95	1·40	3·64	2·31	3·86	YEAR'S TOTAL 43·03
Days with ·01 in. or more	19 ~~5~~	10 ~~7~~	18 ~~4~~	20 ~~2~~	12 ~~4~~	11 ~~3~~	22 ~~3~~	6 ~~1~~	9 ~~2~~	11 ~~1~~	11 ~~4~~	16 ~~5~~	165 ~~37~~
Days with ·04 in. or more	14	9	14	18	8	8	17	5	7	10	7	11	128 165

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WILTS 34

TISBURY
FONTHILL HOUSE
WILTSHIRE
1918

Rai Garden

4. 1. 19

	Jan.	Feb.								Oct.	Nov.	Dec.	
1	.	.02								.	.90	.01	
2	.	.11								.02	.07	.23	
3	.	.10								.07	.04	.02	
4	.	.06								.03	.82	.14	
5	.	.02								.27	.02	.07	
6	.21	.50								.06	.	.08	
7	.	.19	.	.11	.68	.	.	.04	.28	.12	.34	.04	
8	.	.31	.	.	.	.	.	.	.20	.21	.01	.04	
9	.02	.14	.	.42	.	.33	.57	.	.63	.12	.	.35	
10	.12	.	.	.12	.	.	.24	.	.21	.32	.04	.62	
11	.	.01	.	.	.	.	.91	.	.18	.03	.04	.22	
12	.01	.15	.	.	.37	.	.	.	.18	.	.	.03	
13	.43	.	.	.	.23	.	.	.	1.11	.05	.	.14	
14	.15	.	.03	.49	.02	.06	.87	.	.22	.15	.	.20	
15	1.43	.	.	.27	.03	.14	.	.	.03	.	.	.28	
16	.55	.	.05	.39	.	.03	.21	.	.20	.	.	.28	
17	.31	.	.	.	.	.	.	.06	.08	.	.	.26	
18	.97	.	.	.02	.	.82	.32	.	.34	.	.	.31	
19	.12	.01	.16	.20	.	.	.43	.	.05	.04	.	.22	
20	.05	.19	.	.	.	.05	.10	.	.29	.11	.02	.01	
21	.16	.07	.	.	.	.09	.13	.	.57	.11	.	.16	
22	.05	.02	.	.	.12	.	.20	.	.07	.04	.	.35	
23	.33	.	.	.	.28	.05	1.10	.01	.02	.	.10	.04	
24	.	.29	.	.	.	.	.30 .30	.03	.16	.	.08	.	
25	.	.	.	.	.	.	.43	.70	.	.	.01	.	
26	.01	.02	.	.	.	.	1.24	.	.03	.03	.16	.30	
27	.	.20	.06	.02	.	.01	.10	.17	.14	.02	.18	.08	
28	.	.02	.25	.	.	.	.	.	.03	.01	.34	.19	
29	.		.06	.	.	.	.	.	1.14	.	.01	.03	
30	.01		.42	.	.	.	.	.04	.02	.03	.04	.12	
31	.		.08		.		.	.03		.06		.	
Total	4.93	2.43	1.20	2.74	2.21	1.58	7.15	2.93	6.61	1.90	3.21	4.82	41.71
	17	19	11	15	10	9	15	14	28	21	18	28	205

Days on which .01 or more fell 205.
Wettest day Jan 15th :- 1.43 inches.

Total for the Year 1918. 41.71 inches.

Rainfall at Fonthill House Gardens.

1.19

	Jan.	Feb.	Mar.	April	May	June	July	Aug	Sept	Oct.	Nov.	Dec.	
1	·	·02	·	·05	·14	·	·	·78	·	·	·90	·01	
2	·	·11	·	·19	·	·	·	·34	·03	·02	·07	·23	
3	·	·10	·04	·13	·23	·	·	·30	·02	·07	·04	·02	
4	·	·06	·01	·04	·	·	·	·10	·08	·03	·82	·14	
5	·	·02	·04	·05	·11	·	·	·32	·24	·27	·02	·07	
6	·21	·50	·	·24	·	·	·	·01	·07	·06	·	·08	
7	·	·19	·	·11	·68	·	·	·04	·28	·12	·34	·04	
8	·	·31	·	·	·	·	·	·	·20	·21	·01	·04	
9	·02	·14	·	·42	·	·33	·57	·	·63	·12	·	·35	
10	·12	·	·	·12	·	·	·24	·	·21	·32	·04	·62	
11	·	·01	·	·	·	·	·91	·	·18	·03	·04	·22	
12	·01	·15	·	·	·37	·	·	·	·18	·	·	·03	
13	·43	·	·	·	·23	·	·	·	1·11	·05	·	·14	
14	·15	·	·03	·49	·02	·06	·87	·	·22	·15	·	·20	
15	1·43	·	·	·27	·03	·14	·	·	·03	·	·	·28	
16	·55	·	·05	·39	·	·03	·21	·	·20	·	·	·28	
17	·31	·	·	·	·	·	·	·06	·08	·	·	·26	
18	·97	·	·	·02	·	·82	·32	·	·34	·	·	·31	
19	·12	·01	·16	·20	·	·	·43	·	·05	·04	·	·22	
20	·05	·19	·	·	·	·05	·10	·	·29	·11	·02	·01	
21	·16	·07	·	·	·	·09	·13	·	·57	·11	·	·16	
22	·05	·02	·	·	·12	·	·20	·	·07	·04	·	·35	
23	·33	·	·	·	·28	·05	1·10	·01	·02	·	·10	·04	
24	·	·29	·	·	·	·	·30 ·30	·03	·16	·	·08	·	
25	·	·	·	·	·	·	·43	·70	·	·	·01	·	
26	·01	·02	·	·	·	·	1·24	·	·03	·03	·16	·30	
27	·	·20	·06	·02	·	·01	·10	·17	·14	·02	·18	·08	
28	·	·02	·25	·	·	·	·	·	·03	·01	·34	·19	
29	·		·06	·	·	·	·	·	1·14	·	·01	·03	
30	·01		·42	·	·	·	·	·04	·02	·03	·04	·12	
31	·		·08		·		·	·03		·06		·	
Total.	4·93	2·43	1·20	2·74	2·21	1·58	7·15	2·93	6·61	1·90	3·21	4·82	41·71
	17	19	11	15	10	9	15	14	28	21	18	28	205

Days on which ·01 or more fell 205.

Wettest day Jan 15th :- 1·43 inches.

Total for the year 1918. 41·71 inches.

34

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

Kept at THE GARDENS FONTHILL HOUSE TISBURY WILTS. STATION & TELEGRAPH 8 MILES

in the County of

H. H. Mills

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Tisbury

Diameter of Funnel of Rain Gauge 5.0 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000, IX. 17.

TROW~~BRID~~GE
W. W.
BISS BOTTOM
WILTSHIRE
1911 - 1920

R 11

FORM A2.
BRITISH RAINFALL
9 - JAN 1912

Kept at Biss Bott near W
in the County of
by Wm W

5 in.
above Ground — ft. 12 in.
Sea Level 311 ft.
9 am
Name Warminster
Distance 2·1 miles Direction SSE

IMPORTANT NO ...nd the result entered to the previous day. If an ... universal rule, he is earnestly requested to add the re... year in the space provided for it at the end of th... ement of rain, the selection and plac... British Rainfall Organization are given i... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·05	·11							02	·05	1
2	·04			·27	·30			·15		·11	·21	·32	2
3			·01		·28			·06		·09	·25	·11	3
4	·02		·15	·08		·04			·02	·06	·26	·67	4
5	09	·02	·02	·01				·60		·11	20		5
6	·45		·22								·19	·62	6
7	·02										·47	·01	7
8	·05		·12								·06	·40	8
9	·08		·05								·10	·41	9
10	·08	·09	·44		·30						·02	·54	10
11	·50		·01		·11						·64	·13	11
12			·70		·02			·01	·02		·35	·29	12
13			·01						·25	·02	·06	·50	13
14		·04										·66	14
15			·02			·04					·43	·08	15
16			·01			·27					·59	·42	16
17		·04			·07	·08					·08	·55	17
18		·30	·10	·20	·03	·58				·03	·01	·48	18
19		·03		·06		·30			·17	·33	·04	·41	19
20	·02	·02	·15	·11		·02		·03	·14	·09		·52	20
21		·23						·10	·10	·42		·27	21
22		·01	·30	03						·31		·63	22
23	·06	·21	·18			02			·05	·13	·05	·29	23
24		·16				·43		·13		·52		·51	24
25	·02	·20		·18		·06		·11	·03	·04		·35	25
26		·03		·31	·02	·06				·11	·02	·28	26
27		·30	·29	·29				·06	·10		·01	·16	27
28		·47		·31				·11		·01	·04		28
29				·27		·26	·06		·09	·33			29
30					·04	06				·23	·02		30
31										·14			31
Total	1·50	2·15 2·15	2·83	2·23	1·17	2·22	·06	1·36	·97	3·08	4·12	9·66	TOTAL for year 31·35
No. of Rain Days	13	15	18	13	9	13	1	10	10	18	23	26	169

9,000, IX. '10.

R 11

FORM A2. BRITISH RAINFALL 9 - JAN 1912

Kept at Biss Bottom Upton Scudamore near Warminster (Trowbridge Water Works)

in the County of Wilts

by Wm. W. Gray

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground — ft. 12 in.
„ „ „ Sea Level 311 ft.

Time of Observation 9 am

Nearest Railway Station
Name Warminster
Distance 2·1 miles Direction SSE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·05	·11							02	·05	1
2	·04			·27	·30			·15		·11	·21	·32	2
3			·01		·28			·06		·09	·25	·11	3
4	·02		·15	·08		·04			·02	·06	·26	·67	4
5	·09	·02	·02	·01				·60		·11	20		5
6	·45		·22								·19	·62	6
7	·02										·47	·01	7
8	·05		·12								·06	·40	8
9	·08		·05								·10	·41	9
10	·08	·09	·44		·30						·02	54	10
11	50		·01		·11						·64	·13	11
12			·70		·02			·01	·02		·35	·29	12
13			·01						·25	·02	·06	50	13
14		·04										·66	14
15			·02			·04					·43	·08	15
16			·01			·27					·59	·42	
17		·04			·07	·08					·08	·55	
18		·30	·10	·20	·03	·58				·03	·01	·48	
19		·03		·06		·30			·17	·33	·04	·41	
20	·02	·02	·15	·11		·02		·03	·14	·09		·52	
21		·23						·10	·10	·42		·27	
22		·01	·30	03						·31		·63	
23	·06	·21	·18			02			·05	·13	·05	·29	
24		·16				·43		·13		·52		·51	
25	·02	·20		·18		·06		·11	·03	·04		·35	
26		·03		·31	·02	·06				·11	·02	·28	26
27		·30	·29	·29				·06	·10		·01	·16	27
28		·47		·31				·11		·01	·04		28
29				·27		·26	·06		·09	·33			29
30					·04	06				·23	·02		30
31										·14			31
Total	1·50	2·13 2·15	2·83	2·23	1·17	2·22	·06	1·36	·97	3·08	4·12	9·66	TOTAL for year 31·35 31·33
No. of Rain Days	13	15	18	13	9	13	1	10	10	18	23	26	169

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Biss Bottom Upton Scudamore Trowbridge Water Works near Warminster

in the County of Wiltshire

by Wm W. Gray.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Warminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 12 ins

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·16			·29	·08		·04	·87		53	1
2			·46			·18	·30						2
3	·02		·13			·32	·11	·46	·05		·05	·02	3
4	·16		·82		·26	·47					·22		4
5	·43	·04	·17		·13	·06		·56			·02	·34	5
6	·60	·24	·04		·09		·13	1·39				·13	6
7	·02	·23	·15		·05	42		·03				·12	7
8	·39	·21	·47			43	·07					·10	8
9	·02	·06	·18	·05		·32	·02	·10				·36	9
10	·02	·09				·04		·13			·10	·18	10
11	·14	·11	·02			·02						·43	11
12	·05	·56	·10	·04	·02		·03					·01	12
13		·18	·01									·13	13
14	·18		·40		·15			·25		·02		·03	14
15	·06	·08			15	·58		·04				·68	15
16	·72		·35		·05			·08		·11		·05	16
17	·78		·17			·05		·66			·08	·11	17
18	·27		·60					·18		·04		·09	18
19	·08	·15	·16			·04	·19	·37				·05	19
20	·03	·02	·37		·04		·03	1·00		·52	·01		20
21	·02	·08	·49		59			·04		·39			21
22	·40	·25			·15	·22	·03	·21		·08	·02	·07	22
23	·26	·35	·28				·07	·49		·11	·15	·35	23
24	·05	·02	·01			·32		·12		·02		·27	24
25	·03					18		·39		·05	·30	·60	25
26		·01					·34	·21		·44	·41	·26	26
27		·01				·15	·67			1·03	·02	·39	27
28		·13				·05		·34	·15	·52	·60	·78	28
29		·01				·39	·10	·10	1·00	·37		·05	29
30					·02	·23	·29		·25	·47			30
31			·22		05		·27	·04		·05		·19	31
Total	4·73	2·83	5·76	·09	1·45	4·76	2·73	7·19	1·49	5·09	1·98	6·32	YEAR'S TOTAL 44·72
Rain Days.	22	20	22	2	13	20	16	22	5	16	12	26	196

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Biss Bottom Upton Scudamore Trowbridge Water Works near Warminster
in the County of Wiltshire
by Wm. W. Gray

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Warminster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 12 ins
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·29	·24		·02	·03			·46		·17	·20	1
2	·02	·09	·03	·07	·02					·05	·14		2
3	·15		·09	·02	·44					·02		·24	3
4	·89		·06		·56				1·03	·47	·03	·09	4
5	·01	·02			·03	·31	·05		·37		·02	·10	5
6	·04	·01	·10		·29	·12	·25		·03	·55	·18	52	6
7	·02	·47	·05		·23	·03	·07			·55	·21	·01	7
8	·01	·12			·33	·02	·02			·19		·01	8
9		·06			·05	·06	·02	·62	·10	·05	·07		9
10	·20		·06	·03	·02	·03	·04	·02		·21	34		10
11	·74		·01	·18	·27	·04				·14	·32	·04	11
12	·02				29					05	·15		12
13	·01		·02			·02		·02	·08		·14		13
14	·14		·14	·08			·06		·08	·04	·34		14
15	·17	·10	·23	·58					·20		·21		15
16	·26		·68	·15		·04			·01		·01		16
17	·04	·01	·02	·02		·03	·02						17
18	·06		·21	·23		·02					·07		18
19	·68		·05		·02	·06	·03		·43				19
20	·04		·12	·08						·20	·13		20
21			·09	·49	·19		08			·02	·57		21
22	·75		26	·08				·03	·40				22
23	·02					·09		02	·03		·03	·44	23
24	·05	·02		·10									24
25		·19		·13								·05	25
26		·02		·53				·22		·03		·27	26
27	·01		·17	·22						·05		·02	27
28	·16		·13	·33						·20			28
29	·06		58	·49	·06			·18		·46	·03		29
30	·65				·01					·40	·02		30
31	·10		05					·30		·02			31
Total	5·33	1·40	3·39	3·81	2·83	·90	·64	1·41	3·22	3·70	3·18	1·99	YEAR'S TOTAL 31·80
Rain Days.	27	12	22	18	16	14	10	8	12	19	20	12	190

W.7,000, XI. 13

Ex 8L

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Biss Bottom Upton Scudamore Trowbridge Water Works

in the County of Wiltshire

by Wm W. Gray

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Warminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 12 ins

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					·38			·14	·02	1
2				·04			·97	·07			·92	·43	2
3	·04		·11	·13	·30		·08	·60			·09	·08	3
4	·08		·06	·12	·05		·18	·70			·49	·64	4
5	·07		·07	·61	·14		·28				·30	·18	5
6	·01	·13	·03	·26	·03	·03	·10	·08			·09	·32	6
7	·01	57	·18	·20	·51	·03	·21	·03				36	7
8	·05	·05	·98	·04	·11	·24			·35			·05	8
9	·09		·47	·35	·02	1·06		·10	·14				9
10	·04	·25		·04	·05				·32			·01	10
11		·13	·49	·01		·24	·23				·06	·43	11
12		·19	·11						·32		·03	·22	12
13		·34	·33						·12	·16	·16	·47	13
14		·21	·42				·06	·21	·04	·55	·29		14
15		·03	·20					·40	·07	·04	·11		15
16							·10	·40	·26				16
17		1·04	·26									1·07	17
18		·02	·04				·18		·02			·58	18
19			·25				·84				·15	·09	19
20		·09	35			·04						·33	20
21		·24	·02			·03				·19		·01	21
22		·04	·10		·14	·33				·58			22
23		·08	·16		·12	·04				·14		·02	23
24			·08		·14		·18			·16	·25		24
25	·08		·17		·02		·06	·21		30	·03	·28	25
26			·06				·17	·05		10	·34	·66	26
27	·05										·04	·21	27
28	·02	·09	·20		·04					·11	·34	·88	28
29	·35	×	·13		·06					·25	·31		29
30		×	·03			·07				·19	·57	1·07	30
31	·01	×		×		×	·15		×	·67	×	·09	31
Total	·90	3·50	5·31	1·80	1·73	2·11	3·79	3·23	1·64	3·44	4·71	8·50	YEAR'S TOTAL 40·66
Rain Days.	13	16	26	10	14	10	15	12	9	13	19	·24	181

W. 8,000. X. 14.

Exd LN

1625

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

6 - JAN 1916

Kept at Biss Bottom Upton Scudamore near Warminster

in the County of Wiltshire

by Wm W. Gray

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Warminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 12 in.

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·85	·10	-	.	·06	.	.	·15	·12	·37	·01	·25	1
2	·66	·33	·09	·13	-	.	.	·78	.	·12	.	·44	2
3	·95	·09	·09	·03	·09	.	·04	.	.	·06	.	·43	3
4	·01	.	.		.	.	.	.	.		.	·30	4
5	·04	·98	.	·05	.	.	.	·10	.		.	·29	5
6	·45	·09	.	·31	-	.	·53	·08	.		.	·09	6
7	·32	·61	.	·03	·07	.	·14	·03	.		·01	·42	7
8	·19	·60	.	·02		.	·03	·10	.		·01	·03	8
9	·01	·08	.	·08	.	.	.	.	.		·56	82	9
10	·20	·02	·03	·03	.	.	.	·07	.		·02	·08	10
11	01	.	·10	·11	.	.	.	22			·84	·05	11
12	·11	50	.	·24	·56	.	.	45	.	·06	·33	.	12
13	·05	1·07	.		·88	.	.	·01	·04	.	.	.	13
14	·07	.	.		.	.	·14	·40	·12	.	.	1·07	14
15	·40	.	.		·16	.	·05	·38	.	·02	·24	·15	15
16	.	1·24	.		·48	.	·86	·02	.		.	.	16
17	.	·58	·04		·68	.	.	·10	.		.	.	17
18	.	·66	.		·11	.	.	.	.		·03	.	18
19	.	.	.		·10	.	·20	.	.		.	.	19
20	·17	.	.	·06	·10	.	.	.	.		.	·02	20
21	·04	·10	.		.	.	·12	.	.	·18	.	·14	21
22	·11	·67	·48	·06	.	.	45	.	·02		.	·06	22
23	.	.	·12	.	.	.	·35	.	·09	1·37	.	·29	23
24	.	.	·02	·10		.	·30	.	·42	1·55	.	·49	24
25	.	.	·01	·02	.	·03	37	.		.	.	·16	25
26	.	·18	.	.	.	·09	·06	.	.	.	.	93	26
27	.	·07	.	.	.	·18	19	.		·34	.	·02	27
28	.	·15	.	.	.	·02	.	.	·78	·09	.		28
29	.	X	.	.	.	·06	.	·11	.	.	·07		29
30	·21	X	.	.	.	·28	.	.	.	·70	·36	·28	30
31	·05	X	.	X	.	X	02	.	X	1·04	X	·49	31
Total	4·90	8·12	·98	1·27	3·29	·66	3·85	3·00	1·59	5·90	2·48	7·30	YEAR'S TOTAL 43·34
Rain Days.	20	19	9	14	11	6	16	15	7	12	11	23	163

W. 8,000. X. 14.

159

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Biss Bottom Upton Scudamore near Warminster (Trowbridge Water Works)
in the County of Wiltshire
by Wm W. Gray

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16				·23	·04			·12	·38	·99		1
2	·36	·10	·03		·10	·	·06		·04	·70	·10		2
3	·	1·15			·03	·02	·		·01	·40	·32		3
4	·13	·20			·17	·52	·04		·40	·40	·80		4
5	·02	·	·05		·43	·15	·			·07	·40		5
6	·07	·18	·		·08	·05	57			·05	·94		6
7	05	·08	·19		05	·	·10			·06	·38	·16	7
8	·	·07	·04		·21	·11	·			·	·11	·12	8
9	·	·01	·		·52	·21	04			·09	·02	·02	9
10	·	52	·02	·07	·02	·02	·09			·02	·01	·17	10
11	·03	·	·	·06	·02	·10	·			·	·	·02	11
12	·09	08	·09	·05	·05	·	·18			·01	·		12
13	·	·34	·08	·	·	·	·	·90		·	·02		13
14	·	·42	·04	·11	·11	·	·	·25		·02	·		14
15	·	·20	·06	·02	·	·	·	·13		·03	·		15
16	03	·10	·	·21	·01	·	·11	·22		·02	·		16
17	·11	·18	·	02	·	·		·29	·47	·32	·07		17
18	·	·04	·05	·18	·	·		·	·05	·06	·27	·21	18
19	·	·	·43	24	·	·		·	·03	·	·36	·11	19
20	·33	·02	·48	·02	·	·		·03		·	·11	1·00	20
21	·	·13	·57	·	·06	·		·		·	·	·38	21
22	·04	·	·01	·	·04	·04		·		·61	·03	·77	22
23	·	·06	·	·05	·	·05		15		·11	·32	·09	23
24	·	·35	·	·02	36	·16		·04		·39	·07	·24	24
25	·	40	13	·	·02	·		44		·04	·11	·11	25
26	·05	·20	15	·	·	·20		·01	·21	60	·	·	26
27	·02	·16	1·40	·	·	·08	·07	·40	·46	·34	·	·05	27
28		·47	·13	·	·	·05	·	·11	·11	·19	·	·45	28
29		·50	·06	·	·	·32	·	1·70	·11	·66	·	·36	29
30		×	·01	·	·	·	·	·01		·41	·	·02	30
31		×		×	·	×	·	·08	×	·15	×	·04	31
Total	1·49	5·96	4·02	1·05	2·51	2·12	1·26	4·76	2·01	6·13	5·43	4·32	YEAR'S TOTAL 41·06
Rain Days.	14	24	20	12	18	16	9	15	11	25	19	18	201

W. 8,000, VIII. 16

1524

FORM A.
BRITISH RAINFALL.
3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bis Bottom Upton Scudamore
(Trowbridge Water Works
in the County of Wiltshire
by Wm. W. Gray

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·16	snow ·20		·09		·93	·24		·02		1
2				snow ·43		·07		·19			·09		2
3				·04			·79	·09		·66	·10		3
4		snow ·24	·14				·12	·02		·29			4
5	·21		·12	·30		·14			·38	·36	·14		5
6			·48							·14	·12		6
7	·18						·29	·10		·15			7
8	·46		·09	·06			·48	·74	·06	·35	·06	·16	8
9			·09		·03			·43	·08	·33	·16		9
10	·13		·32	·23				·13		·05		·02	10
11	·02		·78	·31				·07	·05	·35	·03		11
12					·38			·10		·75	·02	·02	12
13			·12					·35	·07	·06			13
14			·24	·28			·03	·27	·03	·02		·01	14
15				·02			·15	·18		·20		·33	15
16	·03	·11		20	·02					·59		·29	16
17				·15	·14		·31	·10	·37	·19			17
18	·02	·04			·02		33	·03	·54				18
19	·02	·36	·12						·14		·05		19
20			·09		·34	·10		10			·01		20
21		·05	snow ·14			·08				·08			21
22			snow ·09			·02		·04		·05			22
23		·12			·17			·40				·07	23
24		·10	·03			·12	·05	·11		·20	·06		24
25		·05	·05					·04	·03	·23			25
26			·02		·32			·68	·19	·23	·05		26
27					·85	·06		1·07					27
28			·11		·02	3·00		·43					28
29			·14		·20	47	·12	·18		·69		·20	29
30		X	·21				·43	·11		·29		·02	30
31		X	·24	X		X	·01	·01	X	·05	X	snow ·06	31
Total	1·08	1·07	3·78	2·22	2·49	4·15	3·11	6·90	2·18	6·21	·91	1·18	YEAR'S TOTAL 35·28
Rain Days.	9	8	21	11	11	10	12	26	12	23	13	10	166

W. 8,000, IX. 17.

1·77

Excd 932

6

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
8 · 1 · 19

Kept at Biss Bottom Upton Scudamore near Warminster
in the County of Wilts Trowbridge Water Works.
by Wm. W. Gray

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·10			·24		·04	·71	·02	1
2		·04		·20				·49			·09	·27	2
3		·08	·06	·13	·15			·24		·07			3
4		·04	·02	·05				·02	·03		1·03	·07	4
5		·04			·21			·11	·90	·36		·02	5
6	·15	·40		·43				·05	·02	·16		·10	6
7		·17		·05	·78				·11	·20	·24	·03	7
8		·05							·47	·17		·03	8
9	·03	·17		·30		·23	·52		·55	·12		·22	9
10				·09			·50		·15	·21		·48	10
11							1·30		·19	·04	·04	·12	11
12	Snow. 23	·11			·25		·15					·03	12
13		·01			·08		·41		·54	·05		·12	13
14	·18		·04	·53	·02	·06	·23		·20	·07		·16	14
15	1·32			·61	·02	·02	·24					·14	15
16	Snow ·42		·04			·02			·22			·23	16
17	·29			·27			·26	·05	·05			·29	17
18	·98					·45	·09		·10			·21	18
19	·09		·10	·07			·14		·12	·07		·10	19
20	·03	·16		·14		·02	·13		·16	·05			20
21	·12	·07				·02	·02		·79	·03		·09	21
22	·01				·02		·40		·33	·13		·21	22
23	·19				·19		·60	·04				·04	23
24		·17				·05	·14		·09		·12		24
25				·02			·17	·71		·02			25
26							·39		·04	·04	·09	·14	26
27		·06	·04				·03	14	·38		·10	·04	27
28		·09	·28							·02	·30	·08	28
29			·05						1·44			·04	29
30			·29					·02		·04	·05	·06	30
31			·37					·05					31
Total	4.04	1·66	1·29	2·89	1·82	·87	5·72	2·16	6·88	1·89	2·77	3·34	YEAR'S TOTAL 35·33
Rain Days.	13	15	10	13	10	8	18	12	21	9	10	26	175

W, 6,500, VII. 18. W W C

1420

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Trowbridge Water Company

Kept at Biss Bottom. Upton Scuddamore near Warminster

in the County of Wilts

by Wm W. Gray

Lat. Long.

Time of Observation 9 a m.

Nearest Railway Station Warminster

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47		·07	·05	·15		·15		·04	·05		1·34	1
2	·16				·04		·02		·39	·02	·14	·12	2
3	·64		·18		·02				·30			·39	3
4	·29	·10	·81			·08		·11	·46			·08	4
5		·40	·65		·05		·26		·28			·26	5
6	·46	·04	·18		·31						·13	·16	6
7	·36		·44	·07								·03	7
8	·31		·18										8
9	·06		·04	·11							·10		9
10	·17		·20	·05								·26	10
11	·04		·21	·21	·17		·34					·03	11
12	·03		·17	·04		·16	·02			·14	Snow ·05	·14	12
13	·04		·04	·51								·02	13
14	·55	·04		·89			·11			·03		·10	14
15	·29			·04						·03		·33	15
16	·04	·69									·18		16
17		·38						·06			·37		17
18			·57				·09	·05			·08	·04	18
19	·35	·24	1·02			·09	·77	·27	·26		·15	·07	19
20	·36	·10	·14			·32		·42				·10	20
21		·50	·02				·12					·11	21
22		·17					·09		·22			·27	22
23									·05	·22		·09	23
24						·07				1·12	·04	·35	24
25	·12			·02				·75			·03	·11	25
26	·09		·16	·11				·29	·13			·48	26
27	·12	·04		·46				·55					27
28			Snow ·35	-				·59			Snow Ra ·58	·08	28
29	·03			·02				·11		·06	·03	·37	29
30		X		·22		·20		·34			·49	·50	30
31		X		X		X	·03		X		X	·20	31
TOTAL	4·98	2·70	5·43	2·80	·74	·92	2·00	3·54	2·13	1·67	2·37	6·03	YEAR'S TOTAL 35·31
Days with ·01 in. or more	21	11	18	14	6	6	11	11	9	8	13	26	154

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1351

14 JAN 192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Trowbridge Water Company.

Kept at Biss Bottom Upton Scudamore near Warminster

in the County of Wilts

by W W Fray

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Warminster.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·04	·28	.42		·53	·03	·02	·24	·34	·47	1
2	12			·12			·08	·37	·07	·11		·12	2
3	·04	·08		·11			·37			·74			3
4		·02	·06	·09			·36	·55		·20			4
5			·08	·08	17		·39			·30		·02	5
6			·25		·37		·28			·04		·02	6
7	·07		·05	·25			·21			·03			7
8		·07		·37	·06		·84						8
9	·58	·07	·03	·08		·13							9
10	1·02	·24	·08	·04		·29	·26						10
11	·47		·14	·50	·28	·05	·20						11
12	·22	·06	·02	·35			·06						12
13	·13	·04	·39	·16		·05						Snow ·07	13
14	·03	·05	·27	·73		·03			·11	.62			14
15		·11	·02	·55	·09	·06	·04			·31			15
16		·02		·06	·09	·05	·09		·15				16
17	·02		·05	·29	·30	·70			·37				17
18	·05			·03	·20	·02		·31	·15			·07	18
19	·04			·34	·08	·12							19
20		·22		·30		·43						·29	20
21							·18		·04			·10	21
22				·08			·06	·05				·43	22
23							·77					·43	23
24	·05		·18	·02							·18	·07	24
25		·08	·10				·45						25
26	·29		·19		·06		·18				·06	·08	26
27	·33	.04	·08	·24		·30						·20	27
28	·78		·05	·02	·28		·05						28
29	·30		·14		·05	·07					·18	·33	29
30	·05	✕	·08	·06	·19	·19	·24		·23		·39	·29	30
31	18	✕	·18	✕		✕	·03		✕	·44	✕	·16	31
Total	487	1·10	2·48	5·15	2·64	2·49	5·67	1·31	1·14	3·03	1·15	3·15	YEAR'S TOTAL 34·18
Days with ·01 in. or more	20	13	21	24	14	14	21	5	8	10	5	16	171 ✓
Days with ·04 in. or more	·18	11	18	21	14	12	20	4	7	9	5	14	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

TROWBRIDGE

WINGFIELD

WILTSHIRE

1911 —— 1915

R

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Wingfi

in the County of

by T. N. Cl

in.
Ground ft. in.
Sea Level ft.
as before

Name
Distance Direction

IMPORTANT NO … the result entered to the previous day. If an C … versal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of t … ment of rain, the selection and pla … ritish Rainfall Organization are given … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·03	·24	—	—		·02		—	—	—	1
2	·09	—	—	·10	·27	—		·14		—	·20	·23	2
3	—	—	—	—	·25	—		—		—	·11	·04	3
4	—	·01	·14	—	—	—		·58		·02	·19	·32	4
5	·05	—	·14	·01	—	—		·04		·17	·46	—	5
6	·38	—	—	—	—	—				—	·23	·44	6
7	·02	—	—	—	—	—				—	·41	—	7
8	·06	—	·14	—	—	—				—	·02	·32	8
9	·05	—	·05	—	—	—				—	·09	·45	9
10	—	·08	·35	—	·03	—				—	—	·25	10
11	·26	—	—	—	·40	—				—	·59	·21	11
12	—	—	·67	—	—	—				—	·40	·19	12
13	—	—	—	—	—	—			·27	—	·01	·37	13
14	—	·04	—	—	—	—				—	—	·59	14
15	—	—	·06	—	—	·02				—	·29	·05	15
16	—	—	—	—	—	·24				—	·58	·38	16
17	—	·01	—	—	·14	·04				—	·07	·35	17
18	—	·38	·05	·07	·04	·10				·02	·01	·32	18
19	—	—	—	·01	—	·18			·23	·40	·10	·30	19
20	·02	·03	·15	·03	—	—			·14	·06	—	·43	20
21	—	·20	·04	—	—	—		·09	·01	·36	—	·21	21
22	—	·01	·36	·05	—	·04		·02	—	·18	—	·63	22
23	—	·22	·15	—	—	·12			·04	·19	—	·23	23
24	—	·12	—	—	—	·32			—	·56	—	·13	24
25	·03	·07	·03	·10	—	·05			—	·06	—	·19	25
26	—	·06	—	·25	·05	·06			—	·09	·03	·30	26
27	—	·25	·15	·07	—	—			·11	—	·06	·19	27
28	—	·49	—	·31	—	—		·18	—	—	·02	—	28
29	—	—	—	·26	—	·27	·01	·06	·15	·18	—	—	29
30	—	—	—	—	—	·02		·05	—	·21	·03	·01	30
31	—		—		—					·20			31
Total	·95	1·97	2·51	1·50	1·18	1·46	·01	1·18	·95	2·70	3·90	7·13	TOTAL for year 25·47
No. of Rain Days.	10	14	15	12	7	12	1	9	7	14	20	25	146

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Wingfield Trowbridge
in the County of Wilts:
by T. H. Clark

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
as before

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·03	·24	—	—		·02		—	—	—	1
2	·09	—	—	·10	·27	—		·14		—	·20	·23	2
3	—	—	—	—	·25	—		—		—	·11	·04	3
4	—	·01	·14	—	—	—		·58		·02	·19	·32	4
5	·05	—	·14	·01	—	—		·04		·17	·46	—	5
6	·38	—	—	—	—	—				—	·23	·44	6
7	·02	—	—	—	—	—				—	·41	—	7
8	·06	—	·14	—	—	—				—	·02	·32	8
9	·05	—	·05	—	—	—				—	·09	·45	9
10	—	·08	·35	—	·03	—				—	—	·25	10
11	·26	—	—	—	·40	—				—	·59	·21	11
12	—	—	·67	—	—	—				—	·40	·19	12
13	—	—	—	—	—	—			·27	—	·01	·37	13
14	—	·04	—	—	—	—				—	—	·54	14
15	—	—	·06	—	—	·02				—	·29	·05	15
16	—	—	—	—	—	·24				—	·58	·38	16
17	—	·01	—	—	·14	·04				—	·07	·35	17
18	—	·38	·05	·07	·04	·10				·02	·01	·32	18
19	—	—	—	·01	—	·18			·23	·40	·10	·30	19
20	·02	·03	·15	·03	—	—			·14	·06	—	·43	20
21	—	·20	·04	—	—	—		·09	·01	·36	—	·21	21
22	—	·01	·36	·05	—	·04		·02	—	·18	—	·63	22
23	—	·22	·15	—	—	·12			·04	·19	—	·23	23
24	—	·12	—	—	—	·32			—	·56	—	·13	24
25	·03	·07	·03	·10	—	·05			—	·06	—	·19	25
26	—	·06	—	·25	·05	·06			—	·09	·03	·30	26
27	—	·25	·15	·07	—	—			·11	—	·06	·19	27
28	—	·49	—	·31	—	—		·18	—	—	·02	—	28
29	—	—	—	·26	—	·27	·01	·06	·15	·18	—	—	29
30	—	—	—	—	—	·02		·05	—	·21	·03	·01	30
31	—		—		—					·20			31
Total	·95	1·97	2·51	1·50	1·18	1·46	·01	1·18	·95	2·70	3·90	7·13	TOTAL for year 25.47
No. of Rain Days.	10	14	15	12	7	12	1	9	7	14	20	25	146

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 4 - JAN 1913

Kept at Wingfield
in the County of Wilts.
by T. Hulbert Clark

Lat. .... Long. as before
Nearest Railway Station ....

RAIN GAUGE.
Time of Observation 9
Diameter 5 in.
Height of top above Ground ...... ft. 12 in.
„ „ Sea Level ...... ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·13	—	—	·21	·05	—	·03	·68	—	·29	1
2	—	—	·26	—	—	·17	·35	—	—	—	—	—	2
3	·01	—	·09	—	—	·22	·03	·22	·03	—	·03	·03	3
4	·15	—	·83	—	·12	·44	—	·02	—	—	·21	—	4
5	·38	·06	·23	—	·04	·01	—	·40	—	—	·01	·12	5
6	·43	·20	·02	—	·10	—	·13	1·59	—	—	—	·11	6
7	—	·21	·09	—	·05	·42	·01	·09	—	—	—	·09	7
8	·24	·13	·43	—	—	·08	·13	·12	—	—	—	·07	8
9	·04	·01	·14	·13 ~~·11~~	—	·20	·02	·01	—	—	—	·16	9
10	—	·04	—	—	—	·27	—	—	—	—	·07	·15	10
11	·12	·05	—	—	—	·01	—	—	—	—	—	·38	11
12	·02	·40	·05	·03	—	—	·02	—	—	—	·03	·13	12
13	—	·12	—	—	·01	—	—	·05	·01	—	·01	·08	13
14	·12	—	·43	—	·28	—	—	·11	—	·02	—	·03	14
15	·03	·05	—	—	·23	·42	—	—	—	—	—	·55	15
16	·90	—	·16	—	·01	·01	—	·03	—	·06	·03	·04	16
17	·41	—	·07	—	—	·05	—	·59	—	—	·02	·14	17
18	·20	—	·80	—	—	—	—	·05	—	·06	—	·05	18
19	·04	·08 ~~·14~~	·14	—	—	·02	·15	·25	—	·11	·01	—	19
20	·02	·02	·31	—	·02	—	·03	·61	—	·42	·01	—	20
21	·01	·06	·32	—	·65	—	—	·02	—	·38	—	—	21
22	·42	·23	·09	—	·09	·01	·70	·16	—	—	·02	·08	22
23	·25	·24	·27	—	—	·05	·06	·54	—	·13	·16	·32	23
24	·06	·02	·03	—	—	·26	·02	·12	—	—	·32	·22	24
25	—	—	—	—	—	·18	—	·49	—	·10	·59	·50	25
26	—	·01	—	—	—	—	·32	·17	—	·43	—	·13	26
27	—	·01	—	—	—	·15	·81	—	—	·95	·04	·41	27
28	—	·06	—	—	—	·07	·02	·28	·12	·48	·40	·63	28
29	—	·05	—	—	—	·16	·14	·01	·56	·55	—	·01	29
30	—		—	—	—	·12	·20	—	·23	·32	—	—	30
31	—		·24		·03		·29	·02		·03		·14	31
Totals	3·85	2·05	5·13	·16	1·63	3·53	3·48	5·95	·98	4·72	1·96	4·86	38·30
Total from Jan. 1	19	20 5·90	21 11·03	2 11·19	12 12·82	22 16·35	19 19·83	23 25·78	6 26·76	15 31·48	16 33·44	25 38·30	✓ 200

K/1000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
21 JAN 1914

Kept at Wingfield
in the County of Wilts.
by T. H. Clark

1

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·27	·18	—	·08	—	—	—	·45	—	·11	·19	1
2	·02	·12	·01	·26	—	—	·03	—	—	·06	·18	—	2
3	·05	—	·07	·01	·50	—	—	—	—	·02	—	·26	3
4	·67	—	·07	—	·40	—	—	—	1·67	·23	·01	·05	4
5	—	·03	—	—	·11	·25	·18	—	·31	—	—	·16	5
6	·01	·04	·14	—	·18	·12	·40	—	—	·43	—	·70	6
7	—	·42	—	—	·30	·05	·11	—	—	·39	·25	—	7
8	—	·06	—	—	·14	—	·01	—	—	·19	—	·02	8
9	—	·11	·04		·12	·05	—	·46	·15	—	·04	—	9
10	·13	—	·03	·04	·06	·01	—	·02	—	·11	·25	—	10
11	·42	—	—	·19	·16	—	—	—	—	·11	·30	·03	11
12	·05	·02	—	—	·09	—	—	—	—	—	·20	—	12
13	—	—	·02	—	·02	—	—	·01	·06	—	·15	—	13
14	·08	—	·12	·16	·02	—	—	·02	·03	·07	·14	·01	14
15	·18	·06	·49	·41	—	—	—	·05	—	—	·11	—	15
16	·21	—	·56	·16	—	·01	—	—	—	—	·01	—	16
17	—	—	·02	·03	—	—	·07	—	·06	—	—	—	17
18	·10	—	·23	·09	—	—	—	—	—	—	·04	—	18
19	·46	—	—	—	·02	—	·04	—	·43	·01	—	—	19
20	·10	—	·15	·06	·12	—	—	—	—	·13	·10	—	20
21	·61	—	·03	·24	—	—	·06	—	—	—	·36	—	21
22	—	—	·36	·20	—	·12	—	·03	·23	—	·04	—	22
23	—	—	—	—	—	—	—	·13	—	—	—	·32	23
24	—	·01	·01	—	—	—	—	·10	—	—	—	—	24
25	·04	·12	—	·10	—	—	—	—	—	—	—	·06	25
26	—	·04	—	·34	—	—	—	·20	—	—	·01	·20	26
27	·01	—	·15	·12	—	—	—	—	—	·10	—	·02	27
28	·30	—	·14	·33	—	—	—	—	—	·13	—	—	28
29	·03	—	·38	·54	—	—	—	·12	—	·16	·02	—	29
30	·52	—	—	—	·02	—	—	—	—	·35	·04	·03	30
31	·11		·05					·30					31
Total	4·10	1·30	3·25	3·29 3·28	2·34	·61	·90	1·44	3·39	2·49	2·39	2·05	YEAR'S TOTAL 27·54
Rain Days.	20	12	21	17	16	7	8	11	9	15	19	13	168

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Wingfield
in the County of Wilts.
by T. Hubert-Clark

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·45

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·03	—	·01	—	·35	—	—	·08	·03	1
2	—	—	—	—	·01	—	·77	·06	—	—	·60	·50	2
3	—	—	·06	·28	·28	—	·02	·53	—	—	·22	·08	3
4	·09	—	·07	·25	·04	—	·19	·50	—	—	·50	·54	4
5	·07	—	·14	·30	·03	—	·31	—	—	—	·11	·21	5
6	—	·10	·04	·20	—	·01	·25	·11	—	—	·03	·21	6
7	—	·51	·13	·26	·50	·10	·23	·03	—	—	—	·17	7
8	—	—	·77	·06	·07	·40	—	·13	·25	—	—	—	8
9	·16	—	·39	·20	·02	·68	—	—	·10	—	—	—	9
10	—	·21	·08	·03	·03	—	—	—	·28	—	·01	—	10
11	—	·08	·20	—	·10	·24	·15	—	—	—	·03	·30	11
12	—	·10	·10	—	—	—	—	—	·38	—	·03	·11	12
13	—	·31	·47	—	—	—	—	—	·18	·10	·08	·49	13
14	—	·36	·49	—	—	—	—	·17	·02	·38	·23	—	14
15	·03	·02	·14	—	—	—	—	·32	·01	·11	·22	—	15
16	—	·01	—	—	—	—	·10	·01	·27	—	—	—	16
17	—	·47	·20	—	—	—	—	—	—	—	—	·82	17
18	—	·01	·04	—	—	—	·25	—	—	—	—	·55	18
19	—	·09	·18	—	—	—	·52	—	—	—	·08	—	19
20	—	·21	·50	—	—	—	—	—	—	—	—	·27	20
21	—	·49	—	—	—	—	—	·02	—	·10	—	—	21
22	—	·06	—	—	·13	·25	·03	—	—	·35	—	—	22
23	—	·20	·20	—	·23	—	—	—	—	·08	—	—	23
24	—	—	·04	—	—	—	·06	·17	—	·58	·10	—	24
25	·02	—	·08	—	—	—	·01	—	—	·30	—	·21	25
26	—	—	—	—	—	—	·06	—	—	·10	·34	—	26
27	·05	—	·15	—	—	—	—	—	—	·05	·20	·52	27
28	—	·05	—	—	·04	—	—	—	—	·08	·20	·12	28
29	·20	—	·08	—	·05	—	—	—	—	·17	·34	1·38	29
30	—	X	·02	—	—	—	—	—	—	·22	·49	·78	30
31	—	X	—	X	·02	X	·16	—	X	·39	X	—	31
Total	·62	3·28	4·57	1·61	1·55	1·69	3·11	2·40	1·49	3·01	3·89	7·29	YEAR'S TOTAL 34·51
Rain Days.	7	17	23	9	14	7	15	12	8	14	19	18	163

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

Kept at Wingfield
in the County of Wilts.
by T. Hubert Clark

RAIN GAUGE. at office
Lat. Long.
Time of Observation 9 o'c
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·07	—	—	—	—	—	·15	·38	·26	—	·10	1
2	·48	·27	·16	—	—	—	—	·72	—	·21	—	·30	2
3	·93	·05	·04	—	—	—	·04	·01	—	·03	—	·34	3
4	·01	·01	·01	·15	—	—	—	—	—	—	—	·42	4
5	·08	·62	—	—	—	—	·52	·19	—	—	—	·22	5
6	·40	·03	—	·38	—	—	·23	·05	—	—	—	·20	6
7	·37	·45	—	—	1·53	—	·05	·11	—	—	—	·24	7
8	·34	·32	—	·04	—	—	—	—	—	—	·03	—	8
9	·02	·13	—	·16	—	—	—	—	—	—	·34	1·03	9
10	·11	·03	·08	·03	—	—	—	·17	—	—	—	·07	10
11	·03	—	—	·05	—	—	—	·16	—	·05	·70	·03	11
12	·16	·28	—	·17	·59	—	—	·12	—	—	·38	—	12
13	·02	·64	—	—	·91	—	—	—	·13	—	—	—	13
14	·10	—	—	—	—	—	·09	·36	·06	·07	—	·67	14
15	·29	—	—	—	·14	—	·10	·12	—	·02	·16	·15	15
16	—	·87	—	—	·38	—	·88	·02	—	—	—	·04	16
17	—	·59	—	—	·84	—	·02	·03	—	—	—	·01	17
18	—	·39	—	—	·03	—	·25	—	—	—	—	—	18
19	—	—	—	—	·05	—	—	—	—	—	—	—	19
20	·19	—	—	—	·05	—	·01	—	—	·01	—	·12	20
21	·03	·22	—	—	·05	—	—	—	—	·08	—	·17	21
22	·07	·52	·53	—	—	—	·38	—	·03	—	—	·21	22
23	—	—	·22	—	—	—	·38	—	—	2·02	—	·25	23
24	—	—	—	—	—	—	·40	—	·65	·80	—	·22	24
25	—	—	—	—	—	·08	·10	—	—	—	—	·13	25
26	—	—	—	—	—	·20	·05	—	—	—	—	·61	26
27	—	·16	—	—	—	·22	·45	·01	—	·31	—	—	27
28	—	·12	—	—	—	·02	—	·03	·73	—	—	·06	28
29	—	—	—	—	—	·16	—	—	—	—	·09	—	29
30	·23	—	—	—	—	·26	—	—	—	·41	—	·20	30
31	·02	—	—	—	—		·02	—	—	·89	+ ·32	·32	31
Totals	4·38	5·77	1·04	·98	4·57	·94	3·97	2·25	1·98	5·16	2·02	6·11	39·17
Total from Jan. 1	20	19	6	7	10	6	17	15	6	13	7	39·17	150

K/4,000/11/02

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.
2d

8·II·12

N 19 11

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

TROWBRIDGE

ROOD ASHTON

WILTSHIRE

1911 —— 1920

Kept at Roo

in the County of

by W.

…ter of top 8 in.

…of top above Ground 1 ft. 6 in.

„ „ Sea Level 250 ft.

…ation 7 am

…y Station Name Trowbridge

Distance 3 Direction N.W

IMPORTA … a.m., and the result entered to the previous day. … most universal rule, he is earnestly requested to ad… …owing year in the space provided for it at the … measurement of rain, the selection a… … the British Rainfall Organization ar… …free on application to Dr. H. R. Mill, ~~62, Camden Square~~, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.1	.4	.16	.2			..2				..4	1
2	.4			.3	.38			..3		.14	.21	.26	2
3			.1		.30			.13			.13	.11	3
4	.3		.16	..6	..1					..6	.26	.48	4
5		.2	.1					.73	..1	.15	.43		5
6	.29		.26	.1						..1	.18	.60	6
7	.4									..1	.55		7
8	.7		.15								..4	.40	8
9	.10		.3									.45	9
10	..4	.13	22		.2							.27	10
11	.43		.3		.6						.67	.20	11
12		.1	.79		.1				..2	..1	.55	.23	12
13			.1						.35		..3	.66	13
14	..1	.6										85	14
15		.1	.5		.2	..2					.30	..4	15
16		.1				.16					.59	.29	16
17		.2				..4					..7	.38	17
18		.38	.10	.19	.65	.17			..1	..1	..1	.30	18
19	..2	.1		.5		.28			.15	.11	..8	.15	19
20	..2	.2	.14	.2					.15	.22		.80	20
21	..1	.14	.8		..1					.43		.26	21
22	..1	.3	43	.6	..1	..4				.26		.58	22
23		.28	23			.34			..1	..1	..5	.15	23
24	.2	15	.1		..1	.43		..3	..1	.75		.20	24
25	.5	.12	.1	.12		..6			..3	.15		.22	25
26		.1		.23	.19	..8				.14	..4	.37	26
27		22	20	.6	.13				.11			.24	27
28		59	.1	.29	..1			.4			..9		28
29		.5		.25		.20	..3	.19	.25	.22	..2		29
30				.14		..4			..1	.25		.3	30
31								27 ~~.29~~		.22			31
Total	1.26	2.27	2.97	1.67	1.83	1.86	.3	1.47 1.17	1.11	3.15	4.30	8.56 8.56	TOTAL for year 30·18
No. of Rain Days.	16	~~19~~ 20	21	14	15	12	1	7	12	18	19	26	181

W. 8,000, X. '11.

N 1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Rood Ashton

in the County of Wiltshire

by W. Strugnell

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 250 ft.

Time of Observation 7 am

Nearest Railway Station
Name Trowbridge
Distance 3 Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	.1	.4	.16	.2			..2				..4	1
2	.4			.3	.38			..3		.14	.21	.26	2
3			.1		.30			.13			.13	.11	3
4	.3		.16	..6	..1					..6	.26	.48	4
5		.2	.1					.73	..1	.15	.43		5
6	.29		.26	.1						..1	.18	.60	6
7	.4									..1	.55		7
8	.7		.15								..4	.40	8
9	.10		.3									.45	9
10	..4	.13	22		.2							.27	10
11	.43		.3		.6						.67	.20	11
12		.1	.79		.1				..2	..1	.55	.23	12
13			.1						.35		..3	.66	13
14	..1	.6										85	14
15		.1	.5		.2	..2					.30	..4	15
16		.1				.16					.59	.29	16
17		.2				..4					..7	.38	17
18		.38	.10	.19	.65	.17			..1	..1	..1	.30	18
19	..2	.1		.5		.28			.15	.11	..8	.15	19
20	..2	.2	.14	.2					.15	.22		.80	20
21	..1	.14	.8		..1					.43		.26	21
22	..1	.3	43	.6	..1	..4				.26		.58	22
23		.28	23			.34			..1	..1	..5	.15	23
24	.2	15	.1		..1	.43		..3	..1	.75		.20	24
25	.2	.12	.1	.12		..6			..3	.15		.22	25
26		.1		.23	.19	..8				.14	..4	.37	26
27		22	20	.6	.13				.11			.24	27
28		59	.1	.29	..1			.4			..9		28
29		.5		.25		.20	..3	.19	.25	.22	..2		29
30				.14		..4			..1	25		.3	30
31								7 ~~.29~~		.22			31
Total	1.26	2.27	2.97	1.67	1.83	1.86	..3	~~1.47~~ 1.17	1.11	3.15	4.30	8.56 8.56	TOTAL for year 30.18
No. of Rain Days.	16	~~19~~ 20	21	14	15	12	1	~~8~~ 7	12	18	19	26	181

W. 8,000, X. '11.

cor 20·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Rood Ashton Gardens

in the County of Wiltshire

by W. Strugnell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Trowbridge

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			24			21	8	1	3	67	3	36	1
2	1		39	1		17	34	1	4	10			2
3			3			32	8	34	4		2	5	3
4	15		90		27	63		13	2	·1	26	1	4
5	19		25		10	·1	1	24		·1	2	6	5
6	63	19	3		5		10	2·64				12	6
7		20	2		18	63		15		·1		9	7
8	20	20	50	1		14		12	2	·1		8	8
9	6	·2	20	13		26	2	1				21	9
10	1	5				2		5		1	13	19	10
11	20	6	1			1				1		44	11
12	3	44	7	4			4			1	2	7	12
13		19	2					1	1	5		7	13
14	16	1	47	2	13			12				2	14
15	5	7	6		50	49		2				60	15
16	50	1	16		8	1		4		9	7	6	16
17	87		9	1		6		57	1	2	1	2	17
18	1·13		54					18		8		19	18
19	·10	15	39			4	21	41		15	4	1	19
20	2	3	30				3	95		44	1		20
21	3	2	61	1	41			4		27	1		21
22	48	23	8		8	19	48	15	1	7	2	12	22
23	26	34	32		2	2	13	47		18	20	32	23
24	8	1	2			11	2	30			*	21	24
25	·1	2	1			21		43			32	60	25
26		2				2	57	23		45	57	20	26
27						19	40	1		1·02	3	48	27
28	1	7				5	11	33	12	54	48	80	28
29	1	16	1			9	21	3	89	42	2	·2	29
30						15		1	49	29			30
31			18			~~15~~	40	3		6		4	31
Total	5·19	2·49	5·90	0·23	1·82	4·03	3·17	8·03	1·68	4·97	2·20	5·44	YEAR'S TOTAL 45·15 45·15
Rain Days.	23	21	26	7	10	4·03 23	17	29	11	24	18	27	236

W. 7,500, XI. ·12

✓ [illegible] 16.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 - JAN 1914

Kept at Rood Ashton, Trowbridge

in the County of Wilts

by W. Strugnell

Lat. ______ Long. ______

Time of Observation 9 am

Nearest Railway Station 3 miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·9	·30	·20	·1	·14				·75		·25	·27	1
2	·6	·27	·2	·5	·1					·9	·15		2
3			·9		·43					·4	·1	·22	3
4	·72		·11	·3	·50				94	·44	·3	·13	4
5	·2	·2				·20	·20		73	·2	·3	·10	5
6	1		14		·23	·14	·27			·50	·24	·70	6
7		·[illegible]	·1		·25	·7	·22			·57	·9	·2	7
8		·7			·35	·3			·1	·20	·7	·1	8
9		·11			·6	·3		·50	·26	·6	·2	·6	9
10	7	·1	·8	·7		·4		·3		·15	·36	·1	10
11	1·21	·2		·24	·24	·2			·1	·11	·36	·1	11
12	3	·2	2		·20				·1	·2	·18		12
13		·2	3		·1			·3	·16	·1	·18	·1	13
14	·13	·2	·15	·10	·2					·9	·19		14
15	·18	·6	·57	·36			·1		·14	·1	·12	·2	15
16	·32		·58	·31	·1			·2	·2	·1			16
17	·8	·1	·7	·3		·10	·2		·4				17
18	·6		·11	·16		·3	·5				·12		18
19	·64		·16	·1	·1	·1	·5		·54	·1		·2	19
20	·7		·17	·9	·1					·16	·15		20
21			·4	·16	·21		·4			·1	48		21
22	·57		·25	·30			·3	·2	·28	·1	·1		22
23	·1					·12			·1	·2	·3	·42	23
24	·5		·2	8				·22		·1		[illegible] ·7	24
25		15		12						·1	·1	·~~26~~	25
26	·1	22		38				·23		·6	·1	·26	26
27				21			·1			·8	·1		27
28	24		·38	38				·1	·1	·39	·1		28
29	·5		·60	53	·4			·6	·1	·37	·3	7	29
30	·55							·4		·46	·3		30
31	10		5		·4			·27		·6			31
Total	5·27 5·27	1·74	3·79 3·79	3·62	2·76	·79	·90	1·43	3·92	3.91 3·91	3·17	2·40	YEAR'S TOTAL 33·70 33.70
Rain Days.	23	15	22	20	18	11	10	11	16	28	26	17	217

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Rood Ashton Gardens

in the County of Wiltshire

by W. Strugnell

Lat. Long.

Time of Observation 7 am

Nearest Railway Station Trowbridge

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								44			·7	·6	1
2	·1		·2	·8			·75	·3			·50	·56	2
3		·1	·16	·22	31		45	41		·1	12	·9	3
4	·7		·9	41	·7		·13	77			54	·69	4
5	·7		·17	·31	·12		·41	17		·1	17	29	5
6		·12		·22	·3		·22	·9			17	32	6
7	·1	·50	·21	20	·30	·3	·16			·1	2	39	7
8	·3	·7	95	·7	·21	·42	·7	8	·1			·3	8
9	·14		68	·22	·7	·77		·8	·19				9
10	·4	·22	·2	·5	·9			·9	·39	·1	·9	·1	10
11		·13	·23		·7	30	·10	·1	·1			·42	11
12		·24	·14				·24		·35		·7	·19	12
13		·34	·32	·2					19	·11	·6	·34	13
14		·37	·64				·8	·23	·2	·56	·22	·2	14
15	·1	·5	27					·40	·2	·8	20	·2	15
16			·2				·9		3		·1		16
17		54	·23						·23			·89	17
18		·3	·13				·37		·4	·1		·60	18
19		·9	·18			·1	·67			·1	·15	·23	19
20		·24	·64			·4	·6		·1	·1		·15	20
21		·80	·5				·1	·1	·1	·18	·3		21
22		2	15		·10	33 ·40	·1			·44			22
23		13	·7		·32	·03~~0~~	·2		·1	·18			23
24	·1	·1	·11		·7	~~7~~	·3			·50	12		24
25	·3	·2	·12				·3	·12	·1	·38	2	·25	25
26		·1	12				·5	·11	·1	·11	37	64	26
27	·6						·1	·1	·1	·5	7	·17	27
28		8	·14		·6	~~·6~~		·1			22	·91	28
29	·23		·9		·6	~~·8~~		·1	·1	·41	38	·2	29
30		X	5			~~·8~~			·1	·20	58	·98	30
31	·1	X		X		X	·8		X	·54	X		31
Total	·72	4.02	6.00	1.80	1.88	1.93	4.06	3.07	1.56	3.81	4.18	8.27	YEAR'S TOTAL 41.30
Rain Days.	13	21	27	10	14	8	22	18	19	20	22	24	218

[illegible] 5-V-16

cordly obr 12.V.16 ~~J.W.~~ L.N.

1626

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rood Ashton

in the County of Wiltshire

by W. Strugnell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Trowbridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.99	.10	.22		..7			..8	.49	.16		.20	1
2	.60	.37		..5	..2			1.00	.11	.29		.28	2
3	1.09	..6	.7	.18	..2		.8	..3	..1	..2		.48	3
4	..3	.11							..1			.41	4
5	.11	1.33	..1	..1				.17		..1		.21	5
6	.43	..3		.35			48	..4		..1		.16	6
7	.35	.47		..3	..8	..1	20	..6		..1		.30	7
8	.31	.47		..5			15	..3				..2	8
9	..2	.12		.13				..10			.44	.95	9
10	.13	..1	..1	..4				..9	..1	..2		..7	10
11	..4		.21	.11	..2			..8		..1	.73	..5	11
12	.18		..1	.19	45			.36		..1	.57	..2	12
13	..4	1.17			1.52			..2	.13	..1	..3		13
14	.12						.18	.66	.10	..1		64	14
15	.38			..5	.15			.16	..1	..2	.20		15
16	..1	.81			.15		1.22	..2		..1		.24	16
17		.82			.97		..4	..4	..1	..1		.13	17
18		.49	..4		.45			..1				..2	18
19					..6		.30			..1	..4		19
20	.22			..7	..1			..1				.10	20
21	..3	.20		..3	..3		..2			.16		.17	21
22	.20	.88	.59				.57		..2			.22	22
23	..1	..5	14				.35		..8	1.25			23
24			..1	.13			.38		.50	1.81		.33	24
25			..1	..1		.15	.35		..2			.44	25
26	..1	.16				.13	.19					.14	26
27		..5				.36	..7			.30		.69	27
28		..6				..5	.48	..2	95	..5		..4	28
29						.14	..1	..6			..6	..6	29
30	.26	✕				.9	..1		..1	50	.43	.17	30
31	..2	✕		✕		✕	..2	..1	✕	1.12	✕	26	31
Total	5.58	7.76	1.32	1.43	4.00	.93	5.10	3.05	2.46	5.80	2.44	6.80	YEAR'S TOTAL 46.67
Rain Days.	23	7.76 20	11	15	4.00 14	7	19	21	15	22	8	27	46.67 202

W. 8,000. X. 15.

1599

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Rood Ashton

in the County of Wiltshire

by W. Strugnell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Trowbridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29		.2		16	.11	..4		.10	.8	.91		1
2	.45	..8	3		16	..1				1.27	.4		2
3	..1	1.19			.1		..1		10	30	.30		3
4	.20	.20	4		20	35			32	25	.61		4
5	.3	..1			35	22			..1	..8	55		5
6	.10	.13	15		9	..7	.36		..1	..3	73		6
7	..2	..9	20		(3)	..1	.20		..1	..4	33	.28	7
8		8	4		14	.47				..2	.3	10	8
9					29	16	.4			.11	.2	7	9
10		.47	.2	.10	3	.40	.2			..1	.1	16	10
11	..7	..9	3		..1	.50						11	11
12	.11	..8	8	.11	..9		.13			..1	.1		12
13		.45	10		..3			.24		..2	..1		13
14		.42	..5	..1	.11			.19		..8	..1		14
15	..2	.25		.6	..1			.43					15
16	..2	.17	.5	27	..5		.14	.23		.2			16
17	..8	.16		.12				.53	35	.50	.1		17
18	..1	.15	8	.24					17	.8	.8	38	18
19	.19	..1	34	.16					..8		60		19
20	.19	..2	56	3							10	70	20
21	..5	..5	83	3							..1	94	21
22	..4				12	.5			..1	.41	..3	60	22
23	..2			5		..1		.17		14	29	10	23
24		.30		6	30	..9		..4	..1	.40	..6	33	24
25	..2	.35			..3			.42		.11	.17	16	25
26		.17	.41			.61		32	25	53			26
27		..9	1.37		..1	.14	.14	..7	32	32			27
28	.1	39	42			..3		..4	.5	28	4		28
29		58	5			.47		1.53	43	78		30	29
30		X						..4	..1	.57	.1	50	30
31		X		X		X		3	X	7	X	4	31
Total	1.93	5.98	4.87	1.24	2.22	3.70	1.08	4.30	2.23	6.45	4.96	4.77	YEAR'S TOTAL 43.73
Rain Days.	20	25	20	12	.20	17	9	14	16	26	24	15	218

W. 8,000, VIII. 16

P. made

1525

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8. JAN 1918

Kept at Rood Ashton Gardens.
in the County of Wiltshire
by W. Strugnell

Lat. .... Long. ....
Time of Observation 7. am
Nearest Railway Station Trowbridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			15	19		7		98	30		.2		1
2			6	57		11		10	·1		10		2
3	··1			10			·69	15		45	·1		3
4	··4	.32	13	26			32	6		50			4
5	.33		10			6		6	17	43	14		5
6	·5		69			3				17	13	··1	6
7	16		·1				27			31		··3	7
8	61			.16			54	80	7	40	8	.15	8
9			26		·4			18	·6	12	26		9
10	.14		31	·13	·1			9	·1	·6	·1	·1	10
11	.5		97	26				42	·1	20	··3		11
12	·13		10	2	61			49		56	··2	·2	12
13			10			·2		28	9	7			13
14	·1		25	19				10	9	·1	·2		14
15							·25	10		·7	2		15
16		·9		20			··2	··1		60		·2	16
17				14	33		·34	··6	41	15	2	56	17
18		·4					·40	··4	53	·2			18
19	·2	21	.8				··1		19		··1		19
20			.10		30	14		14	·2	5			20
21			·24		·1	17			·1				21
22			·13			28	2	2	·1	6			22
23		28			18	··1		72				6	23
24		8	2	28		·12	·.8	14		24			24
25			2				·2	2	4	50			25
26			5		28			62	19	55	·12		26
27					1·24			79	·1	2		·2	27
28			8		16	3·40		71				3	28
29			14		82	·25	18	11	2	40	·1	12	29
30		✕	12				33	15	1	26			30
31		✕	23	✕		✕	2		✕	2	✕	5	31
Total	1·55	1·02	4·34	2·50	3·98	4·66	3·49	7·34	2·25	6·22	1·00	1·08	YEAR'S TOTAL 39·43
Rain Days.	11	6	23	12	11	12	15	26	20	25	16	12	189

W. 8,000, IX. 17.

1·76

REGISTER OF RAINFALL IN 1918

Kept at Rood Ashton Gardens
in the County of Wiltshire
by W. Strugnell

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Trowbridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

FORM A.
BRITISH RAINFALL.
8.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·1	11			10		·2	50	·4	1
2		·2		21.				67		·2	·9	40	2
3				27	18			42	·7	·4	·1	·1	3
4		·5	4	17				·3	·1		88	·5	4
5		·5			41			27	21	25	·2	·1	5
6	21	22		52				16	·2		·2	·9	6
7		24		10	82				·12	19		·2	7
8		2							79	17	16	23	8
9	·1	19		47		34	57		49	25	·1	35	9
10	·2			13			55		10	17		20	10
11	4	6		2			54		24	22	·5	6	11
12		12			22		77		·4	·1	·2	·3	12
13	16				15		18		36	·1		10	13
14	36					·4	54		46	16	·2	26	14
15	1·26			44			15		·1	·4	·2	13	15
16	20			86		·1	·3		18	·24		28	16
17	52		12	20			27	20		·2	·1	31	17
18	90					38	9		13	·5		27	18
19	8		·8	5			32		40	·2	·2	10	19
20	2	15		30			33		20	·3			20
21	11	·4	·1			·2	·5		84	~~16~~	·1	5	21
22	·1				2		·8		14	·16		46	22
23	14	·1			22		78		·3	·1		·5	23
24		17					·2		15		12		24
25				12		6	20	77		·3	·1		25
26	·1						63	·1	·7	·2	·8	·13	26
27		·6	6					18	20		10	(·5)	27
28		10	30	2				·1			27	14	28
29	2		20						1·62		·2	·2	29
30	2	X	12						·1	3	5	·8	30
31	1	X	16	X		X		6	X		X		31
Total	4·10 ✓	1·50 ✓	1·09 ✓	3·89 ✓	2·13 ✓	·85	6·04 ✓	2·88 ✓	6·89	1·96 ✓	2·49	3·92 ✓	YEAR'S TOTAL 37·74 ✓
Rain Days.	19 ✓	15 ✓	9 ✓	16 ✓	8 ✓	6 ?	·18 ✓	12 ✓	25	24	22	27	201 ✓

W, 6,500, VII. 18. W W C

1431

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Rood Ashton Gardens

in the County of Wiltshire

by W. Strugnell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Trowbridge

Diameter of Funnel of Rain Gauge 8- in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ „ „ „ Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29		..4	..6	.16		.28			..6		1.00	1
2	.22		..5		.18		..6		.22	..5	..5	.36	2
3	1.43	..4	.14		..9		..1		.32		..7	.42	3
4	.26	.47	70					..8	.20	..1		..9	4
5	..2	..5	1.29			.11 5			.45	..2	..6	.28	5
6	.52	..5	..6		.36				..1		.10	.18	6
7	.30		.45	..5						..1	..2	..2	7
8	.44		.22	..8									8
9	..2			..7		..1					.12		9
10	.11		.13	.10	..1					..4		.14	10
11	..6		.19	.17	.13		21					..2	11
12	.12		.15	..5		.15	.29			.10		..5	12
13		..2	..3	.26						..2 ~~23~~		..2	13
14	.50	..4		.91			..8		..7	..3	..3	..5	14
15	.18			..7	..3						.20	.34	15
16	.11	.77								..2		..1	16
17		.33				..2			..1		.25	..2	17
18		.24	.64						..4	..1	..5	..2	18
19	.20	.15	.70			..7	1.20	.20	.19	..1	.28	..7	19
20	.40	.10	.66			.48	..2	.34	..2			..7	20
21		.44	..1				..4	.34	..4		..2	8	21
22		.32	..1				.15		.18		.11	.18	22
23									..2	30		..2	23
24						..6	.25		..1	1.42	.10	.50	24
25	.14					..5		.82			..2	.13	25
26	.16		.16	..8				.23	.10			.42	26
27	.18		..1	.48				.22			..1	..8	27
28		..3	.35					.87			.16	.38	28
29	1							.12		..5	.28	..7	29
30			..1	.29		19		.54	..1	..2	33	.35	30
31			..1							..1		9	31
TOTAL	5.67	3.05	6.01	2.67	.96	1.14	2.59	3.76	1.89	2.18	2.26	5.46	YEAR'S TOTAL 37.64
Days with ·01 in. or more	21	14	22	13	7	9	11	10	16	17	19	29	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1353

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rood Ashton Gardens
in the County of Wiltshire
by W. Strugnell

Lat. 51 N Long 2 W
Time of Observation 9 am
Nearest Railway Station Trowbridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.46	.39		.47			.30	.27	.47	1
2	0.08			.15			..4	.45	..8	.12		..7	2
3	0.05	..4		.15	..8		.70			.70			3
4	..8	..2	..8	..6			.10	.46		.36		..3	4
5			..7	..5	..4		.46	..1		.12			5
6			.21		.47		.45	..1		.44		..1	6
7			..6	.20	..7		.10			..2		..1	7
8	..3	..8		.25	..2		.72					..1	8
9	..1	..4	..1	.69		.12	..6		.1			..2	9
10	.50	.30	..5	..7		.16	.30					..1	10
11	1.20	..2	.12	.40	.35	.11	.20						11
12	.51	..4	..1	.34	..3	1.15	..8				..8		12
13	.16	..9	.34	..9	.24		..3				..4		13
14	.28	.10	.33	.40	.14	.15			..6	.65	.35		14
15		..6	19	.36	.10	..4	..1		.12	.23	.10		15
16	..1			..7		..6	..2		.36	.9	.16	..2	16
17	..2		4	.11		.61	..4		.70		..1		17
18	..5			.18		..2		.47	.15			..2	18
19	.7			.18		.11		..2					19
20		.26		.18		.47			..2			..7	20
21				..1			.21			..2	..1	.30	21
22	..3			..7				..6	..2	..2		.41	22
23		..1		..4			1.00	..2		..2		.41	23
24	..3	..1	.22							..1	.24	..8	24
25	.33	..7	.10				.26			..1			25
26	.27		.20	..1			.12			..3		.11	26
27		..7	..6	.24	.35	.43				..1		.21	27
28	.76	..1	..4	..8	..2	..1	.4			..1		..3	28
29	.30		.21	..2	..1	.13		~~7~~	..1		.11	.23	29
30	..5	✕	..7	..8	..3	.10	.37	~~28~~	.28		.48	.27	30
31	.23	✕	.22	✕	~~2.30~~	✕	13		✕	.30	✕	.10	31
													YEAR'S TOTAL
TOTAL	5.05	1.22	2.63	4.84	2.3[illegible]	3.67	5.91	1.50	1.81	3.46	1.85	2.89	37 14
Days with ·01 in. or more	22	16	.20	27	15	15	23	8	11	19	11	21	208
Days with ·04 in. or more	16	11	18	24	10	~~14~~3	20	4	7	10	9	12	~~153~~ 154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1486.

FORM A.
BRITISH RAINFALL.

3 JAN 20

N 19 19

WANBOROUGH

WILTSHIRE

1919

Kept at W .... Long. ....

..........servation ....

in the County ....ilway Station ....

..........f Funnel of Rain Gauge 5 in.

by C ....op of Gauge above Ground 1 ft. .... in.

„ „ Sea Level 435 ft.

IMPO.......... t 9 a.m. and the result entered to the previous d.......... s almost universal rule, he is earnestly requested .... following year in the space provided for it at t.......... the measurement of rain, the selecti.......... s to the British Rainfall Organizati.......... post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	—					·17			·06		1·05	1
2	·10	—	·15				·07		·25		·09	·10	2
3	·82	—	·20				·03		42	—	·07	·45	3
4	·10	—	·50			·30			·25	—	·03	·13	4
5	—	·37	·59						·29	—	·04	·14	5
6	·20		·08		·56				—	—	·02	·13	6
7	·09		29						—	—	·04		7
8	—		—	·10									8
9	·13		·07	·05							·10		9
10	03		23	·08									10
11	·05		·08		·07		·51				·02	·11	11
12	·00		·25			·68	04			09			12
13	·00			·31			—		·03	04			13
14	·50	·03		·41			·14						14
15	·17			·02						·04		·5	15
16	·13	·63			·03						·11	·45	16
17	·03	·23									·15		17
18	—	·17	34		·25			·14	·07				18
19	·20	·11	65			·12	·84	·30	·05		27	·4	19
20	·23	·03	41			·22	~	·29			·01	·2	20
21	–	·31					·16	·01	·03			·9	21
22	—	·03				·12	·19		·11		·07	·19	22
23	—					·08	1	·02	·06	·18	·06	·15	23
24	—					·06		·14	·07	·65	·11	·3	24
25	·08							44				·26	25
26	·07		·15	·10			·58	10·	·12		·01	·1	26
27	·16			·56				·28	—		·12	·30	27
28	—		21					·56	—				28
29	—	X						·14	—	·10	·03	·22	29
30	—	X	·02	·31		·22		77	—	·03	·36	·2	30
31	—	X		X		X			X		X	·46	31
Total	3·42	1·91	4·22	1·94	·91	1·80	2·73	~~2·77~~	1·69	1·19	~~1·49~~	4·40	YEAR'S TOTAL ~~28·77~~ 28·47
Rain Days.	18	9	16	9	4	8	10	12	12	8	19	21	146

3·19

1·59

W. 6,500, VII. 18. W W O

FORM A.
BRITISH RAINFALL.

3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Marlborough
in the County of Wilts
by C F Burgess

Lat. Long.
Time of Observation 9
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	—					·17			·06		1·05	1
2	·10	—	·15				·07		·25		·09	·10	2
3	·82	—	·20				·03		42	—	·07	·45	3
4	·10	—	·50			·30			·25	—	·03	·13	4
5	—	·37	·59						·29	—	·04	·14	5
6	·20		·08		·56				—	—	·02	·13	6
7	·09		29						—	—	·04		7
8	—		—	·10									8
9	·13		·07	·05							·10		9
10	03		23	·08									10
11	·05		·08		·07		·51				·02	·11	11
12	·00		·25			·68	04			09			12
13	·00			·31			—		·03	04			13
14	·50	·03		·41			·14						14
15	·17			·02						·04		·5	15
16	·13	·63			·03						·11	·45	16
17	·03	·23									·15		17
18	—	·17	34		·25			·14	·07				18
19	·20	·11	65			·12	·84	·30	·05		27	·4	19
20	·23	·03	41			·22	~	·29			·01	·2	20
21	—	·31					·16	·01	·03			·9	21
22	—	·03				·12	·19		·11		·01	·19	22
23	—					·08		·02	·06	·18	·06	·15	23
24	—					·06		·14	·07	·65	·11	·3	24
25	·08							44				·26	25
26	·07		·15	·10			·58	10	·12		·01	·1	26
27	·16			·56				·28	—		·12	·30	27
28	—		21					·56	—				28
29	—	X						·14	—	·10	·03	·22	29
30	—	X	·02	·31		·22		77	—	·03	·36	·2	30
31	—	X		X		X			X		X	·46	31
Total	3·42	1·91	4·22	1·94	·91	1·80	2·73	~~2·77~~ 3·19	1·69	1·19	~~1·49~~ 1·59	4·40	YEAR'S TOTAL ~~28·99~~ 28·47
Rain Days.	18	9	16	9	4	8	10	12	12	8	19	21	146

W. 6,500, VII. 18. W W O

Written 17·3·14

obs. 3.IV.14.

FORM A. BRITISH RAINFALL.

2 JAN 1914

R 1914

R… …NFALL IN 1913

Kept at Stu… 9 AM Warminster

in the County of …

5½ in.

by H. T. …

above Ground ft. 9 in.

Sea Level 459 ft.

IMPORTANT … …e result entered to the previous day. If … …sal rule, he is earnestly requested to add t… … in the space provided for it at the end … …nt of rain, the selection and … …sh Rainfall Organization are … …plication to Dr. H. R. Mill, …

Jan. 1, following.

WARMINSTER

STURFORD MEAD

WILTSHIRE

1913

Dear Sir

I thank yr for your letter & now return your card with the addition of the 2 day 28th & 29th ·05 & ·03 — these make the difference between 2.47 & 2.55 —

Yours faithfully

H.

Date.	Jan.	Feb.									Nov.	Dec.	Date.
1	.02	·30									24	26	1
2	.03	·09									22	05	2
3	·19	·01									01	08	3
4	1.03										02	10	4
5	.01	04									01	12	5
6	·04	06									14	62	6
7	·02	·30									23	02	7
8	·04	·14										03	8
9		09									12	02	9
10	·20										34	01	10
11	·77										35	01	11
12	.06										15		12
13	.12										16		13
14	.22										32	01	14
15	.31	·10									22	01	15
16	.04		63			02		01	01		03		16
17		·01	02	14		01	02		01		02		17
18	.07		23	23		01					08	01	18
19	·74		08			21	04		·46	02		01	19
20	.04		09	10					01	22	14		20
21			08	29	12		10				59		21
22	·69		38	06	04				26		04		22
23	·02		01						03	01		65	23
24	·08	03	01	16				14	01				24
25		12		18				19		02	05	07	25
26		05		56						01	02	35	26
27	·01		22	25						12	01	04	27
28	.23		19	43						15		·05	28
29	·07		59	70	02			12		50	02	·03	29
30	·64		07							47	04		30
31	·13							55		10			31
Total	5.82	1.34	3.66	4.16	3.13	·91	·52	1·38	2.92	3.83	3.57	~~2.47~~	YEAR'S TOTAL 33.79
Rain Days.	26	13	24	17	15	11	9	8	16	19	25	~~19~~ 21	204

2:55

33.79

W.7,000, XI. 13

Write [illegible] 17-3-14

R

FORM A.
BRITISH RAINFALL.

2 JAN 1914

Kept at Sturford Mead

in the County of Wilts

by H. T. COOKSON.

Time of Observation 9 AM
Nearest Railway Station Warminster
Diameter of Rain Gauge 5½ in.
Height of top of Gauge above Ground ft. 9 in.
Sea Level 459 ft.

IMPORTANT ... he result entered to the previous day. If ... sal rule, he is earnestly requested to add t... in the space provided for it at the end ... nt of rain, the selection and ... sh Rainfall Organization are g... plication to Dr. H. R. Mill, 6

Jan. 1, following.

TELEGRAMS,
CORSLEY-HEATH.

STURFORD MEAD,
WARMINSTER,
WILTS.

18 MAR 1914

19 MAR 1914

Dear Sir

I thank you for your letter & now return your card with the addition of the 2 days 28th & 29th .05 & .03 — these make the difference between 2.47 & 2.55 —

Yours faithfully
H. [illegible] Cookson

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.30									24	26	1
2	.03	.09									22	05	2
3	.19	.01									01	08	3
4	1.03										02	10	4
5	.01	04									01	12	5
6	.04	06									14	62	6
7	.02	.30									23	02	7
8	.04	.14										03	8
9		09									12	02	9
10	.20										34	01	10
11	.77										35	01	11
12	.06										15		12
13	.12										16		13
14	.22										32	01	14
15	.31	.10									22	01	15
16	.04		63			02		01	01		03	—	16
17		.01	02	14		01	02		01		02		17
18	.07		23	23		01					08	01	18
19	.74		08			21	04		.46	02		01	19
20	.04		09	10					01	22	14		20
21			08	29	12		10				59		21
22	.69		38	06	04				26		04		22
23	.02		01						03	01		65	23
24	.08	03	01	16				14	01				24
25		12		18				19		02	05	07	25
26		05		56						01	02	35	26
27	.01		22	25						12	01	04	27
28	.23		19	43						15		.05	28
29	.07		59	70	02			12		50	02	.03	29
30	.64		07							47	04		30
31	.13							55		10			31
Total	5.82	1.34	3.66	4.16	3.13	.91	.52	1.38	2.92	3.83	3.57	~~2.47~~	YEAR'S TOTAL 33.79
Rain Days.	26	13	24	17	15	11	9	8	16	19	25	~~19~~ 21	204

2.55

33.79

W.7,000, XI. 13

Writ... 14·3·14

FORM A.
BRITISH RAINFALL.

2 JAN 1914

Kept at St AM

Sarmunto

in the County of 5½ in.

by H. Ground ft. 9 in.

Sea Level 459 ft.

IMPORTAN
previous day.
requested to add
for it at the end
the selection and
Organization are
Dr. H. R. Mill,

he result entered to the
sal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.									Nov.	Dec.	Date.
1	.02	.30	.28	06	06				37		24	26	1
2	.03	·09	03	19	01				07	01	22	05	2
3	·19	·01	08	01	50					08	01	08	3
4	1.03		05		54				95	44	02	10	4
5	.01	04			08	30	02		48		01	12	5
6	-04	06	08		33	15	28		01	69	14	62	6
7	.02	.30	06		24	02				48	23	02	7
8	.04	·14			26	06	01			04		03	8
9		09	02		09	11	02	31			12	02	9
10	·20		04	01	14					33	34	01	10
11	·77			16	38					13	35	01	11
12	.06				32	01			03	01	15		12
13	.12		10			01		02	10		16		13
14	.22		15				02		02		32	01	14
15	.31	-10	18	63			01	04	10		22	01	15
16	.04		63			02		01	01		03		16
17		·01	02	14		01	02		01		02		17
18	.07		23	23		01					08	01	18
19	·74		08			21	04		·46	02		01	19
20	.04		09	10					01	22	14		20
21			08	29	12		10				59		21
22	·69		38	06	04				26		04		22
23	·02		01						03	01		65	23
24	·08	03	01	16				14	01				24
25		12		18				19		02	05	07	25
26		05		56						01	02	35	26
27	·01		22	25						12	01	04	27
28	.23		19	43						15		·05	28
29	·07		59	70	02			12		50	02	·03	29
30	·64		07							47	04		30
31	-13							55		10			31
Total	5.82	1.34	3.66	4.16	3.13	·91	-52	1-38	2.92	3.83	3.57	~~2-47~~	YEAR'S TOTAL 33.79
Rain Days.	26	13	24	17	15	11	9	8	16	19	25	~~19~~ 21	204
												2·55	33.79

W.7,000, XI. 13

WARMINSTER

RYE HILL

WILTSHIRE

1911 —— 1920

N 19 11.

FORM A2.
BRITISH RAINFALL

3 JAN 1912

Kept at Ry

in the County

by Stiles

rn Glaisher, Negretti & Zambra measure

eter of top 8 in.

nt of top above Ground 2 ft.

" " Sea Level 466 ft.

vation 9 a. m.

vay Station { Name Warminster
Distance 4 miles Direction E. of North

IMPORT a.m., and the result entered to the previous day lmost universal rule, he is earnestly requested to llowing year in the space provided for it at the e measurement of rain, the selection to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	.01	.04	.12				.03			.02	.04	1
2	.03		.01	.10	.38			.10		.10	.26	.25	2
3			.02		.29			.09			.21	.10	3
4	.01		.14	.05				.02	.03	.12	.24	.67	4
5	.14		.03	.02				.25		.11	.23	.03	5
6	.61		.18					.01		.01	.16	.67	6
7	.03		.01	.01						.01	.42	.01	7
8	.05		.20								.14	.45	8
9	.10		.01							.01	.09	.35	9
10	.13	.07	.42		.70						.05	.35	10
11	.57	.03	.01		.01						.70	.23	11
12			.90		.02				.02	.01	.16	.31	12
13									.28		.03	.57	13
14	.01	.03										.68	14
15	.01	.05	.06			.04				.03	.37	.12	15
16		.02	.06			.36					.63	.46	16
17		.03	.01		.21	.10					.12	.41	17
18		.33	.07	.14	.04	.22				.04	.02	.44	18
19		.12		.03		.33			.13	.32	.02	.54	19
20	.02	.02	.11	.15		.02		.06	.23	.12		.54	20
21	.01	.20	.07	.03		.02		.02	.05	.45		.25	21
22	.05	.02	.44	.03		.02			.02	.47		.57	22
23		.20	.10			.01			.10	.09	.04	.31	23
24	.01	.24				.60		.16		.38		.14	24
25	.03	.12	.02	.26		.10			.03	.04		.25	25
26		.02		.39	.03	.02				.11	.03	.57	26
27		.66	.25	.19				.05	.19		.04	.16	27
28		.43		.34				.13		.01	.06		28
29				.36		.36	.05		.10	.61	.01		29
30						.09	.01	.02		.28	.02	.01	30
31			.01							.13			31
Total	1.92	2.60	3.17	2.22	1.68	2.29	.06	.94	1.18	3.45	4.07	9.42	TOTAL for year 33.00
No. of Rain Days.	17	18	23	15	8	14	2	12	11	21	24	28	193

W. 8,000, X. '11.

N 19 11.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at Rye Hill, near Warminster,

in the County of Wilts. 3

by Stiles E Jefferys.

RAIN GAUGE
Pattern Glaisher, Negretti & Zambra, measure
Diameter of top 8 in.
Height of top above Ground 2 ft.
" " " Sea Level 466 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Warminster
Distance 4 miles Direction E of North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.01	.04	.12				.03			.02	.04	1
2	.03		.01	.10	.38			.10		.10	.26	.25	2
3			.02		.29			.09			.21	.10	3
4	.01		.14	.05				.02	.03	.12	.24	.67	4
5	.14		.03	.02				.25		.11	.23	.03	5
6	.61		.18					.01		.01	.16	.67	6
7	.03		.01	.01						.01	.42	.01	7
8	.05		.20								.14	.45	8
9	.10		.01							.01	.09	.35	9
10	.13	.07	.42		.70						.05	.35	10
11	.57	.03	.01		.01						.70	.23	11
12			.90		.02				.02	.01	.16	.31	12
13									.28		.03	.57	13
14	.01	.03										.68	14
15	.01	.05	.06			.04				.03	.37	.12	15
16		.02	.06			.36					.63	.46	16
17		.03	.01		.21	.10					.12	.41	17
18		.33	.07	.14	.04	.22				.04	.02	.44	18
19		.12		.03		.33			.13	.32	.02	.54	19
20	.02	.02	.11	.15		.02		.06	.23	.12		.54	20
21	.01	.20	.07	.03		.02		.02	.05	.45		.25	21
22	.05	.02	.44	.03		.02			.02	.47		.57	22
23		.20	.10			.01			.10	.09	.04	.31	23
24	.01	.24				.60		.16		.38		.14	24
25	.03	.12	.02	.26		.10			.03	.04		.25	25
26		.02		.39	.03	.02				.11	.03	.51	26
27		.66	.25	.19				.05	.19		.04	.16	27
28		.43		.34				.13		.01	.06		28
29				.36		.36	.05		.10	.61	.01		29
30						.09	.01	.02		.28	.02	.01	30
31			.01							.13			31
Total	1.92	2.60	3.17	2.22	1.68	2.29	.06	.94	1.18	3.45	4.07	9.42	TOTAL for year 33.00
No. of Rain Days.	17	18	23	15	8	14	2	12	11	21	24	28	193

W. 8,000, X. '11.

Eoc 32

FORM A2.
BRITISH RAINFALL
... 1913

REGISTER OF RAINFALL IN 1912

Kept at Rye Hills, near Warminster

in the County of Wilts. 3

by Stiles E Jeffreys

RAIN GAUGE
Pattern Glaisher, defective & [illegible]
Diameter of top 8 in.
Height of top above Ground 2 ft. – in.
" " " Sea Level 466 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Warminster
Distance 4 miles Direction E of North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.11			.19	.10		.02	.62		.51	1
2			.39			.11	.30	.07			.02		2
3	.02		.08			.34	.09	.45	.04	.01	.03	.06	3
4	.16	.01	.98		.08	.59			.01	.01	.14		4
5	.59	.15	.25		.08	.03		.65	.01		.01	.17	5
6	.57	.09	.01		.07		.61	.60				.13	6
7	.04	.24	.15		.13	.47		.31				.12	7
8	.40	.24	.45	.03		.22	.20	.18	.02	.01		.08	8
9	.03	.07	.17	.11		.49	.01	.13			.01	.50	9
10	.04	.09		.01		.02		.19		.01	.11	.24	10
11	.10	.08	.01			.03				.01		.58	11
12	.06	.48	.11	.02		.01	.03				.01		12
13		.12	.01			.04	.02			.01	.01	.13	13
14	.19	.01	.38		.08	.01		.17		.03		.02	14
15	.07	.07	.01	.01	.16	.52		.07		.01		.73	15
16	.69	.01	.46		.05	.02		.11		.14	.02	.04	16
17	1.29	.01	.13			.05		.79	.01	.01	.05	.04	17
18	.32		.59					.16		.04	.01	.12	18
19	.04	.12	.08			.12	.17	.25		.03		.03	19
20	.04	.03	.42		.03	.02	.05	.50		.43	.01		20
21	.02	.16	.32		.74		.02	.06		.44		.10	21
22	.40	.34	.02		.17	.38	.03	.27		.10	.01		22
23	.20	.52	.32			.02	.09	.57		.06	.22	.39	23
24	.10	.03	.03			.29	.03	.14		.01		.28	24
25	.04	.01				.15		.33		.11	.36	.59	25
26		.02					.40	.24		.50	.52	.24	26
27		.02				.19	.88			1.05		.48	27
28	.01	.08				.12	.03	.34	.22	.53	.58	.66	28
29		.10				.24	.08	.04	1.18	.37	.01	.01	29
30						.46	.21		.33	.51			30
31			.40		.16		.43	.05		.02		.25	31
Total	5.43	3.10	5.88	.18	1.75	5.13	3.78	6.67	1.84	5.07	2.13	6.50	TOTAL for year 47.46
No. of Rain Days.	24	25	24	5	11	26	20	24	9	25	18	25	236

FORM A.
BRITISH RAINFALL.

9 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Rye Hill, near Warminster

in the County of Wilts. 3

by Stiles E Jefferys.

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Warminster

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 466 - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.27	.24	.01	.02	.06			.32	.06	.31	.22	1
2	.02	.09	.03	.07	.02				.12	.01	.22		2
3	.11		.06	.01	.76					.05	.01	.20	3
4	.95		.03	.01	.60				.90	.44	.03	.20	4
5	.04	.03			.05	.24	.02		.54		.05	.13	5
6	.03	.04	.07		.32	.17	.14			.69	.21	.63	6
7	.02	.42	.05		.31	.02	.02			.34	.22		7
8	.02	.08			.31	.01	.01			.13	.01	.03	8
9		.05			.04	.08	.05	.19	.10	.02	.07	.04	9
10	.16		.04	.02	.08		.01	.02		.25	.40		10
11	.71	.03	.02	.22	.19	.02				.07	.60		11
12	.12	.01			.22		.01		.02	.02	.28	.02	12
13	.03		.12		.01				.12	.01	.18		13
14	.11	.02	.16	.04			.01		.06		.33	.01	14
15	.23	.09	.34	.76			.01	.02	.08	.01	.10		15
16	.27		.65	.09	.01	.02			.02	.01			16
17	.02	.02		.04		.02	.03				.01		17
18	.03		.42	.18							.10		18
19	.77		.16		.06	.17	.08		.54				19
20	.02		.12	.07						.22	.26		20
21			.09	.33	.18		.07		.01	.03	.71		21
22	.62		.28	.05	.02			.04	.24	.01	.01		22
23			.05			.09			.02	.01	.02	.51	23
24	.09	.03	.01	.13				.23		.01	.03		24
25		.21		.16						.01		.06	25
26		.02		.36				.21	.01	.03	.01	.32	26
27	.01		.21	.17					.01	.09		.02	27
28	.14		.11	.35					.01	.22	.01	.04	28
29	.05		.58	.62	.13			.10		.35	.01	.02	29
30	.69			.01	.02					.35	.03		30
31	.14		.04		.05			.55		.02			31
Total	5.41	1.41	3.88	3.70	3.35	.90	.46	1.36	3.12	3.46	4.22	2.45	YEAR'S TOTAL 33.72
Rain Days.	26	15	23	21	20	11	12	8	17	26	26	15	220

W.7,000, XI. 13

REGISTER OF RAINFALL IN 19 14.

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Rye Hill. Hill Deverill

in the County of Wilts 3

by A. E. Jefferys

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Warminster

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 466 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·13.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·		·01	·	·			·42			·13	·04	1
2	·		·	·03	·		·98	·08			1·21	·29	2
3	·		·15	·11	·36		·02	·56			·10	·03	3
4	·11		·13	·26	·08		·19	·80			·75	·53	4
5	·15		·19	·50	·52		·32	·01			·47	·04	5
6	·	·21	·03	·28	·05	·02	·04	·15			·03	·39	6
7	·01	·45	·10	·16	·73		·22	·10		·01	·	·33	7
8	·13	·01	·92	·01	·26	·19	·08	·36	·09		·01	·08	8
9	·11		·48	·41	·04	·69		·08	·10		·	—	9
10	·01	·17	·02	·03	·06			·01	·32		·03	·01	10
11	·	·17	·71	·01	·08	·27	·21		·	·01×	·09	·41	11
12	·	·14	·19						·24		·02	·35	12
13	·	·35	·27						·11	·26	·19	·46	13
14	·01	·19	·22				·08	·24	·06	·49	·34	·13	14
15			·29				·03	·66	·09	·03	·17		15
16			·				·09		·27				16
17		·70	·26						·02			1·11	17
18		·01	·09				·17		·01			·77	18
19		·06 ~~·70~~	·50+				·96					·31	19
20		32 ~~·01~~	·41+ ✓			·04						·48	20
21		·88 ~~·06~~	·01			·03				·23		·03	21
22		·01 ~~·32~~	·04		·18	·09	·01	·04		·82		·	22
23		·09 ~~·88~~	·23		·12	·01	·01			·09		·04	23
24		·07 ~~·01~~	·10		·		·37			·10	·29	·	24
25	·06	·01 ~~·09~~	·29		·05		·07	·27	·01+	·47	·04	·36	25
26		~~·07~~	·02				·02	·05	·01+	·12	·36	·61	26
27	·07		·							·08	·05	·19	27
28	·01	·16	·27		·12			·01		·01	·31	1·03	28
29	·42		·08		·12					·29	·28	–	29
30	·01	╳	·04							·18	·44	·94	30
31	·02	╳	·	╳	·04	╳	·16		╳	·72	╳	·13	31
Total	1·12	4·00	6·05 ✓	1·80	2·81	1·34	4·03	3·84	1·33	3·91	5·31	9·09	YEAR'S TOTAL 44·63
Rain Days.	13	18	27.	10	15	8	19.	16	12.	16	20	25 ~~26~~	~~200~~

W. 8,000. X. 14.

see + over

+ 709.

199

1662

FORM A.
BRITISH RAINFALL.
12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rye Hill. Warminster
in the County of Wilts
by Arthur E. Jefferys.

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Warminster
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 466 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·84	·32	·01		·02			·19	·14	·33	·02	·32	1
2	·70	·31	·18	·09		·01		·82		·22		·57	2
3	·75	·06	·13	·03	·06	·01	·04	·02		·12		·35	3
4	·01	·01			·03					·02		·34	4
5	·04	·87		·09				·07	·01		·01	·33	5
6	·60	·10		·43			·45	·06		·01		·35	6
7	·30	·57		·04			·23					·37	7
8	·22	·70		·01			·02	·08				·02	8
9		·03		·23							·51	·77	9
10	·31		·06	·03				·01				·09	10
11	·05		·08	·11			·14	·15		·01	·84	·04	11
12	·15	·60		·19	·61			·33		·08	·41	·01	12
13		·92			1·19			·02	·12	·01	·02		13
14	·05						·15	·68	·04			1·53	14
15	·26				·16		·06	·21	·01	·01	·12	·13	15
16		·97			·35		·92	·05	·01	·01			16
17		·46			·96		·01	·09		·02		·02	17
18		·39	·01		·11			·01					18
19		·01			·11		·22		·01	·01	·01		19
20	·30		·01	·07	·11					·02		·06	20
21	·04	·02					·19			·44		·31	21
22	·10	·57	·44	·07			·79		·03	·02		·41	22
23		·02	·10				·35		·16	1·56		·43	23
24				·09			·43		·45	1·47		·59	24
25			·03	·02	~~·01~~	·01	·63		·01			·13	25
26		·15			~~·23~~	·23	·11		·01			·85	26
27		·02			~~·10~~	·10	·38			·40			27
28		·08			~~·02~~	·02		·03	·82	·02			28
29					~~·07~~	·07	·01	·05		·02	·18	·06	29
30	·22	X		·01	~~·09~~	·09			·01	·75	·31	·25	30
31	·06	X		X		X	·01		X	1·36	X	·34	31
Total	5·00	7·18	1·05	1·51	3·71	·54	5·14	2·87	1·83	6·93	2·43	8·67	YEAR'S TOTAL 46·86
Rain Days.	18	21	10	15	11	8	17	17	14	22	10	25	170

W. 8,000. X. 14.

1636

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Rye Hill

in the County of Wilts

by Arthur E. Jefferys.

Lat. .... Long. ....

Time of Observation 9·a.m.

Nearest Railway Station Warminster 4½ m.

Diameter of Funnel of Rain Gauge 8. in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 460. ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18				·46	·06	·02		·16	·67	·81		1
2	·25	·09	·05		·07		·03		·02	·72	·01		2
3	·02	·97			·05				·06	·42	·28		3
4		·19			·14	·46	·18		·52	·20	·74		4
5	·06	·01	·05		·45	·42				·06	·54		5
6	·06	·23	·01		·05	·02	·80			·08	·74		6
7	·06	·07	·28		·06		·22			·01	·57	·10	7
8	·02	·18	·06		·21						·03	·13	8
9					·08	·13				·13	·03	·05	9
10		·49	·02	·05	·02					·17		·12	10
11	·03		·05	·05		·19	·03						11
12	·13	·09		·12	·11		·26			·10	·01		12
13		·29	·06					·63			·01		13
14		·48	·03	·02	·10			·70		·13			14
15	·01	·25		·04				·11		·03			15
16	·03	·09		·25	·02		·14	·22					16
17	·22	·15		·03				·15	·43	·47	·14		17
18	·01	·04		·21					·06		·49	·35	18
19	·10		·39	·15					·02	*	·09	·09	19
20	·39	·08	·44					·04			·08	1·43	20
21	·04	·06	·43		·08		·03				·02	·52	21
22	·04		·02		·01	·04				·60	·04	·56	22
23	·03	·12				·04		·16		·19	·17	·15	23
24		·20		·03	·38	·24		·03		·35	·06	·23	24
25		·70	·08		·02			·49		·06	·15	·02	25
26		·10	·08			·04		·18	·39	·64		·01	26
27	·01	·10	1·37			·06	·05	·65	·49	·38			27
28		·56	·15			·02		·08	·34	·35		·56	28
29		·57	·05			·38		2·31	·20	·60		·28	29
30		X	·03							·47		·01	30
31		X		X		X		·16	X	·23	X	·03	31
Total	1·69	6·11	3·65	·95	2·31	2·10	1·76	5·91	2·69	7·06	5·01	4·64	YEAR'S TOTAL 43·88
Rain Days.	17	24	19	10	17	13	10	14	11	23	20	17	197

W. 8,000, VIII, 16

End Yo

1561

12

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Rye Hill Warminster

in the County of Wilts

by Arthur E. Jefferys.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Warminster 4½ miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. .... in.

" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·13	·10		·12		·88	·32		·02		1
2	·02			·25		·05		·18	·01		·05		2
3	·02			·07			·86	·07	·01	·49	·06		3
4		·14	·14				·08	·02		·36			4
5	·16		·15	·30		·08		·03	·41	·35	·11		5
6			·66							·23	·09		6
7	·26		·02				·16	·12		·08		·05	7
8	·31		·10	·10			·38	·71	·07	·40	·12	·08	8
9			·12	·05	·01			·73	·07	·30	·19		9
10	·13		·30	·28	·01					·02			10
11	·03		·52	·25				·03		·41	·03		11
12	·02		·01		·19					·61	·01		12
13			·11			·02		·30	·12	·02			13
14			·32	·20			·08	·10	·03	·02			14
15							·10			·23	·02	·44	15
16	·01	·09		·41	·02		·06			·48		·24	16
17		·01		·17			·49	·12	·69	·13			17
18		·02			·01	·03	·24	·01	·44				18
19	·03	·37	·26		·01				·18		·01		19
20	·02		·06		·24	·08		·06	·01		·02		20
21			·22			·08			·01	·10			21
22			·07					·06		·05			22
23		·14			·14			·43		·11		·03	23
24		·08				·09	·02	·08		·33	·08		24
25		·04	·03				·09	·05	·07	·35	·02		25
26			·06		·30			·83	·21	·12	·03		26
27					·91	·07		1·39	·01	·08		·02	27
28			·11		·01	4·22		·47				·03	28
29			·07		·20	·20	·12	·16	·01	·56		·08	29
30		×	·20				·56	·15	·01	·04			30
31	·01	×	·22	×		×		·02	×	·07	×	·06	31
Total	1·02	·90	3·88	2·18	2·15	5·04	3·24	7·00	2·68	5·94	·86	1·03	YEAR'S TOTAL 35·92
Rain Days.	12	9	22	11	12	11	13	24	18	25	15	9	181.

W. 8,000, IX. 17.

1·81

46

W

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
13 JAN 1919

Kept at Rye Hill Warminster

in the County of Wilts

by Arthur E. Jefferys.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Warminster

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·01	·08			·38		·03	·65		1
2		·04		·25				·63			·06	·22	2
3		·08	·02	·21	·16			·06	·01	·08	·02	·01	3
4		·04	·02	·10				·05		·03	·77	·11	4
5		·04	·01		·11			·20	·62	·36	·01	·02	5
6	·18	·72		·34				·04	·02	·16		·15	6
7		·18		·09	·66			·03	·28	·36	·33	·03	7
8	~~18~~	·02							·33	·18	·02	·05	8
9		·13		·38		·23	·70		·63	(·24)	·01	·35	9
10	·05			·10			·29		·14	·30		·43	10
11	—	·01		·01			1·04		·35	·03	·06	·20	11
12		·15			·37		·03		·10			·03	12
13	·34				·15		·57		·76	·05		·10	13
14	·17	~~0~~	·06		·01	·05	·07		·23	·12		·15	14
15	1·37			·56		·01	·28		·02	·02		·22	15
? 16	·18		·04	·44		·02	·02		·24			·23	16
17	·60			·44			·24	·04	·04			·23	17
18	1·04	·01				·68	·14		·13			·35	18
19	·10		·10	·05			·16	·02	·10	·03		·13	19
20	·02	·18		·22		·03	·15		·20	·07			20
21	·12	·06				·03	·11		·54	·07	·03	·08	21
22	·03	·02			·02		·43		·25	·11			22
23	·26				·20	·02	·67	·01	·03		·12		23
24		·22				·02	·24		·09		·03		24
25				·08			·54	·61		·01	·01		25
26							·58		·07	·04	·23	·25	26
27		·07	·04				·03	·09	·18		·11	·08	27
28		·03	·24								·33	·11	28
29	·01		·04						1·42	·01	·01	·05	29
30	·01	✕	·36					·08		·03	·05	·08	30
31	·02	✕	·28	✕		✕			✕	·02	✕		31
Total	4·50 ✓	2·02 ✓	1·21 ✓	3·28 ✓	1·76 ✓	1·09 ✓	6·29 ✓	2·24	6·78 ✓	2·35 ✓	2·85 ✓	3·66	YEAR'S TOTAL ✓ 38·03
Rain Days.	16 ✓	18 ✓	11 ✓	15 ✓	9	9 ✓	19 ✓	13 ✓	24 ✓	22 ✓	18 ✓	24 ✓	198 ✓

W. 8,000, IX. 17.

1870

8 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rye Hill
in the County of Wilts
by Arthur E. Jefferys

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Warminster
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft 6 in.
„ „ „ „ Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·70		·13	·01	·22		·27		·04	·06		1·44	1
2	·13				·09				·55		·09	·11	2
3	1·40		·21		·02				·22		·02	·42	3
4	·32		·73			·04		·07	·48			·07	4
5	·02		·64		·04		·36		·30		·12	·28	5
6	·55	·12	·22		·17						·02	·22	6
7	·37	·35	·61									·18	7
8	·17	·06	·18										8
9	·02		·03	·11	·01						·13		9
10	·16		·29	·03						·02		·22	10
11	·02		·18	·20	·21		·22		·01			·02	11
12	·02		·18	·02		·11	·05			·14	·06	·10	12
13	·04		·04	·53			·01			·01		·05	13
14	·70	·06		·80			·22			·04		·09	14
15	·20	·01		·02						·09	·02	·34	15
16	·12	·70						·03			·17	·02	16
17		·56						·01			·38	·02	17
18			·56				·08	·03	·01		·11	·03	18
19	·48	·29	1·10			·05	·69	·35	·17		·21	·07	19
20	·38	·17	·17			·30		·21				·17	20
21		·63					·14				·01	·14	21
22		·11				·01	·08		·33	·01	·02	·41	22
23									·01	·16	·03	·22	23
24						·05	·05		·01	1·19	·05	·38	24
25				·09		·04		·45	·01	·01		·12	25
26		·01	·15	·14				·31	·13			·57	26
27	·07		·05	·37				1·03				·04	27
28	·05		·45					·30			·62	·47	28
29				·03				·08		·08		·04	29
30		✕		·21		·17		·50		·01	·60	·61	30
31	·02	✕		✕		✕			✕		✕	·42	31
Total	5·96	3·09	5·92	2·58	·78	·77	2·17	3·37	2·27	1·82	2·66	7·29	Year's Total 38·68
Days with ·01 in. or more	21	12	18	13	7	8	11	12	13	12	17	29	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1389

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rye Hill Warminster

in the County of Wilts

by Arthur E. Jefferys

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·26	·41		·59	·06	·01	·16	·34	·47	1
2	·09		·06	·17			·08	·39	·06	·08		·13	2
3		·06	~~·04~~	·06			·69			·76			3
4			·04	·11			·83	·50		·23			4
5			·08	·02	·08		·53	·07		·26			5
6			·16		·31		·25			·02			6
7	·10		·03	·49	~~·80~~		·32			·02			7
8	·05	·08	~~·03~~	·37	·05		·35			·04			8
9	·77	·14	·02	·73		·12		·04					9
10	·87	·64	·11	·07		·29	·38						10
11	·39		·13	·61	·27		·17					·01	11
12	·36	·07	·03	·37	·08	1·02	·04				·20		12
13	·17	·05	·49	·12						·02	·03	·03	13
14	·09	·03	·24	·71		·01			·16	·53	·55		14
15	·02	·11	·03	·47	·04		·05		·05	·52	·05		15
16	·01	·01	·03	·14			·09			·03	·10		16
17	·01		·03	·22	·33		·01		·50				17
18	·07		·06	·03	·17	·03		·31	·11			·02	18
19	·05			·46	·12	·15					·02	·01	19
20	·02	·21		·31		·37						·17	20
21							·16		·02	·02		·18	21
22	·02			·09			·08	·06		·02		·37	22
23							·97					·36	23
24	·03		·15	·01						·01	·19	·06	24
25		·06	·11		·01		·47					·01	25
26	·27		·13		·02	·01	·06			·01	·06	·08	26
27	·31	·05	·07	·34		·38						·17	27
28	·78	·02	·04	·02		·03	·09			·01		·04	28
29	·28		·12		·05	·02					·24	·32	29
30	·07	╳		·03	·12	·34	·19		·31		·32	·31	30
31	·28	╳	·17	╳		╳	·05		╳	·41	╳	·19	31
TOTAL	5·11	1·53	2.38	5·61	2·06 ~~2·86~~	2·77	6·45	1·43	1·22	3·15	2·10	2·93	YEAR'S TOTAL 36·74
Days with ·01 in. or more	23	13	23	24	14	12	22	7	8	18	11	18	193
Days with ·04 in. or more	17	10	17	19	12	7	21	7	6	9	9	13	147

(44,283) 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1478 —

WESTBURY VIC

WILTSHIRE

1912 – 20

1922

19 12

FORM A2.
BRITISH RAINFALL.

1. JAN 1913

Kept at Eding

of top 5 in.

op above Ground — ft. 8 in.

„ „ Sea Level ft.

in the County of

n 9.15 am

by Rev. E.

tation Name Edington + Bratton
Distance ½ mile Direction N

IMPORTAN .., and the result entered to the previous day. st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11			·24	·06		·06	·68		·37	1
2			·34	·01		·17	·32		·02				2
3			·11			·29	·05	·35			·01	·02	3
4	·10		·87		·11	·46		·01			·18		4
5	·39	·08	·12		·17	·02		·41				·09	5
6	·45	·10			·09		·12	1·85				·15	6
7		·18	·10		·08	·45		·24				·12	7
8	·25	·20	·51			·07	·02	·04	·01			·01	8
9	·02	·02	·20	·11		·16		·02					9
10		·07	·01			·01		·14			·08	·15	10
11	·13	·08				·03						·35	11
12	·02	·46	·08	·03			·05					·01	12
13		·15						·02		·02	·01	·02	13
14	·20		·30		·20			·11				·01	14
15	·02	·08			·17	·47		·02		·03		·50	15
16	·63		·19		·10	·01		·05			·02	·02	16
17	·96		·18			·05		·52			·03	·08	17
18	·28		·63					·15		·06		·15	18
19	·05	·13	·13			·04	·15	·10		·09		·01	19
20	·01	·01	·35		·05		·03	·54		·41			20
21	·01	·03	·45		·36			·02		·17			21
22	·44	·20	·04		·04	·45	·04	·14		·08		·05	22
23	·16	·31	·27					·39			·16		23
24	·05					·18	·02	·10				·22	24
25	·01					·18		·39		·04	·26	·59	25
26		·01					·27	·19		·38	·44	·19	26
27						·08	·11			·84		·31	27
28		·11				·03		·28	·09	·43	·56	·71	28
29		·06	·01			·23	·16	·04	1·00	·25		·01	29
30					·02	·10	·33		·24	·32			30
31			·14				·22	·02		·03		·10	31
Total	4·18	2·28	5·14	·15	1·39	3·72	1·95	6·14	1·42	3·83	1·75	4·24	TOTAL for year 36·19
No. of Rain Days.	19	18	21	3	11	21	15	25	6	15	10	24	188

W. 8,000, X. '11.

1912

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

Kept at Edington Vicarage. Westbury Wilts

in the County of Wiltshire

by Rev. E. C. Alexander

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 8 in.
" " " Sea Level ft.

Time of Observation 9.15 am

Nearest Railway Station
Name Edington + Bratton
Distance ½ mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11			·24	·06		·06	·68		·37	1
2			·34	·01		·17	·32		·02				2
3			·11			·29	·05	·35			·01	·02	3
4	·10		·87		·11	·46		·01			·18		4
5	·39	·08	·12		·17	·02		·41				·09	5
6	·45	·10			·09		·12	1·85				·15	6
7		·18	·10		·08	·45		·24				·12	7
8	·25	·20	·51			·07	·02	·04	·01			·01	8
9	·02	·02	·20	·11		·16		·02					9
10		·07	·01			·01		·14			·08	·15	10
11	·13	·08				·03						·35	11
12	·02	·46	·08	·03			·05					·01	12
13		·15						·02		·02	·01	·02	13
14	·20		·30		·20			·11				·01	14
15	·02	·08			·17	·47		·02		·03		·50	15
16	·63		·19		·10	·01		·05			·02	·02	16
17	·96		·18			·05		·52			·03	·08	17
18	·28		·63					·15		·06		·15	18
19	·05	·13	·13			·04	·15	·10		·09		·01	19
20	·01	·01	·35		·05		·03	·54		·41			20
21	·01	·03	·45		·36			·02		·17			21
22	·44	·20	·04		·04	·45	·04	·14		·08		·05	22
23	·16	·31	·27					·39			·16		23
24	·05					·18	·02	·10				·22	24
25	·01					·18		·39		·04	·26	·59	25
26		·01					·27	·19		·38	·44	·19	26
27						·08	·11			·84		·31	27
28		·11				·03		·28	·09	·43	·56	·71	28
29		·06	·01			·23	·16	·04	1·00	·25		·01	29
30					·02	·10	·33		·24	·32			30
31			·14				·22	·02		·03		·10	31
Total	4·18	2·28	5·14	·15	1·39	3·72	1·95	6·14	1·42	3·83	1·75	4·24	TOTAL for year 36·19
No. of Rain Days.	19	18	21	3	11	21	15	25	6	15	10	24	188

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

5- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Edington Vicarage
Westbury
in the County of Wiltshire
by Rev. E. C. Alexander

Lat. 51·18 N. Long. 2·6
Time of Observation 9 a.m.
Nearest Railway Station Edington G.W.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·23	·20						·49	·08	·20	·22	1
2		·11	·01	·10	·01					·06	·11		2
3	·09		·07	·01	·44					·62		·25	3
4	·67		·05		·41				1·14			·09	4
5					·02	·25			·25		·03	·08	5
6			·07		·27	·10	·20		·01	·46	·18	·50	6
7	·03	·55			·34	·01	·19			·43	·17		7
8		·08			·31	·02	·18			·21			8
9		·06	·01		·10	·01		·30	·23		·05	·01	9
10	·11		·05	·07	·01			·01		·25	·36		10
11	·83			·20	·18					·15	·43		11
12	·02				·17				·01		·11	·01	12
13			·04			·05		·02	·10		·15		13
14	·13		·12	·11	·01				·06		·17		14
15	·11	·05	·28	·56			·05	·01	·18	·07	·13	·01	15
16	·30		·60	·06		·20		·04					16
17	·04		·02	·01		·02							17
18	·03		·24	·14							·09		18
19	·76		·03						·48				19
20	·03		·11	·06			·05			·21	·11		20
21			·07	·22	·15						·51		21
22	·71		·23	·29		·02	·04	·03	·37				22
23	·01					·10					·01	·36	23
24	·03	·01		·07				·15					24
25		·17		·13								·02	25
26				·39				·27		·04		·18	26
27			·21	·13						·17		·04	27
28	·12		·15	·40						·41			28
29	·04		·53	·38	·20			·14		·33	·02	·02	29
30	·62				·02					·29	·01		30
31	·11		·04					·15		·03			31
Total	4·81	1·26	3·13	3·33	2·64	·78	·71	1·12	3·32	3·81	2·84	1·79	YEAR'S TOTAL 29·54
Rain Days.	21	8	21	18	15	10	6	10	11	16	18	13	167

FORM A.
BRITISH RAINFALL.

JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Edington Vicarage - Westbury

in the County of Wilts

by Rev: E. C. Alexander

Lat. 51·18 N Long. 2·6 W
Time of Observation 9 a.m.
Nearest Railway Station Edington + Bratton G.W.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1								·41			·10	·01	1
2				·04			·74	·02			1·45	·39	2
3			·18	·13	·26		·20	·43			·01	·05	3
4	·07		·05	·32	·02		·12	·74			·58	·66	4
5	·06		·10	·27	·12		·30	·01			·24	·18	5
6		·10	·01	·20	·02		·03	·03			·03	·26	6
7		·54	·09	·16	·66	·03		·01				·30	7
8	·01		·84	·02	·07	·27	·24					·07	8
9	·09		·46	·27	·03	·82	·01	·07	·14				9
10	·02	·28		·02	·06				·28				10
11		·18	·27		·04	·23	·23				·10	·47	11
12		·13	·10						·34		·03	·23	12
13		·36	·34						·14	·13	·06	·33	13
14		·27	·46				·10	·12	·01	·51	·25		14
15			·19					·31	·01	·02	·09		15
16							·08		·18				16
17		·57	·20			·14			·01			1·00	17
18		·01	·06				·12		·01			·53	18
19		·09	·49				·87				·12	·12	19
20		·27	·21			·05						·32	20
21		·81	·01							·21			21
22		·02	·13		·13	·27		·01		·55			22
23		·07	·15		·19					·24			23
24			·06		·01		·03			·14	·13	·02	24
25	·03	·05	·17				·02	·20		·31	·02	·18	25
26			·02				·06	·14		·04	·20	·62	26
27	·02									·01	·14	·14	27
28		·07	·18		·05					·08	·28	·76	28
29	·24		·11		·02					·22	·33		29
30			·02			·06				·17	·60	·86	30
31					·01		·11			·50		·10	31
Total	·54	3·82	4·90	1·43	1·69	1·87	3·26	2·50	1·12	3·13	4·76	7·60	YEAR'S TOTAL 36·62
Rain Days.	8	16	25	9	15	8	16	13	9	14	19	22	174

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

ISH RAINFALL
5. JAN. 1916

REGISTER OF RAINFALL IN 19 15

Kept at Edington Vicarage. Westbury
in the County of Wiltshire
by Rev. E. C. Alexander

Lat. 51-18 N. Long. 2-6 W.
Time of Observation 9. am.
Nearest Railway Station Edington & Bratton G. W. R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·93	·12			·03			·17	·28	·21	·01	·18	1
2	·71	·30	·14	·14				·80		·14		·34	2
3	·96	·07	·06	·03	·02		·05			·01		·32	3
4	·01											·33	4
5	·05	1·03		·10				·14				·25	5
6	·45	·06		·24			·47					·06	6
7	·21	·57			·05		·20					·40	7
8	·17	·58		·07			·12	·07			·02	·01	8
9		·06		·10				·01			·37	·73	9
10	·11	·01	·04	·03				·04			·01	·10	10
11	·09		·10	·10				·14			·79	·02	11
12	·12	·44		·18	·63			·23		·06	·38	·01	12
13	·01	·87			·86				·12				13
14	·03						·20	·27	·06			·62	14
15	·27			·03	·13		·76	·11			·19	·15	15
16		·82			·48			·04		·03		·11	16
17		·49	·04		·95			·35				·01	17
18		·33			·13								18
19					·05		·22						19
20	·14			·07	·03							·04	20
21	·04	·10					·01					·09	21
22	·08	·59	·45	·04			·40			·16		·21	22
23		·02	·10				·35		·08	1·80		·30	23
24				·10			·27		·46	·93		·45	24
25				·01		·10	·26					·13	25
26		·14					·06					·76	26
27		·02				·35	·29			·33		·01	27
28		·11				·02		·01	·69	·05			28
29						·14		·08			·10	·03	29
30	·22	×				·11				·45	·25	·18	30
31		×		×		×		·01	×	1·30	×	·38	31
Total	4·60	6·73	·93	1·24	3·36	·72	3·66	2·47	1·69	5·47	2·12	6·22	YEAR'S TOTAL 39·21
Rain Days.	18	20	7	14	11	5	14	15	6	12	9	27	158

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Edington Vicarage - Westbury

in the County of Wilts

by Rev. E. C. Alexander

Lat. 51·18 N Long. 2·6. W

Time of Observation 9 am

Nearest Railway Station Edington & Bratton

Diameter of Funnel of Rain Gauge five inches

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17		·01		·23	·05	·02		·10	·19	·77		1
2	·36		·01		·08					·84	·06		2
3		·99			·02		·01		·01	·29	·24		3
4	·11	·18			·16	·30	·04		·35	·20	·84		4
5			·01		·27	·26				·03	·32		5
6	·02	·10			·07	·06	·54			·02	·87		6
7	·03	·03	·18			·46	·11				·31	·16	7
8		·03	·01		·30						·02	·11	8
9	·01				·35	·11				·05	·01		9
10		·55	·01	·06	·02	·28	·03			·02		·09	10
11	·04		·02	·02		·16							11
12	·07	·03	·02		1·3		·11						12
13			·09	·02	·05			·76					13
14		·44	·05	·01	·02			·51		·04			14
15		·23	·03	·02				·18					15
16	·01	·13		·17			·10	·16		·03			16
17	·09	·20		·01				·34	·32	·36	·02		17
18		·02	·05	·18					·06		·54	·33	18
19	·12		·30	·11					·04		·16	·05	19
20	·16	·02	·52	·01							·08	1·02	20
21	·01	·02	·44		·07							·39	21
22	·01					·02				·62	·01	·59	22
23	·02	·10				·04		·16		·17	·24	·05	23
24		·19			·28	·16				·36		·33	24
25		·36	·09	·01				·42	·01	·01	·12	·13	25
26	·03	·01	·15			·21		·03	·13	·54			26
27	·02	·06	1·21			·10		·19	·26	·38		·06	27
28		·30	·09			·12		·39	·17	·15		·23	28
29		·42	·07			·26		1·30	·11	·67		·33	29
30		X								·34			30
31		X		X		X		·03	X	·08	X	·01	31
Total	1·28	4·41	3·36	·62	2·05	2·59	·96	4·47	1·56	5·39	4·61	3·88	YEAR'S TOTAL 35·78
Rain Days.	17	21	20	11	14	15	8	12	11	21	16	15	181

W. 8,000, VIII. 16

1521

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 19~~15~~17

Kept ~~at~~ Edington Vicarage
in the County of Wilts
by Rev. E. C. Alexander

Lat. 51.18 Long. 2.6 W
Time of Observation 9.15 am
Nearest Railway Station Edington Bratton
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	.02	.11	.15		.05		.78	.27				1
2	·			.34				.06			.09		2
3	.01			.07			.77	.11		.50	.03		3
4	·	.21	.06				.11	.02	.02	.21			4
5	.24		.11	.18		.06		.03	.12	.40	.09		5
6	·		.60							.13	.12		6
7	.13		.01	·			.34	.11		.25		.02	7
8	.45		.03	.07			.45	.57	.04	.27	.05	.13	8
9	·		.07		.01			.21	.08	.12	.25		9
10	.17		.32	.26	.03			.22		.01			10
11	.01		.58	.18				.04	.02	.15	.02		11
12	·		.01		.48			.10		.57			12
13	·		.08			.03		.21	.05	.05			13
14	·		.18	.21				.20	.03		.01		14
15	·						.15	.12		.09		.20	15
16	·	.09		.18	.04					.62		.40	16
17	·	.08		.08	.20		.29	.10	.33	.21			17
18	.01	.05					.31		.43				18
19	.01	.30	.07						.10				19
20		.03	.06		.28	.07		.08			.02		20
21			.20			.01				.02			21
22			.04			.30		.02					22
23		.09			.09			.27		.12		.06	23
24		.06				.07	.03	.09					24
25		.03	.03				.01	.01	.01		.01		25
26			.01		.32			.64	.14	.39	.07		26
27					1.04	.02		.95		.36			27
x 28			.09		.02	4.00?		.73					28
29			.09		.62	.27	.06	.05		.47		.15	29
30		✕	.06				.34	.10		.23			30
31		✕	.15	✕		✕	.01		✕	.02	✕	.07	31
Rain Days ~~Total~~	8	10	22	10	11	10	12	25	13	21	11	7	YEAR'S TOTAL 160
Rain Days.	1.03	.96	2.96	1.72	3.13	4.88?	2.87	5.82	1.64	5.19	.76	1.03	31.99?

x Rain Fall on June 28 was more than 4 in - but measure overflowed - 1.36

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Edington Vicarage Westbury
in the County of Wiltshire
by Rev: E. C. Alexander

Lat. 51·18 N Long. 2·6 W.
Time of Observation 9 a.m.
Nearest Railway Station Edington & Bratton G.W.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02	·12			·05		·03	·58	·04	1
2		·02		·22				·75		·02	·09	·26	2
3		·06		·20	·20			·85	·03	·03	·02		3
4		·06		·12				·03	·04		·99	·07	4
5		·02	·04		·34			·15	·23	·18	·01	·02	5
6	·16	·13		·40				·08	·07	·06		·07	6
7		·17		·08	·76				·07	·29	·21	·03	7
8		·05							·80	·25			8
9		·13		·30		·30	·60		·51	·10		·12	9
10	·02			·12			·30		·24	·30		·43	10
11							·60		·15	·05	·05	·10	11
12					·30		·20		·01	·02			12
13	·09	·11			·10		·10		·40			·11	13
14	·20		·02			·07	·50		·25	·12		·14	14
15	1·30			·36	·01		·22		·15	·02		·12	15
16	·45		·08	·50		·03	·01		·04	·04		·20	16
17	·25		·01	·15			·23	·15	·04	·02		·27	17
18	·84			·01		·50	·16	·13	·12			·16	18
19	·07	·02	·08	·05			·19	·03	·22	·04	·02	·05	19
20	·03			·28		·02	·15		·16	·04	·01		20
21	·12	·11				·02	·06		·66	·01		·07	21
22	·02	·01			·24		·29		·20	·08		·20	22
23	·10						·28	·03	·01			·03	23
24		·22				·06	·33		·11		·07		24
25				·08			·16	·79					25
26							·13		·06	·03	·08	·11	26
27		·07	·05				·26	·13	·15		·09	·01	27
28		·03	·30	·01			·20				·27	·07	28
29			·05						1·39			·03	29
30		X	·26					·07	·01	·03	·02	·05	30
31		X	·25	X		X		·01	X		X		31
Total	3·65	1·21	1·14	2·90	2·07	1·00	4·97	3·25	6·12	1·76	2·51	2·76	YEAR'S TOTAL 33·34
Rain Days.	13	15	10	16	8	7	20	14	26	21	14	24	188

W, 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Edington Vicarage Westbury
in the County of Wiltshire
by Rev: E. C. Alexander

Lat. 51·18 N Long. 2·6 W
Time of Observation 9 a.m.
Nearest Railway Station Edington + Bratton G.W.R.
Diameter of Funnel of Rain Gauge five ins
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32		·06	·06	·10		·35			·03		1·10	1
2	·23		·01		·06		·06		·02	·03		·11	2
3	1·02		·17		·03				·32		·08	·30	3
4	·18	·11	·72			·10	·02	·16	·23		·01	·08	4
5		·40	·65		·06		·08		·39		·11	·15	5
6	·44	·02	·07		·30				·35		·03	·21	6
7	·44		·35	·05								·01	7
8	·32		·16	·02								·15	8
9	·01		·02	·10							·11		9
10	·17		·15	·04						·03			10
11	·01		·17	·15	·10		·33					·02	11
12	·03		·16	·04		·10	·07			·09	·03	·10	12
13	·02		·02	·45			·02					·02	13
14	·44	·05		·80			·08		·26	·02		·09	14
15	·25			·07	·02					·02		·37	15
16	·08	·64		·01							·25	·01	16
17		·31									·22		17
18		·01	·56				·05		·09		·05	·01	18
19	·31		1·05			·05	·71	·39	·17		·20	·06	19
20	·31	·07	·21			·34		·36			·05	·03	20
21		·45	·01				·04		·03			·06	21
22		·19					·15		·12			·16	22
23									·01	·22	·05	·05	23
24						·07	·34		·01	1·03	·05	·34	24
25	·07					·02		·60		·01		·05	25
26	·12		·12	·08		·01		·19	·10			·44	26
27	·13			·43				·50				·05	27
28	·02		·32					·50			·51	·32	28
29			·01	·02						·05	·03	·03	29
30			·02	·20		·19		·21		·02	·41	·48	30
31								·34				·14	31
Total	4·92	2·25	5·01	2·52	·67	·88	2·30	3·25	2·10	1·55	2·19	4·94	Year's Total 32·58
Days with ·01 in. or more	21	10	21	15	7	8	13	9	13	11	16	28	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Edington Vicarage
in the County of Wiltshire
by Rev. E. C. Alexander

Lat. 51·18 N Long. 2·6 W
Time of Observation 9 am
Nearest Railway Station Edington & Bratton G.W.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 334 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·03	·29	·41		·57		·02	·40	·31	·40	1
2	·12		·02	·14			·03	·35	·05	·07		·09	2
3	·04	·07		·10			·71			·61			3
4		·01	·05	·04			·69	·42		·29			4
5			·07	·10	·05		·48	·01		·19		·02	5
6			·17		·35		·31			·06		·01	6
7	·03		·03	·19	·06		·06			·02			7
8		·06		·61	·02		·75					·06	8
9	·43	·02	·03	·20		·12	·21						9
10	·74	·16	·04	·09		·19						·01	10
11	·44	·01	·10	·42	·32	·09	·14					·02	11
12	·12	·03	·03	·38		·87	·07				·06		12
13	·25	·04	·37	·08							·04	·05	13
14		·02	·30	·61		·21				·41	·40	·02	14
15		·08	·06	·41	·03	·02	·03		·12	·24	·13		15
16				·02	·04	·06	·08		·10	·06	·10		16
17	·01		·05	·19	·23	·09			·30			·01	17
18	·04			·04	·19			·40	·12			·02	18
19	·04			·35	·07	·11		·02					19
20	·01	·20		·32		·46						·22	20
21							·16					·08	21
22				·08			·05	·06	·07			·38	22
23	·03						·63	·02				·42	23
24	·02		·15	·01							·13	·06	24
25	·01	·10	·07				·44						25
26	·20		·17		·09		·04				·06	·06	26
27	·28	·06	·07	·20		·34						·18	27
28	·67		·04	·08	·39	·01	·03					·01	28
29	·23		·19		·02	·03						·27	29
30	·05		·02	·04	·15	·13	·15		·21		·28	·23	30
31	·21		·23							·31		·11	31
TOTAL	4·00	·86	2·29	4·99	2·42	2·73	5·63	1·28	·99	2·66	1·51	2·73	YEAR'S TOTAL 32·09
Days with ·01 in. or more	22	13	22	24	15	14	20	7	8	11	9	22	187
Days with ·04 in. or more	15	8	16	22	12	11	17	4	7	10	9	14	145

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

WEST LAVINGTON

DAUNTSEY AGRICULTURAL SCH.

WILTSHIRE

1915 —— 1918

FORM A.
BRITISH RAINFALL.

RE ... S.

Dauntsey Agricultur ... 51·3

Kept at ~~Dauntsey Agri~~ ... 30 AM.

... Lavington

in the County of Wi ... in Gauge 8 in.

... ove Ground 1 ft. 4 in.

by The Scienc ... Sea Level About 320 ft.

IMPORTANT N ... d the result entered to the previous day. If an ... iversal rule, he is earnestly requested to add the re ... ear in the space provided for it at the end of t ... ement of rain, the selection and placi ... ritish Rainfall Organization are given ... application to Dr. H. R. Mill, 62, C ...

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			–	–	·03	–	–	·11	–	·19	·05	·32	1
2			·18	·08	–	·02	–	·93	–	·20	–	·25	2
3			·05	·09	–	–	·03	·07	–	·02	–	·35	3
4		–	–	–	–	–	–	–	–	–	–	·36	4
5		·85	–	·14	–	–	–	–	–	–	–	·32	5
6		·08	–	·42	–	–	·57	·15	–	–	–	·27	6
7		·45	·01	–	–	–	·32	–	–	–	·02	·06	7
8		·41	–	–	·14	–	·20	·12	–	–	·01	·38	8
9		·05	–	–	–	·01	–	–	–	–	·35	·43	9
10	Rain not measured.	–	·06	–	–	–	–	·02	–	·02	–	·08	10
11		–	·15	–	–	–	–	·32	–	–	·82	·03	11
12		·45	–	·10	·56	–	–	·43	·18	·01	·36	·02	12
13		·75	–	·26	·75	–	–	–	–	–	–	–	13
14		–	–	–	–	–	·20	·24	–	–	–	·56	14
15		–	–	–	·11	–	·04	·20	–	·03	–	·13	15
16		·66	·06	–	·34	–	·80	·08	–	–	·19	·07	16
17		·44	·02	–	1·14	–	·01	–	–	·01	–	–	17
18		·27	–	–	·30	–	–	–	–	–	–	–	18
19		–	–	–	·05	–	·23	–	–	–	–	–	19
20		–	–	–	·07	–	–	–	–	·05	–	·10	20
21		·05	–	–	·05	–	·12	–	–	·24	–	–	21
22		·45	·45	·70	–	–	·43	·30	·01	–	–	·41	22
23		·02	·15	–	–	–	·33	–	·08	1·42	–	·30	23
24		–	–	–	–	–	·16	–	·48	·80	–	·79	24
25		·02	–	·14	–	·12	·20	–	–	–	–	·08	25
26		·09	–	–	–	·04	·08	–	·07	–	–	·68	26
27		·03	–	–	–	·52	·11	–	–	·32	–	–	27
28		·03	–	–	–	·02	–	–	·75	–	–	–	28
29			–	–	–	·07	–	–	–	·06	–	·05	29
30		×	–	–	–	·74	–	·23	–	·32	·15	·15	30
31		×	–	×	–	×	–	–	×	1·21	×	·23	31
Total		5·10	1·13	1·93	3·54	1·54	3·83	3·20	1·57	4·90	1·95	6·42	YEAR'S TOTAL
Rain Days.		17	9	8	11	8	16	13	6	15	8	25	

W. 8,000. X. 15.

RI S.

FORM A.
BRITISH RAINFALL.

Dauntsey Agricultu ngt

Kept at ~~Dauntsey Agric School. W Lavington~~

in the County of Wilts -

by The Science Master

Lat. 1·9 Long. 51·3

Time of Observation 8 - 30 AM.

Nearest Railway Station Lavington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level About 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Rain not measured.		-	-	·03	-	-	·11	-	·19	·05	·32	1
2			·18	·08	-	·02	-	·93	-	·20	-	·25	2
3			·05	·09	-	-	·03	·07	-	·02	-	·35	3
4		-	-	-	-	-	-	-	-	-	-	·36	4
5		·85	-	·14	-	-	-	-	-	-	-	·32	5
6		·08	-	·42	-	-	·57	·15	-	-	-	·27	6
7		·45	·01	-	-	-	·32	-	-	-	·02	·06	7
8		·41	-	-	·14	-	·20	·12	-	-	·01	·38	8
9		·05	-	-	-	·01	-	-	-	-	·35	·43	9
10		-	·06	-	-	-	-	·02	-	·02	-	·08	10
11		-	·15	-	-	-	-	·32	-	-	·82	·03	11
12		·45	-	·10	·56	-	-	·43	·18	·01	·36	·02	12
13		·75	-	·26	·75	-	-	-	-	-	-	-	13
14		-	-	-	-	-	·20	·24	-	-	-	·56	14
15		-	-	-	·11	-	·04	·20	-	·03	-	·13	15
16		·66	·06	-	·34	-	·80	·08	-	-	·19	·07	16
17		·44	·02	-	1·14	-	·01	-	-	·01	-	-	17
18		·27	-	-	·30	-	-	-	-	-	-	-	18
19		-	-	-	·05	-	·23	-	-	-	-	-	19
20		-	-	-	·07	-	-	-	-	·05	-	·10	20
21		·05	-	-	·05	-	·12	-	-	·24	-	-	21
22		·45	·45	·70	-	-	·43	·30	·01	-	-	·41	22
23		·02	·15	-	-	-	·33	-	·08	1·42	-	·30	23
24		-	-	-	-	-	·16	-	·48	·80	-	·79	24
25		·02	-	·14	-	·12	·20	-	-	-	-	·08	25
26		·09	-	-	-	·04	·08	-	·07	-	-	·68	26
27		·03	-	-	-	·52	·11	-	-	·32	-	-	27
28		·03	-	-	-	·02	-	-	·75	-	-	-	28
29			-	-	-	·07	-	-	-	·06	-	·05	29
30			-	-	-	·74	-	·23	-	·32	·15	·15	30
31			-		-		-	-		1·21		·23	31
Total		5·10	1·13	1·93	3·54	1·54	3·83	3·20	1·57	4·90	1·95	6·42	YEAR'S TOTAL
Rain Days.		17	9	8	11	8	16	13	6	15	8	25	

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL 29 JAN 1917

Kept at Dauntsey Agricultural School West Lavington

in the County of Wilts.

by H. Dade

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Lavington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	–	·02	–	·19	·02	–	–	·12	·18	·04	–	1
2	·30	·06	·03	–	·12	–	–	–	–	·91	·16	–	2
3	–	·46	–	–	·03	–	–	–	·80	·29	·24	–	3
4	·11	·21	–	–	·12	·3	·01	–	·24	·35	·43	–	4
5	·05	–	·02	–	·20	·1	·01	–	–	·06	·26	–	5
6	·03	·13	·01	–	·02	·02	·63	–	–	·03	·48	–	6
7	·04	·05	·21	–	·01	–	–	–	–	·01	·39	·14	7
8	–	·02	–	–	·14	·4	·14	–	–	·06	–	–	8
9	·02	–	–	–	·32	·14	·01	–	–	·01	–	·02	9
10	–	·43	·02	·06	·02	·38	–	–	–	·03	–	·05	10
11	·06	·02	·03	·03	–	·2	·02	–	–	–	–	·13	11
12	·06	–	·01	·02	·1	–	·11	–	–	–	–	–	
13	–	·24	·15	–	–	–	–	·42	–	–	–	–	
14	–	·34	–	–	·03	–	–	·34	–	·08	–	–	
15	–	·20	·06	·04	–	–	–	·22	–	–	–	–	15
16	·01	·12	·02	·14	·02	–	·06	·52	–	·02	–	–	16
17	·08	·20	–	–	–	–	–	·22	·32	–	–	–	17
18	·02	·05	·06	·24	–	–	–	–	·09	–	·26	·30	18
19	·12	–	·30	·12	–	–	–	–	·03	·02	·18	–	19
20	·14	·03	·55	–	–	–	–	–	–	·03	·04	1·49	20
21	·01	·02	·50	–	·03	–	–	–	–	–	–	·84	21
22	·02	–	–	–	·04	–	–	–	–	·34	·02		22
23	·02	·24	–	·08	–	·05	–	·14	–	·11	·20	·09	23
24	–	–	–	–	·15	·1	–	·40	–	·33	·05	·24	
25	–	·3	·10	–	–	–	–	·43	–	·03	·12	·11	25
26	·02	·11	·22	–	–	–	–	–	·01	·54	–	–	26
27	·01	–	1·04	–	–	·11	–	·40	·23	·38	–	–	27
28	–	·28	·21	–	–	·04	–	–	·05	·15	–	·19	28
29	–	·39	·03	–	–	·25	–	1·35	·12	·63	–	·34	29
30	–	X	–	–	–	–	–	–	–	·38	–	–	30
31	–	X	–	X	–	X	–	·30	X	·14	X	·08	31
Total	1·25	4·26	3·59	·49	1·54	2·14	1·02	5·04	2·01	5·14 5·14	3·63 3·36	4·05	YEAR'S TOTAL 34·49 34·49
Rain Days.	19	21	20	8	16	13	8	11	10	24	14	14	148

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

30.

FORM A
BRITISH RAINFALL

UNTSEY AGRICULTURAL SCHOOL,
in the County of WEST LAVINGTON, WILTS.
by F. Solomon

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lavington G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
„ „ „ „ Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·13	·16	–	·05	–	·83	·15	–	·04	–	1
2	–	–	·01	·93	–	·04	–	·02	–	–	–	–	2
3	–	–	–	·02	–	–	·85	·14	–	·49	·01	–	3
4	–	·22	·11	–	–	–	·12	–	–	·36	–	–	4
5	·40	–	·11	·18	–	·10	–	·03	·08	·44	·12	–	5
6		–	·64	–	–	–	–	–	–	·11	·04	–	6
7	·02	–	–	–	–	–	·14	–	–	·18	–	–	7
8	·61	–	·04	·11	–	–	·53	·42	–	·28	·06	·14	8
9	–	–	·14	–	·01	–	–	·64	·09	·08	·12	–	9
10	·16	–	·32	·24	·09	–	–	·13	–	·03	–	–	10
11	·02	–	·67	·22	–	–	–	–	–	·13	–	–	11
12	·13	–	·01	·02	·32	–	–	–	–	·54	·01	–	12
13	–	–	·10	–	–	·02	–	·19	·04	·24	–	–	13
14	–	–	·09	·24	–	–	–	·05	·04	–	–	–	14
15	–	–	–	–	–	–	·10	1·34	–	·09	–	·14	15
16	–	·08	–	·18	·03	–	–	–	–	·42	–	1·24	16
17	·01	·01	–	·06	·23	–	·35	·06	·35	·13	·01	–	17
18	·01	·01	–	–	·01	·11	·24	–	·41	–	–	–	18
19	·01	·31	·11	–	–	·03	–	–	·13	–	–	–	19
20	·01	·08	·15	–	·33	·02	–	·04	–	–	–	–	20
21	–	–	·14	–	–	·18	–	–	–	·04	–	–	21
22	–	–	–	–	–	·31	–	·04	–	·01	–	–	22
23	–	–	–	–	·04	–	–	·26	–	·01	–	·05	23
24	–	·21	·01	–	–	·06	·01	·05	–	·16	–	–	24
25	–	·04	·01	–	–	–	–	–	·02	·33	–	–	25
26	–	–	·02	–	·24	–	–	·52	·14	·34	·04	–	26
27	–	–	–	–	·98	·01	–	·86	–	–	–	–	27
28	–	–	·09	–	·05	1·95	– ~~·40~~	·82	–	–	–	·02	28
29	–	–	·10	–	·14	·14	·10	–	–	·49	–	·08	29
30	–	X	·04	–	–	–	·54	·14	–	·12	–	–	30
31	–	X	·10	X	–	X	·02	·40	X	·01	X	–	31
Total	1·38	·96	3·23	2·36	2·53	3·05	3·06	4·04	1·45	5·03	·48	1·40	YEAR'S TOTAL 32·33
Rain Days.	11	8	22	11	12	13	11	20	10	23.	9	6	156

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at DAUNTSEY AGRICULTURAL SCHOOL, WEST LAVINGTON, WILTS.
in the County of
by J. O. Solomon

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lavington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 17 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·01	·04		~~·20~~	·20		·02	·53		1
2		·03		·22				·35		·01	·05	·20	2
3		·03	·02	·26	·24			·23		·01	·04		3
4		·04	·01	·05				·04	06		·87	·08	4
5		·02			·35			·14	·51	·17		·02	5
6	·16	·11		·41						·01	·23	·05	6
7		·15		·07					·12	·32		·02	7
8		·02			·72				·89	·17			8
9		·09		·35		·28	·86		·57	·13			9
10				·09			·24		·13	·21		·50	10
11	·02						1·09		·13	·05		·09	11
12		·08					·45		·01				12
13	·16				·28	·05	·40		·36	·02		·08	13
14	·20		·01		·09		·23		·24	·08		·11	14
15	1·06			·43			·28		·01	·01		·15	15
16	·33		·05	·49		·29	·01		·10				16
17	·29			·12			·31	·17	·01			·38	17
18	·84					·47	·09		·23			·11	18
19	·05	·01	·07				·19		·18	·03		·03	19
20	·03	·07		·37			·18		·04	·01			20
21	·13					·01			·62	·04		·06	21
22	·03	·01			·01		·21		·23	·23		·22	22
23	·09				·24		·81	·04			·08	·03	23
24		·23				·03	·03		·13				24
25			~~·05~~				·10	·45		·02			25
26			·05				·31		·02	·01	·13	·07	26
27		·02						·13	·10			·02	27
28		·04	·25						·02		·43	·04	28
29			·02						1·31				29
30		X	·30							·01	·06	·06	30
31		X	·21	X		X			X	·02	X		31
Total	3·39 ~~3·21~~	·95	·99 ~~·72~~	2·87	1·97	1·13	5·[illegible]9	1·75	6·02 ~~6·01~~	1·58 ~~1·57~~	2·42 ~~1·95~~	2·32 ~~2·29~~	YEAR'S TOTAL 31·18 ~~30·14~~
Rain Days.	13	15	10	12	8	6	17	9	23	21	9	20	163

W, 6,500, VII. 18. W W C

V.16

FORM A.
BRITISH RAINFALL.

3 JAN 1916

WINTERSLOW

ROCHE COURT

WILTSHIRE

1915-1916, 1918

15

Kept at Roche Co

Long.

in the County of

9 a.m.

tion Dean

by Chas Ha

uge 5 inches

ge above Ground - ft. 10 in.

„ Sea Level about 600 ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… g year in the space provided for it at the end … asurement of rain, the selection and … e British Rainfall Organization are g… e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·62	·19	. .	.	3·	.	18	.	13	6	1	20	1
2	·41	·26	·18·	8·	.	.	.	67	.	2	.	48	2
3	1·1·	·12	·13·	·12	6	3	.	2	20	.	.	19	3
4	.	.	.	.	.	.	.	.	36	.	.	30	4
5	.	·82	.	·45	.	.	.	14	2	.	.	41	5
6	.	·8	.	.	.	.	46	17	.	.	.	24	6
7	·76	·48	2·	.	.	.	28	.	.	.	.	25	7
8	·36	·52	-	.	.	.	.	5	.	.	.	70	8
9	·6	·15	.	·2 ·	.	.	.	.	.	.	40	15	9
10	·22	1	.	.	.	.	.	.	.	.	.	5	10
11	·1·2	.	·23·	7·	.	.	.	.	.	.	75	.	11
12	.	·50	.	·28·	·52	.	.	6	.	2	32	.	12
13	.	·59	.	.	·101	.	.	.	16	.	.	71	13
14	.	.	.	.	·~~74~~	.	70	19	6	.	.	17	14
15	·14·	.	.	.	·14	.	6	2	.	.	9	25	15
16	.	·82	.	5·	·19	.	97	.	.	.	.	.	16
17	.	·58	.	.	·1·57	.	.	20	.	.	.	.	17
18	.	·15	3·	.	·23	.	.	.	.	.	.	.	18
19	.	3	.	.	6	.	15	.	.	.	.	5	19
20	·11·	.	.	8	.	.	10	.	.	.	.	8	20
21	·14·	·15	.	.	10	.	.	.	3	23	.	33	21
22	·3·	·41	·5·	5·	.	.	100	.	1	.	.	26	22
23	.	·4	·32·	-	.	.	20	.	14	59	.	35	23
24	.	.	.	.	.	.	19	.	85	67	.	17	24
25	.	.	4·	2·	.	.	20	.	.	3	.	80	25
26	.	7	.	.	.	.	27	.	.	.	-	4	26
27	.	4	.	.	.	85	4	.	.	41	.	.	27
28	.	·11·	.	.	.	4	.	.	109	.	.	4	28
29	.		.	.	.	6	3	5	.	.	25		29
30	·1·	✕	.	.	.	38	.	.	.	50	54	37	30
31	.	✕		✕	.	✕	.	.	✕	121	✕	53	31
Total	4·44	6·12 ~~5·6·2~~	1·4·5	1·4·0	3·9·1	1·3·6	4·7·3	1·5·7	3·0·5	3·7·4	2·3·6	7·1·2	YEAR'S TOTAL 41·25 ~~37·37~~
Rain Days.	13	21	8	10	10	5	15	10	11	10	7	24	144

Very bad mistake No rain on the 8th Dec; 70 should be on 9th & so on downwards.

W. 8,000. X. 14.

V.16

REGISTER OF RAINFALL 15

FORM A. BRITISH RAINFALL.

3 JAN 1916

Kept at Roche Court, Winterslow. Salisbury
in the County of Wiltshire
by Chas Hawkins

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Dean
Diameter of Rain Gauge 5 inches
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level about 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·19	· ·	·	3·	·	18	·	13	6	1	20	1
2	·41	·26	·18·	8·	·	·	·	67	·	2	·	48	2
3	1·1·	·12	·13·	·12	6	3	·	2	20	·	·	19	3
4	·	·	·	·	·	·	·	·	36	·	·	30	4
5	·	·82	·	·45	·	·	·	14	2	·	·	41	5
6	·	·8	·	·	·	·	46	17	·	·	·	24	6
7	·76	·48	2·	·	·	·	28	·	·	·	·	25	7
8	·36	·52	·	·	·	·	·	5	·	·	·	70	8
9	·6	·15	·	·2 ·	·	·	·	·	·	·	40	15	9
10	·22	1	·	·	·	·	·	·	·	·	·	5	10
11	·1·2	·	·23·	7·	·	·	·	·	·	·	75	·	11
12	·	·50	·	·28·	·52	·	·	6	·	2	32	·	12
13	·	·59	·	·	·101	·	·	·	16	·	·	71	13
14	·	·	·	·	·[illegible]	·	70	19	6	·	·	17	14
15	·14·	·	·	·	·14	·	6	2	·	·	9	25	15
16	·	·82	·	5·	·19	·	97	·	·	·	·	·	16
17	·	·58	·	·	·1·57	·	·	20	·	·	·	·	17
18	·	·15	3·	·	·23	·	·	·	·	·	·	·	18
19	·	3	·	·	6	·	15	·	·	·	·	5	19
20	·11·	·	·	8	·	·	10	·	·	·	·	8	20
21	·14·	·15	·	·	10	·	·	·	3	23	·	33	21
22	·3·	·41	·5·	5·	·	·	100	·	1	·	·	26	22
23	·	·4	·32·	·	·	·	20	·	14	59	·	35	23
24	·	·	·	·	·	·	19	·	85	67	·	17	24
25	·	·	4·	2·	·	·	20	·	·	3	·	80	25
26	·	7	·	·	·	·	27	·	·	·	·	4	26
27	·	4	·	·	·	85	4	·	·	41	·	·	27
28	·	·11·	·	·	·	4	·	·	109	·	·	4	28
29	·		·	·	·	6	3	5	·	·	25		29
30	·1·	X	·	·	·	38	·	·	·	50	54	37	30
31	·	X		X		X	·	·	X	121	X	53	31
Total	4·44	6·12 ~~5·6·2~~	1·4·5	1·4·0	3·9·1	1·3·6	4·7·3	1·5·7	3·0·5	3·7·4	2·3·6	7·1·2	YEAR'S TOTAL 41·25 37·37
Rain Days.	13	21	8	10	10	5	15	10	11	10	7	24	144

Sorry to make mistake No rain on the 8th Dec; 70 should be on 9th & so on downwards.

W. 8,000. X. 14.

1647

FORM A. BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Roche Court Winterslow

in the County of Wiltshire

by C. J. Hawkins

Lat. Long.

Time of Observation 9 OC

Nearest Railway Station Dean

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12	3	4	·	38	3	1	·	47	48	83	·	1
2	23	19	4	·	16	·	·	·	·	64	13	·	2
3	2	138	·	·	2	1	·	·	·	54	42	·	3
4	12	13	·	·	·	51	·	·	43	·	80	·	4
5	2	7	2	·	24	17	·	·	·	6	59	·	5
6	2	16	8	·	4	·	60	·	·	21	92	·	6
7	3	6	30	·	6	12	33	·	·	·	91	12	7
8	·	4	3	·	·	20	·	·	·	·	4	15	8
9	·	53	·	·	·	4	·	·	·	6	·	·	9
10	·	3	3	5	·	12	3	·	·	·	·	32	10
11	2	6	3	7	·	21	·	·	·	·	·	14	11
12	5	·	·	·	24	·	7	·	·	8	·	·	12
13	·	26	16	·	·	·	·	32	·	·	·	·	13
14	·	42	·	·	4	·	·	3	·	2	·	·	14
15	·	21	14	·	·	·	·	43	·	·	·	·	15
16	2	6	7	17	·	·	7	100	·	48	·	·	16
17	17	33	·	4	·	·	·	5	47	4	·	·	17
18	3	5	·	10	·	·	·	3	·	·	35	13	18
19	8	·	24	8	·	·	·	·	4	·	71	·	19
20	19	3	64	·	·	·	·	·	·	·	1	136	20
21	·	·	35	·	9	·	·	·	·	·	·	48	21
22	1	3	·	·	~~74~~	·	·	·	·	20	·	38	22
23	2	5	13	·	·	·	·	16	·	·	17	4	23
24	·	8	1	3	14	4	·	3	·	41	9	38	24
25	·	104	·	·	·	9	·	63	·	·	10	·	25
26	·	7	1	·	·	·	·	4	5	65	·	·	26
27	·	4	107	·	·	20	·	48	20	48	·	·	27
28	·	66	28	·	·	·	·	16	80	24	·	28	28
29	·	39	·	·	·	34	·	147	12	37	4	20	29
30	·	✕	·	·	·	·	·	·	·	43	·	2	30
31	·	✕	·	✕	·	✕	·	7	✕	40	✕	4	31
Total	1·25	5·34	3·57	·54	1·41	2·08	1·11	4·84	2·58	5·69	6·11	4·04	YEAR'S TOTAL 39·56
Rain Days.	1·15 16	6·34 26	3·67 19	7	10	13	6	4·84 14	8	5·79 18	15	14	39·56 166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Roche Court, Winterslow
in the County of Wiltshire
by T. H. Crabb

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·14							·10	·07	1
2								·20			·61	·02	2
3		·09		·10				·37			·18	·16	3
4		·07		·39	·35			·21	·02		·09	·01	4
5		·13		·07				·05			·98	·05	5
6		·07	·05		·16			·19	1·08	·19		·07	6
7		·16		·23				·08	·27	·03		·07	7
8		·19		·05	·63			·06	·20	·12	·34	·06	8
9		·14			·03				·02	·15		·05	9
10		·03		·32		·15	·15		·09	·22		·12	10
11				·08		·03	·39		·20	·33	·03	·41	11
12	·21			·02			·67		·08	·07	·07	·06	12
13		·06			·33		·11		·02			·01	13
14	·25				·20		·40		·48	·05		·01	14
15	1·20				·02	·34	·13		·25	·16		·15	15
16				·52			·22					·22	16
17			·05	·25		·10	}		·28			·10	17
18	·85			·15			·85 }		·14			·20	18
19	·99					·46	·10		·35			·23	19
20	·14		·10				·24		·03	·08		·05	20
21	·09	·14		·43		·02	·12		·20	·05	·03		21
22	·17					·02	·09		·57	·30		·04	22
23	·06				·05		·49		·19		·01	·30	23
24	·10	·05			·14	·02	·80				·02	·02	24
25		·30					·19		·11		·25		25
26							·20	·75		·01	·02		26
27							·71				·10	·19	27
28						·02	·05	·18		·03	·15	·01	28
29			·31	·07							·25	·03	29
30		X	·05						1·14		·01	·03	30
31		X	·49	X		X		·11	X	·04	X	·10	31
Total	4·06	1·43	1·05	2·82	1·91	1·16	5·91	2·20	5·72	1·83	3·24	2·84	YEAR'S TOTAL 34·17
Rain Days.	10	12	6	14	9	9	18	10	20	15	17	28	168

DL

WOLFHALL MANOR

WILTSHIRE

1917 — 1920

917

~~2438~~

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Wolfh

in the County of W

by S. Reynol

Long.

n

ation

of Rain Gauge in.

ge above Ground ft. in.

„ Sea Level ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… g year in the space provided for it at the end c… surement of rain, the selection and pl… British Rainfall Organization are giv… sent post-free on application to Dr. H. R. Mill, 62, … quare, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·07		·04		1
2											·12		2
3									·01	·49	·01		3
4										·35		·02	4
5									·06	·35	·12		5
6										·04	·12		6
7										·48	·01	·05	7
8									·06	·35	·11	·38	8
9									·04	·04	·08		9
10										·06		·02	10
11									·01	·19	·02		11
12										·55	·01	·01	12
13									·09	·04			13
14													14
15										·09		·03	15
16										·60		·94	16
17									·58	·28			17
18									·42	·05			18
19									·25				19
20									·11		·03		20
21										·10	·04		21
22										·05			22
23										·06		·03	23
24										·24			24
25									·04	·27			25
26									·15	·15	·09		26
27													27
28												·05	28
29										·46		·21	29
30		X								·02		·01	30
31		X		X		X			X	·02	X	·04	31
Total									1·89	5·33	·80	1·79	YEAR'S TOTAL
Rain Days.									13	24	13	12	

W. 8,000, VIII. 16

DL

2438

FORM A.
BRITISH RAINFALL.

26 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wolfhall Manor, Marlborough

in the County of Wiltshire

by T. Reynolds

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.07		.04		1
2											.12		2
3									.01	.49	.01		3
4										.35		.02	4
5									.06	.35	.12		5
6										.04	.12		6
7										.48	.01	.05	7
8									.06	.35	.11	.38	8
9									.04	.04	.08		9
10										.06		.02	10
11									.01	.19	.02		11
12										.55	.01	.01	12
13									.09	.04			13
14													14
15										.09		.03	15
16										.60		.94	16
17									.58	.28			17
18									.42	.05			18
19									.25				19
20									.11		.03		20
21										.10	.04		21
22										.05			22
23										.06		.03	23
24										.24			24
25									.04	.27			25
26									.15	.15	.09		26
27													27
28												.05	28
29										.46		.21	29
30		X								.02		.01	30
31		X		X		X			X	.02	X	.04	31
Total									1.89	5.33	.80	1.79	YEAR'S TOTAL
Rain Days.									13	24	13	12	

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30.1.19

Kept at Wolfhall Manor

in the County of Wiltshire

by T. G. C. Reynolds

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·09	·03			·09		·02	·60	·04	1
2		·05		·08				·41		·04	·12	·21	2
3		·05	·03	·22	·39			·20	·02	·02	·09		3
4		·05	·02					·04	·06		·89	·06	4
5		·05			·24			·10	·14	·17		·04	5
6	·15	·08		·40				·03	·08	·02		·09	6
7		·18		·10	·48			·03	·12	·14	·13	·04	7
8		·03							·70	·29		·10	8
9		·10		·27		·18	·37		·50	·34		·20	9
10				·15		·09	·31		·11	·24		·32	10
11	·04	·04		·01	·01		·72		·15	·09	·07	·11	11
12		·15			·28		·12		·01			·04	12
13	·08	·01		·01	·17		·28		·41	·02		·06	13
14	·19		·03		·01	·10	·42		·46	·15		·19	14
15	1·06			·66	·01	·02	·16					·26	15
16	·31		·03	·68		·01			·19	·01	—	·08	16
17	·27			·22	·10		·65	·04	·08			·23	17
18	·87					·46	·14		·32			·11	18
19	·08	·02	·07	·05			·24	·03	·09	·08		·08	19
20	·03	·20		·27		·02	1·20		·24	·10	·03		20
21	·13	·06					·02		·75	·18		·07	21
22	·04				·06		·33		·08	·03		·24	22
23	·18			·04	·20		·74	·06			·04	·08	23
24		·29				·02	·13		·10		·14	·02	24
25							·31	·43		·02			25
26	·01						·37		·03	·03	·10	·21	26
27	·01	·02	·06				·04	·21	·08		·15	·06	27
28		·04	·33	·03		·02					·15	·09	28
29	·01		·04						1·39			·02	29
30			·35					·02		·06	·07	·04	30
31	·01		·05							·07			31
Total	3·47	1·44	1·01	3·28	1·98	·92	6·55	1·69	6·11	2·12	2·58	3·09	YEAR'S TOTAL 34·24
Rain Days.	17	18	10	16	12	9	18	13	23	21	13	27	197

W. 8,000, IX. 17.

82

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Wolfhall Manor, Burbage
in the County of Wiltshire
by T. G. C. Reynolds

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60		·07		·15		·19			·09	·04	1·66	1
2	·17		·03		·06		·05		·30		·07	·14	2
3	·96		·18		·04	·04	·03		·43		·02	·46	3
4	·16	·04	·64			·20	·04	·04	·17		·07	·08	4
5		·41	·74		·02		·16		·14		·05	·17	5
6	·35	·03	·08		·51						·01	·01	6
7	·09		·44	·02									7
8	·24		·09	·03									8
9	·01		·05	·10	·02						·15		9
10	·04		·48	·10						·01	·03	·15	10
11	·02		·24	·20	·10		·45				·01		11
12	·01		·06	·07		·25	·15			·17			12
13	·02			·44					·01	·01		·07	13
14	·56	·01		·75			·08		·13	·07		·10	14
15	·26	·06			·01					·12	·02	·77	15
16	·05	·74									·11		16
17		·30		·01		·02					·39	·04	17
18			·29		·06			·08			·07	·02	18
19	·25	·28	1·11			·07	·39	·21	·08		·21	·03	19
20	·42	·08	·24			·30		·33	·03			·07	20
21	·04	·64	·03			·03	·08	·03			·02	·16	21
22		·25					·20		·28			·18	22
23						·01		·05		·15	·13	·08	23
24				·05		·04		·02	·02	·58	·05	·35	24
25	·10	·01				·02		·48	·01		·01	·02	25
26	·19	·03	·21	·04			·23	·04	·05			·44	26
27	·13			·55				·38				·04	27
28			·21					·86			·24	·37	28
29	·03							·12		·08	·01	·04	29
30		✕		·21		·20		·55		·06	·43	·75	30
31	·02	✕	·03	✕		✕			✕	·02	✕	·13	31
Total	4·72	2·88	5·22	2·57	·97	1·18	2·05	3·19	1·65	1·36	2·14	6·33	YEAR'S TOTAL 34·26
Rain Days.	23	13	19	13	9	11	12	13	12	11	21	25	182

265 TN

1396

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Wolfhall Manor

in the County of Wiltshire

by T. G. C. Reynolds

Lat.………… Long.…………

Time of Observation…………

Nearest Railway Station…………

Diameter of Funnel of Rain Gauge…………in.

Height of top of Gauge above Ground…………ft.…………in.

" " " " Sea Level…………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·03										1
2	·02		·02										2
3	·03	·06											3
4	·01	·01	·02										4
5			·10										5
6			·49										6
7	·04		·05										7
8		·06											8
9	·51	·03											9
10	·83	·23	·11										10
11	·32		·12										11
12	·08	·05	·02										12
13	·15	·05	·33										13
14	·05	·03	·32										14
15	·02	·11	·04										15
16													16
17	·02		·06										17
18	·07												18
19	·06												19
20	·03	·21											20
21													21
22	·03												22
23	·01												23
24	·05		·17										24
25	·02	·07	·15										25
26	·18		·30										26
27	·38	·04	·02										27
28	·55	·02	·03										28
29	·23		·07										29
30	·05		·08										30
31	·05		·31										31
TOTAL	3.64	·97	2.84										YEAR'S TOTAL
Days with ·01 in. or more	26	13	21										

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L

RE

Kept at Woodborou

in the County of Wilts

by Rev. C. W.

IMPORTANT NOTE.
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "~~Rules for Rainfall Observers~~," sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

WOODBOROUGH

WILTSHIRE

1911 —— 1912

5 in.

round 1 ft. in.

a Level 400 ft.

me

tance Direction

he result entered to the
sal rule, he is earnestly
in the space provided
t of rain,
h Rainfall

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

294

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·04	·22								·03	1
2	·03			·05	·28			·05		·02	·26	·21	2
3	·04			·01	·20			·04			·13	·07	3
4	·01		·12	·03					·02	·18	·16	·40	4
5	·03							·24		·05	·35		5
6	·30		·10								·15	·62	6
7	·01										·35	·02	7
8	·08		·16							·01	·06	·42	8
9	·09		·02								·01	·40	9
10	·03	·17	·22								·01	·40	10
11	·38	·02	·03		·26						·57	·10	11
12			·68		·01						·50	·17	12
13			·03						·27		·02	·50	13
14			·01							·01		·53	14
15		·07	·03			·02				·01	·30	·02	15
16		·02	·01			·15					·40	·19	16
17		·28				·09						·44	17
18			·09	·05		·48				·02		·40	18
19		·04				·40			·08	·20	·04	·17	19
20	·02	·02	·07	·04		·02			·18	·03		·55	20
21		·05	·03	·01		·02			·10	·52		·10	21
22			·34	·02		·02		·01	·09	·10		·53	22
23		·35	·07			·01				·10	·02	·17	23
24	·04	·11	·01			·28		·09		·23		·15	24
25	·07	·06	·01	·15	·03	·11			·03	·12		·08	25
26		·10		·13	·10	·07				·10	·02	·25	26
27		·33	·27	·07	·42			·05	·08		·01	·16	27
28		·44		·27				·15	·10		·08	·01	28
29				·17		·23				·28			29
30				·01	·22	·05		·06		·13		·02	30
31										·22			31
Total	1·18	2·06	2·34	1·23	1·52	1·95	—	·69	·95 ·95	2·33	3·44	7·11	TOTAL for year 24·80
No. of Rain Days	14	14	20	14	8	14	0	8	9	18	19	28	166

9,000, IX. '10.

8L

294

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Woodborough

in the County of Wilts 3

by Rev. E. W. Hony

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·04	·22								·03	1
2	·03			·05	·28			·05		·02	·26	·21	2
3	·04			·01	·20			·04			·13	·07	3
4	·01		·12	·03					·02	·18	·16	·40	4
5	·03							·24		·05	·35		5
6	·30		·10								·15	·62	6
7	·01										·35	·02	7
8	·08		·16							·01	·06	·42	8
9	·09		·02								·01	·40	9
10	·03	·17	·22								·01	·40	10
11	·38	·02	·03		·26						·57	·10	11
12			·68		·01						·50	·17	12
13			·03						·27		·02	·50	13
14			·01							·01		·53	14
15		·07	·03			·02				·01	·30	·02	15
16		·02	·01			·15					·40	·19	16
17		·28				·09						·44	17
18			·09	·05		·48				·02		·40	18
19		·04				·40			·08	·20	·04	·17	19
20	·02	·02	·07	·04		·02			·18	·03		·55	20
21		·05	·03	·01		·02			·10	·52		·10	21
22			·34	·02		·02		·01	·09	·10		·53	22
23		·35	·07			·01				·10	·02	·17	23
24	·04	·11	·01			·28		·09		·23		·15	24
25	·07	·06	·01	·15	·03	·11			·03	·12		·08	25
26		·10		·13	·10	·07				·10	·02	·25	26
27		·33	·27	·07	·42			·05	·08		·01	·16	27
28		·44		·27				·15	·10		·08	·01	28
29				·17		·23				·28			29
30				·01	·22	·05		·06		·13		·02	30
31										·22			31
Total	1·18	2·06	2·34	1·23	1·52	1·95	—	·69	·95 95	2·33	3·44	7·11	TOTAL for year 21·80
No. of Rain Days	14	14	20	14	8	14	0	8	9	18	19	28	166

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Woodborough

in the County of Wiltshire 3

by Rev. C. W. Hony

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·01	·01	·56	·11			·65			1
2		·01	·38	·06		·15	·29	·05		·02			2
3	02		·12			·30	·03	·34	·03				3
4	·14		·86		·16	·33		·11					4
5	·34	·06	·17		·11	·40		·50					5
6	·45	·15	·02		·09		·07	·56					6
7	·01	·20	·05		·10	·46	·03	·12					7
8	·30	·22	·63			·03	·03		·01				8
9	·04	·06	·16	·03				·05					9
10	·01	·07				·06		·22					10
11	·06	·09	·01			·02							11
12	·09	·33	·10				·06						12
13		·08				·01		·07					13
14	·02		·26		·33	·01		·07		·06			14
15	·02	·12	·02		·10	·42							15
16	·60		·25					·08		·03			16
17	·98		·08			·09		·56					17
18	·17		·19					·12		·07			18
19	·04	·13	·14			·06	·20 ·26	·38		·05			19
20	·02	·01	·43		·03		·17	·31		·35			20
21	·01	·05	·39		·54			·06		·20			21
22	·43	·22	·03		·13	·08	·11	·16		·04			22
23	·19	·39	·41				·02	·47		·03			23
24	·09		·03					·12		·04			24
25	·02	·05				·15		·41		·05			25
26		·01					·37	·26		·41			26
27			·02				·10			·56			27
28		·16	·01		·02	·07	·01	·37	·12	·43			28
29		·09	·01			·30	·07	·01	·68	·45			29
30			·02			·08	·15		·37	·41			30
31			·06		·21		·25	·05		·06			31
Total	4·05	2·50	4·95	·10	1·83	3·58	2·07 ✓	5·45	1·21	3·91			TOTAL for year
No. of Rain Days.	22	20	27	3	12	19	17	24	5	18			

W. 8,000, X. '11.

WOOTON BASSETT

WILTSHIRE

1911 —— 1914

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R 11

Kept at Wootton 5 in.

in the County of W Ground 1 ft. 6 in.

Sea Level 422 ft.

by Harry

Name

Distance Direction

IMPORTANT NO the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of th ment of rain, the selection and plac ritish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	trace	—	—	·17	—	—	—	—	—	—	·05	trace	1
2	·04	—	—	trace	·25	—	—	·08	—	·05	·27	·17	2
3	—	trace	·01	trace	·28	—	—	—	—	trace	·07	·07	3
4	·02	trace	·14	snow ·01	—	—	—	—	·02	·08	·11	·45	4
5	·16	—	·04	snow ·02	—	—	—	·38	—	·09	·15	—	5
6	·25	—	·05	trace	—	—	—	·02	—	—	·10	·51	6
7	·01	—	—	—	—	—	—	—	—	—	·50	—	7
8	·12	—	·14	—	—	—	—	—	—	—	·02	·34	8
9	·14	—	·01	trace	—	—	—	—	—	—	·05	·25	9
10	·04	·12	·20	—	—	—	—	—	—	—	·02	·22	10
11	·21	·01	—	—	thunder ·26	—	—	—	—	—	·60	·06	11
12	trace	—	snow ·52	—	trace	trace	—	—	·03	—	·67	·15	12
13	—	—	trace	—	·03	—	—	—	·35	thunder ·01	trace	·36	13
14	—	·05	—	—	—	—	—	—	—	—	·08	·46	14
15	—	—	snow ·04	—	—	trace	—	—	—	·01	·13	·02	15
16	—	—	—	—	—	·14	—	—	—	—	·46	·23	16
17	—	·04	—	—	·07	·05	—	—	—	—	·04	·25	17
18	—	·41	—	·05	·05	·09	—	—	—	·01	·01	·35	18
19	—	—	trace	—	—	·58	—	—	·45	·15	·04	·25	19
20	trace	·06	·10	·02	—	—	—	—	·11	·13	—	·45	20
21	trace	·21	·01	—	—	·02	—	·04	trace	·20	—	·08	21
22	—	·01	·40	·02	—	·06	—	·01	—	·11	—	·53	22
23	·02	·25	·03	·01	—	·12	trace	—	·06	·08	—	·17	23
24	·02	·08	—	—	trace	·30	—	·02	—	·51	—	·10	24
25	—	·08	snow	·08	·02	·04	—	—	·01	·04	—	·07	25
26	—	·12	—	·20 ~~·30~~	—	·01	—	·01	—	·14	·07	·12	26
27	—	·24	·23	—	—	—	—	·07	·15	—	·07	·14	27
28	—	·40	—	·50	trace	—	—	·08	—	—	—	trace	28
29	—		—	·02	—	·18	·19	—	·31	·25	trace	—	29
30	—		trace	—	·33	·01	—	thunder ·01	—	·15	·02	trace	30
31	—		—		—		—	—		·08		trace	31
Total	1·03	2·08	1·92	1·10	1·29	1·60	·19	·72	1·49	2·09	3·53	5·80	TOTAL for year 22·04
No. of Rain Days.	11	14	14	11	8	12	1	10	9	17	21	24	152

W. 8,000, X. '11.

R[illegible] RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Wootton Bassett

in the County of Wilts

by Harry Bevir

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 4[illegible] ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	trace	—	—	·17	—	—	—	—	—	—	·05	trace	1
2	·04	—	—	trace	·25	—	—	·08	—	·05	·27	·17	2
3	—	trace	·01	trace	·28	—	—	—	—	trace	·07	·07	3
4	·02	trace	·14	snow ·01	—	—	—	—	·02	·08	·11	·45	4
5	·16	—	·04	snow ·02	—	—	—	·38	—	·09	·15	—	5
6	·25	—	·05	trace	—	—	—	·02	—	—	·10	·51	6
7	·01	—	—	—	—	—	—	—	—	—	·50	—	7
8	·12	—	·14	—	—	—	—	—	—	—	·02	·34	8
9	·14	—	·01	trace	—	—	—	—	—	—	·05	·25	9
10	·04	·12	·20	—	—	—	—	—	—	—	·02	·22	10
11	·21	·01	—	—	thunder ·26	—	—	—	—	—	·60	·06	11
12	trace	—	snow. ·52	—	trace	trace	—	—	·03	—	·67	·15	12
13	—	—	trace	—	·03	—	—	—	·35	thunder ·01	trace	·36	13
14	—	·05	—	—	—	—	—	—	—	—	·08	·46	14
15	—	—	snow ·04	—	—	trace	—	—	—	·01	·13	·02	15
16	—	—	—	—	—	·14	—	—	—	—	·46	·23	16
17	—	·04	—	—	·07	·05	—	—	—	—	·04	·25	17
18	—	·41	—	·05	·05	·09	—	—	—	·01	·01	·35	18
19	—	—	trace	—	—	·58	—	—	·45	·15	·04	·25	19
20	trace	·06	·10	·02	—	—	—	—	·11	·13	—	·45	20
21	trace	·21	·01	—	—	·02	—	·04	trace	·20	—	·08	21
22	—	·01	·40	·02	—	·06	—	·01	—	·11	—	·53	22
23	·02	·25	·03	·01	—	·12	trace	—	·06	·08	—	·17	23
24	·02	·08	—	—	trace	·30	—	·02	—	·51	—	·10	24
25	—	·08	snow	·08	·02	·04	—	—	·01	·04	—	·07	25
26	—	·12	—	·20 ~~·20~~	—	·01	—	·01	—	·14	·07	·12	26
27	—	·24	·23	—	—	—	—	·07	·15	—	·07	·14	27
28	—	·40	—	·50	trace	—	—	·08	—	—	—	trace	28
29	—		—	·02	—	·18	·19	—	·31	·25	trace	—	29
30	—		trace	—	·33	·01	—	thunder ·01	—	·15	·02	trace	30
31	—		—		—		—	—		·08		trace	31
Total	1·03	2·08	1·92	1·10	1·29	1·60	·19	·72	1·49	2·09	3·53	5·80	TOTAL for year 22·84
No. of Rain Days.	11	14	14	11	8	12	1	10	9	17	21	24	152

W. 8,000, X. '11.

Eng 96

FORM A.
BRITISH RAINFALL.
13 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at The Lime Kiln, Wootton Bassett

in the County of Wilts

by Harry Bevir

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wootton Bassett

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 422 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·13	—	·02	·62	·21	—	·04	·58	—	·23	1
2	—	—	·25	·02	—	·26	·27	—	—	·01	—	·01	2
3	·04	—	·24	—	—	·16	·12	·30	·03	—	·04	·03	3
4	·14	—	·67	—	·04	·31	—	·03	—	—	·25	—	4
5	·27	—	·19	—	·03	·07	—	·33	—	—	—	·04	5
6	·27	·21	·01	—	·08	—	—	·40	·02	—	—	·12	6
7	·01	·15	·06	—	·04	·63	—	·03	—	—	—	·05	7
8	·32	·13	·30	—	—	·03	·07	·09	—	—	—	·09	8
9	·04	—	·16	·03	—	·09	—	—	·03	—	—	·22	9
10	·05	·05	·03	—	—	·22	—	·15	—	—	·15	·11	10
11	·11	·07	—	—	—	·01	—	—	—	—	·02	·28	11
12	·05	·29	·10	—	·01	—	·03	—	—	—	·04	—	12
13	—	—	—	·01	—	—	·04	·19	—	—	—	·01	13
14	·14	—	·44	—	·48	—	—	·01	—	—	—	·05	14
15	·23	·09	·06	·01	·27	·30	—	·01	—	—	—	·27	15
16	·65	·01	·17	—	—	—	—	·06	—	·10	·04	·02	16
17	1·05	—	·13	—	·05	·04	—	·48	—	—	·03	·11	17
18	·13	—	·50	—	—	—	—	·06	—	·04	·01	·03	18
19	·05	·06	·01	—	—	·05	·30	·21	—	·03	·01	·01	19
20	·02	—	·29	—	—	—	·07	·17	—	·41	—	—	20
21	·01	·03	·42	—	·47	—	—	·12	—	·27	—	—	21
22	·62	·25	·02	—	·21	·28	·24	·21	—	·03	—	·07	22
23	·31	·42	·41	—	—	—	·01	·48	—	·07	·10	·38	23
24	·04	·02	·04	—	—	·19	—	·01	—	—	—	·13	24
25	—	—	—	—	—	·12	—	·80	—	·02	·40	·53	25
26	—	·04	—	—	—	—	·32	—	—	·46	·70	·15	26
27	—	—	—	—	—	·10	·07	—	—	·75	·01	·38	27
28	—	—	—	—	—	—	·11	·40 }	·15	·42	·35	·79	28
29	—	·11	—	—	—	·84	·31		·71	·48	—	·09	29
30	—		—	—	—	·07	·20	—	·13	·28	—	—	30
31	·01		·10		·30		·30	·04		·01		·10	31
Total	4·56	1·93	4·73	·07	2·00	4·39	2·67	4·58	1·11	3·96	2·15	4·30	YEAR'S TOTAL 36·45
Rain Days.	22	15	23	4	12	19	16	23	7	16	14	26	197

✓

FORM A. BRITISH RAINFALL.

12 FEB 1914

REGISTER OF RAINFALL IN 1913.

Kept at The Lime Kiln, Wootton Bassett

in the County of Wilts

by Harry Brown

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 422 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·38	·12	·03	·02	—	—	—	·83	—	·21	·07	1
2	—	·01	—	·13	—	—	—	—	·08	·39	·12	—	2
3	·02	—	·09	·03	·46	—	—	—	—	·06	—	·28	3
4	·58	·02	·08	—	·30	·03	—	—	1·02	·54	—	·12	4
5	—	·01	—	—	·02	·06	·05	—	·08	—	·12	·06	5
6	—	·05	·09	—	·17	·06	·40	—	—	·18	·01	·50	6
7	—	·25	—	—	·22	·22	·01	—	—	·22	·10	—	7
8	—	·09	—	—	·13	·22	—	—	—	·21	—	·01	8
9	—	·16	—	—	·01	·02	·10	·15	·14	·02	·02	·01	9
10	·14	—	·02	·08	·03	—	—	·08	—	·05	·54	—	10
11	·70	·01	—	·31	—	—	—	·05	—	·03	·42	·02	11
12	—	·01	—	—	·09	—	—	—	·02	—	·16	—	12
13	·12 snow	·01	—	—	·05	—	—	·01	·18	—	·26	—	13
14	·05	·01	·17	·08	—	—	—	·02	—	·11	·02	—	14
15	·09	·10	·31	·98	—	—	·25	—	·29	—	·09	·01	15
16	·17	—	·42	·05	—	·14	—	—	—	—	—	—	16
17	·04	·02	·15	·03	—	—	·01	—	—	—	—	—	17
18	·08	—	·12	·20	—	—	·07	—	—	—	·11	—	18
19	·59	—	·02	—	—	·04	·14	—	·34	—	—	—	19
20	·05	—	·20	·02	—	—	—	—	—	·12	·10	—	20
21	—	—	·09	·03	·28	—	·02	—	—	—	·41	—	21
22	·37	—	·27	·16	·01	—	—	·01	·22	—	—	—	22
23	·02	—	·01	—	—	·09	—	·07	—	—	·02	·16	23
24	·03	—	—	·13	—	—	—	—	—	—	—	—	24
25	—	·12	—	·17	—	—	—	—	—	—	—	·02	25
26	—	·02	—	·27	—	—	—	·30	—	·15	—	·18	26
27	—	—	·15	·23	—	—	—	—	—	·18	—	—	27
28	·34	—	·12	·34	—	—	—	—	—	·29	·01	·02 snow	28
29	·01		·40	·70	·08	—	—	·01	—	·24	—	—	29
30	·34		—	—	—	—	—	—	·01	·26	·04	—	30
31	·04		·04		·07		—	·20		—		—	31
Total	3·79	1·27	2·87	3·97	1·94	·88	1·05	·90	3·21	3·05	2·76	1·46	YEAR'S TOTAL 27·15
Rain Days.	20	16	19	19	15	9	9	10	11	16	18	13	175

W.7,000, XI. 13

W 82

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
9 - JAN 1915

Kept at The Lime Kiln, Wootton Bassett

in the County of Wiltshire

by Mrs Harry Bevir.

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Wootton Bassett

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 ins

" " " " Sea Level 422 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01	·09	traces		·19	·32			·13		1
2	traces			·03	·24		·81	·04			1·05	·52	2
3			·04	·16	·24		·10	·85				·16	3
4	·25		·01	·23	·16		·03	·20			·28	·69	4
5			·11	·26	·02		·30				·45	·33	5
6	snow	·07	·10	·05	·03		·04	·06					6
7	traces	·34	·21	·20	·30	·03	·10	·08				·03	7
8	·05	·04	·80	·08	·02	·50	·17	·05					8
9	·05		·38	·03	·06	·70		·10	·04		traces	·30	9
10	·02	·14	·01	·02	·09	·28			·23		·01		10
11		·12	·29		·10						·15	·49	11
12		·12	·11				·31		·20		·05	·20	12
13		·45	·60						·23	·09	·04	·20	13
14		·30	·27				·17	·03	·03	·89	·22	·02	14
15	·02		·13				·04	·64	·03		·15		15
16									·15				16
17		·40	·15									·60	17
18			·04			·07	·47					·44	18
19		·07	·46				·62					·02	19
20		·15	·11			·10					·05	·15	20
21		·60				·02				·14		·03	21
22			·04	·02	·04	·32	Traces	·03		·22			22
23		·18	·13		·06		·04			·11			23
24		traces	·06		·06					·30	·08	·04	24
25	·03		·16					·25		·35	·02	·29	25
26		Traces	(08)				·02			·06	·32	·43	26
27	·05										·15	·16	27
28		·07	·09		·03					·01	·44	·44	28
29	·17		·08		·03					·27	·30		29
30	traces	✕	·08		traces	·04				·15	·47	·56	30
31	traces	✕		✕	·02	✕	·18		✕	·12	✕	·11	31
Total	·67	3·05	4·55	1·17	1·50	2·09	3·59	2·65	·91	2·71	4·36	6·51	YEAR'S TOTAL 33·76
Rain Days.	9	14	26	11	16	9	16	12	7	12	18	22	142

W. 8,000. X. 14.

R 11

WROUGHTON
BURDEROP PK
WILTS
1911 - 1920

Form A2. British Rainfall. 8 JAN 1912

Kept at Burderop
in the County of W
by A. Ash

in.
Ground ft. in.
Sea Level ft.
a.m
Name Chiseldon .
Distance Direction

IMPORTANT NOT … the result entered to the
previous day. If an O … versal rule, he is earnestly
requested to add the rea … ear in the space provided
for it at the end of th … ent of rain,
the selection and placi … itish Rainfall
Organization are given in … application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·061							·01			·04	·02	1
2	·04		·01	·22	·30			·10		·03	·24	·21	2
3		·01		·02	·25					·01	·11	·07	3
4		·02	·03							·20	·19	·42	4
5	·07		·14					·63		·11	·20		5
6	·49							·01			·07	·48	6
7	·02		·05							·10	·56		7
8	·03		·15							·01	·10	·36	8
9	·17											·20	9
10	·05	·14	·01								·06	·32	10
11	·27		·22		·33						·63	·07	11
12	·01				·07						·63	·13	12
13			·60		·01				·31	·03	·	·53	13
14		·08									·	·54	14
15		·03								·02	·25	-	15
16		·01		·06		·22				·01	·39	·22	16
17		·03				·08					·14	·36	17
18		·31	·09			·18				·02		·34	18
19						·62			·18	·15	02	·16	19
20		·05	·12	·04					·26	·05		·57	20
21		·28	·01			·03		1·61		·42		·	21
22		·02	·31	02		·05				·13		77	22
23		·20	·24						·05	·04		21	23
24		·09			·01	·26				·40		08	24
25	·05	·09		·10	·25	·07			·02	·01		02	25
26		·10		·17	·03	·04		·07		·13	07	·24	26
27		·32	30	·05					·15		04	·15	27
28		·43		·35				·16			09		28
29				·15		·15	·04		·21		01		29
30				·02	·84			·02	·02	·39		·01	30
31										·07			31
Total	1·26	2·21	2·28	1·20	2·09	1·70	0·04	2·61	1·25	2·33	3·84	6·48	TOTAL for year 27·34
No. of Rain Days	11	17	14	11	9	10	1	8	8	20	19	24	152

7,000. X. '09.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Burderop Park Swindon

in the County of Wiltshire 6

by A. Ashford.

RAIN GAUGE	Pattern
	Diameter of top ______ in.
	Height of top above Ground ______ ft. ______ in.
	" " " Sea Level ______ ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Chiseldon.
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06							·01			·04	·02	1
2	·04		·01	·22	·30			·10		·03	·24	·21	2
3		·01		·02	·25					·01	·11	·07	3
4		·02	·03							·20	·19	·42	4
5	·07		·14					·63		·11	·20		5
6	·49							·01			·07	·48	6
7	·02		·05							·10	·56		7
8	·03		·15							·01	·10	·36	8
9	·17											·20	9
10	·05	·14	·01								·06	·32	10
11	·27		·22		·33						·63	·07	11
12	·01				·07						·63	·13	12
13			·60		·01				·31	·03	·	·53	13
14		·08									·	·54	14
15		·03								·02	·25	-	15
16		·01		·06		·22				·01	·39	·22	16
17		·03				·08					·14	·36	17
18		·31	·09			·18				·02		·34	18
19						·62			·18	·15	02	·16	19
20		·05	·12	·04					·26	·05		·57	20
21		·28	·01			·03		1·61		·42		·	21
22		·02	·31	02		·05				·13		77	22
23		·20	·24						·05	·04		21	23
24		·09			·01	·26				·40		08	24
25	·05	·09		·10	·25	·07			·02	·01		02	25
26		·10		·17	·03	·04		·07		·13	07	·24	26
27		·32	·30	·05					·15		04	·15	27
28		·43		·35				·16			09		28
29				·15		·15	·04		·21		01		29
30				·02	·84			·02	·02	·39		·01	30
31										·07			31
Total	1·26	2·21	2·28	1·20	2·09	1·70	0·04	2·61	1·25	2·33	3·84	6·48	TOTAL for year 27·34
No. of Rain Days	11	17	14	11	9	10	1	8	8	20	19	24	152

7,000. X. '09.

✓

may corr. for arith.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 APR 1913

Kept at Burderop, nr Swindon

in the County of Wilts 6

by Albert Ashford

Lat. 51.31 Long. 1.45 4

Time of Observation 9 am

Nearest Railway Station Swindon GWR

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.10			.38	.23		.02	.48		.20	1
2			.27			.15	.43						2
3			.13			.11	.12	.38	.04		.03	.05	3
4	.19		.92		.07	.23		.05			.23		4
5	.26	.08	.27		.02	.16		.45			.01	.10	5
6	.39	.18			.05	.03	.01	.28	.04			.08	6
7		.23			.08	.66							7
8	.37		.51			.05		.47				.08	8
9		.10	.31	.04		.21	.01	.05	.03			.05	9
10	.08	.05	.03					.16			.13	.15	10
11		.41				.02					.02	.26	11
12	.08		.15		.02		.02				.03		12
13		.07	.01				.07	.07				.03	13
14	.15		.25		.42			.06				.06	14
15	.04		.03		.13	.34		.05				.28	15
16	.30	.09	.23		.07	.03		.07	[illegible]	.12	.02		16
17	1.02		.17			.06		.53			.01	.15	17
18	.27		.50					.05	[illegible]	.06		.05	18
19		.11	.12			.02	.22	.53	[illegible]	.02		.02	19
20		.01	.30				.12	.27		.37			20
21		.05	.59		.45			.15		.25			21
22	.63		.01		.24	.08	.15	.17				.10	22
23	.30	.58	.45				.04	.35			.[illegible]9	.44	23
24	.01		.06			.12	.15	.14				.26	24
25	.11		.01					.46			.48	.60	25
26		.03					.28	.45		.52	.86	.15	26
27			.02				.14			.69		.35	27
28		.10				.14	.16	.40	.28	.36	.36	.67	28
29		.10				.43	.26	.02	.78	.40		.05	29
30						.13	.10	.01	.28	.24			30
31			.08		.24		.26	.05		.02		.09	31
Total	4.20	2.19	5.52 5.52	.04	1.79	3.35	2.77	5.67	1.47	3.53	2.37	4.27	YEAR'S TOTAL 37·17
No. of Rain Days.	15	15	24	1	11	19	18	25	7	12	12	23	182

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

13 JUL 1914

REGISTER OF RAINFALL IN 1913

Ev MG

Kept at Burderop Park
in the County of Wiltshire 6
by A. Ashford

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Swindon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 8 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·24	·20	·04	·08				·56		·28	·09	1
2		·15		·03					·03	·05	·10		2
3	·07			·04	·39					·35		·01	3
4	·70		·10		·31				·47	·29	·03	·05	4
5		·05	·15						·03		·17		5
6	·02	·08	·12		·18	·13	·63			·31		·95	6
7		·34			·21	·02	·10			·38	·11		7
8		·09			·21	·02				·35			8
9		·17	·02				·10	·32	·19				9
10			·03	·07				·07			·55	·07	10
11	·88			·30	·07					·09			11
12	·10				·14								12
13	·05				·01				·19		·19		13
14	·08		·17	·12			·25	·05	·01	·09	·02		14
15	·11	·21	·39	1·00			·35		·10				15
16	·21		·52	·10		·12			·04		·14	·07	16
17	·11		·11	·03		·13					·02		17
18	·87		·15	·21							·04		18
19			·01			·06	·18		·34				19
20	·07		·25	·03	·21					·18	·03		20
21			·06	·09						·02	·04		21
22	·40		·28						·23				22
23			·01			·08		·04				·17	23
24	·02			·15				·03					24
25		·10		·12								·04	25
26				·41				·16		·22		·24	26
27		·06	·16	·18						·11			27
28	·21		·16	·21						·32			28
29			·48	·60	·07							·02	29
30	·50							·03					30
31	·02		·05					·12		·02			31
Total	4·48	1·49	3·42	3·73	1·88	·56	1·61	·82	2·19	2·78	1·72	1·71	YEAR'S TOTAL 26·39
Rain Days.	18	10	20	18	12	7	6	8	11	14	13	10	147

W.7,000, XI. 13

ex LMCC.

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at Burderop nr. Swindon
in the County of Wilts 6
by Albert Ashford

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Chiseldon
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.06			.04	.45			.14	.02	1
2							.70	.06			1.41	.33	2
3			.08	.20	.16		.15	.14				.08	3
4	.20		.05	.27	.09		.02	.86			.32	.59	4
5			.11	.30		.05	.41	.12			.35	.04	5
6	.03	.13	.06		.07			.04			.12	.25	6
7		.38	.20	.21	.30	.40	.26	.05				.27	7
8	.06	.07	1.12	.02	.02	.63	.14	.08				.01	8
9	.07		.45	.17				.07	.02				9
10		.20		.02	.11				.20				10
11		.18	.30	.04	.05	.21	.25				.16	.59	11
12		.09	.12						.29		.02	.26	12
13		.50	.32				.15		.18	.02	.07	.29	13
14		.20	.38						.02	.80	.18	.03	14
15	.05	.03	.14					.43			.09		15
16							.03		.16				16
17		.42	.18									.50	17
18			.22			.02	.12					.52	18
19		.08	.37				.82				.08	.11	19
20		.31	.36			.06	.01					.16	20
21		.75								.21		.06	21
22		.02			.15	.17		.02		.50			22
23		.13	.17		.30					.09		.07	23
24			.05		.09			.18		.24	.08		24
25	.05		.16				.01	.02		.30	.02	.20	25
26							.01			.09	.19	.60	26
27	.05										.08	.26	27
28		.07	.06		.16						.42	.67	28
29	.20		.09							.38	.32	.	29
30		X	.09		.03					.14	.55	.72	30
31	.02	X		X		X	.16		X	.18	X	.03	31
Total	.73	3.56	4.88	1.29	1.53	1.54	3.28	2.52	.87	2.95	4.60	6.66	YEAR'S TOTAL 34.41
Rain Days.	9	16	22	9	12	7	16	13	6	11	18	24	163

W. 8,000. X. 14.

1683

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
21 JAN 1916

Kept at Burderop Cottage
in the County of Burderop Park, Nr. Swindon, Wilts
by [illegible]

5

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Chiseldon
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·13			·07			·10	·23	·21	·14	·19	1
2	·46	·29	·21	·08				1·02	·01	·25		·16	2
3	1·80	·03	·05	·10	·06		·05	·03				·19	3
4								·08				·45	4
5	·09	·58		·02				·06				·23	5
6	·27	·13		·30			·46	·01				·09	6
7	·32	·61	·01	·02			·11	·03				·27	7
8	·26	·30					·04	·09			·02		8
9	·02			·15				·01			·26	·80	9
10	·24		·03	·01								·08	10
11			·07	·09				·02			·75	·02	11
12	·07			·17	·41			·30		·03	·54	·02	12
13	·03	·12			1·09				·04				13
14	·08	·72					·10	·21	·04		·01	·87	14
15	·26	·02			·04		·04	·20		·02	·08	·11	15
16		·77			·22		·77	·08				·08	16
17		·48	·01		1·61								17
18		·23	·03		·04						·03		18
19		·08			·06		·30						19
20	·27	·06										·17	20
21					·02					·15		·09	21
22	·15	·92	·54				·48					·24	22
23		·04	·30			·03	·26		·04	·57		·41	23
24			·01	·20		·02	·34		·51	·45		·26	24
25				·02		·38						·29	25
26		·09				·02	·06					·53	26
27		·03				·02				·35		·02	27
28		·02				·01	·24		·85	·13			28
29						·01	·07	·13			·09	·05	29
30		X								·05	·36	·15	30
31	·15	X		X		X		·03	X	·98	X	·34	31
Total	5·09	5·65	1·26	1·16	3·62	·49	3·32	2·40	1·72	3·19	2·28	6·11	YEAR'S TOTAL 36·29
Rain Days.	16	20	10	11	10	7	14	16	7	11	10	25	157

W. 8,000. X. 15.

[illegible] Exd P7F 165?

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
18 JAN 1917

Kept at Burdcrop Park
in the County of Wilts
by [illegible]

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Chiseldon
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·01			·15	·05	·05		·02	·13	·76		1
2	·89	·06	·07		·38				·03	·65	·06		2
3	·02	·76			·03		·27		·11	·31	·09		3
4	·22	·18			·07	·41			·19	·16	·59		4
5	·03	·09	·02		·24	·05				·04	·34		5
6	·07	·03	·06		·03	·08	·57			·05	·80		6
7	·12	·05	·28		·04		·02			·13	·23	·20	7
8	·01	·02	·05		·11					·08	·01	·17	8
9						·04	·01			·01		·07	9
10	·01	·44	·04	·08	·03	·08						·58	10
11	·09	·05	·06		·03	·18							11
12	·01	·05		·10	·21	·01	·21			·03			12
13		·28	·10	·19				·21	·01				13
14		·46	·16		·08			·08		·09			14
15		·19	·02	·03				·14		·01			15
16	·03	·02		·12	·01		·20	·14 ~~·26~~					16
17	·18	·23		·04			·02	·26 ~~·18~~	·42	·42			17
18	·01	·01	·03	·05				·18	·11	·04	·44	·28	18
19	·13			·31					·01		·30		19
20	·19		·59	·01							·08	·68	20
21	·18		·78		·10						·07	·59	21
22		·29	·02			·01				·20		·47	22
23	·03	·12				·03		·08		·10	·18	·09	23
24		·62			·13	·06		·03		·32	·05	·15	24
25			·14			·02		·28	·01	·02	·18		25
26	·02	·14	·08			·10		·26	·01	·30			26
27	·12	·10	1·29		·13	·01		·02	·12	·21			27
28		·35	·16			·05		·04	·13	·39		·23	28
29		·22				·26		1·89	·05	·37		·42	29
30		✕								·51		·01	30
31		✕		✕		✕		·04	✕	·07	✕	·01	31
Total	2·44	4·77	3·95	·93	1·77	1·44	1·35	3·65	1·22	4·64	4·18	3·95	YEAR'S TOTAL 34·29
Rain Days.	20	24	18	10	17	16	8	14	13	24	15	14	193

W. 8,000, VIII. 16

1577

REGISTER OF RAINFALL IN 19 14.

FORM A.
BRITISH RAINFALL.

Kept at Burderop Park.
in the County of Wilts.
by A Ashford.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Chiseldon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14	·11				1·09	·08				1
2				·26		·3		·02		·03	·03		2
3	·04			·03		·13	·59	·33		·43	·02		3
4		·14	·09	·20			·25	·19		·38			4
5	·30		·04	·11				·06	·06	·46	·12		5
6				·38						·04	·14		6
7	·16		·21	·03		·26	·20	·11		·14		·06	7
8	·20		·04				·89	·18	·03	·28	·04	·26	8
9	·01		·08				·10	·13	·10				9
10			·28		·11			·12		·06		·02	10
11	·06		·52					·14		·20			11
12	·01		·01					·02		·46			12
13			·12					·11	·06	·03			13
14			·02	·11				·01		·04			14
15							·14	·11		·10		·02	15
16		·05		·06			·03	·01		·50		·69	16
17	·03	·03		·13			·33	·13	·42	·14			17
18	·01				·46		·50		·38	·02			18
19		·34	·12						·08				19
20		·09	·36						·20		·04		20
21			·15		·61	·4				·05	·06		21
22			·10					·09		·08			22
23		·14				·16		·50		·02	·01	·03	23
24		·18			·4		·03	·28		·28			24
25		·08	·04			·21		·03	·03	·10			25
26			·02					·43	·13	·06	·11		26
27			·12					·86					27
28			·05		1·20			·44					28
29			·02			1·80	·09	·05		·36		·14	29
30		✕	·04			·84	·46	·18		·04		·02	30
31		✕	·09	✕		✕	·03	·01	✕	·02	✕	·09	31
Total	·85	1·05	2·69	1·42	2·52	3·44	3·94	5·93	1·54	4·35	·63	1·31	YEAR'S TOTAL 29·46
Rain Days.	9	8	22	10	5	8	13	26	11	25	9	9	155

59

Ex MSS

REGISTER OF RAINFALL IN 1918

Kept at Burderop. Wroughton. Swindon

in the County of Wiltshire.

by Mr A. Ashford.

Lat. Long.

Time of Observation 9-a.m. daily.

Nearest Railway Station Chiseldon. (M.S.W.J.R.)

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A. BRITISH RAINFALL 9. 1.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 1918	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·03		·08	·05			'07			'48	'03	1
2	–	·05		·30				'44		'06	'07	'16	2
3	–	·06		·37	·21			'21	'09	'05	'08	'01	3
4	–	–	'02	·02				·02	'05		'90	'06	4
5	–	–			·26			'16	'24	'16		'01	5
6	·13	·13		·29					'11	'21	'05	'09	6
7	–	·17		·14	·68				'12	'08		·06	7
8									'28	'22	26	'04	8
9		·15		'13		'15	'56		'44	'13		'14	9
10		·16		·11			·48		'43	'25		'32	10
11	·06	·18					·25		1'11	'10	'11	'18	11
12		·25			·30		·10		'08			'03	12
13	·05	·02			·07		·27		'31	'02		'17	13
14	·26		'04			'06	·57		'50	'09		'14	14
15	·20			·40		'06	·24					'20	15
16	·25			·82			·01		'13	'02		'09	16
17	·22		'03	·18	'15		·44		·02	·02		'18	17
18	·73					·46	·30		·25			'06	18
19	·03		·10	·09		'02	·45		·06	'09		'06	19
20	·01	·15		·37			·51	'02	·34			'03	20
21	·09	·01		·01			·04		1'08	'12		'02	21
22	·06				·10		·25		·15	'06	'04	'18	22
23	·10	·01			·24	'01	·46	'03		'01	'16	'01	23
24		·14					·07		'06	'02			24
25							·55	'53		'02			25
26				·10			·02		·06		'10	'31	26
27		'05	'03					'22	·08		'14	'02	27
28			·32			'02					'11	'08	28
29			·05						1'22			'06	29
30		✕	·26							'02	'06	'07	30
31		✕	·06	✕		✕			✕	'02	✕		31
Total	2'19	1'56	·91	3'41	2'06	·78	5'57	1'70	7'21	1'77	2'56	2'81	YEAR'S TOTAL 32'53.
Rain Days.	13	15	9	15	9	7	18	9	23	21	13	28	180.

W. 6,500, VII. 18. w w c

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Burderop, Wroughton.
in the County of Wilts
by A. Ashford.

Lat. 51° 31' N. Long. 1° 38' W.
Time of Observation 9 A.M.
Nearest Railway Station CHISELDON (M. & S.W.J.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43		·05		·16		·12			·09		1·03	1
2	·14		·02				·05		·39		·09	·13	2
3	1·24		·17		·01		·06		·36		·03	·50	3
4	·12		·55		·02				·34		·04	·14	4
5		·32	·62		·03	·22			·26		·03	·19	5
6	·19	·02	·08		·51							·09	6
7	·10		·36	·04							·10		7
8	·18		·03	·03	·01								8
9	·06		·07	·15							·11		9
10	·02		·30	·05								·13	10
11	·06		·14	·10	·10		·52					·02	11
12	·01		·18	·02		·61	·06			·09	·02	·03	12
13	·02	·04		·39						·03			13
14	·57	·02		·47			·04					·07	14
15	·19	·03	·05	·02								·57	15
16	·14	·65									·12		16
17	·06			·02							·15	·03	17
18		·01	·33		·32			·12	·05		·06	·02	18
19	·23	·17	1·18			·11	·86	·24	·03		·16		19
20	·37	·06	·30			·21	·01	·39	·06			·05	20
21	·01	·42	·02				·09				·02	·16	21
22		·11				·02	·28		·12			·12	22
23						·01			·04	·16	·07		23
24						·03		·05	·03	·69	·13	·40	24
25	·06					·04		·44					25
26	·22		·14	·07			·31	·14	·14			·32	26
27	·11			·54				·37					27
28			·28	·03				·53				·35	28
29	·04							·13			·03	·02	29
30				·21		·21		·90		·07	·41	·48	30
31												·04	31
Total	4·57	1·85	4·87	2·14	1·16	1·46	2·40	3·31	1·82	1·13	1·57	4·89	Year's Total 31·17"
Days with ·01 in. or more	23	11	19	14	8	9	11	10	11	6	16	22	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1400

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Old No. 1536

1 JAN 1921

Kept at Burderop Swindon

in the County of Wilts

by A. Ashford

Lat. .... Long. ....

Time of Observation 9 a. m.

Nearest Railway Station Chiseldon

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				'32	'31		'31			'68		'39	1
2			'03	'15			'08	'37	'02	'08		'12	2
3		'12		'29			'54			'42			3
4	'02		'06	'06			'11	'45		'15			4
5			'04	'16	'01		'67	'02		'31			5
6			'18		'14		'29						6
7	'07		'02	'04	'18		'30						7
8		'05		'49	'04		'41						8
9	'33	'03		'48					'01				9
10	'41	'15	'07			'18	'25	'02					10
11	'42		'11	'36	'17		'12	'17					11
12	'09	'04		'19	'04	'46	'02				'09		12
13	'06	'07	'25	'12					'01				13
14	'02	'02	'39	'38		'50			'03	'17	'36		14
15		'14	'06	'41	'03	'06			'16	'37	'10		15
16				'18	'07	'15	'05		'19		'12		16
17				'10	'24				'77				17
18	'14			'11	'11	'01		'21	'29				18
19	'04	'08		'19	'09	'02						'19	19
20	'02	'23		'29		'40						'21	20
21				'03			'12		'10			'08	21
22	'02			'13					'15			'22	22
23							'97	'05				'29	23
24			'18	'01							'26	'21	24
25	'04	'09	'09				'27	'04					25
26	'22		'14		'67		'13					'08	26
27	'34	'04	'04	'11		'46						'15	27
28	'46		'04	'06	'26							'01	28
29	'14		'06	'03	'04	'02					'11	'19	29
30	'04	✕				'17	'29		'22		'16	'17	30
31		✕	'16	✕		✕			✕	'47	✕	'27	31
Total	2'88	1'06	1'92	4'69	2'40	2'43	4'93	1'33	1'95	2'65	1'20	2'58	Year's Total 30'02 ✓
Days with ·01 in. or more	18	12	17	24	15	11	17	8	11	8	7	14	162 ✓
Days with ·04 in. or more	14	10	15	21	13	8	16	6	7	8	7	13	138 ✓

8f

1496

BASSETT DOWN.
WROUGHTON
&
WILTSHIRE
1911 — 1920

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

294

...ILL

Kept at Basset... in.

in the County of W... ...ove Ground ft. in.

„ Sea Level ft.

by Mrs Story

Name

Distance Direction

IMPORTANT N... ...nd the result entered to the previous day. If an... ...niversal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... ...ement of rain, the selection and pl... ...British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·02	·20							·02		1
2				·02	·31						·28	·02	2
3			·02		·25			·12			·10	·20	3
4		·04	·14	·04						·14	·18	·39	4
5				·05				·30		·10	·23		5
6	·55		·08					·01			·09	·41	6
7										·08	·45	·03	7
8			·15							·02	·08	·39	8
9	·23		·01									·24	9
10	·05	·15	·21		·14						·07	·38	10
11	·02		·02								·54	·08	11
12	·01		·62						·03		·57		12
13			·02						·31	·07		·76	13
14		·01										·46	14
15										·03	·23	·07	15
16		·10				·14					·46	·19	16
17	·01									·02	·11	·37	17
18	·02	·35	·09	·07	·13	·07						·36	18
19	·05	·01		·08		·58			·36	·24	·04	·13	19
20	·08	·06	·10						·23			·73	20
21	·10	·20	·02					·28		·33		·10	21
22		·02	·32			·06				·18		·62	22
23	·01	·18	·24			·81			·05			·15	23
24	·02	·15		·02		·33				·69		·11	24
25		·03	·06	·10		·05						·02	25
26		·09		·15	·04	·02				·13	·13	·21	26
27		·36	·30	·08				·04	·05		·05	·14	27
28		·38		·39				·21			·05		28
29				·02 ·02		·21	·14		·24	·26			29
30					·30	·01		·06		·19			30
31										·07			31
Total	1·21	2·13	2·42	1·22 ✓	1·17	2·28	·14	1·02	1·27	2·55 2·25	3·68	6·56	TOTAL for year 25·65
No. of Rain Days	13	15	17	12	6	10	1	7	7	15	18	24	145

9,000, IX. '10.

8L

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

299

Kept at Basset Down House

in the County of Wilts

by Mrs Story Maskelyne

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·02	·20							·02		1
2				·02	·31						·28	·02	2
3			·02		·25			·12			·10	·20	3
4		·04	·14	·04						·14	·18	·39	4
5				·05				·30		·10	·23		5
6	·55		·08					·01			·09	·41	6
7										·08	·45	·03	7
8			·15							·02	·08	·39	8
9	·23		·01									·24	9
10	·05	·15	·21		·14						·07	·38	10
11	·02		·02								·54	·08	11
12	·01		·62						·03		·57		12
13			·02						·31	·07		·76	13
14		·01										·46	14
15										·03	·23	·07	15
16		·10				·14					·46	·19	16
17	·01									·02	·11	·37	17
18	·02	·35	·09	·07	·13	·07						·36	18
19	·05	·01		·08		·58			·36	·24	·04	·13	19
20	·08	·06	·10						·23			·73	20
21	·10	·20	·02					·28		·33		·10	21
22		·02	·32			·06				·18		·62	22
23	·01	·18	·24			·81			·05			·15	23
24	·02	·15		·02		·33				·69		·11	24
25		·03	·06	·10		·05						·02	25
26		·09		·15	·04	·02				·13	·13	·21	26
27		·36	·30	·08				·04	·05		·05	·14	27
28		·38		·39				·21			·05		28
29				·02 ·02		·21	·14		·24	·26			29
30					·30	·01		·06		·19			30
31										·07			31
Total	1·21	2·13	2·42	1·22 ✓	1·17	2·28	·14	1·02	1·27	2·55 2·25	3·68	6·56	TOTAL for year 25·65
No. of Rain Days	13	15	17	12	6	10	1	7	7	15	18	24	145

9,000, IX. '10.

82 ✓

284

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Basset Down House

in the County of Wiltshire

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06		·01	·39	·25		·04	·52		·25	1
2			·35	·01		·15	·33						2
3			·10			·16	·17	·34	·05			·03	3
4	·21		·79		·07	·31		·05			·24		4
5	·22	·04	·32		·05	·06		·35				·01	5
6	·42	·21	·02		·04	·04		·37	·02				6
7		·18			·09	·54		·01					7
8	·29	·12	·30			·10		·49				·32	8
9	·04	·04	·32									·22	9
10		·09	·03					·12			·12	·04	10
11	·05	·07										·36	11
12	·11	·20	·12		·02		·07						12
13		·07	·01					·12				·04	13
14	·16		·31		·42			·04					14
15	·04	·09			·25	·37		·01				·34	15
16	·34		·19					·06		·15			16
17			·10		·03	·06		·48			·02	·24	17
18			·51					·03		·05	·08		18
19	1·70	·09	·06			·04	·25	·19		·02			19
20	·02		·25				·11	·33		·37			20
21	·03	·05	·48		·50		·01	·11		·05			21
22	·62	·25	·03		·32	·21	·03	·16		·04	·01	·11	22
23	·30	·40	·44				·22	·39		·06	·17	·44	23
24	·06	·03	·06			·26		·21				·25	24
25						·10	·04	·41			·44	·83	25
26		·04					·31	·34		·51	·88	·15	26
27						·12	·10			·69		·33	27
28		·07				·02	·13	·40	·15	·41	·27	·81	28
29		·09				1·07	·29		·64	·36		·02	29
30						·14	·06		·28	·21			30
31			·07		·25		·38	·06		·03		·11	31
Total	4·61	2·13	4·92	·01	2·05	4·14	2·75	5·07	1·18	3·47	2·23	4·90 4·90	TOTAL for year 37·46
No. of Rain Days.	18 ✓	18	22	1	12	18	16	23	6	14	9	19	176

W. 8,000, X. '11.

82 ✓

end for auth 16·III·14

293

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bassett Down House # D11

in the County of Wiltshire 1

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·22	·16	·04	·05				·61		·37	·10	1
2	·04	·16	·01	·01			·01			·21	·12		2
3	·02		·11	·04	·57					·40			3
4	·70	·02	·13		·19	·18			1·29	·09	·03	·11	4
5		·03	·03			·05						·08	5
6	·02	·07	·11		·21	·02				·23		·56	6
7		·35			·20	·07	·60			·49	·02		7
8		·07			·19	·10	·06			·45			8
9		·18	·03				·12	·42	·22			·05	9
10			·01	·05	·03	·02		·02		·08	·10		10
11	1·04			·32	·03			·06		·04	·55	·01	11
12		·01			·15				·02		·62	·02	12
13	·04	·01			·01			·04	·14		·25		13
14	·05	·02	·18	·12				·03	·03	·11			14
15	·11	·14	·09	1·01			·02		·04		·15		15
16	·15		·30	·19			·37						16
17		·01	·14	·03							·02		17
18	·07		·13	·20		·02	·01				·05		18
19	·24					·12			·35				19
20	·02		·16	·02		·01	·17			·20	·03		20
21			·02	·07	·21						·43		21
22	·12		·26	·06					·23		·40		22
23			·02			·08						·22	23
24	·02			·15							·03		24
25		·08		·16								·01	25
26		·05		·28				·27		·20		·23	26
27			·01	·22						·12			27
28	·20		·27	·29						·37		·02	28
29			·48	·50				·10		·12		·03	29
30	·42	~~6~~									·08		30
31	·02		·04					·11					31
Total	3·30	1·42	2·~~5~~69	3·76	1·84	·67	1·36	1·05	2·93	3·11	3·25	1·44	YEAR'S TOTAL 26·82
Rain Days.	18	16	21	19	11	10	8	8	9	14	16	12	161

W. 7,500, XI. 12

81

[illegible] 6-III-15

263

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Basset Down House

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08				·05	·51			·13	·02	1
2				·17			·91	·07			1·27	·55	2
3			·06	·04	·20		·13	·33				·08	3
4	·28			·18	·15			·98			·32	·62	4
5		·15	·08	·23	·03		·38	·08			·15	·03	5
6		·27		·31	·06		·08	·03			·22	·30	6
7		·06	·34	·25	·22	·08	·10					·20	7
8		·02	·95	·03		·48	·19	·14					8
9			·48	·11		·63		·05					9
10		·13			·15				·32				10
11		·16	·34	·03	·09						·18	·57	11
12		·12	·08			·01	·31		·23			·27	12
13		·42	·48						·04	·04	·10	·11	13
14		·23	·54						·19	·84	·15		14
15		·02	·14					·57			·11		15
16			·01				·24						16
17		·41	·11				·06		·18			·45	17
18			·03			·33	·22					·58	18
19		·08	·03				·62				·09	·14	19
20		·04	·69			·11	·08					·26	20
21		1·02	·02			·04				·20		·08	21
22		·02	·03		·18	·28		·04		·46		·02	22
23		·18	·11		·11					·06		·13	23
24			·08				·02			·23	·09		24
25			·16				·03			·35	·02	·24	25
26	·02	·02	·04				·03	·29		·07	·24	·52	26
27	·08										·11	·20	27
28			·07		·05						·49	·80	28
29	·20		·06		·04					·32	·39		29
30	·09		·07							·15	·57	·63	30
31	·03						·13			·20			31
Total	·70	3·35	5·08	1·35	1·28	1·96	3·58	3·09	·96 ·96	2·92	4·63	6·80	YEAR'S TOTAL 35·70
Rain Days.	6	17	25	9	11	8	17	11	5	11	17	22	159

W.7,000, XI. 13

81

end for auth 2.V.16

1639
279

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Bassett Down #81
in the County of Wiltshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·70	·15			·09		·02	·03	·41	·18	·10	·19	1
2	·42	·33	·22	·02				1·03				·10	2
3	1·70	·02	·04	·15				·11	·01			·16	3
4					·06		·02	·07				·46	4
5	·09	·67			·01			·02				·10	5
6	·25	·04		·26			·43	·04				·21	6
7	·30	·59		·03		·06	·05	·03				·32	7
8	·32	·33					·09	·02			·03		8
9	·09	·01		·11				·09			·30	·66	9
10	·17			·01				·01				·05	10
11	·01		·08	·10	·01			·02			·70	·02	11
12	·09			·20	·37			·18		·05	·71	·03	12
13	·04	·86			1·12			·01	·09		·08		13
14	·11	·02					·03	·23	·05	·02		·80	14
15	·27				·01		·01	·30				·09	15
16	·03	·72			·03		·91	·01				·05	16
17		·74			1·48			·18				·01	17
18		·36	·12		·23						·08		18
19		·09					·35						19
20	·23			·10	·07							·17	20
21	·13	·08					·08		·02	·15		·25	21
22		·71	·50				·34					·08	22
23		·08	·48			·02	·19		·10	·70		·39	23
24			·02	·23		·03	·11		·41	·43		·33	24
25						·86	·05					·15	25
26	·01	·10					·06		·01			·48	26
27				·01		·03	·36		·02	·34		·06	27
28		·05				·03	·04		·80	·15			28
29						·02	·09	·22	·01		·08	·03	29
30		✕		·02		·04	·02			·11	·25	·09	30
31	·14	✕		✕		✕		·02	✕	·73	✕	·42	31
Total	5·10	5·95 5·95	1·46	1·24	3·48	1·09	3·25	2·62	1·93	2·86	2·33	5·70	YEAR'S TOTAL 37·01 37·09
Rain Days.	19	19	7	12	11	8	19	19	11	10	9	26	170

W. 8,000. X. 14.

88

1614
~~248~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bassett Down

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20			–		·06	·14		·04	·03	·79		1
2	·78				·53		·01		·02	·72	·03		2
3	·03	·83	·15				·05		·13	·26	·19		3
4	·20	·24			·12	·26			·19	·22	·62		4
5		·02	·03		·37	·12				·05	·30		5
6	·06	·10	·01		·01	·08	·42			·04	·67		6
7	·24	·09	·31		·02		·04			·12	·23	·23	7
8		·04	·01		·15	·10					·03	·16	8
9			·04		·17	·13	·01			·01		·04	9
10		·39	·05	·07	·02	·15	·05			·05		·01	10
11	·09	·15	·08	·10		·20					·01	·60	11
12	·02	·04		·03	·22	·01	·15	·01					12
13		·17	·07	·32	·01		·05	·09	·04	·04			13
14		·40	·02	·01	·10			·09		·06			14
15		·16	·15					·19					15
16		·04	·06	·17	·01		·34	·21					16
17	·19	·17	·01	·05			·02	·26	·44	·41			17
18		·04	·02	·04				·14	·11	·04	·69		18
19	·15		·10	·24					·03		·10	·29	19
20	·08		·59	·02							·07	·66	20
21	·37		·84									·62	21
22	·02		·01		·11	·02				·25	·02	·42	22
23	·03	·29				·01		·07		·06	·17	·22	23
24		·12		·02	·05	·09		·05		·21	·03	·30	24
25		·62	·16		·13			·32		·03	·16		25
26		·14	·05			·11		·22	·02	·25			26
27	·06	·10	1·65		·11			·04	·18	·30			27
28		·35	·19			·01			·10	·37		·25	28
29		·22	·02			·28		1·77	·04	·40		·44	29
30		X						·03		·55		·01	30
31		X		X		X		·04	X	·02	X		31
Total	2·52	4·72 4·62	4·62	1·07	2·13	1·63	1·28	3·53	1·34	4·49 4·49	4·11	4·25 4·25	YEAR'S TOTAL 35·69
Rain Days.	15	22	23	11 ~~10~~	16	15	11	15	12	23	16	14	193

8,000. X. 15.

1539

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bassett Down

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.17	.26		.05		1.12	.11		.01		1
2	.01		.01	.26		.08		.04		.02	.02		2
3	.07			.02			.45	.29		.44			3
4		.21	.08				.26	.07		.55			4
5	.32		.07	.14				.03	.03	.41	.17		5
6			.15			.63				.03	.19	.02	6
7	.15						.27	.01		.17	.01	.03	7
8	.50		.01	.16			.75	.33		.31	.05	.25	8
9	.01		.15	.03	.02		.05	.17	.12		.08		9
10	.18		.24	.19	.14			.13	.03	.02			10
11	.07	.01	.44	.29				.17		.19			11
12	.02			.05	.02			.02		.43	.01		12
13			.12			.01		.17	.07	.12			13
14				.12				.13		.06			14
15							.10	.12		.08			15
16		.05		.06			.03	.01	.01	.81		.70	16
17	.03			.12	.53		.35	.02	.73	.07			17
18	.01						.59	.09	.46	.02			18
19		.28	.13			.01			.10				19
20		.16	.37		.60	.05			.04				20
21			.16			.05				.06	.09		21
22			.11			.36		.07		.08			22
23		.15			.06			.57		.02		.11	23
24		.15	.02			.28	.03	.33		.28	.02		24
25		.07	.01					.01	.03	.09			25
26			.06				.01	.56	.14	.06	.13		26
27					.95			.93		.02			27
28			.05			1.88		.80				.02	28
29			.03			.64	.14	.05		.46		.18	29
30		X	.04				.58	.19		.03			30
31	.01	X	.02	X		X	.04	.01	X	.02	X	.10	31
Total	1.38	1.09	2.44	1.70	2.32	4.04	3.65	6.44	1.87	~~4.76~~ 4.85	.78	1.41	YEAR'S TOTAL 31.97 ~~31.88~~ 31.97
Rain Days.	12	9	21	12	7	11	14	27	12	26	11	8	170

2.21

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

24

FORM A.
BRITISH RAINFALL.

Kept at Bassett Down House

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·09	·05			·06			·58	·09	1
2		·06		·13				·39		·05	·07	·18	2
3			·03	·27	·22			·24	·08		·05	·05	3
4		·04	·01	·09				·02	·03	·12	·82		4
5					·23			·13	·17	·13		·01	5
6	·16	·13		·25					·81	·01		·06	6
7		·16		·09	·72				·07	·28	·22	·03	7
8									·31	·09		·03	8
9		·14		·16		·18	·52		·48	·30		·16	9
10	·01			·12		·03	·46		·58	·24		·39	10
11	·02	·03		·01			·21		1·22	·09	·08	·15	11
12		·15			·22		·05		·04			·04	12
13	·05				·15		·16		·09	·01		·17	13
14	·29		·03		·01	·06	·52		·79	·09		·20	14
15	1·27			·36	·01		·22					·21	15
16	·35			·81		·12	·01		·15	·03		·07	16
17	·07		·03	·15			·39	·03	·02	·03		·16	17
18	·67					·45	·19		·30			·08	18
19	·04		·09	·11		·01	·33		·07	·09		·06	19
20	·02	·15		·31		·06	·83		·38	·10		·02	20
21	·07	·01		·02		·02	·04		·98	·03		·03	21
22	·09				·14		·25		·15	·16		·15	22
23	·11				·27		·61	·02				·01	23
24	·01	·12				·02			·05		·19		24
25				·04			·10	·79		·02			25
26							·50		·02	·03	·10	·35	26
27		·06					·01	·22	·09		·12	·03	27
28		·02	·38	·03		·02					·16	·15	28
29									1·18			·09	29
30		✕	·33							·03	·03	·07	30
31		✕	·02	✕		✕			✕	·02	✕		31
Total	3·23	1·09	·92	3·04	2·02	·97	5·40	1·90	8·06	1·95	2·42	3·04	YEAR'S TOTAL 34·04
Rain Days.	15	13	8	17	10	10	18	9	23	21	11	27	182

W. 8,000, IX. 17.

8L

(see 8L)

1447
~~209~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Basset Down House

in the County of Wiltshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46		·03		·18		·08			·10		·97	1
2	·74	·01	·01		·01		·09		·16		·16	·33	2
3	1·18		·15		·02		·02		·32		·06	·54	3
4	·18	·03	·57			·16	·01		·25		·05	·20	4
5		·30	·74		·03		·01		·59			·22	5
6	·19		·07		·58							·08	6
7	·11		·29								·09		7
8	·25		·07	·08									8
9	·04		·01	·04							·11		9
10	·05		·24	·13								·15	10
11	·06		·15	·10	·10		·48						11
12	·01		·14	·01		·70				·10	·03	·03	12
13	·01	·02	·01	·34						·01		·01	13
14	·63	·04		·49			·17					·03	14
15	·10	·01	·03	·03	·01					·01		·51	15
16	·09	·67									·13		16
17		·38		·01							·28		17
18			·34		·02			·19	·05		·02		18
19	·16	·17	1·01			·07	1·06	·08	·02		·18		19
20	·40	·05	·28			·20	·01	·53	·01			·15	20
21	·03	·41	·07			·06	·02				·02	·14	21
22		·13					·32	·01	·11			·10	22
23						·01				·17	·06	·01	23
24						·04			·11	·77	·13	·32	24
25	·08				·02	·02		·42	·01		·01		25
26	·24	·02	·14	·03			·13	·05	·16			·35	26
27	·15			·64				·28				·03	27
28			·31					·57			·21	·27	28
29	·03							·07		·10			29
30		×		·22		·22		·79		·07	·28	·53	30
31	·01	×	·02	×		×	·01		×		×		31
Total	5·20	2·24	4·68	2·12	·97	1·48	2·41	2·99	1·79	1·33	1·82	4·97	YEAR'S TOTAL 32·00
Rain Days.	23	13 ~~12~~	21	12	9	9	13	10	11	8	16	20	165

W. 6,500, VII. 18. W W C

1367

Stn No 1496

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bassett Down House
in the County of Wiltshire
by Mrs Story Maskelyne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·34	·37		·52	·01		·53		·39	1
2			·01	·19			·05	·31	·02	·07		·10	2
3	·04	·10		·26		·01	·39		·04	·43			3
4			·10	·05			·02	·50		·14			4
5			·06	·12			·25	·02		·19			5
6			·22		·16		·56			·16	·02		6
7	·05		·01	·05	·21		·39					·04	7
8		·04		·33	·04		·41						8
9	·29	·02		2·02			·02	·03	·05				9
10	·58	·17	·06	·07		·20	·34				·01	·05	10
11	·44	·01	·11	·28	·31	·03	·11						11
12	·12	·04	·03	·24	·02	·39	·03	·01			·08		12
13		·06	·33	·09								·03	13
14	·06	·04	·10	·42		·54			·03	·04	·38		14
15		·17	·34	·34		·07	·02			·71	·03		15
16				·24	·21	·01	·05		·15	·06	·20		16
17				·20	·28	·03	·01		·31				17
18	·12			·03	·10	·01		·29	·29				18
19	·02			·24	·15			·02				·02	19
20	·03	·26		·23		·42						·27	20
21				·01			·12		·05	·03		·04	21
22	·01			·15			·01		·06			·24	22
23							1·27	·05				·29	23
24	·04		·18	·01								·16	24
25	·02	·17	·10	·01			·22	·03			·11		25
26	·23		·19		·35		·14				·03	·07	26
27	·33		·05	·09		·49	·01					·18	27
28	·49		·04	·02	·62		·03					(·02)	28
29	·15		·06	·01	·05	·05	·02				·07	·29	29
30	·03		·02	·04		·02	·36		·21		·29	·29	30
31	·02		·18				·05			·52		·27	31
TOTAL	~~2·20~~ 3·12	1·08	2·19	~~6·14~~ 6·08	2·87	2·27	5·40	1·27	1·21	2·88	1·22	2·75	YEAR'S TOTAL ~~32·46~~ 32·34
Days with ·01 in. or more	20	11	19	27	13	13	25	10	10	11	10	17	186
~~+~~ ·04	14	9	15	21	12	7	16	4	8	10	6	14	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WROUGHTON

SWINDON W/WKS

WILTS

1911 — 1913

FORM A2.
BRITISH RAINFALL.
27 APR 1912

11

Kept at Wroughton ...cular

8 in.

...ove Ground ft. 15 in.

in the County of ...

..., Sea Level 450 ft.

by A. J Ham...

9 a.m.

M.S.W. Railway
Name Swindon Town
Distance 2½ miles Direction N

IMPORTANT N... nd the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the r... year in the space provided for it at the end of t... rement of rain, the selection and pla... British Rainfall Organization are given ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·02	·015	·19							·03		1
2	·04	·02		·02	·26			·12		·02	·23	·17	2
3		·01	·02		·22						·09	·07	3
4	·01	·15	·15	·02						·18	·19	·395	4
5	·06							·54		·09	·21		5
6	·5		·05							·12	·08	·51	6
7	·01										·56		7
8	·10		·15								·11	·38	8
9	·10										·03	·2	9
10	·05		·19								·02	·34	10
11	·22		·02		·24						·52	·09	11
12			·59		·06				·03		·55	·12	12
13			·03						·28			·54	13
14		·06										·5	14
15		·02								·03	·25	·03	15
16			·015			·19					·425	·17	16
17		·04	·06			·06					·08	·35	17
18		·33			·1	·2						·32	18
19						·61			·2	·18	·025	·14	19
20	·02	·06	·09						·25	·07		·6	20
21		·27		·09		·02		1·35		·36		·13	21
22			·42	·02		·05				·13		·6	22
23		·15	·2			·08			·05	·05		·15	23
24	·025	·08				·26		·05		·39		·06	24
25		·075	·02	·1	·17	·06			·02			·04	25
26		·095		·15	·015	·02		·02		·12	·06	·2	26
27		·265	·28	·06				·01	·14		·045	·12	27
28		·4		·38				·13			·08		28
29				·13		·17	·11		·225	·15			29
30				·015	·62	·03		·05	·02	·23	·01		30
31										·08			31
Total	1·205	2·045	2·30	1·175	1·685	1·75	·11	2·27	1·215	2·20	3·595	6·225	TOTAL for year
No. of Rain Days.	12	16	16	11	8	12	1	8	9	15	20	24 152	25·775

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
27 APR 1912

Kept at Wroughton Water Works, Swindon

in the County of Wiltshire 6

by A. J. Hamp
Borough Surveyor.
SWINDON.

RAIN GAUGE	Pattern Circular
	Diameter of top 8 in.
	Height of top above Ground ft. 15 in.
	,, ,, ,, Sea Level 450 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Swindon Town, M.S.W. Railway
Distance 2½ miles, Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·02	·015	·19							·03		1
2	·04	·02		·02	·26			·12		·02	·23	·17	2
3		·01	·02		·22						·09	·07	3
4	·01	·15	·15	·02						·18	·19	·395	4
5	·06							·54		·09	·21		5
6	·5		·05							·12	·08	·51	6
7	·01										·56		7
8	·10		·15								·11	·38	8
9	·10										·03	·2	9
10	·05		·19								·02	·34	10
11	·22		·02		·24						·52	·09	11
12			·59		·06				·03		·55	·12	12
13			·03						·28			·54	13
14		·06										·5	14
15		·02								·03	·25	·03	15
16			·015			·19					·425	·17	16
17		·04	·06			·06					·08	·35	17
18		·33			·1	·2						·32	18
19						·61			·2	·18	·025	·14	19
20	·02	·06	·09						·25	·07		·6	20
21		·27		·09		·02		1·35		·36		·13	21
22			·42	·02		·05				·13		·6	22
23		·15	·2			·08			·05	·05		·15	23
24	·025	·08				·26		·05		·39		·06	24
25		·075	·02	·1	·17	·06			·02			·04	25
26		·095		·15	·015	·02		·02		·12	·06	·2	26
27		·265	·28	·06				·01	·14		·045	·12	27
28		·4		·38				·13			·08		28
29				·13		·17	·11		·225	·15			29
30				·015	·62	·03		·05	·02	·23	·01		30
31										·08			31
Total	1·205	2·045	2·30	1·175	1·685	1·75	·11	2·27	1·215	2·20	3·595	6·225	TOTAL for year
No. of Rain Days.	12	16	16	11	8	12	1	8	9	15	20	24 152	25·775

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Wroughton

in the County of Wilts. 6

by H J Hamp. Borough Surveyor
Swindon

RAIN GAUGE
Pattern J H Steward 406 Strand
Diameter of top 8" in.
Height of top above Ground — ft. 14" in.
" " " Sea Level 450 ft.

Time of Observation

Nearest Railway Station
Name M&SWJR
Distance 2¼ miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·38	·23		·03	·44		·175	1
2			·3			·13	·43						2
3	·02		·17			·13	·12	·435	·03		·05	·035	3
4	·16		·73		·08	·27		·09			·2		4
5	·275	·06	·3		·03	·085		·36	·02			·07	5
6	·37	·18	·02		·04	·05		·24	·035			·07	6
7		·185	·05		·085	·54		·025				·06	7
8	·33	·17	·45			·045		·47				·03	8
9	·03	·065	·24			·19						·24	9
10	·07	·07	·02			·14		·24	·04		·12	·125	10
11		·055									·04	·225	11
12	·055	·27	·11		·07	·01	·03	·08			·01	·015	12
13	·11	·08					·07	·03				·025	13
14			·245		·43			·04				·07	14
15	·05	·08			·135	·32		·03				·26	15
16	·25		·215		·03			·06		·13		·025	16
17	·88		·035			·07		·49				·08	17
18			·5			·03		·02		·06		·08	18
19	·04	·1	·1				·18	·39		·02		·01	19
20	·02		·28				·11	·32		·35			20
21		·03	·48		·49			·13		·245			21
22	·55	·23			·22	·08	·23	·15		·05		·07	22
23	·26	·33	·42				·03	·35		·03	·2	·41	23
24	·10	·02	·045			·15	·11	·14				·2	24
25						·14		·4		·015	·41	·54	25
26		·045					·24	·445		·43	·74	·14	26
27						·14	·13			·64		·3	27
28		·05	·015			·01	·24	·36	·26	·34	·34	·61	28
29		·1				·48	·16	·03	·74	·39		·05	29
30						·25	·1	·01	·21	·15			30
31			·06		·25		·25	·04				·06	31
Total	3·57	2·12	4·875	0	1·86	3·64	2·66	5·375	1·365	3·29	2·11	3·975	TOTAL for year 34·84
No. of Rain Days.	17	18	22	0	11	21	16	26	8	14	9	26	188

W, 8,000, X. '11.

✓

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

8- JAN 14

Kept at Swindon Corporation Water Works

in the County of Wroughton Wiltshire 6

by H. J. Hamp Engineer

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Swindon Town 2½ miles

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·055	·23	·19	·04	·085				·52		·27	·09	1
2	·01	·12		·03			·01		·02	·08	·11		2
3	·03		·08		·39					·45		·41	3
4	·62	·02	·13		·33	·09			·44	·2	·025	·1	4
5	·01	·04				·025	·02		·02		·16	·04	5
6		·06	·10		·21	·075	·68			·26	·015	·07	6
7		·28			·22	·07	·09			·4	·12		7
8		·08			·18	·02				·32		·01	8
9		·17	·02				·085	·25	·18		·02	·06	9
10	·09		·02	·05	·015		·09	·065		·03	·51		10
11	·77			·25	·055					·07	·58	·02	11
12					·12				·02		·16	·01	12
13	·04								·155		·19		13
14	·06		·16	·12			·08	·07	·05	·1	·01		14
15	·12	·145	·36	·92			·61		·05		·11		15
16	·19	·01	·52	·12		·12	·015		·06				16
17	·05		·13	·04		·105					·02	·015	17
18	·06		·12	·18			·065				·06		18
19	·78		·02			·1	·07		·33			·015	19
20	·06		·21	·03						·16	·05		20
21	·4		·04	·07	·135						·39		21
22			·28	·05				·02	·215				22
23						·08					·03	·16	23
24	·04			·145				·05					24
25		·06		·11								·04	25
26		·02		·4				·175		·22		·21	26
27			·15	·2						·2			27
28	·17		·15	·2						·23		·02	28
29	·01		·445		·07			·06		·14	·02	·03	29
30	·43			·5						·3	·07		30
31	·03		·04					·135		·01			31
Total	4·025	1·235	3·165	3·455	1·81	·685	1·815	·825	2·06	3·17	2·92	1·30	YEAR'S TOTAL 26·465
Rain Days.	21	12	19	18	11	9	11	8	12	16	20	16	173

✓

W.7,000, XI. 13

RECORD OF RAINFALL IN 1915

RAINFALL JAN

Kept at Swindon Corporation Water Works
in the County of Wroughton Wiltshire
by H. J. R. Hamp. Engineer

Lat. ________ Long. ________
Time of Observation 9 a m
Nearest Railway Station Swindon Town 2½ mile
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·055	·23	·19	·04	·085				·52		·27	·09	1
2	·01	·12		·03			·01		·02	·08	·11		2
3	·03		·08		·39					·45		·41	3
4	·62	·02	·13		·33	·09			·44	·2	·025	·1	4
5	·01	·04				·025	·02		·02		·16	·04	5
6		·06	·10		·21	·075	·68			·26	·015	·07	6
7		·28			·22	·07	·09			·4	·12		7
8		·08			·18	·02				·32		·01	8
9		·17	·02				·085	·25	·18		·02	·06	9
10	·09		·02	·05	·015		·09	·065		·03	·51		10
11	·77			·25	·055					·07	·58	·02	11
12					·12				·02		·16	·01	12
13	·04								·155		·19		13
14	·06		·16	·12			·08	·07	·05	·1	·01		14
15	·12	·145	·36	·92			·61		·05		·11		15
16	·19	·01	·52	·12		·12	·015		·06				16
17	·05		·13	·04		·105					·02	·015	17
18	·06		·12	·18			·065				·06		18
19	·78		·02			·1	·07		·33			·015	19
20	·06		·21	·03						·16	·05		20
21	·4		·04	·07	·135						·39		21
22			·28	·05				·02	·215				22
23						·08					·03	·16	23
24	·04			·145				·05					24
25		·06		·11								·04	25
26		·02		·4				·175		·22		·21	26
27			·15	·2						·2			27
28	·17		·15	·2						·23		·02	28
29	·01		·445		·07			·06		·14	·02	·03	29
30	·43			·5						·3	·07		30
31	·03		·04					·135		·01			31
Total	4·025	1·235	3·165	3·455	1·81	·685	1·815	·825	2·06	3·17	2·92	1·30	YEAR'S TOTA 26·46
Rain Days.	21	12	19	18	11	9	11	8	12	16	20	16	17

W.7,000, XI. 13

✓

WYLE RECTORY

WILTSHIRE

1916, 1919, 1920

REG

FORM A. BRITISH RAINFALL.

3 JAN 1917

Kept at Wylye Re a.m

in the County of Wil Wylye

in Gauge Snowdon Gauge in.

by Rev: E. M. Pa

ove Ground ft. in.

Sea Level ft.

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the ear in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given in n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24				45	05				60	35		1
2	22	09							02	84	06		2
3		95								41	34		3
4					71	46			45	02	85		4
5	19	36				22				04	60		5
6	06				02		54			07	74		6
7			26							02	65	13	7
8						41	07				03	15	8
9					18	04	03			12			9
10				07	13	06						13	10
11		67		02		18							11
12		06			08		15			10			12
13			04					33					13
14		74	6		06			24		09			14
15		26	19					30					15
16		07		33			06	97					16
17		21		05				23	36	37	03		17
18		04		22					09		35		18
19				09					21		19	55	19
20	51										04	1·80	20
21			1·10		06								21
22			20	02						34	02	60	22
23		17				04		23			13	09	23
24			10		37			02		42		26	24
25					06			55	02				25
26		75						23		68	14		26
27			1·07			23		1·41	33	28			27
28			21					08	14	18		36	28
29		77				34		1·80	14	35	03	23	29
30		✗								59			30
31		✗		✗		✗		08	✗	25	✗	05	31
Total	1·22	5·14	3·17	·80	2·12	2·03	·85	6·47	1·76	5·77	4·55	4·35	YEAR'S TOTAL 38·23
Rain Days.	5	13	8	7	10	10	5	13	9	19	16	11	126

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Wylye Rectory
in the County of Wilts
by Rev: E. M. Parken

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Wylye
Diameter of Funnel of Rain Gauge Snowdon Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24				45	05				60	35		1
2	22	09							02	84	06		2
3		95								41	34		3
4					71	46			45	02	85		4
5	19	36				22				04	60		5
6	06				02		54			07	74		6
7			26							02	65	13	7
8						41	07				03	15	8
9					18	04	03			12			9
10				07	13	06						13	10
11		67		02		18							11
12		06			08		15			10			12
13			04					33					13
14		74			06			24		09			14
15		26	19					30					15
16		07		33			06	97					16
17		21		05				23	36	37	03		17
18		04		22					09		35		18
19				09					21		19	55	19
20	51										04	1·80	20
21			1·10		06								21
22			20	02						34	02	60	22
23		17				04		23			13	09	23
24			10		37			02		42		26	24
25					06			55	02				25
26		75						23		68	14		26
27			1·07			23		1·41	33	28			27
28			21					08	14	18		36	28
29		77				34		1·80	14	35	03	23	29
30		✕								59			30
31		✕		✕		✕		08	✕	25	✕	05	31
Total	1·22	5·14	3·17	·80	2·12	2·03	·85	6·47	1·76 7	5·77	4·55	4·35	YEAR'S TOTAL 38·23
Rain Days.	5	13	8	7	10	10	5	13	9	19	16	17	126

W. 8,000, VIII. 16

1466

ex top

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.
20

Kept at Wylye Rectory
in the County of Wilts
by Rev. E. Montagu Parker

Lat. 51·7 Long. 2
Time of Observation 9 a.m
Nearest Railway Station Wylye, G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·46		07	02	12		39					90	1
2	·15				02		04					07	2
3	1·00		·21		02				40		01	27	3
4	·22		56			03		05	30			08	4
5		52	73		13		82		11		05	12	5
6	·45	02	18		18							18	6
7	·43		50	04									7
8	·30		20										8
9	·05		02	13	01						08		9
10	·03		36	03						02		12	10
11	·02		20	20	12		32			07	05		11
12	·03		04			03	09						12
13	·02		07	46			01					13	13
14	·74	07		57			04		01			07	14
15	·24	04		05				03				49	15
16	·06	70											16
17		21									15		17
18		04	59					02					18
19	32	28	79			05	50	22	10		39		19
20	34	10	10			42		26					20
21		60	02									23	21
22		06					27		66			18	22
23										10	04	19	23
24				08						51		35	24
25	06	11		06		12		30				15	25
26	04	02	11	14				25	07			38	26
27	14		03	45				75				04	27
28			47	04				77				41	28
29								12		12		03	29
30		×		18		13		72			1·35	56	30
31	01	×		×		×			×		×	19	31
Total	5·11	2·77	5·25	2·45	·60	·78	2·38	3·49	1·65	·82	2·12	5·14	YEAR'S TOTAL 32·56
Rain Days.	21	13	19	14	7	6	9	11	7	5	8	21	141

1385

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wyly Rectory
in the County of Wilts
by (Rev) E. Montagu Parker

Lat. 51°7′ Long. 2°
Time of Observation 9 a.m
Nearest Railway Station Wylye
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			05	23	27		27			53		33		1
2	14			10			43	62		04				2
3	05	10		05			97			80				3
4			05	01			05	27	06	25				4
5				11			45			28				5
6			33		29		30			6				6
7	05			32			20			03				7
8	07			07	03		59							8
9	50	24	05	09		12	01							9
10	72	26	05	06		19	40	03						10
11	32		10	66	24		20							11
12	17	06		23		77					10			12
13	17	03	45	10								05		13
14	02		27	54		05			14	23	65			14
15		10	02	25		04				18				15
16			02	13			15			03	05			16
17	01			15	28		04		42					17
18	05			05	10	01		·31	08			03		18
19				26	01	11								19
20		13		20								12		20
21							38		05			11		21
22	04			05			08	·03				36		22
23							74					37		23
24	03		12								10	12		24
25		05	09		05		40							25
26	17		16		06						04	10		26
27	36	03	06	26		20						21		27
28	58	01		01	12							06		28
29	27		19		02						12	29		29
30	08	✕		05	03	13	08				47	21		30
31	17	✕	17	✕		✕	05	·01	✕	44	✕	18	28·95	31
TOTAL	3·97	1·01	2·18	3·98	1·50	1·62	5·99	~~1·07~~ 1·27	·75	2·81	1·53	2·54	YEAR'S TOTAL ~~28·75~~	
Days with ·01 in. or more	20	10	16	23	12	9	19	6	5	10	7	14	151	
Days with ·04 in. or more	17	7	14	21	8	8	18	3	5	8	7	13	129	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.